

ENDNOTES

MY18 Sprinter and MY18 Metris Cargo Extended Wheelbase delayed availability.

1. Warning: the forces of a deploying airbag can cause serious or fatal injuries to a child under age 13. The safest seating position for your child is in a rear seat, belted into an appropriate, properly installed child seat, or correctly wearing a seat belt if too large for a child seat. See Operator's Manual for additional warnings and information on airbags, seat belts, and child seats.
2. Crosswind Assist can engage automatically when sensing dangerous wind gusts at highway speeds exceeding 50 mph. Performance is limited by wind severity and available traction, which snow, ice, and other conditions can affect. Always drive carefully, consistent with conditions. Feature not available on 3500 and 3500XD models.
3. Rearview camera does not audibly notify driver of nearby objects and is not a substitute for actively checking around the vehicle for any obstacles or people. Images displayed may be limited by camera field of view, weather, lighting conditions, and the presence of dirt, ice, or snow on the camera. Not available on Cab Chassis/Cutaway.
4. No system, regardless of how advanced, can overcome the laws of physics or correct careless driving. Please always wear your seat belt. Performance is limited by available traction, which snow, ice, and other conditions can affect. Always drive carefully, consistent with conditions. Best performance in snow is obtained with winter tires.
5. Blind Spot Assist may not be sufficient to avoid all accidents involving vehicles in your blind spot and does not estimate the speed of approaching vehicles. It should not be used as a sole substitute for driver awareness and checking of surrounding traffic conditions. Not available on Cab Chassis/Cutaway.
6. Lane Keeping Assist may be insufficient to alert a fatigued or distracted driver of lane drift and cannot be relied on to avoid an accident or serious injury.
7. COLLISION PREVENTION ASSIST may not be sufficient to avoid an accident. It does not react to certain stationary objects, nor recognize or predict the curvature and/or lane layout of the road or every movement of vehicles ahead. It is the driver's responsibility at all times to be attentive to traffic and road conditions, and to provide the steering, braking, and other driving inputs necessary to retain control of the vehicle. Drivers are cautioned not to wait for the system's alerts before braking, as that may not afford sufficient time and distance to brake safely.
8. Driving while drowsy or distracted is dangerous and must be avoided. ATTENTION ASSIST® may be insufficient to alert a fatigued or distracted driver and cannot be relied on to avoid an accident or serious injury.
9. Requires the use of ultra-low-sulfur diesel fuel. Mercedes-Benz Sprinters are approved to use B5 biodiesel (approved diesel fuel with a maximum 5% biodiesel content) in all engines. The only approved biodiesel content is one that both meets ASTM D6751 specifications and has the oxidation stability necessary to prevent deposit-/corrosion-related damages to the system (min. 6h, proven by EN14112 method). Please see your service station for further information. If the B5 biodiesel blend does not clearly indicate that it meets the above standards, please do not use it. The Mercedes-Benz Vans New Vehicle Limited Warranty does not cover damage caused by fuel standards not approved by Mercedes-Benz Vans.
10. Mileage represented is with available ECO Start/Stop operating. Please see your dealer. Compare the estimated mpg to the EPA estimated mpg rating of other vehicles. Please see www.fueleconomy.gov for details. You may get different mileage depending on how fast you drive, weather conditions, and trip length. Your actual combined mileage will probably be less than the combined estimate. Please be advised that 91 Octane premium gasoline was used for fuel economy testing and fuel economy certification.

11. Driver is responsible for monitoring fluid levels and tire pressure between service visits. See Maintenance Booklet for details.

12. Based on a comparison of full-size commercial vans at the time of print.

13. There are numerous legal requirements concerning the towing of a trailer, e.g., speed restrictions. Many states require a separate functional braking system for your trailer once a certain weight limit is exceeded. For reasons of safety, it is recommended that all trailers use a separate functional braking system. Make sure your vehicle/trailer combination complies with local laws. This not only means where you live, but also anywhere you are driving to. Information on this can be obtained from the police and local authorities. Observe the following when towing a trailer: practice driving around bends, stopping, and backing up at a place where there is no traffic.

14. Must select Cutaway packages F05 and F08.

15. Based on 61 sheets of ½-inch thick 4' x 8' sheets of lightweight drywall.

16. MasterSolutions™ program vehicles are custom, special-order only vehicles modified by the MasterSolutions™ provider of your choice. Although the MBUSA warranty does not apply to the modifications, separate warranties offered by the MasterSolutions™ provider may apply. Details are available from your local dealer.

17. Actual rates, terms, down payment, and program eligibility will be determined by the Mercedes-Benz Financial Services Credit Team based upon the creditworthiness of the customer.

18. TRAC leases are limited to motor vehicles leased to businesses and used at least 50% of the time for business purposes. Consult your tax or financial advisor for tax and accounting treatments.

19. The Mercedes-Benz Vans Roadside Assistance Program is available for vehicles covered under warranty and includes such services as towing, jump-start in the event of a dead battery, and assistance with the installation of a spare tire. Service charges apply for out-of-warranty vehicles.

20. Unsecured cargo can become hazardous in a collision. Always secure cargo.

21. Pre-wiring code EV6 required.

©2017 Mercedes-Benz USA, LLC, 303 Perimeter Center North – Suite 202, Atlanta, GA 30346, 1-877-762-8267. All illustrations and specifications contained in this brochure are based on the latest product information available at the time of publication. Volume measurements are according to SAE J1100. Mercedes-Benz reserves the right to make changes at any time, without notice, to colors, materials, equipment, specifications, and models. Any variations in colors shown are due to reproduction variations of the printing process. Illustrations may include test situations. Some vehicles may be shown with non-U.S. equipment. Some vehicles are shown with optional equipment available at extra cost. Some optional equipment may not be available individually and/or on all models.

For current information regarding the range of models, standard features, optional equipment, and/or colors available in the U.S. and their pricing, please contact your nearest authorized Mercedes-Benz Vans dealer. All rights reserved. MY17 Sprinter is the 2017 ALG Residual Value Award winner in the Fullsize Commercial Van segment. MY17 Metris is the 2017 ALG Residual Value Award winner in the Midsize Commercial Van segment. ALG is the industry benchmark for residual values and depreciation data, www.alg.com. Sprinter and Metris are winners of the 2016 Edmunds Best Retained Value® Award. Bluetooth® is a registered trademark of Bluetooth SIG, Inc.

www.MBVans.com

SMB-17-1046 Printed in U.S.A.



Mercedes-Benz

Vans. Born to run.



MERCEDES-BENZ VANS FAMILY



Mercedes-Benz

Vans. Born to run.



VANS

- 4 OUR HISTORY
- 6 SAFETY
- 8 PERFORMANCE
- 10 COST EFFICIENCY

SPRINTER

- 12 INTRODUCTION
- 14 CARGO
- 16 CREW
- 18 PASSENGER
- 20 CAB CHASSIS/CUTAWAY
- 22 4X4
- 24 WORKER CARGO

METRIS

- 26 INTRODUCTION
- 30 CARGO
- 32 PASSENGER
- 34 WORKER CARGO
- 35 WORKER PASSENGER

PRODUCT DETAILS

- 36 MASTERUPFITTER
- 37 MASTERSOLUTIONS
- 38 FINANCE SOLUTIONS
- 39 SERVICE & MAINTENANCE
- 40 SPRINTER SPECIFICATIONS
- 48 METRIS SPECIFICATIONS

120 Years of Van Innovation



Mercedes-Benz Vans Come to the US



WE INVENTED HARD CORE.

Over a hundred years ago, we recognized the need for a vehicle that could take on heavy loads and not back down from any job. The result? Mercedes-Benz invented the van. That first van paved the way for an entirely new segment and set the standard for others to follow. While our latest Sprinter and Metris Vans continue to raise the bar for innovation and technology, they still hold true to our core values: to create vans that deliver an extraordinary level of safety, performance, and cost efficiency to every owner.



DRIVER AND PASSENGER AIRBAGS¹

The driver and passenger front, thorax, and window airbags¹ help protect you and your passengers in the event of a collision. Metris Passenger Vans are also equipped with rear curtain airbags.¹

Sprinter airbags shown are from model year 2014.

SAFETY

We thought about safety so you can think about work.

Getting the job done is about staying focused. Our groundbreaking safety innovations deliver an extra level of protection for your cargo and passengers – and give you one less thing to think about.

Standard on Mercedes-Benz Vans, Crosswind Assist² can help you stabilize your van in gusting crosswinds, while standard front, thorax, and window airbags¹ help keep you protected. The standard rearview camera³ makes reverse parking and maneuvers more manageable. Plus, we're the only van in the segment featuring standard Load-Adaptive Electronic Stability Program (ESP®).⁴ Factor in the available Blind Spot Assist,⁵ Lane Keeping Assist,⁶ Highbeam Assist, and COLLISION PREVENTION ASSIST,⁷ and it will be easy to keep your mind on the job knowing that your van is helping you stay safe.

STANDARD HIGHLIGHTS



CROSSWIND ASSIST²

Crosswind Assist² helps you stabilize your van and boosts safety in strong, gusting crosswinds. This standard feature helps you ensure that your vehicle remains in its lane at highway speeds.



LOAD-ADAPTIVE ELECTRONIC STABILITY PROGRAM (ESP®)⁴

This dynamic handling system actively intervenes to help keep the van firmly under control and safe by automatically braking individual wheels and reducing engine power to help stabilize the vehicle if wheelspin, understeer, or oversteer is detected.



REARVIEW CAMERA^{3*}

The visual parking aid is activated when the Reverse gear is selected, giving you a view of what's going on behind you as well as providing overlays with which to guide you.

*Metris image shown.



ATTENTION ASSIST® (STANDARD ON METRIS ONLY)


ATTENTION ASSIST® helps prevent drowsy driving by monitoring your driving patterns and providing an early warning in case fatigue is detected.



RESCUE ASSISTSM

With Rescue AssistSM, first responders to an accident can scan a QR code in a Mercedes-Benz Van to quickly see where batteries, airbags, and other structural elements are located in order to safely perform the rescue.

OPTIONAL HIGHLIGHTS



LANE KEEPING ASSIST⁶

Lane Keeping Assist⁶ can provide you with visual and audible warnings if your van leaves its lane unintentionally. A camera in the windshield monitors the road ahead and helps detect when you may have veered away from lane markings.



COLLISION PREVENTION ASSIST⁷

COLLISION PREVENTION ASSIST⁷ is a radar-based proximity warning system that can issue visual and audible warnings when vehicles traveling ahead come within a potentially dangerous distance of your van. In emergency situations, boosted braking pressure levels automatically assist to help prevent rear-end collisions.



BLIND SPOT ASSIST⁵

Using radar sensors to monitor approaching vehicles on multilane highways, this system can detect vehicles in your blind spot and alert you visually and audibly.



HIGHBEAM ASSIST

Highbeam Assist adjusts the headlamp range automatically, allowing for a continuous adaptation to the prevailing traffic situation. The system helps ensure better and earlier recognition of the course of the road.



PERFORMANCE

Sophisticated technology. Old-school grunt.

All the cargo volume in the world doesn't mean a thing if your van can only crawl under the weight of a heavy load. The Sprinter and Metris drivetrains are specifically designed to accelerate under these conditions – and save you money along the way.

The Sprinter's 3.0L V6 turbo diesel engine⁹ and 5-speed transmission provide the efficiency needed for everyday use, as well as the power to handle the heaviest loads. Plus, the optional 4x4 drivetrain with on-demand 4-wheel drive will help keep you going even when the weather and road conditions turn bad.

The Metris is equipped with a 2.0L 4-cylinder turbocharged gasoline engine that is designed to produce substantial torque at low rpms. The combination of high torque and horsepower provides impressive performance throughout the operating range.

MERCEDES-BENZ SPRINTER

3.0L V6 TURBO DIESEL ENGINE⁹
WITH 5-SPEED TRANSMISSION



"...the tried-and-true 3.0-liter V6 turbo diesel... strong pulling power, good fuel economy, and proven longevity."



— Kelley Blue Book's KBB.com*

- Diesel engine⁹
- Displacement: 2,987 cc
- 188 hp @ 3,800 rpm
- Rated torque: 325 lb-ft @ 1,400–2,400 rpm
- Tank capacity: 24.5 gallons
- Battery: 12V/100Ah, alternator 14V/220A (Cargo), AGM 12V/95Ah, alternator 14V/220A (Passenger)

MERCEDES-BENZ METRIS

2.0L 4-CYLINDER TURBOCHARGED DIRECT INJECTION GASOLINE ENGINE
WITH 7-SPEED TRANSMISSION



"The Metris is quiet and feels competent around town and on the freeway, accelerating easily in and out of traffic."

— Los Angeles Times

- Turbocharged Direct Injection gasoline engine
- Displacement: 1,991 cc
- 208 hp @ 5,500 rpm
- Rated torque: 258 lb-ft @ 1,250–4,000 rpm
- Tank capacity: 18.49 gallons
- Battery: 12V/92Ah, alternator 14V/175A (Cargo), alternator 14V/190A (Passenger)
- Estimated combined EPA rating: 22 mpg (Cargo), 21 mpg (Passenger)¹⁰

*From 2014 Mercedes-Benz Sprinter 3500 Cargo Review on Kelley Blue Book's KBB.com. Kelley Blue Book is a registered trademark of Kelley Blue Book Co., Inc.



COST EFFICIENCY



We're in business to help your business.

Minimizing downtime is crucial for your business. With its award-winning residual value, Mercedes-Benz Vans keep your total cost of ownership low and your productivity high. If you spend less time and money on maintenance and more time on the road, your whole company will run more smoothly.



Sprinter and Metris are winners of the 2016 Edmunds Best Retained Value® Award.



Sprinter and Metris are winners of the 2017 ALG Residual Value Award.



MERCEDES-BENZ SPRINTER

Efficient Diesel Engine⁹

With turbocharged power, 325 lb-ft of torque, and diesel fuel economy, Sprinter's impressive 6-cylinder engine delivers power and durability in one compact package.



5-Speed Automatic Transmission

The low first gear and overdrive high gear in Sprinter's 5-speed automatic transmission help you accelerate from a stop and save fuel on the highway.



Up to a 20,000-Mile Service Interval¹¹

Sprinter's Best-in-Class service intervals of up to 20,000 miles¹¹ keep you on the road, raising productivity and lowering the total cost of ownership.



Super Single

The standard Super Single tire configuration on the 3500 and 3500XD models provides Best-in-Class¹² payload using a single-wheel rear axle, without sacrificing the cargo-loading capacity that is lost with the larger wheel wells of dual-wheel rear axles.



MERCEDES-BENZ METRIS

Efficient Gasoline Engine

A 208 hp 2.0L 4-cylinder turbocharged Direct Injection gasoline engine gets you up and moving quickly. At an estimated combined EPA rating of 22 mpg for Cargo and 21 mpg for Passenger models,¹⁰ the midsize Metris offers fuel consumption comparable to that of a small-size van.

7G-TRONIC Automatic Transmission

Refined for maximum efficiency and unmatched comfort, this quick-shifting 7-speed automatic transmission delivers better fuel economy, reduced noise, and longer service life.

Up to a 15,000-Mile Service Interval¹¹

With an impressive service interval of up to 15,000 miles,¹¹ your van will spend less time in the shop and more time on the job.

Optional ECO Start/Stop

This function reduces fuel consumption and emissions by shutting off the engine when the vehicle is at a standstill, helping you lower the total cost of ownership.



SPRINTER

LET'S GET TO **WORK.**

With us, there's no difference between just doing a job and doing it right. We only do a job one way – the best we can. Our “A” game is built into every van and every configuration. With Sprinter, you'll have the technological advancements and capabilities to get the job done. But more than that, Sprinter's performance gives you the confidence to know that you're working as cost-efficiently as possible, while the innovative safety and driver-assist systems assure you that you're protected along the way.

We have a configuration to get your job done – from the impressive value of the WORKER models to the flexibility of the full lineup of Sprinter Vans. Let's get to work.



SPRINTER CARGO



We're all in. All day.

The Sprinter Cargo Van works like you do. No hesitation. No wasted motion. The class-leading payload capacities¹² let you design a configuration that meets your needs, while the extended length and high roof models increase cargo volume to give you even more ways to increase productivity.

Working fast means working smart, and the spacious rear cargo area with nearly vertical walls and maximum standing height of 77.8" lets you create an efficient workspace. Need more room? No problem. The **Super Single** tire on the **3500XD** model increases the payload by up to 132 lbs., the cargo volume by up to 45 cu. ft., and the cargo width at the wheelhouse by 9.9". Whatever configuration you choose, you'll stay on the road longer with a service interval of up to 20,000 miles.¹¹

If you plan on being in business for the long haul, choose a partner with the same work ethic: the Sprinter Cargo Van.

SPECIFICATIONS

All measurements in inches. All width measurements include mirrors.
See page 42 for a complete listing of models and specifications.

TWO ROOF HEIGHTS

STANDARD ROOF



HIGH ROOF



THREE LENGTHS

144" WHEELBASE



170" WHEELBASE



170" EXT. WHEELBASE



SPRINTER CARGO QUICK FACTS

MAXIMUM PAYLOAD: 5,695 lbs.

MAXIMUM CARGO VOLUME: 530 cu. ft.

MAXIMUM TOWING CAPACITY: 7,500 lbs.¹³

MAXIMUM CARGO FLOOR LENGTH: 193.9"

ENGINE: 3.0L V6 turbo diesel⁹

MAXIMUM CARGO FLOOR WIDTH: 70.1"

TRANSMISSION: 5-Speed Automatic Transmission

MAXIMUM INTERIOR STANDING HEIGHT: 77.8"



SPRINTER CREW



SEATS

A removable rear bench seat covered in durable upholstery gives your crew a roomy, safe, and comfortable space.



CARGO CAPACITY

In addition to seating for up to five people, the Sprinter Crew Van features ample cargo space.

Pulling our weight. Every day.

When you need manpower along with horsepower, the Sprinter Crew Van can easily carry up to five people while still leaving you plenty of room to haul cargo. The 3-seat crew bench is also removable, giving you even more hauling flexibility.

The only factory crew configuration in its class, our Sprinter Crew Van features padded armrests and tinted windows that will help keep your crew comfortable. We'll help keep them safe with advancements like standard Load-Adaptive Electronic Stability Program (ESP®),⁴ Crosswind Assist,² and available Blind Spot Assist⁵ and Highbeam Assist. And our V6 turbo diesel engine⁹ will get you up to speed easily—even if you're maxed out with crew and cargo.

SPECIFICATIONS

All measurements in inches. All width measurements include mirrors. See page 44 for a complete listing of models and specifications.

ONE ROOF HEIGHT

HIGH ROOF



TWO LENGTHS

144" WHEELBASE



170" WHEELBASE



SPRINTER CREW QUICK FACTS

MAXIMUM PAYLOAD: 3,143 lbs.

MAXIMUM CARGO VOLUME: 367.5 cu. ft.

MAXIMUM TOWING CAPACITY: 5,000 lbs.¹³

MAXIMUM CARGO FLOOR LENGTH: 142.0"

ENGINE: 3.0L V6 turbo diesel⁹

MAXIMUM INTERIOR STANDING HEIGHT: 75.4"

TRANSMISSION: 5-Speed Automatic Transmission

SEATING CAPACITY: Up to five



SPRINTER PASSENGER



An impressive interior standing height of 6'3" provides greater passenger comfort with plenty of room to move.



"A manageable driving position and impressive handling make the Mercedes van pleasant and surprisingly maneuverable around town, while electronic aids help fight the wind gusts at speed."

— Edmunds



Crosswind Assist² can gently engage individual brakes to help quickly stabilize your Sprinter Van and boost safety in strong, gusting crosswinds. This standard feature helps ensure that your van remains in its lane at highway speeds.

Your passengers will never take a back seat.

Our philosophy here is simple: Passengers come first. The Sprinter Passenger Van's maximum 70.1" floor width means they will have plenty of room to sit, while the ergonomic, durable rear seating with generous legroom and individual headrests assures that they'll sit comfortably – up to 12 of them, in fact. And your passengers will be able to stand up straight, thanks to the interior height of 6'3".

The spacious rear storage area provides ample room for luggage, and once you're on the road, passengers will enjoy rear heating and air conditioning, and a level of protection only the technologically advanced Mercedes-Benz safety features can deliver.

SPECIFICATIONS

All measurements in inches. All width measurements include mirrors. See page 45 for a complete listing of models and specifications.

ONE ROOF HEIGHT

HIGH ROOF



TWO LENGTHS

144" WHEELBASE




170" WHEELBASE



TWO INTERIOR CONFIGURATIONS

CARGO LENGTHS



SPRINTER PASSENGER QUICK FACTS

-  MAXIMUM PAYLOAD: 2,673 lbs.
-  MAXIMUM TOWING CAPACITY: 5,000 lbs.¹⁹
-  ENGINE: 3.0L V6 turbo diesel¹⁹
-  TRANSMISSION: 5-Speed Automatic Transmission
-  MAXIMUM CARGO VOLUME: 190.3 cu. ft.
-  MAXIMUM INTERIOR STANDING HEIGHT: 75.5"
-  STANDARD FRONT + REAR A/C
-  SEATING CAPACITY: Up to 12



SPRINTER CAB CHASSIS/CUTAWAY



THE RIGHT FOUNDATION FOR YOUR NEEDS

Choose between two wheelbases and two payloads, and build the Sprinter Cab Chassis/Cutaway¹⁴ that works best for you.

Have a big idea? Bring it.

From a box truck to a technologically advanced RV, we provide you with the place to build your idea. The Sprinter Cab Chassis/Cutaway¹⁴ is your blank slate. With a flat, unobstructed frame and two available wheelbases (both featuring GVWRs of 11,030 lbs.), we've made certain that there's a Sprinter strong enough to support your biggest plans.

The Sprinter Cab Chassis/Cutaway¹⁴ has legendary Mercedes-Benz durability built in, and the efficient diesel engine has proven itself for years. The Sprinter Cab Chassis/Cutaway¹⁴ is also compatible with a wide range of bodies. While it features a Best-in-Class payload,¹² the rack-and-pinion steering and independent front suspension will keep you maneuvering the streets with ease. If your big idea needs more hauling capacity, the new **Super Single** tire on the **3500XD** model increases the payload by up to 132 lbs.

SPECIFICATIONS

All measurements in inches. All width measurements include mirrors.
See page 46 for a complete listing of models and specifications.

ONE ROOF HEIGHT

STANDARD ROOF



3500XD:
Max: 95.5"

95.5"

TWO LENGTHS

144" WHEELBASE



240.3"

170" WHEELBASE



270.2"

SPRINTER CAB CHASSIS/CUTAWAY QUICK FACTS

MAXIMUM PAYLOAD: 6,521 lbs.

TRANSMISSION: 5-Speed Automatic Transmission

MAXIMUM TOWING CAPACITY: 7,500 lbs.¹³

SEATING CAPACITY: Up to three

ENGINE: 3.0L V6 turbo diesel⁹



SPRINTER 4x4



The low-range gear accommodates a wide variety of challenging road and weather conditions.



Activated at the push of a button, the Sprinter 4x4 uses 4-ETS® to control individual wheels, instantly providing ground-gripping power.



The Sprinter 4x4 option is available in select Cargo, Crew, or Passenger Van configurations.

To get the job done, you need to get to the job.



Don't let bad weather ruin your good reputation. We're the only manufacturer that will help you get to the job with an on-demand 4-wheel drive commercial van. The Sprinter 4x4 features higher wading depth, a low-range gear, and a V6 turbo diesel engine⁹ that delivers powerful torque when you need it most.

Plus, it's the only 4x4 that combines Load-Adaptive Electronic Stability Program (ESP®)⁴ with Electronic Traction System (4-ETS®) to help maintain stability and control by adjusting to road conditions. The Sprinter 4x4 is designed to help keep you safe and on time in every season and climate. For other vans, this may seem like going above and beyond. For us, it just means going to work.

SPECIFICATIONS

All measurements in inches. All width measurements include mirrors. A complete listing of models and specifications begins on page 42.

SPRINTER CARGO:

TWO ROOF HEIGHTS		THREE LENGTHS		
STANDARD ROOF	HIGH ROOF	144" WHEELBASE	170" WHEELBASE	170" EXT. WHEELBASE
 2500: Max: 97.2" 95.5"	 2500: Max: 108.6" 3500XD: Max: 108.5" 95.5"	 233.3"	 274.1"	 290"

SPRINTER CREW:

ONE ROOF HEIGHT	TWO LENGTHS	
HIGH ROOF	144" WHEELBASE	170" WHEELBASE
 2500: Max: 108.3" 95.5"	 233.3"	 274.1"

SPRINTER PASSENGER:

ONE ROOF HEIGHT	ONE LENGTH
HIGH ROOF	144" WHEELBASE
 2500: Max: 113.5" 95.5"	 233.3"



SPRINTER WORKER CARGO



With a maximum cargo volume of 486.5 cu. ft. and a turbo diesel engine,⁹ the Sprinter WORKER Cargo Van has the room and power to get the job done.



We work for a living.

Is there a better name for a line of vans? The Sprinter WORKER Cargo Van comes in at a surprisingly low cost of ownership, but is ready to deliver big-time results.

The Sprinter WORKER Cargo Van can hold over 3,500 lbs. of payload and has a maximum cargo volume of 486.5 cu. ft. While the capacities are impressive, the Sprinter WORKER Cargo Van takes it a step further by letting you choose between two different wheelbase lengths. Working hard means staying on the road, and you'll do that as well with an up to 20,000-mile service interval.¹¹

Limitations in standard and optional equipment—see your dealer for details.

SPECIFICATIONS

All measurements in inches. All width measurements include mirrors. See page 42 for a complete listing of models and specifications.

TWO ROOF HEIGHTS		TWO LENGTHS	
STANDARD ROOF	HIGH ROOF	144" WHEELBASE	170" WHEELBASE
 Max: 94.5"	 Max: 105.9"	 233.3"	 274.1"
95.5"	95.5"		

SPRINTER WORKER CARGO QUICK FACTS

-  MAXIMUM PAYLOAD: 3,501 lbs.
-  MAXIMUM CARGO VOLUME: 486.5 cu. ft.
-  MAXIMUM TOWING CAPACITY: 5,000 lbs.¹³
-  MAXIMUM CARGO FLOOR LENGTH: 178.2"
-  ENGINE: 3.0L V6 turbo diesel⁹
-  MAXIMUM CARGO FLOOR WIDTH: 70.1" (at wheelhouse 53.1")
-  TRANSMISSION: 5-Speed Automatic Transmission
-  MAXIMUM INTERIOR STANDING HEIGHT: 77.8"



METRIS

MEASURED BY RESULTS.

When it comes to working efficiently, bigger isn't always better. The right size for the job is better. Whether it's choosing between the new available wheelbase options for the Cargo Van, or selecting one of the three seating configurations in the Passenger Van, Metris lets you carry large van loads or up to eight people, maneuver city streets with a tight turning diameter, and park in a home garage. Plus, the 4-cylinder engine, 7-speed transmission, up to a 15,000-mile service interval,¹¹ and available ECO Start/Stop system will maximize cost efficiency. The Metris sets a whole new standard for safety and driver-assist capability for the commercial van segment with standard features like Crosswind Assist,² Load-Adaptive Electronic Stability Program (ESP[®]),⁴ and ATTENTION ASSIST.^{®8} When you're ready to measure success by jobs completed, you're ready for Metris.

ONLY THE METRIS STACKS UP.

METRIS EWB

VS. FORD TRANSIT CONNECT LWB








THE METRIS

IS **21.7 IN.**
LONGER

IS **2.4 IN.**
TALLER

HOLDS **837 LBS.**
MORE PAYLOAD

HAS **70.4 CU. FT.**
MORE CARGO VOLUME



Based on publicly available vehicle specifications for the 2017 Ford Transit Connect LWB available at time of printing.

*With factory partition



METRIS CARGO



THE RIGHT SIZE

The Metris has the payload capacity of a large van, yet still fits in industrial and home garages.



199 CUBIC FEET OF CARGO VOLUME

If you're looking for more space, the extended wheelbase Metris offers 120.5" of cargo length. That's spacious enough to stow over 60 sheets of 4' x 8' drywall¹⁵ with room to spare.



REAR DOOR OPTIONS

Choose between standard 270° opening rear doors, 180° rear doors, or an optional flip-up tailgate.

No wasted space.

Wasted space is wasted money. That's why virtually every inch of cargo space in the Metris Cargo Van is usable. It's all about making smart use of what you have—and having the right size with which to work. With a Best-in-Class turning diameter* and a powerful, cost-efficient drivetrain, the Metris doesn't waste any effort getting to the job. You'll feel safe along the way with advanced features like Crosswind Assist,² Load-Adaptive Electronic Stability Program (ESP[®]),⁴ and ATTENTION ASSIST.^{®8} When you need to get more out of your cargo van, choose the one that delivers efficiency, along with a low total cost of ownership and a Best-in-Class payload cargo capacity.*


*Based on a comparison of similarly sized and equipped commercial vans.

Two wheelbases, more possibilities.

The Metris lets you choose the size you need by offering two wheelbase lengths. The standard length gives you 183 cu. ft. of cargo volume, while the **new extended length** option adds 9" of cargo length and 16 cu. ft. of volume, giving you even more hauling opportunities with a total of 199 cu. ft.

SPECIFICATIONS

All measurements in inches. All width measurements include mirrors. See page 49 for a complete listing of models and specifications.



METRIS CARGO QUICK FACTS

PAYLOAD:
2,502 lbs. (std. wb)
2,447 lbs. (ext. wb)

CARGO LENGTH (with factory partition):
111.5" (std. wb)
120.5" (ext. wb)

CARGO VOLUME:
183 cu. ft. (std. wb)
199 cu. ft. (ext. wb)

TURNING DIAMETER (curb-to-curb):
36.4' (std. wb)
38.7' (ext. wb)

MAXIMUM TOWING CAPACITY: 5,000 lbs.¹³

ENGINE: 2.0L 4-cylinder turbocharged Direct Injection gasoline

TRANSMISSION: 7G-TRONIC Automatic Transmission



METRIS PASSENGER



AIRBAGS¹

Driver and passenger front airbags,¹ driver and front passenger side thorax airbags,¹ and window curtain airbags¹ throughout help protect every occupant.



ELECTRIC SLIDING DOORS (OPTIONAL)

Open or close the sliding door with the push of a button, for extra convenience.



SEATING CAPACITY

With three available seating configurations, you can carry up to eight people. 39.6" of headroom and plenty of legroom assure that your passengers won't just get there – they'll get there comfortably.

Treat passengers like you're one of them.

Whether you're riding or driving, it's all about how you feel in the vehicle. Take the Metris Passenger Van. It's just the right size to seat up to eight people comfortably and gives you the flexibility of three seating configurations. Add in optional features like electric sliding doors, and your passengers will have even more reasons to enjoy their journey – and you'll certainly enjoy the low cost of ownership. Our groundbreaking safety innovations deliver an extra level of protection for you and your passengers, giving you one less thing to think about. Put your passengers first with the Metris Passenger Van.

SPECIFICATIONS

All measurements in inches. All width measurements include mirrors. See page 50 for a complete listing of models and specifications.



SEATING FOR FIVE**



SEATING FOR SEVEN



SEATING FOR EIGHT**



**Optional seating arrangement

METRIS PASSENGER QUICK FACTS

 MAXIMUM PAYLOAD: 1,874 lbs.

 SEATING CAPACITY: Seven (optional for eight)

 MAXIMUM TOWING CAPACITY: 5,000 lbs.¹³

 ENGINE: 2.0L 4-cylinder turbocharged Direct Injection gasoline

 CARGO VOLUME: 38 cu. ft.

 TRANSMISSION: 7G-TRONIC Automatic Transmission

 SIDE ENTRANCE: Dual sliding doors (electric optional)

Not just vans – game-changers.

The Metris WORKER is the line of vans that's as focused on your bottom line as you are. Without compromising any of the core values of a Mercedes-Benz Van, Metris WORKER Cargo and Passenger Vans offer a streamlined selection of packages and options. With a low total cost of ownership and the advanced safety features you'd expect from Mercedes-Benz, Metris WORKER Vans bring an entirely new level of efficiency and value to your vehicles.

Numbers don't lie. The Metris WORKER Cargo Van's payload, cargo volume, and horsepower prove that you can get big-time capabilities and affordability in one van. It's just the right size to get the job done, and with two optional packages: Convenience and Utility, ordering a Metris WORKER Cargo Van has never been easier. Options that work, at a price that works for you. The Metris WORKER Cargo Van. It's all business.

Limitations in standard and optional equipment – see your dealer for details.

METRIS WORKER CARGO QUICK FACTS

-  **MAXIMUM PAYLOAD:** 2,502 lbs.
-  **CARGO VOLUME:** 183 cu. ft.
-  **SEATING CAPACITY:** Up to two
-  **TRANSMISSION:** 7G-TRONIC Automatic Transmission
-  **MAXIMUM TOWING CAPACITY:** 5,000 lbs.¹³
-  **HEAD UNIT:** Audio 15 – AM/FM radio, USB, AUX, Bluetooth®, 5.8" color screen
-  **ENGINE:** 2.0L 4-cylinder turbocharged Direct Injection gasoline

SPECIFICATIONS



All measurements in inches. All width measurements include mirrors. See page 49 for a complete listing of models and specifications.

Comfort for your passengers. A comfortable low cost of ownership for you.

The Metris WORKER Passenger Van delivers comfort, safety, and reliability – all while coming in under budget. The spacious seating area gives up to seven passengers plenty of shoulder and legroom, while the ample storage area can handle their luggage with ease. To meet your specific requirements, the Metris WORKER Passenger Van offers the flexibility of three easy optional packages: Convenience, Appearance, and Comfort. No matter where you're sitting, the Metris WORKER Passenger Van makes sure no passenger takes a back seat.

Limitations in standard and optional equipment – see your dealer for details.

METRIS WORKER PASSENGER QUICK FACTS

-  **MAXIMUM PAYLOAD:** 1,874 lbs.
-  **CARGO VOLUME:** 38 cu. ft.
-  **SEATING CAPACITY:** Up to seven
-  **TRANSMISSION:** 7G-TRONIC Automatic Transmission
-  **MAXIMUM TOWING CAPACITY:** 5,000 lbs.¹³
-  **HEAD UNIT:** Audio 15 – AM/FM radio, USB, AUX, Bluetooth®, 5.8" color screen
-  **ENGINE:** 2.0L 4-cylinder turbocharged Direct Injection gasoline

SPECIFICATIONS



All measurements in inches. All width measurements include mirrors. See page 50 for a complete listing of models and specifications.



METRIS **WORKER CARGO**



METRIS **WORKER PASSENGER**

MASTER UPFITTER

If you can imagine it, we can make it happen.

You have a concept in mind — let a Mercedes-Benz Vans MasterUpfitter build it for you. Our job is to manufacture a van that is ready to fit your ultimate upfitting needs. With the Best-in-Class cargo volume of the Sprinter,¹² the impressive 6,521 lbs. of payload of the Sprinter 3500XD Cab Chassis, or the “right size” concept of the Metris, each Mercedes-Benz Van is a blank canvas on which you can create a design to meet your specific needs. Whether you are in need of a simple work van interior, a mobile veterinarian clinic, or the ultimate RV, Mercedes-Benz Vans is making you mobile and taking your business to new places.

Qualified Upfitters adhere to the Upfitting Guidelines to become part of the Mercedes-Benz Vans MasterUpfitter network. These masters of their trade are committed to the highest engineering standards and levels of customer satisfaction. Working with a MasterUpfitter gives you the flexibility to be creative and the assurance that Mercedes-Benz Vans is here to support your ideas.



4x4 adventure van conversion done by Sportsmobile West, Inc.



Ambulance conversion done by American Emergency Vehicles (AEV).



Aerial lift conversion done by Equipment Technology, LLC—A Palfinger Company.

MASTERUPFITTER

MASTER SOLUTIONS™

A turnkey route to productivity.

You're the expert in your trade, and your van is the tool with which to get the job done. MasterSolutions™¹⁶ allows you to quickly configure your van and order directly via your Mercedes-Benz Vans dealer to get you exactly the van you want right when you need it, so you can concentrate on finishing the job.

MasterSolutions™¹⁶ providers Auto Truck, Knapheide, and Smartliner bring you a portfolio of turnkey solutions for your vocation — anything from Sortimo or Ranger shelving to refrigeration or even transportation of people at a preferred price. These preconfigured solutions from industry-leading manufacturers are customized to fit your Mercedes-Benz Van. The ordering process is streamlined, and installation is simple: all MasterSolutions™¹⁶ can be fitted directly as Ship-Thru, ensuring seamless integration, quick delivery, and consistent quality.

For more details and to configure your upfit, visit www.mbvans.com/sprinter/discover/upfitters-and-upfit-solutions



SHIP-THRU



Example of MasterSolution™ provided by **RANGER DESIGN**



Example of MasterSolution™ provided by **Sortimo By KNAPHEIDE**



15-seater provided by **Smartliner**

MASTERSOLUTIONS™

Through Mercedes-Benz Financial Services, we offer a variety of financing products and solutions with flexible benefits tailored specifically to meet the needs of your business.¹⁷

For more information, visit www.mbvans.com/sprinter/shopping-tools/finance-solutions

Retail Loan

These simple-interest, fixed-payment packages lock in interest rates and can include van and upfit equipment, as well as aftermarket products, in one contract.



FMV Lease

A closed-end lease agreement is also known as a “walkaway lease,” since the lessee can simply turn in the vehicle and walk away at lease maturity after meeting all contractual obligations, subject to certain return conditions and mileage restrictions.

TRAC Lease¹⁸

A Terminal Rental Adjustment Clause (TRAC) lease¹⁸ doesn’t require any acquisition fee, up-front payment, or excess mileage charges, and lease payments may be expensed against income. Owners are responsible for the residual value of the vehicle.



FINANCE SOLUTIONS

Taking care of you, so you can take care of business.

VanCARE is a promise to our customers to deliver genuine parts, superior service, and unparalleled commitment to getting you back on the road as quickly as possible. We know that for you it isn’t a van – it’s a tool you need to make a living.



MAINTENANCE PLANS

Save money on routine maintenance,* lock in costs for parts and service, and choose from flexible payment options. We took our most popular maintenance plans and lowered costs, meaning you save even more on regular maintenance. Sign up anytime and get a customized plan that adjusts to your driving needs – and forget model year eligibility limits.

Don’t get prepaid service. Get a maintenance plan. The only one that comes with certified Mercedes-Benz Sprinter and Metris technicians who use Genuine Mercedes-Benz Vans Parts.

*Versus paying for services as you go. Potential savings vary by dealer.

FIND THE RIGHT PLAN FOR YOUR SPRINTER

MONTHS OF OWNERSHIP	MILES PER YEAR				
	15,000	20,000	25,000	35,000	50,000
12	15,000	20,000	25,000	35,000	50,000
	2	2	2	2	4
24	30,000	40,000	50,000	70,000	100,000
	2	2	4	4	6
36	45,000	60,000	75,000	105,000	150,000
	4	4	4	6	8
48	60,000	80,000	100,000	140,000	
	4	4	6	8	

RECOMMENDED NUMBER OF SERVICES BASED ON MONTHS OF OWNERSHIP AND MILES DRIVEN PER YEAR.

FOR YOUR METRIS

MONTHS OF OWNERSHIP	MILES PER YEAR				
	10,000	15,000	20,000	25,000	30,000
12	10,000	15,000	20,000	25,000	30,000
	2	2	2	2	2
24	20,000	30,000	40,000	50,000	60,000
	2	2	2	4	4
36	30,000	45,000	60,000	75,000	90,000
	2	4	4	6	6
48	40,000	60,000	80,000	100,000	120,000
	2	4	6	6	8

RECOMMENDED NUMBER OF SERVICES BASED ON MONTHS OF OWNERSHIP AND MILES DRIVEN PER YEAR.

ROADSIDE ASSISTANCE¹⁹

All Mercedes-Benz Vans come standard with our 24-hour Roadside Assistance Program¹⁹ and expert advice 24/7 through the Mercedes-Benz Customer Assistance Center, providing you peace of mind and help when you need it most.



SERVICE & MAINTENANCE

SPRINTER SPECIFICATIONS (Applies to all Sprinter models)



POWERTRAINS	ENGINE
Configuration	3.0L V6 diesel ⁹
Fuel injection	DOHC
Induction system	Direct
Cylinders	Commonrail Direct Injection (CDI)
Cylinder heads	Six
Block material	Aluminum
Bore/stroke	Aluminum
Compression ratio	83.0mm/92.0mm
Transmission	18.0:1a
Horsepower @ rpm	5-speed automatic
Torque lb-ft @ rpm	188 hp @ 3,800 rpm
Recommended fuel	325 lb-ft @ 1,400-2,400 rpm
Fuel tank capacity	B5
Fuel tank capacity (Cab Chassis/Cutaway) ¹⁴	24.5 gal
Fuel tank capacity (Cab Chassis/Cutaway) ¹⁴	26.4 gal

All Sprinter specifications are for 6-cylinder engine only.

STANDARD FEATURES

MECHANICAL

- 5-speed automatic transmission
- 24.5 gallon fuel tank, 26.4 gallon fuel tank (Cab Chassis/Cutaway)¹⁴
- Battery: 12V/100Ah, alternator 14V/220A (Cargo), AGM 12V/95Ah, alternator 14V/220A (Passenger)
- Door-mounted assist handles, driver & passenger (4x4 only)
- Engine: 3.0L V6 turbo diesel engine⁹
- Fuel filter with water separator
- Jump-start terminal
- Pre-installation PSM (not available on WORKER models)
- Remote key with central locking
- Starter battery disconnect
- Tire pressure monitoring lamp***

SEATING

- Adjustable driver seat
- Adjustable front passenger seat
- Armrest for driver seat
- Armrest for front passenger seat

INTERIOR

- 12V outlet, front
- Adjustable steering wheel (tilt & telescope)
- Air conditioning, front
- Audio 15 – AM/FM radio, USB, AUX, Bluetooth[®], 5.8" color screen*
- Cupholder, front
- Heat-insulating glass
- Interior lights, cargo compartment (only on Cargo Vans)
- Interior rearview mirror**
- Jack, hydraulic
- Lockable glove compartment
- Rearview camera^{3****}
- Shelf above windshield
- Speakers, five front audio
- Tunja Black Fabric

EXTERIOR

- 3rd brake light*****
- All-season tires
- Body Builder Connector*
- Daytime driving lights
- Front mud flaps
- Outside temperature gauge
- Rear mud flaps*****
- Spare wheel & tire
- Spare wheel bracket below frame
- Tow hook, rear (except 3500 & 3500XD models)

SAFETY & SECURITY

- Airbag, driver front¹
- Airbag, passenger front¹
- Airbag, driver/passenger thorax^{1****}
- Airbag, driver/passenger window^{1****}
- Crosswind Assist²
- Hill-Start Assist
- Load-Adaptive Electronic Stability Program (ESP)⁴
- Seat belt reminder, driver

*Optional on WORKER models.
 **Optional on WORKER models and 3500XD Cab Chassis/Cutaway.
 ***Not available on 3500XD models.
 ****Optional on 3500XD models.
 *****Not available on 3500XD Cab Chassis/Cutaway.

SPRINTER CARGO: 2500, 3500, 3500XD, WORKER

STANDARD FEATURES

Some options are standard on select models

MECHANICAL

	2500	3500	3500XD	WORKER
Axle ratio 3.92	X		X	
Axle ratio 4.18		X	X	
Rear spring for 8,550 lbs. GVWR	X		X	
Shock absorbers reinforced (not available in 4x4)	X		X	
Stabilizer, front axle		X	X	X
Stabilizer, rear axle, underframe (reg. wheelbase & 4x4)		X	X	X
Stabilizer reinforced at front axle (reg. wheelbase & 4x4)		X	X	X
Suspension with front & rear stabilizers		X		X

OPTIONAL FEATURES

MECHANICAL

	2500	3500	3500XD	WORKER
4x4 – high range t-case with low gear (4x4 only)	X	X		
Additional bar for driveshaft & exhaust extension	X	X	X	
Axle ratio 3.92	X	X	X	
Axle ratio 4.18 (not available in 4x4)	X			
Cruise control	X	X	X	
Front axle, reinforced (not available in 4x4)	X	X	X	
Front engine bracket for additional alternator	X	X	X	
Front engine bracket for auxiliary A/C compressor	X	X	X	
High idle preset	X	X	X	
Parametric Special Module (PSM)	X	X	X	
Rear spring vibration absorbers	X			
Suspension with heavy-duty front/rear stabilizer (regular wheelbase only & not available in 4x4)	X			

SEATING

	2500	3500	3500XD	WORKER
Comfort driver/passenger seat	X	X	X	
Heavy-duty driver seat	X	X	X	
Heated driver/front passenger seat	X	X	X	
Orange seat belts, driver/front passenger	X	X	X	
Storage net, driver seat backrest	X	X	X	
Storage net, passenger seat backrest	X	X	X	

EXTERIOR

	2500	3500	3500XD	WORKER
2nd row, fixed window, driver side/passenger side	X	X	X	
Black tinting (80%) for rear windows	X	X	X	
Bumper step, rear, gray	X	X	X	
Bumper step, rear, spring-loaded	X	X	X	
Bumpers front/rear, primed	X	X	X	
Chrome-trimmed radiator grille	X	X	X	
DEF fluid filler cap – lockable	X	X	X	
Door sill – protective edge	X	X	X	
Electrically heated windshield	X	X	X	
Electric sliding step	X	X	X	
Fixed sunroof (rear roof section)	X	X	X	
Fog lamps	X	X	X	
Front license plate deletion	X	X	X	
Headlamp washing system	X	X	X	
Heated & electrically adjustable exterior mirrors	X	X	X	
Heated rear window(s) with washers/wipers	X	X	X	
High roof	X	X	X	
M+S winter tires ¹¹ (not available in 4x4)	X	X	X	
"Model" badge, right rear door deletion	X	X	X	
Mounting rails for roof rack	X	X	X	
Painted metallic front & rear bumper	X	X	X	
Primed side moldings	X	X	X	
Rims painted Arctic White	X	X	X	
Rims painted Jet Black	X	X	X	
Sliding door, driver side	X	X	X	
Sliding door, passenger side	X	X	X	
Sliding door, two-stage opening	X	X	X	
Spare tire carrier deletion	X	X	X	
Spare wheel deletion	X	X	X	
Sprinter badge, left rear door deletion	X	X	X	
Tires, Continental VancoFourSeason (M+S)	X			
Trailer hitch prep. wiring	X	X	X	
Wheel chocks	X	X	X	
Wheel house covering	X			
Windows in rear doors	X	X	X	
Windshield with filter band	X	X	X	

OPTIONAL PACKAGES

	2500	3500	3500XD	WORKER
Active Safety Plus Package	X	X	X	
Active Safety Plus Package with PARKTRONIC	X	X	X	
Additional Battery Package	X	X	X	
Cargo Protection Package	X	X	X	
Convenience Package	X	X	X	
Driver Comfort Package	X	X	X	
Driver Efficiency Package	X	X	X	
Dual Rear Wheel Package	X	X	X	
Floor Package	X			
Front Bench Seat Package	X	X	X	
High Idle Fixed Package	X	X	X	

FLEET PACKAGES

	2500	3500	3500XD	WORKER
Ambulance Prep Package – Cargo Van ¹	X			
Crew Cab Package	X	X	X	
Heavy Duty Front Axle Package	X	X	X	
High Idle Variable Package	X	X	X	
High Performance Air Conditioning Package	X	X	X	
Interior Trim Package	X	X	X	
Partition with Sliding Door & Pass. Jump Seat Package	X	X	X	
Partition with Sliding Door without Pass. Jump Seat Pkg.	X			
Shuttle Door Prep Package	X			
Suspension Package IV	X	X	X	

¹This will result in an incomplete vehicle; Upfitter is final stage manufacturer.

¹¹Not available with Super Single tires.

INTERIOR

	2500	3500	3500XD	WORKER
Rear door, opening 270°	X	X	X	
Rear door, opening 180°	X	X	X	
Wood floor with six D-rings ²⁰	X	X	X	

	2500	3500	3500XD	WORKER
6.5 J x 16 steel wheels	X	X	X	
Black steel wheels	X	X	X	
Sliding door, extended track	X	X	X	
Sliding door, passenger side	X	X	X	
Specially requested tires	X	X	X	
Super Single tires	X	X	X	
Tires, Continental VancoFourSeason (M+S) (4x4)	X	X	X	
Tires, Kumho	X	X	X	
Tires LT 245/75 R16	X	X	X	

SAFETY & SECURITY

	2500	3500	3500XD	WORKER
Airbag, driver/passenger thorax ¹	X	X	X	
Airbag, driver/passenger window ¹	X	X	X	
Airbag, driver thorax ¹	X	X	X	
Backup alarm	X	X	X	
Downhill Speed Regulation (DSR) for 4x4	X	X	X	
First aid kit & emergency flashlight	X	X	X	
Lane Keeping Assist ⁶ deletion	X	X	X	
Security alarm with interior motion sensor	X	X	X	
Speed limitation, 65 mph	X	X	X	
Speed limitation, 75 mph	X	X	X	

INTERIOR

	2500	3500	3500XD	WORKER
12V power outlet, driver seat base	X	X	X	
12V power outlet, rear compartment	X	X	X	
Assist handle, B-pillar	X	X	X	
Assist handle, left rear door	X	X	X	
Assist handle, right rear door	X	X	X	
Assist handle with partition	X	X	X	
Becker [®] MAP PILOT [®] Navigation System ²¹	X	X	X	
Cab rear wall liner	X	X	X	
Cargo lashing rails, head height ²⁰	X	X	X	
Cargo lashing rails, waist height ²⁰	X	X	X	
Cargo partition	X	X	X	
Cargo partition with one sliding window	X	X	X	
Cargo partition with one window	X	X	X	
Cargo straps, D-rings ²⁰	X	X	X	
Cargo straps, lashing rails ²⁰	X	X	X	
Ceiling lights, LED, rear compartment	X	X	X	
Convenience lighting in load/pass. compartments	X	X	X	
Deactivation assist monitoring failure	X	X	X	
Door-mounted assist handles, driver & passenger	X	X	X	
Fuel-fired heater booster (17,000 BTU)	X	X	X	
Fuel-fired pre-heater/booster (17,000 BTU)	X	X	X	
Fuel gauge, optimized for aux. fuel tap	X	X	X	
Half height load compartment trim	X	X	X	
Heat insulation, front compartment	X	X	X	
Heat insulation, rear compartment	X	X	X	
Heavy duty fuel-fired pre-heater/booster (34,000 BTU)	X	X	X	
Hinged lid for storage compartment	X	X	X	
Illuminated front exits	X	X	X	
Keys, two additional masters	X	X	X	
Leather steering wheel	X	X	X	
Light & rain sensor	X	X	X	
Light/motion sensor in rear compartment	X	X	X	
Optional 3-button keys	X	X	X	
Overhead control panel with two reading lights	X	X	X	
Overhead storage slot, front center	X	X	X	
PARKTRONIC System (PTS)	X	X	X	
Rear cabin heater and vents	X	X	X	
Rear heater prep	X	X	X	
Rear window defroster	X	X	X	
Remote control for auxiliary heater	X	X	X	
Roof fan, electric	X	X	X	
Roof trim	X	X	X	
Sealing of speedometer drive	X	X	X	
Shelving prep	X	X	X	
Side wall paneling, full hardboard	X	X	X	
Storage compartment with net in rear doors	X	X	X	
Wood floor deletion	X	X	X	

	2500	3500	3500XD	WORKER
Lighting Package	X	X	X	
Multifunction Wheel/Display Package	X	X	X	
Premium Appearance Package	X			
Suspension Package I	X	X	X	
Suspension Package III	X	X	X	
Trailer Hitch Package	X	X	X	
Utility Package	X			
Workspace Access Package	X	X	X	

	2500	3500	3500XD	WORKER
Suspension Seating Package ⁷	X	X	X	
Swivel Seat Package	X	X	X	
Upfitter Prep Package ¹	X	X	X	
Wide Step Bumper Package	X	X	X	
Window Fleet Package ¹	X	X	X	
Window Prep Package ¹	X	X	X	
Window Prep Package II ¹	X	X	X	



SPRINTER CARGO SPRINTER PASSENGER SPRINTER CREW SPRINTER CAB CHASSIS/CUTAWAY SPRINTER WORKER CARGO

SPRINTER CARGO: 2500, 3500, 3500XD, WORKER (continued)



TECHNICAL SPECIFICATIONS: 2500 CARGO, 3500 & WORKER

Wheelbase	2500 & WORKER								3500						
	144"				170"				170" EXT		144"		170"		
Roof height	Standard Roof	Standard Roof 4x4*	High Roof	High Roof 4x4*	High Roof	High Roof 4x4*	High Roof*	High Roof 4x4*	SR + Dual Rear Wheel Tires	HR + Dual Rear Wheel Tires	HR + Super Single Rear Tires	HR + Dual Rear Wheel Tires	HR + Super Single Rear Tires	HR + Dual Rear Wheel Tires	
Passenger capacity	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	
Rows of seats	One	One	One	One	One	One	One	One	One	One	One	One	One	One	

EXTERIOR

Length	233.3"	233.3"	233.3"	233.3"	274.1"	274.1"	289.8"	289.8"	233.3"	233.3"	274.1"	274.1"	289.8"	289.8"
Height	94.5"	97.2"	105.9"	108.6"	105.8"	108.4"	105.7"	108"	96.2"	107.3"	107.3"	107.0"	107.2"	106.8"
Width – excluding mirrors	79.7"	79.7"	79.7"	79.7"	79.7"	79.7"	79.7"	80"	79.7"	79.7"	79.7"	79.7"	79.7"	79.7"
Width – including mirrors	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	96"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"
Front track	68"	68"	68"	68"	68"	68"	68"	68"	67.2"	67.2"	67.2"	67.2"	67.2"	67.2"
Rear track	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	60.9"	60.9"	60.9"	60.9"	60.9"	60.9"
Front overhang	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
Rear overhang (rear axle to end of frame)	48.8"	48.8"	48.8"	48.8"	63.6"	63.6"	79.3"	79.3"	48.8"	48.8"	63.6"	63.6"	79.3"	79.3"
Load height, unloaded (ground to cargo floor)	27.9"	30.5"	27.8"	30.4"	27.5"	30"	27.3"	30"	29.3"	29.3"	29"	28.7"	28.8"	28"
Load height, loaded (ground to cargo floor)	23.5"	25.9"	23.5"	25.9"	23.5"	26"	23.4"	25.8"	24.4"	24.4"	24.7"	24.4"	24.7"	24.4"
Side-door opening height	59.8"	59.8"	71.7"	71.7"	71.7"	71.7"	71.7"	71.7"	71.7"	71.7"	71.7"	71.7"	71.7"	71.7"
Side-door opening width – sliding	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"
Rear cargo door opening height	60.6"	60.6"	72.4"	72.4"	72.4"	72.4"	72.4"	72.4"	72.4"	72.4"	72.4"	72.4"	72.4"	72.4"
Rear cargo door opening width	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"
Turning diameter (curb-to-curb)	44.6'	44.6'	44.6'	44.6'	51.5'	51.5'	51.5'	51.5'	44.6'	44.6'	51.5'	51.5'	51.5'	51.5'

INTERIOR

Headroom	47.1"	47.1"	56.7"	56.7"	56.7"	56.7"	56.7"	56.7"	47.1"	56.7"	56.7"	56.7"	56.7"	56.7"
Shoulder room	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"
Hip room	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"
Legroom	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"
Cargo length, front (at floor)	137.4"	137.4"	137.4"	137.4"	178.2"	178.2"	193.9"	193.9"	137.4"	137.4"	178.2"	178.2"	193.9"	193.9"
Cargo length, front (at belt)	130.7"	130.7"	130.7"	130.7"	171.4"	171.4"	187.2"	187.2"	130.7"	130.7"	171.4"	171.4"	187.2"	187.2"
Cargo width between wheelhouses	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"	53.1"	38.5"	38.5"	48.3"	38.5"	48.3"	38.5"
Cargo height, maximum (with trim)	64"	64"	75.4"	75.4"	75.4"	75.4"	75.4"	75.4"	64"	75.4"	75.4"	75.4"	75.4"	75.4"
Cargo height, maximum (without trim)	66.5"	66.5"	77.8"	77.8"	77.8"	77.8"	77.8"	77.8"	66.5"	77.8"	77.8"	77.8"	77.8"	77.8"
Maximum floor width	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"

CARGO CAPACITY

Cargo volume cu. ft. (behind last row of seats)	319.1	319.1	373.7	373.7	486.5	486.5	530	530	276.8	329.3	467.8	428.7	509.7	467
Maximum roof load (lbs.)	660	660	330	330	330	330	330	330	660	330	330	330	330	330

MAXIMUM CAPABILITIES

Payload lbs.	3,501	3,214	3,435	3,159	3,104	2,806	2,983	2,686	4,519	4,356	4,170	3,982	4,004	3,816
Maximum towing (lbs.) ¹³	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	7,500	7,500	7,500	7,500	5,000	5,000
GVWR (lbs.)	8,550	8,550	8,550	8,550	8,550	8,550	8,550	8,550	9,990	9,990	9,990	9,990	9,990	9,990
GCWR	13,550	13,550	13,550	13,550	13,550	13,550	13,550	13,550	15,250	15,250	15,250	15,250	15,140	14,990

42 All Sprinter specifications are for 6-cylinder engine only. *Not available for WORKER models. **Optional equipment required.



TECHNICAL SPECIFICATIONS: SPRINTER 3500XD CARGO

Wheelbase	3500XD											
	144"						170"			170" EXT		
Roof height	Standard Roof Super Single Rear Tires	High Roof Super Single Rear Tires	Standard Roof Dual Rear Wheel Tires	Standard Roof 4x4 Dual Rear Wheel Tires	High Roof Dual Rear Wheel Tires	High Roof 4x4 Dual Rear Wheel Tires	High Roof Super Single Rear Tires	High Roof Dual Rear Wheel Tires	High Roof 4x4 Dual Rear Wheel Tires	High Roof Super Single Rear Tires	High Roof Dual Rear Wheel Tires	High Roof 4x4 Dual Rear Wheel Tires
Passenger capacity	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**	Up to three**
Row of seats	One	One	One	One	One	One	One	One	One	One	One	One

EXTERIOR

Length	233.3"	233.3"	233.3"	233.3"	233.3"	233.3"	274.1"	274.1"	274.1"	289.8"	289.8"	289.8"
Height	99.4"	109.1"	95.9"	97.2"	107.3"	108.5"	108.8"	107.0"	108.4"	108.5"	106.8"	108"
Width – excluding mirrors	79.7"	79.7"	79.7"	79.7"	79.7"	79.7"	79.7"	79.7"	79.7"	79.7"	79.7"	80"
Width – including mirrors	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	96"
Front track	67.2"	67.2"	67.2"	67.2"	67.2"	67.2"	67.2"	67.2"	67.2"	67.2"	67.2"	67.2"
Rear track	60.9"	60.9"	60.9"	60.9"	60.9"	60.9"	60.9"	60.9"	60.9"	60.9"	60.9"	60.9"
Front overhang	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
Rear overhang (rear axle to end of frame)	48.8"	48.8"	48.8"	48.8"	48.8"	48.8"	63.6"	63.6"	63.6"	79.3"	79.3"	79"
Load height, unloaded (ground to cargo floor)	30.3"	29.1"	29.3"	30.5"	29.3"	30.4"	28.9"	28.7"	30.0"	28.6"	28.5"	30"
Load height, loaded (ground to cargo floor)	26.5"	25.3"	24.4"	25.6"	24.4"	25.6"	25.3"	24.4"	25.7"	25.6"	24.4"	26"
Side-door opening height	59.8"	71.7"	59.8"	59.8"	71.7"	71.7"	71.7"	71.7"	71.7"	71.7"	71.7"	71.7"
Side-door opening width – sliding	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"	51.2"
Rear cargo door opening height	60.6"	72.4"	60.6"	60.6"	72.4"	72.4"	72.4"	72.4"	72.4"	72.4"	72.4"	72.4"
Rear cargo door opening width	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"	61.5"
Turning diameter (curb-to-curb)	44.6'	44.6'	44.6'	44.6'	44.6'	44.6'	51.5'	51.5'	51.5'	51.5'	51.5'	51.5'

INTERIOR

Headroom	47.1"	56.7"	47.1"	47.1"	56.7"	56.7"	56.7"	56.7"	56.7"	56.7"	56.7"	56.7"
Shoulder room	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"	67.7"
Hip room	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"	63.5"
Legroom	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"
Cargo length, front (at floor)	137.4"	137.4"	137.4"	137.4"	178.2"	178.2"	178.2"	178.2"	178.2"	178.2"	178.2"	194"
Cargo length, front (at belt)	130.7"	130.7"	130.7"	130.7"	171.4"	171.4"	171.4"	171.4"	171.4"	171.4"	171.4"	187.2"
Cargo width between wheelhouses	48.4"	48.4"	38.5"	38.5"	38.5"	38.5"	48.4"	38.5"	38.5"	48.4"	38.5"	38.5"
Cargo height, maximum (with trim)	64"	75.4"	64.0"	64.0"	75.4"	75.4"	75.4"	75.4"	75.4"	75.4"	75.4"	75.4"
Cargo height, maximum (without trim)	66.5"	77.8"	66.5"	66.5"	77.8"	77.8"	77.8"	77.8"	77.8"	77.8"	77.8"	77.8"
Maximum floor width	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"	70.1"

CARGO CAPACITY

Cargo volume cu. ft. (behind last row of seats)	310.3	358.4	281.2	281.2	329.3	329.3	469.2	428.7	428.7	512.1	467	467
Maximum roof load (lbs.)	660	330	660	660	330	330	330	330	330	330	330	330

MAXIMUM CAPABILITIES

Payload lbs.	5,695	5,628	5,573	5,265	5,496	5,199	5,243	5,121	4,813	5,077	4,956	4,648
Maximum towing (lbs.) ¹³	7,500	7,500	7,500	7,500	7,500	7,500	7,500	7,500	7,500	5,000	5,000	5,000
GVWR (lbs.)	11,030	11,030	11,030	11,030	11,030	11,030	11,030	11,030	11,030	11,030	11,030	11,030
GCWR	15,250	15,250	15,250	15,250	15,250	15,250	15,250	15,250	15,250	15,250	15,250	15,250

Sprinter 3500XD Cargo specifications include standard Super Single tires. **Optional equipment required.

SPRINTER CREW

STANDARD FEATURES

MECHANICAL		
<ul style="list-style-type: none">Axle ratio 3.92 Shock absorbers reinforced (not available in 4x4)	<ul style="list-style-type: none">Stabilizer, rear axle, underframe	<ul style="list-style-type: none">Stabilizer reinforced at front axle

SEATING/INTERIOR

- 2nd row, fixed window, driver side
- 2nd row seating for three people
- 3-point seat belts in 2nd row
- Armrest, rear seat left
- Armrest, rear seat right
- Black tinting (80%) for rear windows
- Floor anchors for rear seat bench
- Partition omission
- Protective strip, entrance
- Rear compartment headliner
- Rear doors, opening 270°
- Rear seats, 1st row, three seats, narrow
- Sidewall paneling, hardboard
- Sidewall paneling, PVC, waist height
- Storage compartment with net in rear doors
- Windows in tailgate/rear doors

EXTERIOR

- High roof

OPTIONAL FEATURES

MECHANICAL		
<ul style="list-style-type: none">Addt. bar for driveshaft & exhaust extension Axle ratio 4.18 (not available for 4x4) Cruise control	<ul style="list-style-type: none">Front engine bracket for addt. alternator Front engine bracket for auxiliary A/C compressor Parametric Special Module (PSM)	<ul style="list-style-type: none">PARKTRONIC System (PTS) Rear spring vibration absorbers Suspension with heavy-duty front/rear stabilizer (not available for 4x4)

SEATING

- Comfort driver & passenger seat
- Heated driver & front passenger seat
- Orange seat belts, driver & front passenger

INTERIOR

- 12V power outlet, driver seat base
- 12V power outlet, rear compartment
- Assist handle, left rear door
- Assist handle, right rear door
- Becker® MAP PILOT® Navigation System²¹
- Cargo straps, D-rings²⁰
- Door-mounted assist handles, driver & pass.
- Fuel-fired heater booster (17,000 BTU)
- Fuel-fired pre-heater/booster (17,000 BTU)
- Heat insulation, front compartment
- Heat insulation, rear compartment
- Hinged lid for storage compartment
- Illuminated front exits
- Keys, two additional master
- Leather steering wheel
- Light & rain sensor
- Optional 3-button keys
- Overhead control panel with two reading lights
- Overhead storage slot, front center
- Pre-installation Becker® MAP PILOT® Navigation System²¹
- Rear heater prep
- Remote control for auxiliary heater
- Sealing of speedometer drive
- Sliding door, two-stage opening
- Storage net, driver seat backrest
- Storage net, passenger seat backrest
- Windows, rear-door with washers/wipers

EXTERIOR

- Bumper step, rear, gray
- Bumper step, rear, spring-loaded
- Bumpers, front/rear, primed
- Chrome-trimmed radiator grille
- DEF fluid filler cap – lockable
- Electric sliding step
- Electrically heated windshield
- Fog lamps
- Front license plate deletion
- Headlamp washing system
- Heated & electrically adjustable exterior mirrors
- Light-alloy wheels, 6.5 J x 16
- M+S winter tires (not available for 4x4)
- Mounting rails for roof rack
- Painted metallic front & rear bumper
- Primed side moldings
- Rims painted Arctic White
- Rims painted Jet Black
- Spare tire carrier deletion
- Spare wheel deletion
- Sprinter badge, rear-door deletion
- Tires, Continental VancoFourSeason (M+S)
- Trailer hitch preparation wiring
- Windshield with filter band

SAFETY & SECURITY

- Backup alarm
- Downhill Speed Regulation (DSR) (available for 4x4 only)
- Emergency flashlight
- First aid kit
- Security alarm with interior motion sensor
- Speed limitation, 65 mph
- Speed limitation, 75 mph

OPTIONAL PACKAGES

- Active Safety Plus Package
- Active Safety Plus Package with PARKTRONIC
- Additional Battery Package
- Driver Comfort Package
- Driver Efficiency Package
- High Idle Fixed Package
- Lighting Package
- Multifunction Wheel/Display Package
- Premium Appearance Package
- Trailer Hitch Package

FLEET PACKAGES

- High Idle Variable Package
- High Performance Air Conditioning Package
- Wide Step Bumper Package

TECHNICAL SPECIFICATIONS

	Regular		Long	
Roof height	High Roof	High Roof 4x4	High Roof	High Roof 4x4
Passenger capacity	Five	Five	Five	Five
Rows of seats	Two	Two	Two	Two

	Regular		Long	
Roof height	High Roof	High Roof 4x4	High Roof	High Roof 4x4
Passenger capacity	Five	Five	Five	Five
Rows of seats	Two	Two	Two	Two
EXTERIOR				
Wheelbase	144"	144"	170"	170"
Length	233.3"	233.3"	274.1"	274.1"
Height	105.7"	108.3"	105.5"	108.0"
Width – excluding mirrors	79.7"	79.7"	79.7"	79.7"
Width – including mirrors	95.5"	95.5"	95.5"	95.5"
Front track	68"	68"	68"	68"
Rear track	68.2"	68.2"	68.2"	68.2"
Front overhang	40.2"	40.2"	40.2"	40.2"
Rear overhang (rear axle to end of frame)	48.8"	48.8"	63.6"	63.6"
Load height, unloaded (ground to cargo floor)	27.6"	30.2"	27.2"	29.7"
Load height, loaded (ground to cargo floor)	23.5"	25.9"	23.5"	26"
Side-door opening height	71.7"	71.7"	71.7"	71.7"
Side-door opening width – sliding	51.2"	51.2"	51.2"	51.2"
Rear cargo door opening height	72.4"	72.4"	72.4"	72.4"
Rear cargo door opening width	61.5"	61.5"	61.5"	61.5"
Turning diameter (curb-to-curb)	44.6'	44.6'	51.5'	51.5'

INTERIOR				
Headroom (1st/2nd rows)	56.7"/61.4"			
Shoulder room (1st/2nd rows)	67.7"/70.2"			
Hip room (1st/2nd rows)	63.5"/70.2"			
Legroom (1st/2nd rows)	38.9"/39.1"			
Passenger volume cu. ft. (1st/2nd rows)	86.5/97.6			
Cargo length, front (at floor)	101.2"	101.2"	142"	142"
Cargo length, front (at belt)	92.9"	92.9"	133.7"	133.7"
Cargo width between wheelhouses	53.1"	53.1"	53.1"	53.1"
Cargo height, maximum (with trim)	75.4"	75.4"	75.4"	75.4"

CARGO CAPACITY				
Cargo volume cu. ft. (behind last row of seats)	259.4	259.4	367.5	367.5
Maximum roof load (lbs.)	330	330	330	330

MAXIMUM CAPABILITIES				
Payload lbs.	3,143	2,898	2,759	2,515
Maximum towing (lbs.) ¹³	5,000	5,000	5,000	5,000
GVWR (lbs.)	8,550	8,550	8,550	8,550
GCWR	13,550	13,550	13,550	13,550

All Sprinter specifications are for 6-cylinder engine only. Sprinter Crew Van specifications include standard laminated glass.

SPRINTER PASSENGER

STANDARD FEATURES

MECHANICAL		
<ul style="list-style-type: none">Axle ratio 3.92 Rear spring vibration damper	<ul style="list-style-type: none">Stabilizer, rear axle, underframe Stabilizer reinforced at front axle	<ul style="list-style-type: none">Suspension with heavy-duty front/rear stabilizers

SEATING

- 2nd row seating for three people
- 3-point seat belts in all rows
- 3rd row seating for three people
- 4th row seating for four people
- Floor anchors for rear-seat bench
- Luxury interior trim
- Seat armrest, rear seats, left
- Seat armrest, rear seats, right
- Storage compartment with net in rear doors

INTERIOR

- 12V power outlet in rear compartment
- Air conditioning, rear, roof-mounted
- Audio system speakers, eight rear
- Coat hooks
- Convenience lighting in load/passenger compartments
- Cupholders, two, center console
- Defroster rear window
- Fixed window, center, left & right
- Fixed window, rear, left & right
- Heat insulation, front compartment
- Heat insulation, rear compartment
- Illuminated front exits
- Storage net, driver & passenger backrest
- Weight-optimized plastic floor
- Wheelhouse covering

EXTERIOR

- Additional bar for driveshaft & exhaust extension
- Black tinting (80%) for rear windows
- High roof
- Rear doors, opening 270°
- Windows in rear doors

OPTIONAL FEATURES

MECHANICAL		
<ul style="list-style-type: none">Axle ratio 4.18 (not available for 4x4) Cruise control	<ul style="list-style-type: none">Parametric Special Module (PSM)	<ul style="list-style-type: none">PARKTRONIC System (PTS)

SEATING

- Comfort driver & passenger seat
- Heated driver & front passenger seat
- Orange seat belts, driver & front passenger

INTERIOR

- 12V power outlet, driver seat base
- Assist handle, left rear door
- Assist handle, right rear door
- Becker® MAP PILOT® Navigation System²¹
- Door-mounted assist handles, driver & passenger
- Headlamp washing system
- High idle preset
- Hinged lid for storage compartment
- Keys, two additional master
- Leather steering wheel
- Light & rain sensor
- Optional 3-button keys
- Overhead control panel with two reading lights
- Overhead storage slot, front center
- Pre-installation Becker® MAP PILOT® Navigation System²¹
- Sealing of speedometer drive
- Sliding door, two-stage opening

EXTERIOR

- Bumper step, rear, gray
- Bumpers, front/rear, primed
- Chrome-trimmed radiator grille
- DEF Fluid Filler Cap – lockable
- Electrically heated windshield
- Electric sliding step
- Fog lamps
- Front license plate deletion
- Heated & electrically adjustable exterior mirrors
- Heated rear window(s) with washers/wipers
- Light-alloy wheels, 6.5 J x 16
- M+S winter tires (not available for 4x4)
- "Model" badge, rear door deletion
- Mounting rails for roof rack
- Painted metallic front & rear bumpers
- Primed side moldings
- Rims painted Arctic White
- Rims painted Jet Black
- Sprinter badge, rear door deletion
- Tires, Continental VancoFourSeason (M+S)
- Trailer hitch prep wiring
- Windshield with filter band

SAFETY & SECURITY

- Backup alarm
- Downhill Speed Regulation (DSR) (available for 4x4 only)
- Emergency flashlight
- First aid kit
- Security alarm with interior motion sensor
- Speed limitation, 65 mph
- Speed limitation, 75 mph

OPTIONAL PACKAGES

- Active Safety Plus Package
- Active Safety Plus Package with PARKTRONIC
- Additional Battery Package
- Driver Comfort Package
- Driver Efficiency Package
- High Idle Fixed Package
- Lighting Package
- Multifunction Wheel/Display Package
- Passenger Van Heating Package 1
- Passenger Van Heating Package 2
- Premium Appearance Package
- Trailer Hitch Package

TECHNICAL SPECIFICATIONS

	Regular		Long
Roof height	High Roof	High Roof 4x4	High Roof
Passenger capacity	12	12	12
Rows of seats	Four	Four	Four

EXTERIOR			
Wheelbase	144"	144"	170"
Length	233.3"	233.3"	274.1"
Height	110.5"	113.5"	110"
Width – excluding mirrors	79.7"	79.7"	79.7"
Width – including mirrors	95.5"	95.5"	95.5"
Front track	68"	68"	68"
Rear track	68.2"	68.2"	68.2"
Front overhang	40.2"	40.2"	40.2"
Rear overhang (rear axle to end of frame)	48.8"	48.8"	63.6"
Load height, unloaded (ground to cargo floor)	27.0"	29.5"	26.7"
Load height, loaded (ground to cargo floor)	23.5"	25.9"	23.5"
Side-door opening height	71.7"	71.7"	71.7"
Side-door opening width – sliding	51.2"	51.2"	51.2"
Rear cargo door opening height	72.4"	72.4"	72.4"
Rear cargo door opening width	61.5"	61.5"	61.5"
Turning diameter (curb-to-curb)	44.6'	44.6'	51.5'

INTERIOR			
Headroom (1st/2nd/3rd/4th rows)	56.7"/58.8"/59.7"/60.6"		
Shoulder room (1st/2nd/3rd/4th rows)	67.7"/70.1"/68.6"/70"		
Hip room (1st/2nd/3rd/4th rows)	63.5"/69.9"/68.5"/69.9"		
Legroom (1st/2nd/3rd/4th rows)	38.9"/39.1"/40.1"/40.1"		
Passenger volume cu. ft. (1st/2nd/3rd/4th rows)	86.5/93.3/95/98.4		
Cargo length, front (at floor)	33.7"	33.7"	74.4"
Cargo length, front (at belt)	25.7"	25.7"	66.4"
Cargo width between wheelhouses	53.1"	53.1"	53.1"
Cargo height, maximum (with trim)	75.5"	75.5"	75.5"

CARGO CAPACITY			
Cargo volume cu. ft. (behind last row of seats)	80.8	80.8	190.3
Maximum roof load (lbs.)	330	330	330

MAXIMUM CAPABILITIES			
Payload lbs.	2,673	2,429	2,290
Maximum towing (lbs.) ¹³	5,000	5,000	5,000
GVWR (lbs.)	8,550	8,550	8,550
GCWR	13,550	13,550	13,550

All Sprinter specifications are for 6-cylinder engine only. Sprinter Passenger Van specifications include standard laminated glass.



SPRINTER CAB CHASSIS/CUTAWAY¹⁴

STANDARD FEATURES

MECHANICAL

- Axle ratio 4.18
- Clearance lights, pre-wiring
- Parametric Special Module (PSM)
- Stabilizer, rear axle, underframe
- Stabilizer reinforced at front axle
- Suspension with front & rear stabilizers

EXTERIOR

- Exterior mirror extended (96")
- Identification lamps
- Parking lights deletion
- Provisional spare wheel bracket, frame-mounted
- Tires LT 215/85 R16

OPTIONAL FEATURES

MECHANICAL

- Axle ratio 3.92
- Cruise control
- Front axle, reinforced
- Front engine bracket for additional alternator
- Front engine bracket for auxiliary A/C compressor
- Parametric Special Module (PSM)

SEATING

- Comfort driver & passenger seat
- Heated driver & passenger seat
- Heavy-duty driver seat
- Orange seat belts, driver & passenger

INTERIOR

- 12V power outlet, driver seat base
- Becker® MAP PILOT® Navigation System²¹
- Cab rear wall liner
- Door-mounted assist handles, driver & passenger
- Electrical pre-installation for load compartment lighting
- Fuel-fired heater booster (17,000 BTU)
- Fuel gauge, optimized for aux. fuel tap
- Headlamp washing system
- Heat insulation, front compartment
- Hinged lid for storage compartment
- Illuminated front exits
- Interior rearview mirror
- Keys, two additional master
- Leather steering wheel
- Light & rain sensor
- Overhead control panel with two reading lights
- Overhead storage slot, front center
- Pre-installation Becker® MAP PILOT® Navigation System²¹
- Pre-installation for radio
- Pre-wiring, rearview camera³
- Remote control for auxiliary heater
- Sealing of speedometer drive

EXTERIOR

- 3rd brake light pre-wiring
- Bumpers, front/rear, primed
- Chrome-trimmed radiator grille
- Clearance lights pre-wiring
- DEF fluid filler cap - lockable
- Electrically heated windshield
- End crossmember, bolted
- Fog lamps
- Front license plate deletion
- Heated & electrically adjustable exterior mirrors
- M+S winter tires
- "Model" badge, rear deletion
- Primed side moldings
- Raised rear body mounts
- Rims painted Arctic White
- Rims painted Jet Black
- Spare tire carrier deletion
- Spare wheel bracket below frame
- Spare wheel deletion
- Taillamp deletion
- Trailer hitch prep wiring
- Wheel chocks
- Windshield with filter band
- Wire harness taillamp with extended wiring
- Wiring for additional turn signals

SAFETY & SECURITY

- Airbag, driver/passenger thorax¹
- Airbag, driver/passenger window¹
- Backup alarm
- Emergency flashlight
- First aid kit
- Lane Keeping Assist⁶ deletion
- Security alarm with interior motion sensor
- Speed limitation, 65 mph
- Speed limitation, 75 mph

OPTIONAL PACKAGES

- Active Safety Plus Package
- Additional Battery Package
- Driver Comfort Package
- Driver Efficiency Package
- Dual Rear Wheel Package
- Front Bench Seat Package
- Heavy Duty Front Axle Package
- High Idle Fixed Package
- Lighting Package
- Multifunction Wheel/Display Package
- Rear Wall Deletion Cutaway
- Suspension Package I
- Suspension Package II
- Suspension Package IV
- Trailer Hitch Package
- Window & Mirror Package

FLEET PACKAGES

- Ambulance Prep Package - Cab Chassis/Cutaway¹⁴
- High Idle Variable Package
- Lowered Roof Cutaway
- Suspension Seating Package
- Swivel Seat Package



TECHNICAL SPECIFICATIONS

	Regular (3500XD)	Long (3500XD)
Passenger capacity	Up to three*	Up to three*
Rows of seats	One	One

CUTAWAY

	Regular (3500XD)	Long (3500XD)
Wheelbase	144"	170"
Overall length	240.3"	270.2"
Height	95.5"	95.1"
Width - excluding mirrors	79.7"	79.7"
Width - including mirrors	95.5"	95.5"
Cab length	99.3"	99.3"
Front overhang	40.2"	40.2"
Rear overhang (rear axle to end of frame)	55.8"	59.7"
Top of frame to top of cab	64.1"	64.1"
Frame height, loaded	33.6"	33.6"
Turning diameter (curb-to-curb)	44.6'	51.5'

CAB CHASSIS

	Regular (3500XD)	Long (3500XD)
Overall length	155.2"	194.2"
Rear axle to end of frame or rear overhang	72"	85"
Rear of cab to rear axle	85.2"	111.2"
Front overhang	40.2"	40.2"
Cab length	99.3"	99.3"
Overall cab height	95.5"	95.1"
Top of frame to top of cab	64.1"	64.1"
Frame height, loaded	33.6"	33.6"
Maximum body width	96"	96"
Front track	67.2"	67.2"
Rear track	60.9"	60.9"
Turning diameter (curb-to-curb)	44.6'	51.5'

INTERIOR - CAB CHASSIS/CUTAWAY¹⁴

	Regular (3500XD)	Long (3500XD)
Headroom	47.1"	47.1"
Shoulder room	67.7"	67.7"
Hip room	63.5"	63.5"
Legroom	38.9"	38.9"

MAXIMUM CAPABILITIES**

	Regular (3500XD)	Long (3500XD)
Payload lbs.	6,521	6,422
Maximum towing (lbs.) ¹³	7,500	7,500
GVWR (lbs.)	11,030	11,030
GCWR	15,250	15,250

All Sprinter specifications are for 6-cylinder engine only. Sprinter 3500XD Cab Chassis specifications include standard Super Single tires.

*Optional equipment required.

**All payloads shown are for Cab Chassis/Cutaway¹⁴ models.

SPRINTER EXTERIOR & INTERIOR

EXTERIOR: NON-METALLIC



040 - Jet Black



136 - Gray White



147 - Arctic White



160 - Stone Gray



224 - Graphite Gray



243 - Calcite Yellow



362 - Brilliant Blue



389 - Steel Blue



432 - Flame Red



524 - Black Blue



583 - Velvet Red



589 - Jupiter Red



701 - Pebble Gray



708 - Silver Gray



709 - Blue Gray



830 - Aqua Green



957 - Vanda Blue

EXTERIOR: METALLIC



197 - Obsidian Black Metallic



526 - Dolomite Brown Metallic



744 - Brilliant Silver Metallic



755 - Tenorite Gray Metallic



759 - Graphite Gray Metallic



764 - Pearl Silver Metallic



890 - Cavansite Blue Metallic

Paint colors are restricted for Passenger Vans. Only paints for PVs are: 040, 147, 197, 243, 701, 744, 759, 764, and 890. Color options are limited for WORKER models.

INTERIOR



VY2 - Tunja Black Fabric



VU9 - Black Leatherette

ACCESSORIES HIGHLIGHTS

- All-season floor mats
- Loading roller (for basic carrier bars)
- Roof rack basic carrier
- Trailer hitch
- Wind deflectors for front windows, set
- Roof box
- Folding table (requires base module)

Contact dealer for full list of accessories.

METRIS SPECIFICATIONS (Applies to all Metris models)



POWERTRAINS

Configuration	DOHC
Fuel injection	Direct fuel injection
Induction system	Direct gasoline injection
Cylinders	Four
Cylinder heads	Aluminum
Block material	Aluminum
Bore/stroke	3.27" x 3.62"
Compression ratio	10.3
Transmission	7G-TRONIC Automatic Transmission with standard shift paddles
Horsepower @ rpm	208 hp @ 5,500 rpm
Torque lb-ft @ rpm	258 lb-ft @ 1,250-4,000 rpm
Recommended fuel	Octane rating 91 required
Fuel – estimated combined EPA rating	22 mpg (Cargo), 21 mpg (Passenger) ¹⁰
Fuel tank capacity	18.49 gal



METRIS **CARGO**

METRIS **PASSENGER**



METRIS **WORKER CARGO**

METRIS **WORKER PASSENGER**

STANDARD FEATURES

MECHANICAL

- 2.0L 4-cylinder turbocharged Direct Injection gasoline engine
- 7G-TRONIC Automatic Transmission with standard shift paddles
- Adjustable steering wheel with shift paddles
- All-season tires
- Alternator efficiency management
- Axle ratio 3.46:1
- Battery: 12V/92Ah
- Engine emissions LEV III ULEV70
- Speedometer, miles/km
- Tire pressure monitoring lamp
- Trailer Brake Connection
- Trailer pre-wiring
- Washer fluid level warning light

SEATING & INTERIOR

- 2-button remote key FOB
- Adjustable driver seat
- Adjustable front passenger seat
- Air conditioning, front
- Audio 15 – AM/FM radio, USB, AUX, Bluetooth®, 5.8" color screen
- Audio system speakers, four front
- Cupholders, two center console
- Cupholders, two dashtop
- Heat-insulating glass
- Lockable glove compartment
- Power front window with pinch protection
- Rearview camera with dynamic lights (RVC)
- Tunja Black Fabric

EXTERIOR

- 6.5 J X 17 steel wheels
- Aspherical mirror, passenger side
- Automatic headlamps
- Halogen headlamps
- Outside temperature gauge
- Sliding door, passenger side
- Spare wheel with jack & tool kit
- VIN visible from outside

SAFETY & SECURITY

- Airbag, driver front¹
- Airbag, passenger front¹
- Airbag, side thorax-pelvis, driver¹
- Airbag, side thorax-pelvis, passenger¹
- Airbag, window, front row¹
- Airbag, window, rear¹ (Passenger Vans only)
- ATTENTION ASSIST®⁸
- Automatic passenger airbag deactivation¹
- Crosswind Assist²
- Hill-Start Assist
- Load-Adaptive Electronic Stability Program (ESP®)⁴
- Seat belt reminder for driver/passenger

METRIS CARGO & WORKER CARGO

STANDARD FEATURES

MECHANICAL

- Alternator, 14V/175A
- Standard suspension

INTERIOR

- Single cargo light in rear sidewall
- Wood floor with six D-rings²⁰ (Cargo Van only)

EXTERIOR

- Rear doors, opening 270° (not available for WORKER)

OPTIONAL FEATURES*

MECHANICAL

- Alternator 14V/190A
- Cruise control
- Parametric Special Module (PSM)
- PARKTRONIC with Active Parking Assist

SEATING & INTERIOR

- 3-button remote key FOB
- Automatic climate control
- Becker® MAP PILOT® Navigation System²¹
- Bodybuilder connector under driver seat
- Cargo lashing rails, floors, plus four anchors²⁰
- Cargo lashing rails, waistline²⁰
- Chrome accents, interior
- Cigarette lighter & ashtray, front
- Comfort seat with lumbar support, driver
- Comfort seat with lumbar support, passenger
- Front footwell lighting
- Full height plastic paneling
- Illuminated vanity mirrors
- Interior rearview mirror
- Keys, two additional master
- LED light strip in rear compartment
- Power driver and front passenger seats
- Pre-installation Becker® MAP PILOT® Navigation System²¹
- Premium overhead control panel
- Reading lights for front overhead control panel
- Remote opening/closing of windows
- Storage tray, lower console
- Waist-level composite paneling in cargo area
- Warm/cool air duct to rear compartment

EXTERIOR

- 5-spoke light-alloy wheels
- 20-spoke light-alloy wheels
- 2nd row, fixed window, driver-side sliding door
- 2nd row, fixed window, passenger-side sliding door
- A3 135" wheelbase
- Black tinting (80%) for rear windows
- Bumpers primed for painting
- Cargo straps, D-rings²⁰
- Chrome grille
- Full wheel cover
- Heated and electrically adjustable exterior mirrors
- Heated windows, rear doors and wipers/washers
- Partition with through-loading
- Partition with window, grab handle & through-loading
- Rear doors, opening 180°
- Roof rails, black
- Single flip-up tailgate with hardboard trim
- Sliding door, driver side
- Trailer hitch, 5,000-lb. capacity¹³

SAFETY & SECURITY

- Anti-theft alarm system
- First aid kit
- Backup alarm

OPTIONAL PACKAGES

CARGO MODEL

- Additional Battery Package
- Blind Spot Assist Package⁵
- Cargo Protection Package
- Cold Weather Package
- Driver Comfort Package
- Driver Efficiency Package
- ECO Start/Stop Package
- Lane Keeping Assist Package⁶
- Multifunction Steering/Premium Display Pkg.
- Premium Exterior Package
- Premium Safety Package
- Premium Safety with PARKTRONIC Package
- Refrigeration Prep Package
- Safety Package^{5,7}

WORKER CARGO MODEL

- Convenience Package
- Utility Package

*Standalone optional features not available for WORKER model.



TECHNICAL SPECIFICATIONS

METRIS CARGO & WORKER CARGO DIMENSIONS

	Regular	Extended
Roof height	75.2"	75.2"
Roof height with rails	77.1"	77.1"
Passenger capacity	Two	Two
Rows of seats	One	One

EXTERIOR

Wheelbase	126"	135"
Length	202.4"	211.4"
Width – excluding mirrors	75.9"	75.9"
Width – including mirrors	88.3"	88.3"
Front overhang	35.3"	35.2"
Rear overhang	41.1"	41.1"
Load height (curb)	22"	22"
Side-door opening height	49.3"	49.3"
Side-door opening width – sliding	37.8"	37.8"
Rear cargo door opening height	49.6"	49.6"
Rear cargo door opening width	54.8"	54.8"
Turning diameter (curb-to-curb)	36.4'	38.7'

INTERIOR

Headroom	39.6"	39.6"
Shoulder room	62.2"	62.2"
Hip room	58.9"	58.9"
Legroom	35.8"	35.8"
Cargo length, front (at floor)	111.5"	120.5"
Cargo width between wheelhouses	50"	50"
Cargo height, maximum	55"	55"

CARGO CAPACITY

Cargo volume behind 1st row (cu. ft.)	183	199
Maximum cargo volume with front-passenger seat removed (cu. ft.)	211	211
Maximum roof load (lbs.)	331	331

MAXIMUM CAPABILITIES

Payload (lbs.)	2,502	2,447
Maximum towing (lbs.) ¹³	5,000	5,000
GVWR (lbs.)	6,724	6,724
GCWR	11,724	11,724

METRIS PASSENGER & WORKER PASSENGER

STANDARD FEATURES

MECHANICAL

- 14V/190A alternator
- Active retainer for sliding door
- Bodybuilder connector under driver seat
- Passenger Van suspension
- Remote opening/closing of windows

SEATING

- 2nd row seats, 2-place removable
- 3rd row seats, 3-place removable
- Grab handles in headliner, 2nd & 3rd rows
- Premium rear interior trim with armrests
- Rear-seat floor pockets with quick release

INTERIOR

- 12V outlets for rear seat row, right & left
- Air conditioning, rear
- Airbag, window, all rows¹
- Assist handle, B-pillar
- Audio system speakers, four rear
- Child safety lock, sliding door
- Interior rearview mirror
- Plastic floor covering in rear compartment
- Roof trim
- Two detachable cupholders, 3rd row armrests
- Two overhead interior lights in rear
- Warm/cool air duct to rear compartment

EXTERIOR

- 2nd row fixed window, driver side sliding door
- 2nd row fixed window, passenger side sliding door
- 3rd row fixed window, rear sidewalls
- Black tinting, 80% for rear windows
- Heated back panel/window (WORKER Passenger only)
- Heated windows, rear doors & wipers/washers (not available on WORKER Passenger)
- Rear doors, opening 180°
- Retainer for sliding door
- Sliding door, driver side
- Trim, hardboard, rear hinged doors

OPTIONAL FEATURES*

MECHANICAL

- Cruise control
- Parametric Special Module (PSM)
- PARKTRONIC with Active Parking Assist

SEATING & INTERIOR

- 3-button remote key FOB
- 3rd row deletion
- Additional seat, 2nd row, folding curbside (creating 8-seat van)
- Automatic climate control
- Becker® MAP PILOT® Navigation System²¹
- Carpeting, rear
- Chrome accents, interior
- Cigarette lighter & ashtray, front
- Comfort seat with lumbar support, driver
- Comfort seat with lumbar support, passenger
- Keys, two additional master
- Luggage net, floor to ceiling (B- or C-pillar)
- Power Driver and Front Passenger Seat
- Pre-installation Becker® MAP PILOT® Navigation System²¹
- Premium overhead control panel
- Reading lights for front overhead control panel
- Storage tray, lower console

EXTERIOR

- 5-spoke light-alloy wheels
- 20-spoke light-alloy wheels
- Bumpers, painted color of vehicle
- Bumpers primed for painting
- Chrome grille
- Courtesy light for tailgate
- Full wheel cover
- Heated & electrically adjustable exterior mirrors
- Premium trim, rear hinged doors
- Roof rails, black
- Single flip-up tailgate with premium trim
- Trailer hitch, 5,000-lb. capacity¹³

SAFETY & SECURITY

- Anti-theft alarm system
- Backup alarm
- First aid kit

OPTIONAL PACKAGES

PASSENGER MODEL

- Additional Battery Package
- Blind Spot Assist Package⁵
- Cold Weather Package
- Driver Comfort Package
- Driver Efficiency Package
- Electric Sliding Door Package
- Enhanced Air Conditioning Package
- Lane Keeping Assist Package⁶
- Multifunction Steering/Premium Display Package
- Premium Exterior Package
- Premium Interior Package
- Premium Safety Package
- Premium Safety with PARKTRONIC Package
- Safety Package^{5,7}

WORKER PASSENGER MODEL

- Appearance Package
- Comfort Package
- Convenience Package



TECHNICAL SPECIFICATIONS

Roof height	74.4"
Roof height with rails	76.3"
Passenger capacity	6+1 (optional 7+1)
Rows of seats	Three

EXTERIOR

Wheelbase	126"
Length	202.4"
Width – excluding mirrors	75.9"
Width – including mirrors	88.3"
Front overhang	35.3"
Rear overhang	41.1"
Load height (curb)	21.6"
Side-door opening height	49"
Side-door opening width – sliding	35.5"
Rear cargo door opening height	48"
Rear cargo door opening width	50"
Turning diameter (curb-to-curb)	36.4'

INTERIOR

Headroom	39.6" (1st row) • 41.4" (2nd row) • 40.5" (3rd row)
Shoulder room	62.2" (1st row) • 64.9" (2nd row) • 61.2" (3rd row)
Hip room	58.9" (1st row) • 65.5" (2nd row) • 56.0" (3rd row)
Legroom	35.8" (1st row) • 35.8" (2nd row) • 35.8" (3rd row)
Cargo length, front (at floor)	27.5"
Cargo width between wheelhouses	47.4"
Cargo height, maximum	52.4"

CARGO CAPACITY

Cargo volume behind 1st row (cu. ft.)	186 (1st row) • 97.3 (2nd row) • 38 (3rd row)
Maximum cargo volume with front-passenger seat removed (cu. ft.)	211
Maximum roof load (lbs.)	331

MAXIMUM CAPABILITIES

Payload (lbs.) (4 cylinder)	1,874
Maximum Towing (lbs.) ¹³	5,000
GVWR (lbs.)	6,724
GCWR	11,724

*Standalone optional features not available for WORKER model.

METRIS PASSENGER & WORKER PASSENGER DIMENSIONS

METRIS EXTERIOR & INTERIOR

EXTERIOR: NON-METALLIC



040 – Jet Black



147 – Arctic White



589 – Jupiter Red



610 – Navy Blue



701 – Pebble Gray

EXTERIOR: METALLIC



134 – Mountain Crystal White Metallic (Passenger Van only)



197 – Obsidian Black Metallic



368 – Flint Gray Metallic



526 – Dolomite Brown Metallic



744 – Brilliant Silver Metallic

Color options are limited for WORKER models.




890 – Cavansite Blue Metallic




963 – Indium Gray Metallic

INTERIOR



VY2 – Tunja Black Fabric



VU9 – Black Leatherette

ACCESSORIES HIGHLIGHTS

- Floor mat trays
- All-season floor mats
- Mud flaps
- Cargo area tray
- Roof rack basic carrier
- Trailer hitch
- Wind deflectors for front windows, set
- Standard crossbars
- Roof box
- Folding table (requires base module)

Contact dealer for full list of accessories.