
1 9 9 8

CHEVY EXPRESS AND CHEVY VAN




LIKE A ROCK











Here are just a few samples interior features provided by dependent symplers

REAR SOFA BED.

For the ultimate in flexibility, your Chevy Van conversion van can be upfitted with attractive features such as a rear seat that easily folds into a roomy and comfortable sofa bed.



REAR-CABIN ENJOYMENT.

When your Chevy Van conversion van is upfitted with the rear stereo/TV audio control with dual headphone jacks, rear-seat passengers can select the entertainment of their choice.





ENTERTAINMENT CENTER.

A CD/stereo/game console can transform your Chevy Van conversion van into a self-contained entertainment center.




AIR COMPRESSOR.

You can upfit your Chevy Van conversion van with handy features such as an air compressor, which lets you quickly and easily inflate sports gear and other items.











RELAX IN TOTAL COMFORT.

In every way, Chevy Express and Chevy Van are designed to make traveling a pleasure for you and your passengers. An abundance of standard features that are literally at your fingertips helps create a soothing and accommodating environment. Generous seating areas provide superb comfort and support. And conveniences such as standard front air conditioning and an available rear air conditioning/heater system (Chevy Express only) help make every mile more pleasant.

REMOTE KEYLESS ENTRY.

This optional system provides remote locking and unlocking of doors from up to 30 feet away, and also activates interior lighting. In addition, a single key operates the side and rear doors and the ignition, enhancing convenience as well as security.

ELECTRIC REMOTE **OUTSIDE MIRRORS.**

Available dual power mirrors include a defog feature that helps keep them clear, even in inclement weather conditions.

PREMIUM SOUND.

The ETR AM/FM stereo premium sound systems are available with a cassette player, a compact disc player, or both cassette and compact disc players (as shown here).







ADJUSTABLE SHOULDER SAFETY BELT.

Sliding shoulder safety belt anchors help the driver and front passenger adjust safety belts for individual comfort.




driver and front passenger includes two cup holders, a covered power outlet and a pull-open, lighted storage bir



SAFETY BELT COMFORT GUIDES.

Outboard shoulder safety belts on Chevy Express feature new adjustable comfort guides to fit alder children and small adults. Please refer to your owner's manual for more details.









FULL-SIZE SPACIOUSNESS, FULL-SIZE CONVENIENCE.

Chevy Express and Chevy Van are not just roomy — they offer the greatest cargo capacity in the full-size van segment.* With their exclusive design, the rear cargo doors — the tallest and widest in the segment[†] — open an unimpeded 165 degrees. And the rear cargo opening is significantly wider than that of either Ford Econoline or Dodge Ram Van. At the side, both the 60/40 swingout doors and the no-cost optional sliding door operate easily and open wide. It all adds up to exceptional convenience in loading and unloading people as well as cargo.

SLIDING SIDE DOOR.

The optional sliding side door - available at no extra cost - glides open and closes smoothly and features a child safety lock for added peace of mind.



REAR-SEAT ACCESS.

With the front axle and engine moved forward, there is generous room - the most room in the full-size was segment' - to step bet the front seats while the vehicle is parked.




WIDE-SWINGING REAR DOORS.

Rear cargo doors open an unimpeded 165 degrees, giving you enough height and width to easily load a variety of large items.



ENTRY-ASSIST REAR BUMPER.

The standard entry-assist rear bumper design and low step-in height help make it easy to get bulky items in and out.





AN IDEAL VAN FOR MOBILITY AIDS.

Chevy Express and Chevy use mobility aids. For more information about the GM Mobility Program, please see page 28

*Extended Whoelbase model | †Excludes other GM vehicles

THE LONG-LASTING DEPENDABILITY YOU DEMAND.

No matter how you look at it, Chevy Express and Chevy Van

are designed to provide strong, reliable performance. It is this

focus on ruggedness and durability in every detail that lies at the heart of Chevy Truck.

LASTING GOOD LOOKS.

The standard basecoat and advanced clearcoat paint process resists fading and provides a high-gloss shine for long-lasting exterior beauty.

PRECISION-ALIGNED DOOR HINGES.

Door hinges are robotically welded to door frames for a precise fit and are designed to remain firmly in position through time and rough driving conditions.

CORROSION-RESISTANT EXTERIOR PANELS.

Exterior body panels (except the roof) are made of two-side galvanized steel that helps virtually eliminate corrosion on the outside surface (resulting from scratches and chips), and from rustthrough corrosion originating on the inside surface.

CRUSH ZONES.

Chevy Express and Chevy Van feature front and rear structures that are designed to help absorb energy by deforming in a controlled manner during a collision.

FLUSH-MOUNTED GLASS.

The use of flush-mounted windshield and side-window glass helps reduce wind noise and also contributes to a sleek appearance.

FLUSH-MOUNTED DOOR HANDLES.

Easy-to-grip flush-mounted door handles also help reduce wind noise and provide the van with a sleek profile.

GREATEST CARGO CAPACITY IN ITS CLASS.*

With up to 316.8 cu. ft. of cargo space, Chevy Express Extended Wheelbase models offer the most room in the full-size van segment. They also comfortably seat up to 15 passengers (depending on model).

*Excludes other GM vehicles

CONCEALED REAR DOOR HINGES.

Composite panels cover the rear door hinges, protecting them from the elements. Hood and front-passenger door hinges are also concealed to help protect them from corrosion.

INDEPENDENT FRONT SUSPENSION.

Every Chevy Express and Chevy Van features a rugged and reliable independent front suspension that helps keep the front wheels virtually straight up and down at all times, for a stable ride and precise control.

LARGE-CAPACITY FUEL TANK.

With a standard 31-gallon fuel tank, Chevy Express and Chevy Van are designed to travel a long way between fill-ups.

TWO-STAGE MULTI-LEAF REAR SPRINGS.

Specially designed secondstage springs engage as load weight increases to provide additional support without sacrificing ride quality.

EXHAUST SYSTEM.

STAINLESS-STEEL

STEEL LADDER-TYPE FRAME.

Exceptional strength and

rigidity are provided by a

boxed front sections that help support the engine and transmission.

steel ladder-type frame with

Made of corrosion-resistant aluminized stainless steel, the muffler and all pipes from the converter back are designed to provide longlasting durability.

UNDERBODY SPARE TIRE.

Mounted beneath the vehicle floor, the spare doesn't interfere with cargo space inside the van, leaving more room for gear.



Day in and day out, Chevy Express provides you with uncompromised versatility—which is exactly what you expect from a full-size passenger van. A wide variety of seating configurations is designed to meet your needs for carrying people and all their gear. This focus on function meets its match in an equally strong focus on convenience to help ensure that all your travels are pleasant.



EXCELLENT AIR CIRCULATIONFor enhanced passenger

comfort all the way to the back row, ceiling vents help circulate air on Chevy Express models with optional rear heating and air conditioning.



VERSATILE SEATING FOR 5 TO 15 PASSENGERS.

Chevy Express models offer seating configurations for 5, 8, 12 or 15 passengers, with availability depending on the selected model.



SEATING CONFIGURATIONS

| | | PASSENGER CAPACIT | TY (CONFIGURACIO |
|--------------------------------------|---------------------|---------------------|------------------|
| SERIES/MODEL | WHEELBASE | STANDARD | OPTIONAL |
| G1500 Chevy Express | 135* | 8 (B) | 5 (A) |
| G2500 Chevy Express | 135" | 12 (C) | 8 (8) |
| G3500 Chevy Express | 135* | 12 ICI | 8(8) |
| G2500 Chevy Express Extended | 155* | 12 (D) | - |
| G3500 Chevy Express Extended | 155" | 12 (D) | 15 (B) |
| All Chevy Van conversion vans | 135*/155* | | |
| *Continu depends on concession on fo | at use added to one | Anna de la constant | |

^{*}Seating depends on conversion van features added by an independent supplie



HELPING YOUR FAMILY STAY SAFE AND SECURE.

Safety for your family is among your top priorities in a full-size van. That's why Chevy full-size vans are designed to help provide you and your family with the added safety, security and peace of mind that come from a comprehensive list of safety features. Included are features such as Next Generation driver and front-passenger air bags,* side door beams, Daytime Running Lamps and four-wheel ABS. You also have the security of the new standard Passlock® theft-deterrent system. Chevy full-size vans help provide security for you and your family, mile after mile.

*Always wear safety belts, even with air bags. Also see note below on child safety. Next Generation front-passenger air bag will be available interim 1998 model year.

Passlock® Theft-Deterrent System.


All Chevy Express and Chevy
Van models now feature the
security of the Passlock®
theft-deterrent system as standard equipment. Passlock®
automatically disables the
vehicle's ignition system if
the proper key is not used.

SIDE DOOR BEAMS.

Double-wall steel front and side doors are reinforced with structural steel beams designed to help avoid intrusions into the passenger compartment during shallow side-angle collisions.










STANDARD FOUR-W ANTI-LOCK BRAKE S (ARS)

Standard on all Che Express and Chevy models, four-wheel i designed to help ke control by reducing lockup while braking most slippery surface

AYTIME RUNNING

During daytime dividenced interbeam headlamps or automatically to ale roadway users to y oncoming vehicle.

A NOTE ON CHILD SAFETY: Children are generally safer if they ride in a rear seat using the appropriate child safety seats and restraints, which is why General Motors recommends that child safety seats be properly secured in a vehicle's rear seat. This includes an infant or child riding in a rear-facing seat or a forward-facing child seat, and an older child riding in a booster seat. Make sure the child is properly restrained in the safety seat. See your vehicle's owner's manual and child safety seat's instructions for more information.



THE LONG-LASTING DEPENDABILITY OF VORTEC POWER.

Whether traveling across town or across the country, you need strong, reliable performance. That's exactly what you get with the impressively responsive Vortec V6 and powerful Vortec V8 gasoline engines offered in Chevy Express and Chevy Van conversion van. With their blend of power, efficiency and reliability, Vortec engines help you haul, tow and pass with ease. If you need substantial low-end torque for heavy hauling or trailering, a Turbo-Diesel V8 is available.


100,000-MILE MAINTENANCE.

Platinum-tip spark plugs help Vortec engines travel up to 100,000 miles before their first scheduled tune-up.* And the recommended engine coolant change interval is up to 150,000 miles or five years, whichever comes first.*

*Maintenance needs vary with different uses and driving conditions. See your owner's manual for more information.







STANDARD VORTEC POWER.

The Vortec V6 and Vortec V8 gasoline engines deliver impressive power to haul, tow and pass, along with smooth quiet operation. And the Vortec 7400 V8* is the most powerful gasoline V8 in the full-size van class.**

*Not available on Chevy Van with Conversion Package."

†Excludes other GM vehicles

POWERTRAIN SPECIFICATIONS

| | | | | DIESEL ENGINE | | | |
|-----------------------|-------------------------|--|---|--|--|--|--|
| ENGINE | | VORTEC 4300 V6 SFI ¹ (RPO L35) | VORTEC 5000 V8 SFI¹ (RPO L30) | VORTEC 5700 V8 SFI ¹ (RPO L31) | VORTEC 7400 V8 SFI ¹ (RPO L29) | 6.5L TURBO-DIESEL WE ² (RPD L65) | |
| Displacement (liters) | | | 4.3 | 5.0 | 5.7 | 7,4 | 6.5 |
| HP @ RPM | | | 200 @ 4400 | 220 @ 4600 | 245 @ 4600 ³ | 290 @ 4000 | 190 @ 3400 |
| Torque (lbft.) @ RPM | 52.00, 200-2006-1-1000- | 1160-200110-00- | 250 @ 2800 | 280 @ 2800 | 325 @ 2800 ⁴ | 410 @ 3200 | 385 @ 1800 |
| TRANSMISSION | | | 4-SPEED AUTOMATIC OVERDRIVE ⁵ | 4-SPEED AUTOMATIC OVERDRIVE ⁵ | 4-SPEED AUTOMATIC OVERDRIVE ^{5, 6} | 4-SPEED AUTOMATIC OVERDRIVE ^{5, 6} | 4-SPEED AUTOMATIC OVERDBIVE ^{E, 0} |
| AVAILABILITY | WHEELBASE (IN.) | GVWR (LBS.) ⁷ | | | | | |
| CHEVY EXPRESS | | | | | | | |
| G1500 | 135 | 7100 | S | 0 | 0 | 2 3 3 3 3 | - |
| G2500 | 135 | 8600 | - | - | S | _ | 0 |
| G2500 Extended | 155 | 8600 | - | • | S | | - |
| G3500 | 135 | 9500 | - | | S | 0 | 0 |
| G3500 Extended | 155 | 9500 | - | - | S | 0 | 0 |
| CHEVY VAN (WITH CONVE | RSION PACKAGE)8 | | | | | | |
| G1500 | 135 | 7100 | S | 0 | 0 | - | - |
| G2500 | 135 | 8600 | | - | \$ | | 0 |
| G2500 Extended | 155 | 8600 | E. | - | S | | 0 |
| G3500 | 135 | 9500 | = | - | S | | 0 |
| G3500 Extended | 155 | 9500 | - | - | S | - 1 | 0 |
| | | | | | | | |

1 Sequential Fuel Injection. 2 This diesel engine includes an exclusive warranty for 5 years or 100,000 miles, whichever comes first. A \$100 deductible per repair visit applies after 3 years /36 000 miles. See the for terms and conditions of this limited warranty. 3 250 hp @ 4600 with GVWRs at 8,600 lbs. or above. 4 Torque 330 lb.-ft. @ 2800 with GVWRs at 8,600 lbs. or above. 7 Gross Vehicle Weight Rating: includes vehicle, passengers, equipment and cargo. 8 For information about Chevy Van cargo models for commercial use and G3500 PV and G3500 P please see your Chevy Truck dealer



FULL-SIZE STRENGTH MAKES TRAILERING EASY.

With their full-frame ruggedness and strength, Chevy Express and Chevy Van have what it takes to meet your trailering needs. Each powertrain's standard cooling system is capable of attaining the maximum trailer rating. With the optional Trailering Package, including a least duty weight-distributing trailer hitch platform and 8-lead trailer wiring harness, your new van is ready to handle a variety of trailering situations without a lot of additional, expensive options.

TRAILERING CAUTION.

If you don't use the correct equipment and drive properly, you can lose control of your vehicle when you pull a trailer. For example, if the trailer is too heavy, your vehicle brakes may be less effective. You and your passengers could be seriously injured. Pull a trailer only after you have taken the following steps.

TRAILER BRAKES.

If your trailer weighs more than 1,000 lbs. loaded, then it must have its own adequate brakes. Be sure to read and follow the instructions for the trailer brake controller so that it is installed, adjusted and maintained properly.

- Don't tap into your vehicle's brake system if the trailer's brake system will use more than 0.02 cu. in. of fluid from your vehicle's master cylinder. If it does, neither braking system will work well. You could even lose your vehicle brakes.
- The trailer brake parts must be able to take 3,000 psi of pressure. If not, the trailer brake system must not be used with your vehicle.

If everything checks out thus far, have a qualified individual make the brake fluid tap at the port on the master cylinder that sends fluid to the rear brakes. Don't use copper tubing, because it will bend and ultimately break. Use only steel brake tubing.

HITCHES.

It's important to have the correct hitch equipment. Could large trucks going by and rough roads are just a few of the why you'll need the right hitch. Here are some rules to fi

- If you'll be towing a trailer that, when loaded in than 4,000 lbs., be sure to use a frame mounted with distributing hitch and sway control of the proper see. The equipment is very important for proper vehicle loading and good handling when you're driving.
- If you have to make any holes in the body of your earlier install a trailer hitch, be sure to seal the holes of your earlier remove the hitch. If they're not sealed, drift, water and sealed carbon monoxide from the exhaust can get into your earlier.

NOTE: Your vehicle may require additional special equipment to tow the maximum trailer weights listed here. The weight-carrying hitch limit for Chevy Express/Chevy Van models is a 4,000-lb. trailer with 400-lb. tongue weight. A weight-distributing hitch is required with trailer weights over 4,000 lbs.

TRAILERING — VORTEC GASOLINE ENGINES

| ENGINE Transmission | | | | 9 | VORTEC 5000 V8 Automatic | | | VORTEC 5700 V8 AUTOMATIC | | | VORTEC 7400 VB AUTOMATIC | | |
|------------------------|-------------------------------|------------|------------------------|--|-----------------------------|------------------------|--|-----------------------------|------------------------|--|-----------------------------|----------------------|--|
| SERIES | MAX. TRAILER WEIGHT (LBS.) | | REQUIRED AXLE RATIO | MAX. TRAILER WEIGHT (LBS.) ¹ | | REQUIRED Axle ratio | MAX. TRAILER WEIGHT (LBS.) ¹ | MAX. TONGUE Load (LBS.) | REQUIRED Axle ratio | MAX. TRAILER WEIGHT (LBS.) ¹ | MAX, TONGUE LOAD (LDS.) | ADOLE BATTO | |
| G1500 | 4000 4500 | 500 550 | 3.42 3.73 | 5000 | 600 | 3.42 | 5500 6500 | 700 800 | 3.42 3.73 | | | | |
| G2500 | 4000 4000 | 500 500 | 3.42 4.10 | 5000 | 600 | 3.42 | 5500 5500 7000 | 700 700 850 | 3.42 3.73 4.10 | | | | |
| G3500 | | | | | | | 5500 7000 | 700 850 | 3.73 4.10 | 6500 8000 10,000 | 800 950 1000 | 3.42 3.73 4.10 | |

1 Maximum trailer weight is calculated assuming the driver and one passenger are in the tow vehicle and it has all required trailering equipment. The weight of additional optional equipment, passengers and cargo in the tracted from the maximum trailer weight.

NOTE: The vehicle owner is responsible for obtaining the hitch ball, a hitch of the proper size, type and capacity, and other appropriate equipment required to safely tow both the trailer and the load that will be towed. As a good advice about towing and the proper towing equipment for your new vehicle.

TRAILERING - DIESEL ENGINE

| ENGINE | 6.5 LITER TURBO-DIESEL V8 | | | | | |
|--------------|----------------------------|-------------|------------|--|--|--|
| Transmission | Automatic | | | | | |
| SERIES | MAX. TRAILER | MAX. TONGUE | REQUIRED | | | |
| | Weight (LBS.) ¹ | LOAD (LBS.) | Axle ratio | | | |
| G2500 | 6500 | 800 | 3.73 | | | |
| | 8000 | 950 | 4.10 | | | |
| G3500 | 6000 | 750 | 3.73 | | | |
| | 7500 | 900 | 4.10 | | | |

1 Maximum trailer weight is calculated assuming the driver and one passenger are in the tow vehicle and it has all required trailering equipment. The weight of additional optional equipment, passengers and cargo in the tow vehicle must be subtracted from the maximum trailer weight.

NOTE: The maximum weight-carrying trailer htch limit for all Chevy Express/Chevy Van models is a 4,000-lb. trailer with a 400-lb. tongue weight. • A Heavy-Duty Trailering Package (RPO Z82) is available and includes a weight-distributing hitch platform and 8-lead trailer wiring harness. • Model availability of driveline combinations must be verified by your Chevrolet dealer for correct emissions equipment.

GROSS COMBINATION WEIGHT RATINGS (GCWRS)

| ENGINE | AXLE Ratio | GCWR (LBS.) | ENGINE | AXLE RATIO | ECMP (LBS.) |
|----------------|----------------------|----------------------------|-----------------|----------------------|----------------------------|
| Vortec 4300 V6 | 3.42 3.73 4.10 | 9500 10,000 10,500 | Vortec 7400 V8 | 3.42 3.73 4.10 | 13,500 15,000 17,000 |
| Vortec 5000 V8 | 3.42 | 10,500 | 6.5 Liter | 3.73 | 13,000 |
| Vortec 5700 V8 | 3.42 3.73 4.10 | 11,000 12,000 13,500 | Turbo-Diesel V8 | 4.10 | 14,500 |

THE USE OF GCWRs TO DETERMINE ENGINE, TRANSMISSION AND REAR AXLE RATIOS:

Perhaps you prefer to use Gross Combination Weight Ratings (GCWRs) to determine the powerful tow a specific trailer with your van. The chart above shows you the maximum allowable GCWR based truck engines and rear axle ratios. The GCWR includes the total loaded weight of both the language able engine may be used for trailering if the GCWR shown is not exceeded.



DESIGNED FOR YOUR ADVENTUROUS SPIRIT.

G3500 RV Cutaway Van is for you. Available in three different wheelbase lengths
— 139", 159" and 177" — the Cutaway Van can be equipped with your choice of
Vortec or Turbo-Diesel V8 engines. See your dealer for more information.






CAMPER BODY OPTION

For the ultimate in travel versatility, the G3500 RV Cutaway Van can be upfitted with a wide range of attractive camper bodies from an independent supplier. NOTE: The safety and productivity of your completed vehicle require that the addition of a body or equipment and/or any other type of alteration be performed in accordance with all applicable Federal Motor Vehicle Safety Standards and in accordance with prudent engineering principles. Vehicle completion and/or alteration should be performed only by professional, reputable intermediate and final-stage manufacturers or vehicle alteres.

Consumers are urged to inquire as to the facilities, trained personnel and professional group affiliations of the intermediate and/or final-stage manufacturer or vehicle alterer that may install a body or equipment on your Chevrolet chassis or perform any type of alteration to your vehicle.

Make sure your supplier uses the proper equipment to the exact specifications required to make your Chevrolet perform as it was intended.





GENUINE CUSTOMER CARE. YOU NEVER TRAVEL ALONE.

NEW VEHICLE LIMITED WARRANTY

This warranty is for GM vehicles registered in the United States. Please see your Chevrolet dealer for complete terms and conditions of this New Vehicle Limited Warranty.

WHAT IS COVERED FOR 3 YEARS/36,000 MILES:*



The complete vehicle



Sheet-metal coverage:

- Corrosion coverage
 - Rust-through coverage*



Tires



Repairs made to correct any vehicle defect



Towing to your nearest Chevrolet dealership



No charge for warranty repairs.

*Whichever comes first. †6 years or 100,000 miles, whichever comes first.

AN IMPORTANT NOTE ABOUT ALTERATIONS AND WARRANTIES.

Installations or alterations to the original equipment vehicle (or chassis) as distributed by General Motors are not covered by the General Motors New Vehicle Warranty. The special body company, assembler, equipment installer or upfitter is solely responsible for warranties on the body or equipment and any alterations for any effect of the alterations) to any of the parts, components, systems or assembles installed by Gli

COURTESY TRANSPORTATION

Customers who purchase or lease a 1998 Chevy Express or Chevy Van are eligible for Courtesy Transportation (at no charge) when their vehicles are left at a participating dealership for repairs covered under the 3-year/36,000-mile New Vehicle Limited Warranty. Courtesy Transportation, at participating dealers only, **may** include shuttle service, expense reimbursement or, if the repair requires the vehicle to stay at the dealership overnight, vehicle rental. Actual services may vary at the electron of the participating dealer. See your dealer for dealer.

ROADSIDE ASSISTANCE*

Roadside Assistance service is provided through a toll-free 800 number, 24 hours a day, 365 days a year. Roadside Assistance advisors can assist with minor mechanical problems over the phone or coordinate a variety of services through Chevrolet dealers' preferred service providers.

*Roadside Assistance membership is free. **Some services** may incur costs. Courtesy Care is available to retail,

retail lease and corporate lease customers operating 1994

miles, whichever comes first. All Courtesy Care services'

modify or discontinue Basic Care and Courtesy Care at any

time. See dealer for complete details of the Chevrolet

Roadside Assistance Program.

associated costs must be prearranged by Chevrolet Roadside Assistance or dealer service management and must be driver-initiated Basic Care and Courtesy Care are not part of or included in the coverage provided by the New Vehicle Limited Warranty. Chevrolet reserves the right to

and newer Chevrolet vehicles for a period of 3 years/36,000

BASIC CARE PROVIDES:



Toll-free access 1-800-CHEV-USA



Basic over-the-phone technical advice



Free towing to nearest dealer for warranty repairs



Dealer services at reasonable cost (i.e., wrecker services, locksmith/key service, glass repair, etc.).

COURTESY CARE, WHICH APPLIES FOR 3 YEARS/36,000 MILES, PROVIDES:



Basic Care services



Free fuel delivery



Free locksmith/key service (when keys are lost on the road or locked inside)



Free non-warranty towing




Free flat tire change service



Free jump start.

ADDITIONAL INFORMATION



PLEASE CONTACT US ...

For any additional information on 1998 Chevrolet car or truck products, call 1-800-950-2438 or visit us on the Internet at http://www.chevrolet.com

CUSTOMER ASSISTANCE CENTER.

The Chevrolet Customer Assistance Center has a special toll-free number: 1-800-222-1020. It puts you in contact with experts who can handle any product or service questions you may have with your new Chevy Express or Chevy Van.

SMARTLEASE BY GMAC.

SMARTLEASE by GMAC makes it easy to enjoy the excellence of Chevy Express or Chevy Van. With SMARTLEASE, qualified customers can be approved in about one hour,

and you'll enjoy low SMARTLEASE monthly payments. Plus, SMARTLEASE offers you choices at the end of your lease.

You can either buy your

Chevy Express or Chevy

Van at a price guaranteed up

front, or return your van with no other obligations — providing the terms of the lease have been met. For more information about SMARTLEASE or any of the other quality GMAC financing options, see your Chevy dealer or call 1-800-32-SMART.

TURN PLASTIC INTO STEEL WITH THE GM CARD®.

The GM MasterCard [®] with no annual fee (standard GM Card only) gives you an important financial advantage on your next purchase or lease of a GM vehicle. Use The GM Card [®] for purchases and you'll receive up to 5 percent of that purchase amount in GM Card Earnings. You can earn

as much as \$500 per Account Year, for a maximum of \$3,500 over a period of seven years. Your GM Card Earnings are



over and above any other discount or incentive. To request your GM Card, call **1-800-86M-CARD**,

THE GM MOBILITY PROGRAM FOR PERSONS WITH DISABILITIES.

We invite your inquiries about the GM Mobility Program for Persons with Disabilities. The program can reimburse you up to \$1,000 toward any aftermarket driver or passenger adaptive equipment you may require for your 1998 Chevy Express or Chevy Van, and can set up complete GMAC* financing for you, too. The program can also provide you with free resource information such as area driver assessment centers and mobility equipment installers. See your Chevy dealer for more details or call this toll-free number for more information: 1-800-323-9935. Text telephone (TTY) users, call 1-800-833-9935.

*Available to qualified applicants.

UPDATED SERVICE INFORMATION.

Chevrolet regularly sends its dealers useful service bulletins about Chevrolet products. Chevrolet monitors product performance in the field. We then prepare bulletins for servicing our products better. Now you can get these bulletins, too. Ask your dealer or, for ordering information, call toll free: 1-800-551-4123.

ASSEMBLY.

Chevrolet trucks are assembled by different operating units of General Motors, its subsidiaries or suppliers to GM worldwide. Chevrolet trucks incorporate thousands of components produced by different operating units of GM, its subsidiaries or suppliers to GM worldwide. We sometimes find it necessary to produce Chevrolet trucks with different or differently sourced components than originally scheduled. All such components have been approved for use in Chevrolet trucks and will provide the quality of performance associated with the Chevrolet name. Since some options may be unavailable when your vehicle is assembled, we suggest that you verify that your vehicle includes the equipment you ordered or, if there are changes, that they are acceptable to you.

ENGINES.

Chevrolet trucks are equipped with engines produced by different operating units of GM, its subsidiaries or suppliers to GM worldwide.

CORROSION PROTECTION.

Chevrolet trucks are designed and built to resist corrosion.

All body sheet-metal components are warranteed against rust-through corrosion for 6 years/100,000 miles (whichever comes first). Application of additional rust-inhibiting materials is not required and none is recommended. See your Chevrolet dealer for terms of this limited warranty.

A WORD ABOUT THIS BROCHURE.

We have tried to make this brochure as comprehensive and factual as possible. We reserve the right, however, to make changes at any time, without notice, in prices, colors, materials, equipment, specifications, models and availability. Since some information may have been updated since the time of printing, please check with your Chevrolet dealer for complete details.

GM PROTECTION PLAN.

The available GM Protection Plan offers service protection in addition to that provided by GM's New Vehicle Limited Warranty. Ask your dealer about it. Coverage available only in the U.S. and Canada.


Chevrolet, the Chevrolet Emblem, General Motors, GM, the GM
Emblem, Chevy Van, TheftLock, Delco, ETR, Passlock and Solar-Ray are
registered trademarks of the General Motors Corporation. Chevy, Chevy
Express and Vortec are trademarks of the General Motors Corporation.
GMAC and SMARTLEASE are registered trademarks of the General
Motors Acceptance Corporation. "Soctohgard" is a registered trademark of 3M. TM & © Marvel Characters, Inc. All rights reserved.
© 1997 General Motors Corp. All rights reserved.




Litho in USA


July 1997

DIMENSIONS, MODELS AND WHEELS.









| DOOR TYPE | A | В |
|-------------|-------|------|
| Sliding | 40.9" | 49.2 |
| 60/40 Split | 46.7" | 48.8 |

*G1500 with 7100-lb. GVWR. † Width between wheelhousings.

| DIMENSIONS | | | | | | |
|---|---|--------------------|--|--|--|--|
| INTERIOR DIMENSIONS (IN.) | REGULAR WHEELBASE | EXTENDED WHEELBASE | | | | |
| Height of rear opening | 48.9 | 48.9 | | | | |
| Width of rear opening @ floor | 56.9 | 56.9 | | | | |
| Width of rear opening @ belt | 56.9 | 56.9 | | | | |
| Floor-to-ceiling height | 53.8 | 53.8 | | | | |
| Maximum cargo floor width | 73.1 | 74.1 | | | | |
| Cargo floor width @ wheelwells | 52,5 | 52.5 | | | | |
| Load floor length to front seat ¹ ¿ | 127.3 | 147.3 | | | | |
| CARGO VOLUME (CU. FT.) | 300000000000000000000000000000000000000 | | | | | |
| All center- and rear-row seats removed ² | 267.3 | 316.8 | | | | |

1 Measured at beltline. 2 Measured floor to roof.

| MODEL SELECTOR | | | | | | | | |
|---|--------------------|-------------|-------------------|----|--|--|--|--|
| | | | TRIM AVAILABILITY | | | | | |
| MODEL | WHEELBASE (IN.) | GVWR (LBS.) | BASE | 15 | | | | |
| Chevy Express | | | | | | | | |
| — G1500 | 135 | 7100 | S | 0 | | | | |
| — G2500 | 135 | 8600 | S | 0 | | | | |
| — G3500 | 135 | 9500 | S | 0 | | | | |
| Chevy Express Extended | | | | | | | | |
| — G2500 | 155 | 8600 | S | 0 | | | | |
| G3500 | 155 | 9500 | S | 0 | | | | |
| Chevy Van with Converter Package ¹ | | | | | | | | |
| - G1500 | 135 | 7100 | S | - | | | | |
| — G2500 | 135 | 8600 | S | - | | | | |
| — G3500 | 135 | 9500 | S | - | | | | |
| Chevy Van Extended with Converter Page | ckage ¹ | | | | | | | |
| — G2500 | 155 | 8600 | S | - | | | | |
| — G3500 | 155 | 9500 | S | - | | | | |

1 With RPO YF7 Converter Package — available to Chevrolet Quality-Approved Converters.



ARGENT-PAINTED STEEL WHEEL.

Includes black center cap.
Standard with Chevy Express
Base trim and Chevy Van.
Size: 15" x 6" with G1500,
16" x 6.5" with 2500/G3500.



ARGENT-PAINTED STEEL WHEEL WITH BRIGHT TRIM RING.

Includes bright center cap.
Optional (RPO P06) on Base
Chevy Express, included with
optional LS trim. Size: 15" x 6"
with G1500, 16" x 6.5" with
G2500/G3500.



CAST-ALUMINUM WHEEL.

Optional (RPO N90) for G1500 Chevy Express and G1500 Chevy Van with RPO YF7 Conversion Package. Size: 15" x 7".



CHROME-PLATED STEEL WHEEL WITH CHROME CENTER CAP.

Optional (RPO N83) for G1500 Chevy Express models and G1500 Chevy Van with RPO YF7 Conversion Package. Size: 15" x 7".

PREFERRED EQUIPMENT GROUPS

These convenient option packages make it easy to tailor a new Chevy Express or Chevy Van conversion van to your specifications.

| | ASE | LS | |
|---|---|------|-----|
| PREFERRED EQUIPMENT GROUP 1SA | 1SB | 1SC | 180 |
| Standard Body | | | |
| Convenience Group: Power Door Locks and Power Windows | | | |
| Convenience Group Tilt-Wheel™ Adjustable Steering Column and Electronic Speed Control with Resume Speed | | | |
| .S Trim | | | _ |
| Air Conditioning Front and Rear: with Dual Controls, includes Rear Heater | | | |
| Glass. Solar-Ray Deep-Tinted | | | |
| Remote Keyless Entry | | | |
| Mirrors, Exterior, Dual Black Fold-Away, Electric Remote Control with Defog Feature | | | |
| Mirrors, Visor: LH and RH, Illuminated | | | |
| Steering Wheel. Leather-Wrapped | I all a sur livery and | | |
| CHEVY VAN TRIM LEVEL ¹ | | BASE | |
| PREFERRED EQUIPMENT GROUP | 1SC | 180 | 1SF |
| Standard Body | | | |
| YF7 Conversion Package (includes Front Air Conditioning 124-Amp Alternator, Chrome Grille with Composite Headlamps, Chrome Front and Rear Bumpers, Power Door Locks and Windows, Tilt-Wheel Madjustable Steening Column and Electronic Speed Control with Resume Speed. ETR AM/FM Stereo with Seek-Scan, Cassette Player and Digital Clock. Dua. Direct-Contro Outside Rearview Mirrors and 60/40 Split Rear Side Cargo Door) | | | |
| Glass, Solar-Ray Deep-Tinted | | | |
| Glass, Swing-Out Rear Side Cargo Door and Rear Doors | | | |
| Mirrors, Exterior: Dual Black Fold-Away: Electric Remote Control with Defog Feature | | | |
| Mirrors, Visor: LH and RH, Illuminated | | | |
| AM/FM Stereo with Seek-Scan, Automatic Tone Control and Cassette Player ² | | | |
| Steering Wheel, Leather-Wrapped | | | |
| Antenna, Power | | | |
| Remote Keyless Entry | | | |
| Wheels, Cast-Aluminum | | | |

1 With RPO YF7 Conversion Package. For information about Chevy Cargo Van models equipped for commercial use and G3500 Commercial and RV Cutaway Van models, please see your Chevy Truck dealer. 2 May

STANDARDS AND OPTIONS

CHEVY CHEVY
EXPRESS VAN
BASE LS (W/YF7*

NOTE: Some individually available options listed may be included in, or be ordered only with, specific Preferred Equipment Groups. Please see the Preferred Equipment Groups chart for content and availability. Some additional ordering restrictions may apply. Please see your salesperson for details.

| SEATING | | | |
|--|----------------------------------|-------------|----------------|
| SEAT STYLES | | | |
| Front bucket seats, reclining adjustable high-back, driver and front-passenger: with integral head restraints and padded door panel armrests — Vinyl trim | S | _ | _1 |
| Front bucket seats, reclining adjustable high-back, driver and front-passenger: with integral head restraints, padded door panel armrests, inboard armrests and map pockets on seatbacks — Custom Cloth trim | 0 | S | - |
| Rear bench seat(s) (Chevy Express only): 3-passenger, with RH pivoting armrest (one, two or three seats are provided, depending on model configuration selected; a 4-passenger, rearmost-row seat is also included with 12-and 15-passenger seating) See page 17 for availability by series Vinyl trim Custom Cloth trim | S O | - S | 13 14 |
| Seat adjuster, power: — driver 6-way — passenger 6-way | O ² O ³ | 0 | = |
| INTERIOR FEATURES | | | |
| Air bags, Next Generation driver and front-passenger (Next Generation front-passenger air bag will be available interim 1998 model year.) | S | S | S |
| Air conditioning, front (with CFC-free refrigerant) | S | S | S |
| Air conditioning, front and rear (with CFC-free refrigerant), includes dual controls, rear heater and 124-amp alternator | 0 | 0 | |
| Child comfort guides; outbound seating positions | S | S | 7=1 |
| Convenience Group: power door locks and power windows | 0 | S | S |
| Convenience Group: Tilt-Wheel™ Adjustable Steering Column and electronic speed control with Resume Speed | 0 | S | S |
| Floor covering: embossed black vinyl, full-width mat — entire floor area and front wheelhousings — full-floor carpeting with mats | S O | - S | _1_1 |
| Glass, Solar-Ray: light-tinted | S | S | S |
| Glass, Solar-Ray: deep-tinted, in rear side windows and rear door windows | O ⁵ | 0 | O ⁵ |
| Glass, window (in addition to windshield and front doors) — complete body — none — rear doors only, fixed or swing-out — rear doors and side cargo door, | S - | S - - | 0 \$ 0 |
| fixed or swing-out | 1000 | - | 0 |
| | | | |

| | CHE Expr Base | | CHEVY VAN (w/YF7*) | | CHE EXPR BASE | | CHEVY VAN (w/YF7* |
|---|---------------------|----------|--------------------------|--|---------------------|----------------|-------------------------|
| INTERIOR FEATURES (contd.) | DAGE | | | SOUND SYSTEMS BY DELCO ELECTRONICS (contd.) | DAGE | | (11) |
| | | | | ETR AM/FM stereo with compact disc | | | |
| Interior trim panels — composite | S | - | _1 | player: includes automatic tone control, | | | |
| composite with Custom Cloth | | | 020 | speed-compensated volume, TheftLock, | | | |
| on LH side behind driver seat | | S | _1 | eight speakers and power antenna | 0 | 0 | 0 |
| Headliner: color-keyed cloth, full width | | _ | | ETR AM/FM stereo with cassette player | | | |
| — full-length | S | S | - | and compact disc player: includes automatic tone control, speed- | | | |
| Heater, rear | 06 | Og | | compensated volume, tape Search and | | | |
| Lighting: three dome lamps, with defeat | | | | Repeat feature, TheftLock, eight | 0 | _ | |
| switch and front door-actuated switches and underhood lamp | S | S | S | speakers and power antenna | 0 | 0 | 0 |
| Lighting, auxiliary: includes reading | | - | | Antenna, power | Oª | O ₈ | 0 |
| lights, stepwell lights (front and side | | | | EXTERIOR FEATURES | | No. | 1005 |
| doors) and retractable reel-type | 0 | 0 | 0 | Air dam, front (G1500 Series only) | S | S | S |
| underhood lamp | 0 | S | 0 | Body panels, two-side galvanized (except roof) | S | S | S |
| Locking system: single two-sided key for ignition and all doors | S | S | S | Bumper, front: | _ | | |
| | | 0 | 0 | — painted Argent | S | S | - S |
| Remote Keyless Entry | | 0 | U | — chrome, with step pad | | 3 | - 3 |
| Scotchgard™ Protector: on floor carpeting and Custom Cloth seats | | | | Bumper, rear: with entry-assist step — painted Argent | S | | _ |
| and trim | 0, | S | _1 | - chrome | - | S | S |
| Sliding shoulder safety belt anchors; | | | | Daytime Running Lamps (DRL) | S | S | S |
| driver and right front passenger | S | S | S | Door(s), body-side: with child safety lock | - | | |
| Sunshades: color-keyed, LH and RH | | De l'es | | 60/40 swing-out | S | S | S |
| with full map strap on LH side | S | S | S | — sliding (no-cost option) | 0 | 0 | 0 |
| with LH and RH illuminated vanity mirrors | _ | 0 | _ | Doors, rear panel, dual: with child | • | | |
| INSTRUMENT PANEL/CONTROLS | | | | safety lock | S | S | S |
| Ashtray (lighted) and cigarette lighter | S | S | S | Grille, composite: painted Dark Argent, with single rectangular halogen | | | |
| | | | 3 | headlamps | S | _ | _ |
| Cup holders, dual: in instrument panel console | S | S | S | Grille, chrome: with dual composite | | | |
| Gauges, analog type: includes | | | | headlamps | - | S | S |
| speedometer, trip odometer, fuel level, | | | | Mirrors, exterior: | 1000000 | | |
| voltmeter, engine temperature and | 0 | 0 | 0 | — dual, black, fold-away | S | - | - |
| oil pressure | S | S | S | dual, black, electric, fold-away with defog feature | O ¹⁰ | 0 | S |
| Heater and defroster: with front side- window defoggers | S | S | S | Moldings, body-side: graphite | | S | |
| Passlock® vehicle theft-deterrent system | S | S | S | Wipers, windshield: with intermittent | | | |
| | | | | feature and pulse washers | S | S | S |
| Power outlet, one auxiliary, 12-volt electric: covered | S | S | S ⁸ | CHASSIS FEATURES | | | |
| Storage bin, lighted: in engine | | | | Alternator, 100-amp | S | S | - I |
| cover extension | S | S | S | Alternator, 124-amp | 011 | O ¹ | n S |
| Steering wheel: with mini-module air bag | S | S | S | Battery, heavy-duty: 600cca | S ¹² | S¹ | 2 S ¹² |
| Steering wheel, leather-wrapped: | | 1053050 | | Brake system, power-assisted: front | | | |
| with mini-module air bag | 0 | 0 | 0 | disc/rear drum with 4-wheel ABS | S | S | S |
| Warning tone, headlamps-on | S | S | S | Cold Climate Package: includes engine | | | |
| SOUND SYSTEMS BY DELCO ELECTRONICS | | | | block heater | O ₁₃ | 0 | O ₁₃ |
| NOTE: All sound systems include a Delco Electro | | tronical | lly Tuned | Differential, locking rear | 0 | 0 | 0 |
| Receiver) AM/FM stereo, seek-scan and digital | clock. | | | Exhaust system, aluminized | | | |
| ETR AM/FM stereo with four speakers | S | S | - | stainless-steel | S | S | S |
| ETR AM/FM stereo with cassette | | | 2000 | Fuel tank: 31-gallon capacity | S | S | S |
| player and four speakers | 0 | 0 | S | Springs, heavy-duty: front coil and | _ | | |
| ETR AM/FM stereo with cassette player: | | | | 2-stage multi-leaf rear | S | S | S |
| includes automatic tone control, speed- compensated volume, TheftLock, eight | | | | Steering, power: speed-sensitive EVO | 0 | 0 | c |
| speakers and power antenna | 0 | 0 | 0 | (Electronic Variable Orifice) | S | S | S |

| Trailering special equipment, heavy-duty: includes weight-distributing trailering hitch platform and 8-lead trailer | | |
|---|---|----|
| wiring harness | 0 | 0 |
| TIRES | | |
| G1500 Series: | | |
| P235/75R-15 blackwall | S | 5 |
| P235/75R-15 whitewall | 0 | 0 |
| P235/75R-15 white outline-lettered | 0 | -0 |
| G2500 Series: | | |
| LT225/75R-16E blackwall | S | 5 |
| G3500 Series: | | |
| LT245/75R-16E blackwall | S | 5 |

CHASSIS FEATURES (contd.)

Spare tire, full-size: with steel wheel, mounted under rear floor S — Standard with trim level. O — Optional. CHENT

EXPRESS

BASE LS

*RPO YF7 is the order code for the Chevy Van Conversion Package Cavallable to Quality-Approved Converters only). Equipment availability may vary for Despite RPO YF7 Conversion Package. See your Chevy Truck dealer for despite the conversion Package.

1 Seating, floor covering and trim panels supplied by independent converter. I have optional Custom Cloth bucket seats. 3 Requires optional Custom Cloth bucket power driver-seat adjuster. 4 Requires optional power driver-seat adjuster. I Requires optional out rear side-door and rear-door glass. \$ included with optional ing. 7 Requires optional Custom Cloth bucket seats and optional Custom Cloth bucket seats and optional and a lighter receptacle can serve as second power outlet. \$ Requires and AM/FM stereo with cassette player; included with optional up and include automatic tone control. 10 Requires RPO ZQZ Conventions. and power door locks). 11 Included on G2500 and G3500 Series and with series rear air conditioning. 12 Two batteries @ 600cca each with optional 6.51 Times 3 engine. 13 Not available with 6.5L Turbo-Diesel V8 engine.

NOTE: The Chevy Express and Chevy Van trim features indicated reflect and a second total content of each trim level. See your Chevy Truck dealer for complete leading

CHEVY EXPRESS COLOR AND TRIM.

With a choice of Custom Cloth or vinyl trim, plus a wide selection of exterior paint colors, you can personalize your Chevy Express just the way you want it.

| COLOR AVAILABILITY | | | |
|----------------------------|-------------------------------------|---------|------|
| EXTERIOR COLORS | INTERIOR COLORS | | |
| | NAVY | NEUTRAL | GRAY |
| Light Autumnwood Metallic | A WALL SAME OF THE SAME OF THE SAME | | |
| Medium Blue-Green Metallic | | | |
| Dark Brown Metallic | | | |
| Dark Copper Metallic | | | 22. |
| Medium Storm Gray Metallic | | | M |
| Dark Carmine Red Metallic | | | |
| Medium Madrid Red Metallic | | | |
| Silvermist Metallic | | | |
| Summit White | | 2 | |

NOTE: A Red interior is available in Chevy Van with RPO YF7 Conversion Package only.



High-back bucket seat shown in Gray Custom Cloth.



Standard high-back bucket seat shown in Neutral Vinyl.



Light Autumnwood Metallic



Mcdium Blue-Green Metallic



Dark Brown Metallic



Dark Copper Metallic



Medium Storm Gray Metallic



Dark Carmine Red Metallic



Medium Madrid Red Metaliic



Silvermist Metallic



Summit White

