

- 1. Full instrumentation in reproduction English burl walnut dash. 2. Electric rear demister and leather-grained vinyl roof.
- 3. Spacious rear seat accommodation.
- 4. Four speaker push button radio/cassette stereo system.

Everything about Ford LTD Town Car sets it apart, from its tasteful golden exterior and leather grained vinyl roof line. to its spacious, lavishly appointed interior. Deep cushioned seats are upholstered in supple soft chamois toned leather. Accented by doeskin toned cut pile carpet. Integrated air conditioning to front and rear is fingertip controlled. Considerations such as power windows, variable ratio power steering, SelectShift 3-speed transmission are all standard. So too, is the powerful LX5.8 litre engine — matched by power disc brakes on all four wheels. Ford LTD Town Car a limited edition to mark Ford's 50th Anniversary.





Standard Equipment

Special high-performance LX5.8 litre V8 engine

4 wheel power disc brakes, selfadjusting

Variable-ratio power steering Dual hydraulic brake system Brake proportioning valve Limited slip differential Power side windows

Select-Shift 3-speed automatic transmission

Air-conditioning system Heater-demister system Windscreen washers 2-speed windscreen wipers Foot-operated parking brake

Interior lights:

Courtesy lights - operated by all doors . . . Dome light with directional map reading lights for front seats . . . Glove-box light . . . Reading lights for rear seats . . . Door-sill lights — front and rear . . . Luggage compartment light.

Individually adjustable, reclining, high-back front bucket seats in genuine leather

Console-armrest - front Folding centre armrest — rear Cut-pile carpeting

Long-range push-button radio with power aerial Separate four speaker stereo cassette

system

Cigar lighters — front and rear 24-hour electric clock

Electrically heated rear window demister Prismatic day/night rear-view

mirror Tinted side and rear glass

Banded, laminated and graduatedtint windscreen

Sunvisor vanity mirror Padded dash with inlaid reproduction English burl

walnut panel

Instruments:

Speedometer, odometer and trip meter . . . Oil pressure gauge Water temperature gauge . . . Fuel gauge . . . Voltmeter . . . Brake system warning light . . .

Safety belt warning light . . . Instrument panel rheostat light. Deep-dished wood-grain steering wheel with rim-squeeze horn Steering and ignition lock

Overhead grab handles - front and rear

Front and rear Inertia-Reel seat belt retractors Front and rear door armrests

Business paper and map pockets in rear of front seats

Remote-control exterior rear-vision mirrors - one each on driver's and passenger's side

"Hideaway" headlights juxtaposed with Quartz Halogen driving lights

Padded and insulated vinvl roof Protective body-side mouldings with bumper over-riders front and rear

Locking fuel tank cap Underbody sound deadening Styled steel wheel covers

White sidewall ER70H15 radial tyres

Fully carpeted luggage compartment Remote control rear deck lid release

SPECIFICATIONS

ENGINE:

The Ford LX 5.8 litre V8 engine is standard equipment. It develops 161 kW at 4300 revs. 9.4:1 compression ratio with a 4-barrel/ automatic choke carburettor and dual exhaust system. Maximum torque is 410 Nm at:3100 revs.

TRANSMISSION:

T-Bar SelectShift Cruisomatic 3 speed lets you drive fully automatic or shift manually through the gears. Three forward gears, one reverse, with T-Bar quadrant sequence: P-R-N-D-2-1. This system gives effective engine braking in low gear for better control on steep grades and hilly driving. BRAKES:

4 wheel disc brakes are standard.

Power assisted 111 inch diameter, ventilated and turbo-cooled for fade-free operation. Dual hydraulic system with proportioning valve and dash mounted circuit failure warning light.

STEERING:

Variable ratio power assisted steering gives you completely effortless handling and parking . . . with precise instant response and positive 'feel' of the road in any situation.

WHEELS & TYRES:


Tyres are performance rated by the Australian Rubber Manufacturers and are fitted on double-sided safety rim wheels. Wheel size: 6" x 15" diameter, Tyres; ER70H15 wide radial (white side-wall).

EXTERIOR DIMENSIONS:					
Wheelbase	3073.8mm	(121.0 ins)			
Frack — Front	1536.7mm	(60.5 ins)			
Frack — Rear	1524.0mm	(60.0 ins)			
Overall Length	5176.5mm	(203.8 ins)			
Overall Height	1379.6mm	(54.3 ins)			
Overall Width	1900.3mm	(74.8 ins)			

INTERIOR DIMENSIONS

Front Compartme		
Headroom	965.2mm	(38.0 ins
Legroom	1033.8mm	(40.7 ins
Hiproom	1529.0mm	(60.2 ins)
Rear Compartmen	t	
Headroom	927.1mm	(36.5 ins)
Legroom	1067.0mm	(*42.0 ins)
Shoulder Room	1524.0mm	(60.0 ins)
Hiproom	1529.0mm	(60.2 ins)
Luggage Capacity	$0.87 m^3$	(30.8 cu. ft.)
Fuel Tank Capacity	79.5 litres	(17.5 gals)
Turning Circle	12.8m	(42.2 ft.)
Kerb Weight	1791.6 kg	(3950 lbs.)
*Most rear compar	rtment legro	om in its

The illustrations and information set out in this brochure were correct when approved for printing. However, Ford Motor Company of Australia Limited and/or Ford Sales Company of Australia Limited reserves the right to discontinue or change at any time, the specifications and/or the design of the vehicle illustrated or described in first brochure without incurring any obligations.



class.

Т



Printed June 1975