

ESTELLE TWO 105 LUX

TECHNICAL DETAILS

4 cyl. ohv water cooled engine
1046 cc (63.83 cu in)
46 BHP (DIN) at 4,800 RPM
Max torque 55.6 lb ft at 3,000 RPM
Compression ratio 8.5:1. (2 star petrol)
4 speed manual gearbox with synchromesh
on all forward gears
Single dry plate clutch
Independent suspension, front and rear
Rack and pinion steering
Twin circuit servo assisted brakes – disc front,
drum rear

EXTERIOR

4½J x 13 pressed steel wheels
165 x 13 radial ply tyres
Black moulded two-piece front and rear
bumpers
Rear spoiler
Twin rear foglights
Wrap around front indicators
Two speed windscreen wipers
Electric 4 jet windscreen washers
Rear mudflaps
Rectangular halogen headlights
Twin reversing lights
Locking petrol cap

INTERIOR

Fully reclining front seats with head restraints
Individual fold down rear seats
Carpeting throughout
Rubber mats in front footwells
Inertia-reel front seat belts
Trip meter
Low fuel warning light
Dipping interior mirror
Heated rear window
Childproof locks on rear doors
Door arm rests
Heater/demister with two speed fan
Comprehensive tool kit including spare bulbs
and fuses

WEIGHT

Kerb weight	1929 lb	(875 kg)
Payload	882 lb	(400 kg)
Gross weight	2811 lb	(1275 kg)

TOWING CAPACITY

Unbraked (max)	882 lb	(400 kg)
Braked (max)	1323 lb	(600 kg)

DRIVING CHARACTERISTICS

Peak speed 80 mph
Travelling range (one tank filling at 56 mph)
366 miles

LUGGAGE SPACE

Front 9.8 cubic feet (0.28 cubic metres) Front & rear 14.25 cubic feet (0.4 cubic metres)

OFFICIAL FUEL CONSUMPTION FIGURES*

	MPG	Litres per 100 km
Urban	34.5	8.2
56 mph	46.3	6.1

*D of E approved

105 S (Standard) model available to special order. Specification as for 105 Lux except front seats are without head restraints and are non reclining. Door arm rests are not fitted and rear window is not heated.

DIMENSIONS

Height	55 in (1,400 mm)
Length	165.4 in (4,200 mm)
Width	63.4 in (1,610 mm)

Skoda (Great Britain) Limited, Sales Department, 150 Goswell Road, London EC1V 7DS. Tel: 01-253 7441.

Technical Service and Customer Liaison Centre, Bergen Way, North Lynn Industrial Estate, Kings Lynn, Norfolk. Tel: 0553 61176.





ESTELLE TWO 120 L

TECHNICAL DETAILS

4 cyl. ohv water cooled engine 1174 cc (71.65 cu in) 52 BHP (DIN) at 5,000 RPM Max torque 63.8 lb ft at 3,000 RPM Compression ratio 8.5:1. (2 star petrol) 4 speed manual gearbox with synchromesh on all forward gears Single dry plate clutch Independent suspension, front and rear Rack and pinion steering Twin circuit servo assisted brakes - disc front. drum rear

EXTERIOR

41/2 J x 13 pressed steel wheels 165 x 13 radial ply tyres Black moulded two-piece front and rear bumpers Rear spoiler Twin rear foglights Wrap around front indicators Two speed windscreen wipers Electric 4 jet windscreen washers Rear mudflaps Rectangular halogen headlights

Twin reversing lights Locking petrol cap

INTERIOR

Laminated windscreen Fully reclining front seats with head restraints Individual fold down rear seats Carpeting throughout Rubber mats in front footwells Inertia-reel front seat belts Trip meter Low fuel warning light Dipping interior mirror Heated rear window Childproof locks on rear doors Door arm rests Heater/demister with two speed fan Comprehensive tool kit including spare bulbs and fuses

WEIGHT

Kerb weight	1929 lb	(875 kg)
Payload	882 lb	(400 kg)
Gross weight	2811 lb	(1275 kg)

TOWING CAPACITY

Unbraked (max) (400 kg) 882 lb 1323 lb (600 kg) Braked (max)

DRIVING CHARACTERISTICS

Peak speed 87 mph Travelling range (one tank filling at 56 mph) 354 miles

LUGGAGE SPACE

Front 9.8 cubic feet (0.28 cubic metres) Front & rear 14.25 cubic feet (0.4 cubic metres)

OFFICIAL FUEL CONSUMPTION FIGURES*

MPG Litres per 100 km Urban 325 87 44.8 63 56 mph

*Dot Eapproved

DIMENSIONS

55 in (1,400 mm) Height 165.4 in (4,200 mm) Length Width 63.4 in (1.610 mm)

Skoda (Great Britain) Limited, Sales Department, 150 Goswell Road, London EC1V 7DS. Tel: 01-253 7441. Technical Service and Customer Liaison Centre, Bergen Way, North Lynn Industrial Estate, Kings Lynn, Norfolk. Tel: 0553 61176.





ESTELLE TWO 120 LS

TECHNICAL DETAILS

4 cyl. ohv water cooled engine 1174 cc (71.65 cu in) 58 BHP (DIN) at 5,200 RPM Max torque 67.3 lb ft at 3,250 RPM Compression ratio 9.5:1. (4 star petrol) 4 speed manual gearbox with synchromesh on all forward gears Single dry plate clutch Independent suspension, front and rear Rack and pinion steering Twin circuit servo assisted brakes - disc front, drum rear Oil cooler

EXTERIOR

5J x 13 alloy wheels 165 x 13 radial ply tyres Black moulded two-piece front and rear bumpers Rear spoiler Body side mouldings Twin rear foglights Wrap around front indicators Two speed windscreen wipers Electric 4 jet windscreen washers Rear mudflaps Contoured halogen headlights Twin reversing lights Locking petrol cap

INTERIOR

Laminated windscreen Fully reclining front seats with head restraints Individual fold down rear seats Brushed nylon seat coverings Inertia-reel front seat belts Carpeting throughout Rubber mats in front footwells Revcounter Trip meter Low fuel warning light Dipping interior mirror Heated rear window Childproof locks on rear doors Door arm rests

Single front door pockets Sports gearshift Heater/demister with two speed fan Comprehensive tool kit including spare bulbs

and fuses

WEIGHT

Kerb weight	1951 lb	(885 kg)
Payload	882 lb	(400 kg)
Gross weight	2833 lb	(1285 kg)

TOWING CAPACITY

(400 kg) Unbraked (max) 882 lb 1323 lb (600 kg) Braked (max)

DRIVING CHARACTERISTICS

Peak speed 93 mph Travelling range (one tank filling at 56 mph) 354 miles

LUGGAGE SPACE

Front 9.8 cubic feet (0.28 cubic metres) Front & rear 14.25 cubic feet (0.4 cubic metres)

OFFICIAL FUEL CONSUMPTION FIGURES*

Litres per 100 km 34.0 Urban 8.3 44.8 6.3 56 mph 75mph 31.4 9.0

*D of Eapproved

DIMENSIONS

55 in (1,400 mm) Height 165.4 in (4,200 mm) Length Width 63.4 in (1.610 mm)

AE July 1984

Skoda (Great Britain) Limited, Sales Department, 150 Goswell Road, London EC1V 7DS. Tel: 01-253 7441. Technical Service and Customer Liaison Centre, Bergen Way, North Lynn Industrial Estate, Kings Lynn, Norfolk. Tel: 0553 61176.



ESTELLE TWO 120 LSE

TECHNICAL DETAILS

4 cyl. ohv water cooled engine 1174 cc (71.65 cu in) 58 BHP (DIN) at 5,200 RPM Max torque 67.3 lb ft at 3,250 RPM Compression ratio 9.5:1. 4 star petrol 4 speed manual gearbox with synchromesh on all forward gears Single dry plate clutch Independent suspension, front and rear Rack and pinion steering Twin circuit servo assisted brakes - disc front. drum rear Oil cooler

EXTERIOR

5J x 13 alloy wheels 165 x 13 radial ply tyres Black moulded two-piece front and rear bumpers Rear spoiler Body side mouldings Twin rear foglights Wrap around front indicators Two speed windscreen wipers Electric 4 jet windscreen washers Rear mudflaps Rectangular halogen headlights Twin reversing lights

Locking petrol cap Twin door mirrors

INTERIOR

Radio/stereo cassette mounted in centre console Tinted glass sunroof with ceramic aerial Vinyl roof Laminated windscreen

Fully reclining front seats with head restraints Individual fold down rear seats

Brushed nylon seat coverings

Carpeting throughout

Rubber mats in front footwells

Inertia reel front seat belts

Revcounter

Trip meter

Low fuel warning light

Dipping interior mirror

Heated rear window

Childproof locks on rear doors

Door arm rests

Twin door pockets to front doors

Heater/demister with two speed fan

Comprehensive tool kit including spare bulbs

and fuses

WEIGHT

120110	(885 kg)
882 lb	(400 kg)
2833 lb	(1285 kg)

TOWING CAPACITY

Unbraked (max)	882 lb	(400 kg)
Braked (max)	1323 lb	(600 kg)

DRIVING CHARACTERISTICS

Peak speed 93 mph

Travelling range (one tank filling at 56 mph) 354 miles

LUGGAGE SPACE

Front 9.8 cubic feet (0.28 cubic metres) Front & rear 14.25 cubic feet (0.4 cubic metres)

OFFICIAL FUEL CONSUMPTION FIGURES*

	MPG	Litres per 100 km	
Urban	34.0	8.3	
56 mph	44.8	6.3	
75mph	31.4	9.0	*D of E approved

AE July 1984

DIMENSIONS

Height	55 in (1,400 mm)
Length	165.4 in (4,200 mm)
Width	63.4 in (1,610 mm)

Skoda (Great Britain) Limited, Sales Department, 150 Goswell Road, London EC1V 7DS. Tel: 01-253 7441. Technical Service and Customer Liaison Centre, Bergen Way, North Lynn Industrial Estate, Kings Lynn, Norfolk. Tel: 0553 61176.





SKODA RAPID

SKODA RAPID

SPECIFICATIONS

4 cyl. O.H.V. water cooled engine. 1174cc (71.65 cu. in.) 58 DIN B H P

4 speed manual gearbox with synchromesh on all forward gears, single dry plate clutch.

Independent suspension, front - double wishbone rear - semi-trailing arms.

Rack and pinion steering.

Twin circuit servo assisted brakes disc type front, drum type rear.

 $5 J \times 13$ alloy wheels.

165 × 13 Radial ply tyres.

Black impact moulded bumpers front and rear.

Front air dam.

Integral rear spoiler.

Side rubbing strips.

Heated rear window.

Laminated windscreen.

Rear fog lights.

Sports gear knob.

Hazard warning lights.

Integral head restraints.

Front seats adjustable for height and rake.

Fold-down rear seats. Inertia-reel front seat belts. Carpeting throughout. Rubber mats in all footwells. Two speed interior fan. Two speed windscreen wipers. Electric 4 jet windscreen washers. Mud flaps. Rectangular quartz halogen headlights. Reversing lights. Locking petrol cap.

Comprehensive tool kit.

Front bonnet air intake.

Push button radio/stereo cassette.

Two door mounted mirrors.

WEIGHTS

Kerb weight 1907 lb (915 kg). Payload 771 lb (350 kg). Gross weight 2788 lb (1265 kg).

WEIGHT OF TRAILER

Unbraked (max) 882 lb (400 kg). Braked (max) 1653 lb (750 kg).

DRIVING CHARACTERISTICS

Peak speed 95 mph (153 km/hr). Max climb 39%.

Travelling range (one tank filling at 56 mph (90 km/hr) – 354 miles.

LUGGAGE SPACE

Normal 14.125 cu ft (0.4 m3).


OFFICIAL FUEL CONSUMPTION FIGURES'


Litres per 100 km Urban 34.5 8.2 56 mph 47.1 6.0 75 mph 34.9 8.1

*DoE approved

DIMENSIONS

A-4 ft 6 in (1380mm) B-5 ft 3 in (1610mm) C-13 ft 8 in (4175mm) D-7 ft 10 in (2400mm) E-1 ft 11 in (580mm) + 0 in (0mm)/-6 in (150mm) F-2 ft 101/2 in (875mm) G-1 ft 81/2 in (520mm) + 6 in (150mm)/-0 in (0mm) H-2 ft 8 in (820mm) J-4 ft 01/2 in (1235mm) K-4 ft 31/2 in (1307mm) L-4 ft 31/2 in (1306mm) M-4 ft 21/2 in (1283mm) Wheel Track front 4' 4" - 1330mm rear 4' 3" - 1300mm





SKODA (Great Britain) Ltd., Sales Department, 150 Goswell Road, London EC1V 7DS. Tel: 01-253 7441. Technical Service Centre, Bergen Way, North Lynn Industrial Estate, King's Lynn, Norfolk.Tel: 0553 61176.

Important Notice Skoda (Great Britain) Limited, reserves the right to make at any time modifications and changes of the design and specification of their products they consider necessary in the interests of technical improvement and market requirements.

SURPRISING SKODA



You're looking at Britain's top value for money car. And now the new 1983 Skodas are better equipped than ever.

Skoda put safety first

The latest rack and pinion steering combined with British radial-ply tyres ensure light and precise handling. Servo-assisted, dual-circuit brakes and energy-absorbing construction give you the confidence of driving a solid well-designed car. And Skoda understand family needs; child safety locks are fitted as standard – as are Kangol inertia reel seat belts and laminated windscreens. This year we've added new rectangular headlights and a new rear light cluster. They're certainly eye-catching – but that's Skoda safety.

Skoda, first again for reliability

Rally-proven reliability. You can't beat it. 10 class wins in the last 10 years in the Lombard RAC Rally – the toughest rally in Europe!

Power you can rely on and tough enough to take on any conditions. You'll find the advanced I.C.I. Electro-phorectic primer coat under the skin of every Skoda. We've beaten rust and corrosion.

Skoda: generous inside but miserly on the road

You'll find more space in a Skoda than some cars costing twice or three times the price. It'll take the whole family (and granny too) with elbow and leg room for up to 5 people. The seats are well upholstered and there's



door to door carpeting as standard. To make you feel at home there's a boot that'll swallow almost everything a family needs including the kitchen sink!

On the road it's a different story. You won't worry much about petrol prices when you're driving the 120LSE for example – you'll be getting over 44mpg at a constant 56mpg. That's real economy motoring.

Skoda, reassuringly yours

It's a good feeling driving the new '83 Skodas. You get a free 24 month factory unlimited mileage warranty on every model and a network of over 250 specially selected dealers, ready, willing and able. Skoda repair costs are recognised as amongst the lowest in the business and there's a special Skoda Insurance Scheme that can cut your insurance premium before no-claims bonus.

OFFICIAL FUEL CONSUMPTION FIGURES*				
Model		Urban cycle	56 mph	75 mph
105\$	MPG Litres per 100 km	35.8 7.9	42.8 6.6	=
120L/120LE	MPG Litres per 100 km	34.0 8.3	44.1 6.4	30.7 9.2
120LS/120LSE	MPG Litres per 100 km	34.0 8.3	44.1 6.4	32.5 8.7

*DoE approved

105S


The Skoda Super Estelle range starts with the 105S.

And at an extraordinarily reasonable price its an extraordinary car.

Tough, economic (you can expect 35.8 mpg in town traffic)
and very comfortable. There's extra room – just fold down the back seats –
and extras like laminated windscreen, heated rear window
and full carpeting throughout at no extra cost. That's Skoda value!













Now the hub of the Skoda operation in Britain is in Kings Lynn in Norfolk. Here Skoda has a modern, specially designed and purpose built complex that covers over 18 acres.

When the cars arrive, they are checked by highly qualified Skoda mechanics in a series of stringent tests at the Quality Control Centre.

By using the very latest in sophisticated equipment and techniques, Skoda ensure the high standards of reliability, running efficiency and excellent finish for which they are known. Only when a car has passed every check and test with flying colours is it sent to your local Skoda Distributor/Dealer showroom.

Also housed in the Lynn complex are headquarters for the Technical, Testing, Service Training and Customer Relations operations in the U.K.



The huge Skoda Spares Depot is also in the Kings Lynn complex. Here massive stocks of spares have been built up to fit every model in the Skoda range.

Distribution to the Skoda network . of Distributor/Dealers is fast and effective because it's carried out by the company's own transport fleet.

Computerized stock control makes sure that stocks of spares never fall below a minimum level. This means that spares are always readily available to the Skoda owner. Even if your local Distributor/Dealer doesn't have the spare you want, a quick phone call will get it quickly on its way.



Skoda's nationwide Distribution/Dealer network

With over 250 specially chosen Distributor/Dealers spread across the length and breadth of the country, you're never far from Britain's top value-formoney range of cars. Your Skoda Dealer only employs qualified Skoda mechanics.

And as Skodas become more and more popular with the British motorist (and they are!), so the network continues to grow.


Our Distributor/Dealers will answer all your questions on the Skoda range. They'll arrange for you to take a test drive. And they'll explain the free 24 month factory unlimited mileage warranty and the special low cost Skoda insurance scheme.

But their service doesn't stop when you've bought your Skoda. They'll provide a friendly, knowledgeable no-nonsense after sales service with fast, efficient servicing.

Head for your local Skoda Distributor/Dealer without delay and learn more about Britain's top value-for-money range of cars. You'll be astonished to discover how Skoda manage to give you so much more for so very little.


SURPRISING


SKODA (Great Britain) Ltd., Sales Department, 150 Goswell Road, London EC1V 7DS. Tel: 01-253 7441. Technical Service Centre, Bergen Way, North Lynn Industrial Estate, King's Lynn, Norfolk Tel: 0553 61176.



SPECIFICATIONS	201	201	20	201	10
4 cyl. ohv water cooled engine	•	•	•	•	•
1174cc (71.65 cu. in.)	•	•		•	
1046cc (63.83 cu. in.)					•
58 DIN B.H.P.	•	•			
52 DIN B.H.P.			•	•	
46 DIN B.H.P.					•
4 speed manual gearbox with syncromesh on all forward gears, single dry plate clutch					
Independent suspension, front and rear					
Rack and pinion steering	•	•	•	•	•
Twin circuit servo assisted brakes – disc type front, drum type rear					
5J x 13 alloy wheels	•	•	•		
41/2 J x 13 pressed steel wheels				•	•
165 x 13 Radial ply tyres	•	•	•		•
Black impact moulded bumpers front and rear					
Front air dam	•	•	•	(11)	
Rearspoiler	•	•	•		•
Side rubbing strips	•	•	•		
Heated rear window	•	•	•	•	•
Laminated windscreen	•	•	•	•	•
Rear fog light				•	•
Twin rear fog lights	•			N.	

SPECIFICATIONS Sports gear knob	50	10	500	200	105
Hazard warning lights	•	•	•	•	•
Adjustable head restraints		•	•	•	
Reclining front seats	•	•	•	•	
Fold-down rear seats	•	•	•	•	•
Inertia-reel front seat belts	•	•	•	•	
Child-proof locks on rear doors	•	•	•	•	•
Carpeting throughout	•	•	•	•	•
Rubber mats in front footwells	•	•	•	•	•
Tinted glass panel sunroof	•				
Two speed interior fan	•	•	•	•	•
Two speed windscreen wipers	•	•	•	•	•
Electric 4 jet windscreen washers	•	•	•	•	•
Mud flaps	•	•	•	•	•
Rectangular quartz halogen headlig	hts			•	
Twin quartz halogen headlights	•	•			
Single quartz halogen headlights			•	•	•
Reversing lights	•	•	•	•	•
Locking petrol cap	•	•	•	•	•
Comprehensive tool kit			•	•	•
Front bonnet air intake		•			
Vinyl roof	•				
Radio/stereo cassette	•				
Two door mounted mirrors	•	•	•	•	
Single door mounted mirror					•





SKODA 1055/120L Black painted steel bumpers replace chrome bumpers

SPECIFICATIONS

A 1,400mm (55.0 in.) B 1,595mm (62.7 in.) C 4,160mm (163.7 in.) D 2,400mm (94.5 in.) E 400+50mm-100mm (15.7 in.) F 900mm (35.4 in.) G 700+100mm-50mm (27.6 in.) H 870mm (30.7 in.) J,L 1,350mm (53.1 in.) K,M 1,320mm (52.0 in.)

