

1994 LEXUS **ES** Specifications

ENGINE Type 60° V6, aluminum block and heads

Displacement 3.0 liters (183 cubic inches)

Valvetrain Four cam, four valves per cylinder

Compression Ratio 10.5:1

Horsepower at RPM 188 hp @ 5,200

Torque at RPM 203 lb-ft @ 4,400

DRIVETRAIN

Transmission Four-speed automatic Electronically Controlled

Transmission with intelligence (ECT-i). Overdrive fourth gear, dual shift programs, engine/transmission network-

ing, lockup torque converter.

Drive Wheels Front

Final Drive Ratio 3.72:1

BODY, DIMENSIONS

Type Five-passenger luxury sedan

Construction Welded-steel unibody

187.8 in Overall Length 70.0 in Width 53.9 in Height 103.1 in Wheelbase 5.1 in Ground Clearance Curb Weight 3,374 lb Fuel-tank Capacity 18.5 gallons 14.3 cubic feet Trunk Capacity

Headroom 37.8/36.6 in (front/rear)

36.5/35.8 in (front/rear) with available

moonroof

 Legroom
 43.5/33.1 in (front/rear)

 Shoulder Room
 56.1/55.1 in (front/rear)





1994 LEXUS **ES** Specifications (Continued)

CHASSIS

Suspension Front: Independent, MacPherson struts, coil springs, gas-

pressurized shock absorbers, front lower L-arms,

stabilizer bar. Anti-dive geometry.

Rear: Independent, MacPherson struts, coil springs, gaspressurized shock absorbers, dual links and strut rods,

stabilizer bar. Anti-dive geometry.

Steering Vehicle-speed-sensing, progressive power-assisted rack-

and-pinion. 2.7 turns, lock to lock.

Brakes Four-wheel power-assisted discs, with four-sensor, three

channel Anti-lock Braking System (ABS). 10.8-in vented

(front), 11.3-in solid (rear) discs.

Wheels 15×6.0 -in alloy wheels

Original Equipment Tires Summer Bridgestone Potenza RE88 BW TL

P205/65R15 92V (Code: 002-852) or Summer Goodyear Eagle GA P205/65R15 92V (Code: 113-377-440-01) or All-Season Dunlop SP-Sport D80 V4 P205/65R15 92V (Code: 0253-50) or Michelin MX V4+ (205/65R15 92V (Code: 90889). Full-size spare

with steel wheel.

PERFORMANCE

0-60 MPH Acceleration8.7 seconds¹1/4-Mile Acceleration16.7 seconds¹Top Track Speed130 mph¹

Estimated Fuel Consumption 18/24 mpg city/highway²

Aerodynamic Drag Coefficient 0.32

Turning Circle (curb-to-curb) 36.7 ft

TOTAL UNITS PRODUCED

Total 37,010

DISCLAIMERS

¹Performance capacity figures are for comparison only and were obtained with prototype vehicles by professional drivers using special safety equipment and procedures. Do not attempt.

²Actual mileage will vary with options, driving conditions, driving habits and vehicle's condition. Results reported to EPA indicate that the majority of vehicles with these estimates will achieve between 15 and 21 mpg in the city and between 20 and 28 mpg on the highway. (See www.fueleconomy.gov.)



1994 LEXUS **ES** Original Pricing and Options

PRICING

RICING	<u>Code</u>	Description	Manufacturer's Suggested Retail Price (MSRP) ³	
	9000	ES 300 Luxury Sports Sedan	\$	31,070
		Options		
	DC	Remote 6-CD Auto-Changer		1,000
	FT	All-Season Tires	No '	Charge
	HH	Heated Front Seats, requires LA		400
	LA	Leather Trim Package		1,300
		5th Anniversary Edition, includes Special Wheels, Gold Package, Remote 6-CD Auto-Changer, Leather Trim Package, Power Moonroof, Special Floor Mats, and Select Color		1,900
	SR	Power Moonroof		900

³The vehicle MSRP at launch included Delivery, Processing, and Handling fee. The Delivery, Processing, and Handling Fee was based on the value of the processing, handling and delivery services provided by Lexus and Lexus' overall pricing strategy. Federal, state, and local taxes, and advertising fees, if any, were additional. Prices included predelivery services. Suggested prices: These guidelines were provided by Lexus. The dealer was free to establish its own selling price, margin, or profit level.

CLEXUS | KNOWLEDGE CENTER

EXTERIOR COLORS









AMETHYST PEARL 3K1

DARK EMERALD PEARL 6M1

SUNFIRE RED PEARL 3K4





BLACK ONYX 202

NIGHTSHADOW PEARL 8K0