

ENGINE


Type	In-line 6, iron block, aluminum head
Displacement	3.0 liters (183 cubic inches)
Valvetrain	Twin cam, four valves per cylinder
Compression Ratio	100:1
Horsepower at RPM	220 hp @ 5,800
Torque at RPM	210 lb-ft @ 4,800

DRIVETRAIN

Transmission	Four-speed automatic Electronically Controlled Transmission with intelligence (ECT-i). Overdrive fourth gear, dual shift programs, engine/transmission networking, lockup torque converter.
Drive Wheels	Rear, with optional Traction Control (TRAC).
Final Drive Ratio	4.08:1

BODY, DIMENSIONS

Type	Five-passenger luxury performance sedan
Construction	Welded-steel unibody
Overall Length	194.9 in
Width	70.7 in
Height	55.1 in
Wheelbase	109.4 in
Ground Clearance	5.5 in
Curb Weight	3,660 lb
Fuel-tank Capacity	21.1 gallons
Trunk Capacity	13.0 cubic feet
Headroom	38.3/36.8 in (front/rear) 36.9/35.6 in (front/rear) with available moonroof
Legroom	44.0/33.8 in (front/rear)
Shoulder Room	57.3/57.3 in (front/rear)



CHASSIS

Suspension	<p>Front: Independent, double-wishbone, coil springs, gas-pressurized shock absorbers, stabilizer bar. Anti-dive and anti-squat geometry.</p> <p>Rear: Independent, double-wishbone, coil springs, gas-pressurized shock absorbers, strut rods, stabilizer bar. Anti-dive and anti-squat geometry.</p>
Steering	Vehicle-speed-sensing, progressive power-assisted rack-and-pinion. 3.2 turns, lock to lock.
Brakes	Four-wheel vented power-assisted discs, with four-sensor, three-channel Anti-lock Braking System (ABS) (Four-sensor, four channel with optional Traction Control). 11.6-in (front), 12.0-in (rear) discs.
Wheels	16 x 7.5-in alloy wheels
Original Equipment Tires	Summer Bridgestone Turanza ER30 P215/60R16 94V (Code: 005-088) or Summer Goodyear Eagle GA P215/60R16 94V (Code: 113-080-440-00) or All-Season Dunlop SP Sport 4000 P215/60R16 94V (Code: 0216-54) or All-Season Goodyear Invicta GA-L P215/60R16 94V (Code: 778-080-433-00). Full-size spare with steel wheel.

PERFORMANCE

0-60 MPH Acceleration	8.5 seconds ¹
1/4-Mile Acceleration	16.5 seconds ¹
Top Track Speed	144 mph ¹
Estimated Fuel Consumption	17/23 mpg city/highway ²
Aerodynamic Drag Coefficient	0.31
Turning Circle (curb-to-curb)	36.1 ft

TOTAL UNITS PRODUCED

Total	12,905
--------------	--------

DISCLAIMERS

- ¹Performance capacity figures are for comparison only and were obtained with prototype vehicles by professional drivers using special safety equipment and procedures. Do not attempt.
- ²Actual mileage will vary with options, driving conditions, driving habits and vehicle's condition. Results reported to EPA indicate that the majority of vehicles with these estimates will achieve between 14 and 20 mpg in the city and between 19 and 27 mpg on the highway. (See www.fueleconomy.gov.)

PRICING


<u>Code</u>	<u>Description</u>	<u>Manufacturer's Suggested Retail Price (MSRP)⁴</u>
9300	GS 300 Luxury Performance Sedan	\$ 40,370
9310	GS 300 Luxury Performance Sedan, equipped with CA/NY Emissions	40,370
Options		
DC	Remote 12-CD Auto-Changer	1,000
FT	All-Season Tires	No Charge
LA	Leather Trim Package	1,300
NK	Lexus/Nakamichi® Premium Audio System, requires DC and LA	1,100
SR	Power Moonroof	900
TN	Traction Control System (TRAC) with Heated Front Seats, requires FT and LA	1,800

⁴The vehicle MSRP at launch included Delivery, Processing, and Handling fee. The Delivery, Processing, and Handling Fee was based on the value of the processing, handling and delivery services provided by Lexus and Lexus' overall pricing strategy. Federal, state, and local taxes, and advertising fees, if any, were additional. Prices included pre-delivery services. Suggested prices: These guidelines were provided by Lexus. The dealer was free to establish its own selling price, margin, or profit level.

EXTERIOR COLORS



ROYAL JADE PEARL
6M2




SANDSTONE BEIGE METALLIC
4K9



MIDNIGHT INDIGO PEARL
8J5



PRUSSIAN RED PEARL
3J8




ALPINE SILVER METALLIC
199



BLUE SLATE METALLIC
183



BLACK ONYX
202



OPAL WHITE PEARL
046