CLEXUS | KNOWLEDGE CENTER

1998 LEXUS LX	Specifications
----------------------	----------------

ENGINE	Туре	90° V8, iron block and aluminum heads	BODY, DIMENSIONS	Туре	Eight-passenger luxury sport-utility
DRIVETRAIN	Displacement Valvetrain	4.7 liters (285 cubic inches) Four cam, four valves per cylinder		Construction	Welded-steel body on box-section ladder frame
	Compression Ratio	9.6:1		Overall Length	192.5 in
	Horsepower at RPM	230 hp @ 4,800		Width	76.4 in
	Torque at RPM	320 lb-ft @ 3,400		Height	72.8 in (AHC Normal)
				Wheelbase	112.2 in
				Ground Clearance	8.7 in
				Approach Angle	30 degrees (AHC Normal)
		Full-time four-wheel drive with locking center	Departure Angle	24 degrees (AHC Normal)	
		Cargo C	Cargo Capacity (max)	90.4 cubic feet (middle seats folded, rear seat removed) ¹	
		Transmission (ECT). Overdrive fourth gear, dual shift programs, engine/transmission networking, lockup torque converter.	10	Curb Weight	5,401 lb.
				Vehicle Capacity Weight	1,240 lb.1
	Transfer Case	Two-speed, 1.00:1/2.49:1		Gross Vehicle Weight Rating	6,860 lb.1
	Final Drive Ratio	4.30:1		Tow Rating (max)	6,500 lb.²
				Fuel-tank Capacity	25.4 gallons

Headroom

Legroom Shoulder Room

9.8"



1

40.0/39.4/36.3 in (front/middle/third row without

42.3/34.3/27.3 in (front/middle/third row)

61.3/61.1/61.1 in (front/middle/third row)

available moonroof)

CLEXUS | KNOWLEDGE CENTER

CHASSIS		
	Suspension	Adaptive Variable Suspension (AVS) with Adjustable Height Control (AHC).
		Front: Independent, double-wishbone with high-mount upper and lower arms, torsion bars, electronically controlled shock absorbers with gas-pressurized control actuator, stabilizer bar.
		Rear: Live axle, four trailing links, lateral rod, coil springs, electronically controlled shock absorbers with gas- pressurized control actuator, stabilizer bar.
	Steering	Engine-speed-sensing, progressive, power-assisted rack- and-pinion. 3.8 turns, lock to lock.
	Brakes	Four-wheel vented, power-assisted discs, with four-sensor, three-channel Anti-lock Braking System (ABS). Four- piston front calipers. 12.2-in (front), 12.9-in (rear) vented discs.
	Wheels	16 x 8.0-in alloy wheels
	Original Equipment Tires	All-Season Michelin LTX M/S P275/70R16 114S (Code: 43428). Full-size spare with alloy wheel.

1998 LEXUS **LX** Specifications (Continued)

PERFORMANCE			
	0-60 MPH Acceleration	9.9 seconds³	
	1/4-Mile Acceleration	17.6 seconds³	
	Top Track Speed	109 mph (electronically limited) ³	
	Estimated Fuel Consumption	13/16 mpg (city/highway)⁴	
	Aerodynamic Drag Coefficient	0.40	
	Turning Circle (curb-to-curb)	39.7 ft.	
TOTAL UNITS PRODUCED			
I	Total	6,465	
DISCLAIMERS			
	¹ Cargo and load capacity limited by	y weight and distribution.	
	² Before towing, confirm your vehicle and trailer are compatible, hooked up properly and you have all necessary additional equipment. Do not exceed any Weight Ratings and review all instructions and cautions from your trailer hitch manufacturer and Lexus vehicle <i>Owner's Manual</i> . Note that the maximum amount you can tow depends on the total weight of any cargo, occupants and available equipment in the vehicle.		
	³ Performance capacity figures are for comparison only and were obtained with prototype vehicles by professional drivers using special safety equipment and procedures. Do not attempt.		
	⁴ Actual mileage will vary with options, driving conditions, driving habits and vehicle's condition. Results reported to EPA indicate that the majority of vehicles with these estimates will achieve between 11 and 15 mpg in the city and between 13 and 19 mpg on the highway.		

CLEXUS I **KNOWLEDGE** CENTER

1998 LEXUS **LX** Original Pricing and Options

PRICING	<u>Code</u>	Description	<u>Manufacturer's Suggested</u> <u>Retail Price (MSRP</u>) ⁵
	9600 9610	LX 470 Luxury Sport Utility LX 470 Luxury Sport Utility, equipped with CA/NY Emissions	\$ 55,445 55,445
			,
		Options	
	SR	Power Moonroof	1,270

⁵The vehicle MSRP at launch included Delivery, Processing, and Handling fee. The Delivery, Processing, and Handling Fee was based on the value of the processing, handling and delivery services provided by Lexus and Lexus' overall pricing strategy. Federal, state, and local taxes, and advertising fees, if any, were additional. Prices included predelivery services. Suggested prices: These guidelines were provided by Lexus. The dealer was free to establish its own selling price, margin, or profit level.

CLEXUS | KNOWLEDGE CENTER

1998 LEXUS **LX** Colors

EXTERIOR COLORS





GOLDEN PEARL 057

RIVERROCK GREEN MICA CASHMERE BEIGE METALLIC 1C3 4M9



WOODLAND PEARL 6R1



SMOKY TOPAZ MICA 1C2

Color information courtesy of BASF Corporation.