

LEXCEN

V6



GET THE *feeling* IN A BIG WAY

● = Standard Feature ★ = Factory Option A = Dealer Fitted Accessory

	BASE SEDAN	BASE WAGON	GL SEDAN	GL WAGON	GLX SEDAN
POWERTRAIN					
3.8 litre V6 engine	●	●	●	●	●
Multi-point fuel injection	●	●	●	●	●
Engine management system	●	●	●	●	●
4-speed auto, with overdrive and fuel saving torque converter clutch	●	●	●	●	●
Limited slip differential	★	★	★	★	★
MECHANICAL					
Rack and pinion steering, variable ratio	●	●	●	●	●
Four-wheel power disc brakes	●	●	●	●	●
WHEELS, TYRES					
6JJx14 steel wheels P185/75 HR14 radials	●	●	●	●	
Full wheel covers	●	●	●	●	
6JJx15 alloy wheels					●
P205/65 HR15 low profile tyres (mandatory with 15" wheels)					●
EXTERIOR					
Flush cabin glass	●	●	●	●	●
Six side windows	●	●	●	●	●
Tinted side and rear windows	●	●	●	●	●
Bumper in body colour			●	●	●
Grille in high gloss silver/grey			●	●	
Grille in "MX" grey	●	●			
Grille in body colour & chrome					●
Bodyside mouldings	●	●	●	●	
– wide			●	●	●
End gate moulding		A		A	
Metallic paintwork	★	★	★	★	●
Chromed exhaust extension	A	A	A	A	●
Smoked tail lamp lenses			●		●
CONTROLS, INSTRUMENTS					
Two-spoke steering wheel	●	●	●	●	
Four-spoke steering wheel					●
Remote electric boot release	●		●		●
Remote fuel door release	●	●	●	●	●
Electric remote exterior mirrors	●	●	●	●	●
Intermittent windscreen wipers	●	●	●	●	●
Tailgate window wiper/washer		●		●	
Electric rear window demister	●	●	●	●	●
Electronic cruise control			★	★	●
Power antenna			●	●	●
Digital clock	●	●	●	●	●
Cellular car phone	A	A	A	A	A

	BASE SEDAN	BASE WAGON	GL SEDAN	GL WAGON	GLX SEDAN
CONTROLS, INSTRUMENTS cont.					
Multifocal dual pocket quartz halogen headlamps	●	●	●	●	●
Speedometer/odometer/trip meter	●	●	●	●	●
Tachometer	●	●	●	●	●
Temperature gauge	●	●	●	●	●
Fuel gauge	●	●	●	●	●
Warning lights include – brake failure	●	●	●	●	●
– alternator	●	●	●	●	●
– parking brake	●	●	●	●	●
– optional cruise control on			★	★	●
SOUND SYSTEM					
AM/FM stereo electronic tune radio/cassette	●	●	●	●	●
– AM stereo reception			●	●	●
Local/distant search button	●	●	●	●	●
Compact disc input socket			●	●	●
Auto reverse tape deck	●	●	●	●	●
Dynamic noise reduction			●	●	●
Loudness contour circuit			●	●	●
Speakers, twin, 7.5 watt output each	●	●			
– Four, 7.5 watt output each			●	●	●
– Front/rear fader control			●	●	●
Separate bass and treble controls			●	●	●
Power antenna			●	●	●
SEATING					
Driver's seat height adjuster	●	●	●	●	●
Driver's seat lumbar support			●	●	●
Front seat headrest with height adjuster	●	●	●	●	●
Centre console armrest	●	●	●	●	●
Retracting seat belts – front and rear	●	●	●	●	●
Seat trim in woven cloth	●	●			
Seat trim in velour cloth			●	●	●
Rear seat centre armrest			●	●	●
CHILDREN					
Child-proof rear door locks	●	●	●	●	●
Child seat anchor points	●	●	●	●	●
CABIN COMFORT					
Driver's footrest	●	●	●	●	●
10 outlet, 4-speed heating/vent system	●	●	●	●	●
Air-conditioning	★/A	★/A	●	●	●
Rear outlet vents (fitted only with standard or optional factory air-conditioning)	★	★	●	●	●
Power windows with "express" function for driver's window (in power pack)			★	★	●
Power door locks, with deadlatch, all doors (in power pack)			●	●	●
Illuminated cigarette lighter/ashtray	●	●	●	●	●

	BASE SEDAN	BASE WAGON	GL SEDAN	GL WAGON	GLX SEDAN
<i>CABIN COMFORT cont.</i>					
Passenger vanity mirror on sunvisor	A	A	●	●	●
Centre dome light activated by all doors with automatic time delay (in power pack)					●
Front reading spotlamps			●	●	●
Loop pile carpet	●	●			
Cut pile carpet			●	●	●
Carpet floor mats	A	A	A	A	A
Moulded door trim with padded cloth insert	●	●	●	●	●
Integrated armrests and grab handles on front and rear doors	●	●	●	●	●
Sheepskin seat covers – Front	A	A	A	A	A
Passenger overhead assist handles	●	●	●	●	●
Carpet on lower doors			●	●	●
Moulded headlining – cloth finish	●	●	●	●	●
Tinted upper band, flush-bonded, laminated windscreen	●	●	●	●	●
Windscreen sunshade front	A	A	A	A	A
Sunshade rear	A		A		A
Weathershield, driver and front passenger windows	A	A	A	A	A
Rear louvre	A		A		A
Tinted side and rear windows	●	●	●	●	●
Venetian shades, rear window	A	A	A	A	A
Venetian shades, side window	A	A	A	A	A
Tailgate dust deflector		A		A	
<i>STORAGE, CARGO, TOWING</i>					
Front door storage bins	●	●	●	●	●
Centre console with armrest, 3 compartments	●	●	●	●	●
Illuminated locking glovebox	●	●	●	●	●
Storage pocket in rear of front seats			●	●	●
Rear seat centre access to boot	●		●		●
Carpeted boot floor	●		●		●
– spare wheel cover	●		●		●
Boot lamp	●		●		●
Carpeted rear seatback				●	
Carpeted cargo floor		●		●	
Cargo cover		A		A	
Cargo area lamp		●		●	
Roof luggage rack		A		●	
Towing equipment (towbar, tongue, ball, wiring harness, superlift shock absorbers)	A	A	A	A	A
<i>PROTECTION</i>					
Double-sided profile-cut key	●	●	●	●	●
Security shields on door locks	●	●	●	●	●
Radio/cassette unit security mounting	●	●	●	●	●
Centre mount stop lamp	●	●	●	●	●
Headlamp/hood guards	A	A	A	A	A


PROTECTION cont.	BASE SEDAN	BASE WAGON	GL SEDAN	GL WAGON	GLX SEDAN
Radiator insect screen	A	A	A	A	A
Mudflaps/splash guards	A	A	A	A	A
Comprehensive corrosion protection	●	●	●	●	●
Number plate frames	A	A	A	A	A
Dimensions (mm): — Length	4850	4896	4850	4896	4850
— Width	1800	1800	1806	1806	1806
— Height	1403	1422	1403	1422	1403
— Ground clearance	143	141	142	139	150
Kerb Weights (kg):	1333	1380	1378	1428	1395
Wheelbase (mm):	2731	2822	2231	2822	2731
Track: Front/Rear (mm):	1451/1478		1451/1478		1453/1480
Engine:	Six cylinders in V configuration. OHV design with cross-flow cylinder heads. Low friction technology. Multi-point fuel injection. High energy, distributorless, ignition fired by magnetic pulse from crankshaft, via computer. Triple coils. Engine management system. Electric cooling fan.				
Bore/Stroke (mm):	97 x 86				
Displacement (cm ³):	3791				
Compression Ratio:	8:5:1				
Power Output (kW):	125 (DIN) @ 4800rpm				
Torque (Nm):	292 (DIN) @ 3200rpm				
Transmission:	Auto: 4-speed overdrive with fuel saving torque converter clutch.				
Ratios:	1st 3.06:1 2nd 1.63:1 3rd 1.00:1 4th 0.70:1				
Drive:	Rear, through hypoid differential. Ratio 3.08:1				
Fuel Economy* (litres/100km):	City cycle: 12.5 (23mpg). Highway cycle: 8.0 (35mpg)				
Brakes:	Power assisted, dual circuit. Four wheel discs. Front ventilated.				
Wheels and Tyres:	6.00JJ x 14, Steel with P185/75 HR14 radials				
Turning Circle (m):	10.4 kerb to kerb.				
Steering:	Variable ratio rack and pinion. Power assisted with variable assist.				
Front:	MacPherson Strut, incorporating wet sleeve shock absorbers. Stabiliser bar. Coil springs.				
Rear:	Trailing arm with 5-link location. Panhard rod. Progressive rate coil springs. Double-acting shock absorbers. Stabiliser bar.				
Fuel Tank Capacity (litres):	Sedan: 63. Wagon: 68.				
Luggage Capacity (litres):	Sedan: 443. Wagon: 2491 (rear seat folded down).				
Towing Capacity (kg):	Sedan: 500kg with standard towbar. 1200kg with load equalising trailer hitch and towbar package. 1590kg with bodyside bracing package, trailer brakes, heavy-duty towbar and equaliser hitch. Wagon: 500kg with standard towbar. 1200kg with load equalising trailer hitch and towbar package. 1590kg with trailer brakes, heavy-duty towbar and equaliser hitch.				

Information contained in this brochure was correct at time of printing. TOYOTA MOTOR CORPORATION AUSTRALIA reserves the right to alter any detail of specifications and equipment without notice. Details of specifications and equipment are also subject to change to suit local conditions and requirements. Please enquire at your local dealer for details of any such changes that might be required for your area. Note: Vehicle body colour may differ from the printed photos in this catalogue. Printed August 1989. Quantity: 100,000. *Ref. to ASA Standard 2087.



TOYOTA

Parts Number: Lexcen Saver LEXCEN 0989SV.



PROTECTION cont.	BASE SEDAN	BASE WAGON	GL SEDAN	GL WAGON	GLX SEDAN
Radiator insect screen	A	A	A	A	A
Mudflaps/splash guards	A	A	A	A	A
Comprehensive corrosion protection	●	●	●	●	●
Number plate frames	A	A	A	A	A

Dimensions (mm): — Length	4850	4896	4850	4896	4850
— Width	1800	1800	1806	1806	1806
— Height	1403	1422	1403	1422	1403
— Ground clearance	143	141	142	139	150

Kerb Weights (kg):	1333	1380	1378	1428	1395
Wheelbase (mm):	2731	2822	2231	2822	2731

Track: Front/Rear (mm):	1451/1478	1451/1478	1453/1480		
-------------------------	-----------	-----------	-----------	--	--

Engine: Six cylinders in V configuration. OHV design with cross-flow cylinder heads. Low friction technology. Multi-point fuel injection. High energy, distributorless, ignition fired by magnetic pulse from crankshaft, via computer. Triple coils. Engine management system. Electric cooling fan.

Bore/Stroke (mm): 97 x 86

Displacement (cm³): 3791

Compression Ratio: 8.5:1

Power Output (kW): 125 (DIN) @ 4800rpm

Torque (Nm): 292 (DIN) @ 3200rpm

Transmission: Auto: 4-speed overdrive with fuel saving torque converter clutch.

Ratios: 1st 3.06:1 2nd 1.63:1 3rd 1.00:1 4th 0.70:1

Drive: Rear, through hypoid differential. Ratio 3.08:1

Fuel Economy* (litres/100km): City cycle: 12.5 (23mpg). Highway cycle: 8.0 (35mpg)

Brakes: Power assisted, dual circuit. Four wheel discs. Front ventilated.

Wheels and Tyres: 6.00JJ x 14, Steel with P185/75 HR14 radials

Turning Circle (m): 10.4 kerb to kerb.

Steering: Variable ratio rack and pinion. Power assisted with variable assist.

Front: MacPherson Strut, incorporating wet sleeve shock absorbers. Stabiliser bar. Coil springs.


Rear: Trailing arm with 5-link location. Panhard rod. Progressive rate coil springs. Double-acting shock absorbers. Stabiliser bar.

Fuel Tank Capacity (litres): Sedan: 63. Wagon: 68.

Luggage Capacity (litres): Sedan: 443. Wagon: 2491 (rear seat folded down).

Towing Capacity (kg): Sedan: 500kg with standard towbar. 1200kg with load equalising trailer hitch and towbar package. 1590kg with bodyside bracing package, trailer brakes, heavy-duty towbar and equaliser hitch. Wagon: 500kg with standard towbar. 1200kg with load equalising trailer hitch and towbar package. 1590kg with trailer brakes, heavy-duty towbar and equaliser hitch.

Information contained in this brochure was correct at time of printing. TOYOTA MOTOR CORPORATION AUSTRALIA reserves the right to alter any detail of specifications and equipment without notice. Details of specifications and equipment are also subject to change to suit local conditions and requirements. Please enquire at your local dealer for details of any such changes that might be required for your area. Note: Vehicle body colour may differ from the printed photos in this catalogue. Printed August 1989. Quantity: 100,000. *Ref. to ASA Standard 2087.



TOYOTA

Parts Number: Lexcen Saver LEXCEN 0989SV.



LEXCEN

V6



GET THE *feeling* IN A BIG WAY

● = Standard Feature ★ = Factory Option A = Dealer Fitted Accessory

	BASE SEDAN	BASE WAGON	GL SEDAN	GL WAGON	GLX SEDAN
POWERTRAIN					
3.8 litre V6 engine	●	●	●	●	●
Multi-point fuel injection	●	●	●	●	●
Engine management system	●	●	●	●	●
4-speed auto, with overdrive and fuel saving torque converter clutch	●	●	●	●	●
Limited slip differential	★	★	★	★	★
MECHANICAL					
Rack and pinion steering, variable ratio	●	●	●	●	●
Four-wheel power disc brakes	●	●	●	●	●
WHEELS, TYRES					
6Jjx14 steel wheels P185/75 HR14 radials	●	●	●	●	
Full wheel covers	●	●	●	●	
6Jjx15 alloy wheels					●
P205/65 HR15 low profile tyres (mandatory with 15" wheels)					●
EXTERIOR					
Flush cabin glass	●	●	●	●	●
Six side windows	●	●	●	●	●
Tinted side and rear windows	●	●	●	●	●
Bumper in body colour			●	●	●
Grille in high gloss silver/grey			●	●	
Grille in "MX" grey	●	●			
Grille in body colour & chrome					●
Bodyside mouldings	●	●	●	●	
– wide			●	●	●
End gate moulding		A		A	
Metallic paintwork	★	★	★	★	●
Chromed exhaust extension	A	A	A	A	●
Smoked tail lamp lenses			●		●
CONTROLS, INSTRUMENTS					
Two-spoke steering wheel	●	●	●	●	
Four-spoke steering wheel					●
Remote electric boot release	●		●		●
Remote fuel door release	●	●	●	●	●
Electric remote exterior mirrors	●	●	●	●	●
Intermittent windscreen wipers	●	●	●	●	●
Tailgate window wiper/washer		●		●	
Electric rear window demister	●	●	●	●	●
Electronic cruise control			★	★	●
Power antenna			●	●	●
Digital clock	●	●	●	●	●
Cellular car phone	A	A	A	A	A

	BASE SEDAN	BASE WAGON	GL SEDAN	GL WAGON	GLX SEDAN
CONTROLS, INSTRUMENTS cont.					
Multifocal dual pocket quartz halogen headlamps	●	●	●	●	●
Speedometer/odometer/trip meter	●	●	●	●	●
Tachometer	●	●	●	●	●
Temperature gauge	●	●	●	●	●
Fuel gauge	●	●	●	●	●
Warning lights include – brake failure	●	●	●	●	●
– alternator	●	●	●	●	●
– parking brake	●	●	●	●	●
– optional cruise control on			★	★	●

SOUND SYSTEM

AM/FM stereo electronic tune radio/cassette	●	●	●	●	●
– AM stereo reception			●	●	●
Local/distant search button	●	●	●	●	●
Compact disc input socket			●	●	●
Auto reverse tape deck	●	●	●	●	●
Dynamic noise reduction			●	●	●
Loudness contour circuit			●	●	●
Speakers, twin, 7.5 watt output each	●	●			
– Four, 7.5 watt output each			●	●	●
– Front/rear fader control			●	●	●
Separate bass and treble controls			●	●	●
Power antenna			●	●	●

SEATING

Driver's seat height adjuster	●	●	●	●	●
Driver's seat lumbar support			●	●	●
Front seat headrest with height adjuster	●	●	●	●	●
Centre console armrest	●	●	●	●	●
Retracting seat belts – front and rear	●	●	●	●	●
Seat trim in woven cloth	●	●			
Seat trim in velour cloth			●	●	●
Rear seat centre armrest			●	●	●

CHILDREN

Child-proof rear door locks	●	●	●	●	●
Child seat anchor points	●	●	●	●	●

CABIN COMFORT

Driver's footrest	●	●	●	●	●
10 outlet, 4-speed heating/vent system	●	●	●	●	●
Air-conditioning	★/A	★/A	●	●	●
Rear outlet vents (fitted only with standard or optional factory air-conditioning)	★	★	●	●	●
Power windows with "express" function for driver's window (in power pack)			★	★	●
Power door locks, with deadlatch, all doors (in power pack)			●	●	●
Illuminated cigarette lighter/ashtray	●	●	●	●	●

	BASE SEDAN	BASE WAGON	GL SEDAN	GL WAGON	GLX SEDAN
CABIN COMFORT cont.					
Passenger vanity mirror on sunvisor	A	A	●	●	●
Centre dome light activated by all doors with automatic time delay (in power pack)					●
Front reading spotlamps			●	●	●
Loop pile carpet	●	●			
Cut pile carpet			●	●	●
Carpet floor mats	A	A	A	A	A
Moulded door trim with padded cloth insert	●	●	●	●	●
Integrated armrests and grab handles on front and rear doors	●	●	●	●	●
Sheepskin seat covers – Front	A	A	A	A	A
Passenger overhead assist handles	●	●	●	●	●
Carpet on lower doors			●	●	●
Moulded headlining – cloth finish	●	●	●	●	●
Tinted upper band, flush-bonded, laminated windscreen	●	●	●	●	●
Windscreen sunshade front	A	A	A	A	A
Sunshade rear	A		A		A
Weathershield, driver and front passenger windows	A	A	A	A	A
Rear louvre	A		A		A
Tinted side and rear windows	●	●	●	●	●
Venetian shades, rear window	A	A	A	A	A
Venetian shades, side window	A	A	A	A	A
Tailgate dust deflector		A		A	

STORAGE, CARGO, TOWING

Front door storage bins	●	●	●	●	●
Centre console with armrest, 3 compartments	●	●	●	●	●
Illuminated locking glovebox	●	●	●	●	●
Storage pocket in rear of front seats			●	●	●
Rear seat centre access to boot	●		●		●
Carpeted boot floor	●		●		●
– spare wheel cover	●		●		●
Boot lamp	●		●		●
Carpeted rear seatback				●	
Carpeted cargo floor		●		●	
Cargo cover		A		A	
Cargo area lamp		●		●	
Roof luggage rack		A		●	
Towing equipment (towbar, tongue, ball, wiring harness, superlift shock absorbers)	A	A	A	A	A

PROTECTION

Double-sided profile-cut key	●	●	●	●	●
Security shields on door locks	●	●	●	●	●
Radio/cassette unit security mounting	●	●	●	●	●
Centre mount stop lamp	●	●	●	●	●
Headlamp/hood guards	A	A	A	A	A