

MALOO R8 & MALOO



HSV **25** YEARS





▶ Maloo R8 shown in Hazard



WE BELIEVE THE CAR YOU DRIVE

**TELLS
THE WORLD
EXACTLY
WHERE
YOU
STAND.**



WE BELIEVE IN CARS THAT TURN DRIVERS ON

▶ A huge tub means there's enough cargo space to accommodate all your work and play needs. But you might have to be a bit more selective with things when everyone comes asking for a ride up front.



› The Maloo R8 is all about being tough on the road, not the driver. The multi-function steering wheel features illuminated controls for the sound system, trip computer, Bluetooth phone and Satellite Navigation. Onyx leather trim with HSV Appliqués and console covers sets the interior in style, while special anniversary treatments will ignite your passion for 25 years of hand crafted HSV quality every time you key the ignition.

AND NOT THE OTHER WAY 'ROUND.

MALOO

Maloo R8 shown with optional 6-piston brake package, 20" SV Performance Forged wheels in Gloss Black and Vector Yellow.



**WE
BELIEVE
IN 25
YEARS
OF
ROLLING
THUNDER.**





Maloo R8 shown with optional 6-piston brake package, 20" SV Performance Forged wheels in Gloss Black and Vector Vents.



It takes some serious grunt to push things to the limit time and time again. The Maloo R8's 6.2 litre LS3 Generation 4 alloy V8 will really get your adrenalin pumping with 325kW of power and 550Nm of torque delivered through its 6-speed manual transmission or optional 6-speed automatic transmission with Active Select. The sleek design, 20" SV Performance Forged alloys in Blade Silver and a remote locking hard tonneau make it a powerful statement piece in every sense.

AND THAT CORNERS ARE THERE TO BE MASTERED.



MADDO is the sort of guy who plays by his own rules. You have to be when a standard day at work involves dropping 80 feet off the Arc de Triomphe in Vegas, or breaking world records by soaring over Greece's massive Corinth Canal. And the only thing Maddo jumps into more often than the record books is his HSV Maloo R8.

**TAKE
A
BACKSEAT
TO NO
ONE.**

ROBBIE MADDISON > CRUSTY DEMON





MALOO

KEY FEATURES

ENGINE

6.2 litre LS3 Generation 4 Alloy V8. 90 Degree OHV. Cross Flow cylinder heads. Twin knock control sensors. On board diagnostics. Electronic Returnless Fuel System. High energy distributorless ignition. Solid state direct fire ignition, coil near plug with integrated igniter.

Capacity (cc) 6162; Compression Ratio (:1) 10.7

POWER (DIN kW)
317kW* @ 6000rpm

TORQUE (DIN Nm)
550Nm* @ 4600rpm

EXHAUST SYSTEM

Stainless steel, high performance quad outlets.

GEAR RATIOS

6-speed manual / 6-speed automatic with Active Select.

1 3.01 / 4.03 **2** 2.07 / 2.36 **3** 1.43 / 1.53 **4** 1.00 / 1.15
5 0.71 / 0.85 **6** 0.57 / 0.67 **Final Drive** 3.7 / 3.27

PETROL TANK CAPACITY (L)71

RECOMMENDED PETROL OCTANE RATING

98 RON PULP. Note that using 95RON (PULP) or lower will not cause any problems, but will result in slightly less engine performance and economy.

SUSPENSION

Front: MacPherson strut direct acting stabiliser bar. Progressive rate coil springs.

Rear: Multi-Link Independent Rear Suspension (IRS). Progressive rate coil springs.

ELECTRONIC STABILITY CONTROL (ESC)

Incorporating, Electronic Stability Control (ESC), Anti-Lock Braking System (ABS), Electronic Brake force Distribution (EBD), Electronic Brake Assist (EBA), Traction Control System (TCS), Competition Mode ESC, Extended Cruise Control (ECC) and Launch Control (manual only).

STEERING

Variable ratio rack and pinion

TRACK (mm)

Front: 1592 **Rear:** 1590

TURNING CIRCLE (kerb to kerb, m)11.4

EXTERIOR DIMENSIONS (mm)

Length	Width (ex. mirrors)	Height	Wheelbase
5121	1899	1465	3009

INTERIOR DIMENSIONS (mm)

Leg	Shoulder	Head	Hip
1071	1501	985	1439

TOWING1600kg

SERVICE INTERVALS

The first inspection is due at 3,000km or 3 months (which ever occurs first). The first service is due at 15,000km or 9 months (which ever occurs first). There after at every 15,000km or 9 months since the last service (which ever occurs first).

Additional services are required under certain driving conditions, such as when towing (refer owners handbook).



EXTERIOR COLOURS

STING

* Figure quoted using 98 RON (PULP).



MALOO R8

KEY FEATURES

ENGINE

6.2 litre LS3 Generation 4 Alloy V8. 90 Degree OHV. Cross Flow cylinder heads. Twin knock control sensors. On board diagnostics. Electronic Returnless Fuel System. High energy distributorless ignition. Solid state direct fire ignition, coil near plug with integrated igniter.

Capacity (cc) 6162; Compression Ratio (:1) 10.7

POWER (DIN kW)
325kW* @ 6000rpm

TORQUE (DIN Nm)
550Nm* @ 4600rpm

EXHAUST SYSTEM

Stainless steel, high performance quad outlets, Hi-Flow Intermediate with Bi-Modal mufflers.

GEAR RATIOS

6-speed manual / 6-speed automatic with Active Select.

1 3.01 / 4.03 **2** 2.07 / 2.36 **3** 1.43 / 1.53 **4** 1.00 / 1.15
5 0.71 / 0.85 **6** 0.57 / 0.67 **Final Drive** 3.7 / 3.27

PETROL TANK CAPACITY (L)71

RECOMMENDED PETROL OCTANE RATING

98 RON PULP. Note that using 95RON (PULP) or lower will not cause any problems, but will result in slightly less engine performance and economy.

SUSPENSION

Front: MacPherson strut direct acting stabiliser bar. Progressive rate coil springs.

Rear: Multi-Link Independent Rear Suspension (IRS). Progressive rate coil springs.

ELECTRONIC STABILITY CONTROL (ESC)

Incorporating, Electronic Stability Control (ESC), Anti-Lock Braking System (ABS), Electronic Brake force Distribution (EBD), Electronic Brake Assist (EBA), Traction Control System (TCS), Competition Mode ESC, Extended Cruise Control (ECC) and Launch Control (manual only).

STEERING

Variable ratio rack and pinion

TRACK (mm)

Front: 1616 **Rear:** 1590

TURNING CIRCLE (kerb to kerb, m)11.4

EXTERIOR DIMENSIONS (mm)

Length	Width (ex. mirrors)	Height	Wheelbase
5121	1899	1465	3009

INTERIOR DIMENSIONS (mm)

Leg	Shoulder	Head	Hip
1071	1501	985	1439

TOWING 1600kg

SERVICE INTERVALS

The first inspection is due at 3,000km or 3 months (which ever occurs first). The first service is due at 15,000km or 9 months (which ever occurs first). There after at every 15,000km or 9 months since the last service (which ever occurs first).

Additional services are required under certain driving conditions, such as when towing (refer owners handbook).

* Figure quoted using 98 RON (PULP).

SV ENHANCED OPTIONS



Customise your dream machine with HSV's range of SV Enhanced options including 20" SV Performance Forged wheels in Gloss Black (above) and 6-piston brakes (on Maloo R8 only).



Maloo R8 shown with optional 6-piston brake package, 20" SV Performance Forged wheels in Gloss Black and Vector Vents.

HERON

HAZARD

PHANTOM

SIZZLE

ALTO GREY

KARMA

CHLOROPHYLL

ALCHEMY

NITRATE

PERFECT BLUE

FULL SPECIFICATIONS

MALOO
MALOO R8

MALOO
MALOO R8

MALOO
MALOO R8

ENGINE & TRANSMISSION

317kW 6.2 litre LS3 Generation 4 alloy V8 engine*	●
325kW 6.2 litre LS3 Generation 4 alloy V8 engine*	●
6-speed manual transmission	●
6-speed automatic transmission with Active Select	○
Hi-Flow Intermediate with Bi-Modal mufflers	●
Limited Slip Differential with HSV specific ratio	●
LPI – Liquid Propane Injection*	○

BRAKES

Front – 365mm ventilated discs with 4-piston calipers (red)	●
Rear – 350mm ventilated discs with 4-piston calipers (red)	●

CONTROL & HANDLING

Sport touring suspension	●
Electronic Stability Control (ESC) incorporating, ABS, EBD, EBA and TCS	●
Competition Mode (ESC)	●
Launch Control (manual transmission only)	●

WHEELS

20" x 8.5" Pentagon front alloy wheel with 245/35 R20 95Y tyre..	●
20" x 9.5" Pentagon rear alloy wheel with 275/30 R20 97Y tyre..	●
20" x 8.5" SV Performance Forged front alloy wheel in Blade Silver with 245/35 R20 95Y tyre	●
20" x 9.5" SV Performance Forged rear alloy wheel in Blade Silver with 275/30 R20 97Y tyre	●
Inflator repair kit	●
Temporary spare wheel 20" Black in colour	○

EXTERIOR

Projector head lamps	●
Front driving lamps	●
Daytime Running Lamps (DRLs)	●
HSV Performance body design, engine hood with dual scoops..	●
Quad exhaust outlets	●
HSV Performance sail plane	○
HSV remote locking hard tonneau (not watersealed)	○
Vector Vents	○
Soft tonneau cover (not watersealed)	●
HSV unique tailgate	●
Metallic paint	○

DRIVER

Leather wrap HSV unique sports steering wheel with height and reach adjust	●
Multi function steering wheel featuring: Illuminated controls for sound system, trip computer, Bluetooth phone, Satellite Navigation,	●
Enhanced Driver Interface (EDI)	○
Multi function driver display featuring: Trip computer information, sound system information	●

Priority key. Stores settings for: Climate control, sound system, trip computer, speed alert, headlamp and interior lighting time delay options	●
Alloy faced pedals	●
Leather wrap gear selector	●
Cruise control with extended cruise function	●
Rear park assist with reverse camera	●
Power exterior mirrors	●
Road speed dependent intermittent wipers	●
Automatic headlamp mode. Switches on at twilight or low light ..	●
Head lamps auto off feature. (Variable delay)	●

Trip computer with triple display including: Average speed, odometer / tripmeter / trip time, distance / time to go, average / instantaneous fuel consumption, digital speedometer, tracks two trips simultaneously (eg. short day trip within long interstate trip), fuel used / range, visual and audible speed warning	●
Service reminder. Appears 1,000km before service is due	●
Tyre pressure monitors	●
HSV oracle instrument cluster with Tachometer	●
HSV sports triple centre gauges (voltage, oil temperature and oil pressure)	●
Sound system able to accommodate mobile phone kit.	●
Auto mute when phone is in use	●
Bluetooth mobile phone connectivity	●
Side Blind Zone Alert*	○
Satellite Navigation	●

ENTERTAINMENT

Single CD player able to play MP3 tracks with Virtual changer – Hard Disc storage / CD Ripping	●
USB input, AUX input jack, Integrated iPod support	●
Enhanced Bluetooth (phone book display and touch screen dialing) with Bluetooth audio streaming	●

SEATING

HSV Performance seats in cloth trim with 4-way electric adjustment on driver's seat	●
HSV Performance seats in leather trim (Onyx) with 4-way electric adjustment on driver's seat	●
Adjustable driver and passenger seat lumbar support	●

CABIN COMFORT

Dual zone electronic climate control: driver and passenger	●
6.5" multi-function touch screen display colour LCD screen. Displays stereo, heating, air conditioning information	●
Power windows, driver and passenger express up and down	●
Armrest with leather trim	●
Sunglasses holder	●
Chrome finish interior door handles	●
Two reading lamps	●
HSV Appliqués and console cover	●
HSV Floor Mats	○

STORAGE & CARGO

Centre console storage compartment with Twin cup holders and auxiliary power socket	●
---	---

OCCUPANT SAFETY

Dual-stage airbags for driver and passenger	●
Side impact airbags for driver and passenger	●
Side curtain airbags	●
Lap / sash seat belts with load limiters, pyrotechnic pre-tensioners and height adjust	●

SECURITY

Remote control priority key: operates central locking, operates interior lighting. Time delay on entry. Automatic illumination when engine turned off, operates exterior lamps to show location of car at night, enables / disables alarm system, unlocks hard tonneau (when fitted), disables hard tonneau (when fitted) button in glove box (when locking)	●
Horn sounds if either door is ajar when remote locking	●
Sound system only operates in original vehicle	●
Holden Assist Telematics (only when fitted by an HSV Dealer)	○

ROAD SAFETY

Emergency mode after seat belt pre-tensioners are triggered. On-board computer turns engine and fuel pump off. Unlocks doors. Turns hazard lights and interior lamp on, if battery power is available	●
---	---

CAPPED PRICE SERVICING



Every new, eligible HSV now comes with Capped Price Servicing for each of the first four standard scheduled log book services, for the first three years or 60,000km, whichever comes first. So you'll have the comfort of knowing exactly what your standard service costs will be in advance.

For full Terms & Conditions of HSV's Capped Price Service program, please contact your local HSV dealer, or visit www.hsv.com.au

SV ENHANCED OPTIONS



Maloo	
Bi-Modal exhaust and Enhanced Driver Interface (EDI)	○
Bi-Modal exhaust, Side Blind Zone Alert and Enhanced Driver Interface (EDI)	○
20" SV Performance Forged wheel in Gloss Black	○
Maloo R8	
20" SV Performance Forged wheel in Gloss Black	○
6-piston brakes	○

Standard ● Optional ○

* Figure quoted using 98 RON (PULP). + When LPI is selected as an option on Maloo, 20" SV Performance Forged wheels in Gloss Black must also be selected as an SV Enhanced option. ^Optional on Maloo when Enhanced Driver Interface (EDI) is also selected as an option.

Visit hsv.com.au for more details. Follow us on

HOLDEN SPECIAL VEHICLES, 125 RAYHUR STREET, CLAYTON, VIC 3168 AUSTRALIA.

A word about this catalogue. Images shown are for illustration purposes only. We have tried to make this catalogue as comprehensive and factual as possible. However, since the time of printing some of the information you'll find here may have been updated. Also, some of the equipment shown or described throughout this catalogue may have been changed and/or is available at extra costs. Further HSV reserves the right to make changes at any time without notice, in prices, colours, materials, equipment and models. Your HSV Dealer has details, and before ordering you should ask them to bring you up to date. No HSV Dealer or other person is authorised or permitted to give or make any statement, assertion or undertaking in relation to the quality, performance characteristics, descriptions or fitness for any purpose of HSV product which is at variance with any written statement, assertion or undertaking on any of these subjects given or made by HSV in its published sales literature, and HSV does not accept any liability for such unauthorised action. HSV have authorised Dealers in many parts of Australia for the sale of service parts and the provision of service to owners of HSV's products. Every endeavour is made to ensure that such Dealers carry adequate stocks of service parts but neither HSV nor GM Holden Ltd. make any promise other than that contained in the New Vehicle Warranty given by GM Holden Ltd. and HSV that such parts or service facilities will be available at any specific location or at any particular time. Express warranties offered for GM Holden Ltd and HSV products are subject to the conditions set out in all vehicle handbooks. Details are also available from GM Holden Ltd. and HSV on request. Copyright Premoso Pty. Ltd. (HSV) A.B.N. 84 006 802 053. Colours are for illustration purposes only. Printed August, 2012. Part Number HSC686.

HSV

I just want one.

HSV 25 YEARS