
2012 EQUUS





Rolling Sculpture.

To shape the Equus, our designers sought to wrap its exceptional engineering within a body that is both beautiful and functional. What emerged from the wind tunnel was a shape so pure, it yields a coefficient of drag of just 0.27, a remarkably low figure for a luxury sedan, which helps the Equus both save fuel and silence intrusive wind noise.


Equally important is what the Equus design registers by another measure: your personal satisfaction. Regardless of angle, its shape seduces, reminding us that automobiles can aspire to be nothing less than rolling sculptures.

One of the "10 Best Engines" in the World.

It's an experience that begins the instant you push the engine start button and the powerful 8-cylinder engine comes to life. In the Equus, our acclaimed Tau® V8 was consecutively named one of the "10 Best Engines" in the world by the authoritative auto industry journal Ward's.

Hyundai's all aluminum V8 is a state-of-the-science powerplant. Compact and lightweight to enhance fuel efficiency and performance, it's an engine that combines Dual Continuously Variable Valve Timing with Gasoline Direct Injection (GDI) and Hyundai's first 8 speed automatic transmission to deliver


smooth torrents of power across a broad rpm band. Its peak output of 429 horsepower and 376 lb-ft of torque secures a prominent place for the Equus among leading V8-powered luxury sedans?



Luxurious Front to Back, Inside and Out.

Up front, there is the Driver Information System. The ergonomically-designed controls of its interface make everything you want to know readily available. A centre console cable links your personal iPod® or portable media device with equal facility and allows convenient access to stored playlists. Clearly, Hyundai engineers have not only thought about the information you need, but refined the way it is delivered to you as well.

The Equus does something rather unusual among contemporary luxury cars: it caters equally to the needs of the driver and the desires of the passengers. Settle into the rear passenger compartment and you're in control there, as well. With an effortless twist or touch, the available rear console controls let you adjust audio, video, seat position and climate control settings. Audiophile-level audio and media features are at your command too. Seek contentment, and it will easily be found in the many onboard entertainment options.





Heated Steering Wheel

The Equus steering wheel is heated to warm your hands on chilly mornings. A heating element warms the surface of the leather-wrapped area and is timed to turn off.



Rear 8" LCD Display

Lean back and enjoy the generouslysized rear 8" display, where your favourite DVD is waiting (available with the Ultimate Package).




12 Way Adjustable Driver's Seat

The power adjustable driver's seat precisely conforms to its occupant's wishes by offering 12 ways to adjust the seating position.




Winged Rear Headrests

Adjust the wings up to 30 degrees and support your head in perfect comfort.



Heated and Cooled Front Seats

The seat backs and seat cushions on the front seats contain thermoelectric devices that control heating, cooling and humidity of the seat surface.



Driver's Seat Massage

The Equus driver's seat also brings the added pleasure of a massage feature that applies soothing pressure up and down the back at a speed controlled by the driver.



Confidence, Instilled.

There are two fundamental approaches to safety engineering – collision avoidance and occupant protection. The best luxury sedans integrate both for maximum protection. All Equus active safety systems have been integrated to reduce the potential for a collision. How? We call it VSM, short for Vehicle Stability Management, which combines the Electronic Stability Control, Electronic Parking Brake, Smart Cruise Control and seatbelt tensioning system for audible, visual and tactile collision warning².




Lane Departure Warning System

The system will warn the driver if it senses the car beginning to stray from its lane. A warning chime and haptic tug on the seatbelt alerts the driver to take corrective action at the wheel.



Smart Cruise Control

The system continually monitors the relative speed and distance of the vehicle in front through radar sensors, controlling acceleration and braking to help maintain a driver selected following distance.



Seatbelt Tensioning System

This system selectively tensions the seatbelt in a variety of potential collision scenarios, optimizing safety and effectiveness in all situations.




Auto Defogging System

Using sensors in the windshield, this system quickly and efficiently eliminates condensation for maximum visibility.

Relaxation Redefined.

Our efforts to deliver luxury doesn't end with the inside of the car. Membership in the Equus family entitles you to an unparalleled level of personal service and attention. In addition to one of Canada's best warranties, Equus owners are granted additional benefits as part of an exclusive valet service⁴. Privileges include home delivery of an Equus or Genesis loan vehicle while your car is being serviced. There is also a direct line to the Equus Customer Relations Call Centre – a first class resource that will assist consumers with Equus related questions.





Power First-Class Rear Seat with Air Cell Massage

The Equus Ultimate Package 50/50 split power rear seat not only reclines, it also offers a leg extension like the seats aboard a private jet. Also equipped with air cell massage and three levels of heating or cooling – the perfect relaxation therapy.



Thermoelectric Rear Console Refrigerator

Store refreshments for your journey in a refrigerator cooled by thermoelectric energy and concealed within the rear centre armrest (available with the Ultimate Package).



Power Sunshades

Controls located on both the front and rear centre consoles allow Equus occupants to raise or lower the rear and back side window sunshades. (Rear side window sunshades are available with the Ultimate Package)




Rear Armrest Console Controls

With effortless ergonomics, the rear Equus Ultimate occupants can control their own high end audio, video and seating comfort.

Excellence, Illuminated.

Like a fine residence, it's finishing touches such as thoughtful lighting design and an exquisitely appointed interior that elevate Equus beyond the ordinary.





Wrap-Around LED Rear Lights

This technology not only looks great, but dramatically increases visibility, both day and night.




Puddle Lamps

Mounted under the outside mirrors, these illuminate your path to and from your car at night.



Power Trunk Lid

Convenience is maximized by a power opening and closing trunk lid. Open the trunk by the inside release or outside using the convenient Equus key fob (available with the Ultimate Package).



Rain-Repelling Acoustic Laminated Glass

Mutes wind noise at higher speeds and helps to optimize visibility, even under adverse weather conditions.

Effortless Interaction.

The aim of the Equus was always clear: to create a seamless interplay between the driver and the technologies that serve to make driving as enjoyable and effortless as possible.




Front-View Cornering Camera

Check your mirrors, then your monitor: it displays ultra wide angle front views for an extra margin of visibility (available with the Ultimate Package).




Parking Guide System

Guide the Equus into tight parking spaces with the aid of a generous 8" LCD monitor. It displays views from the rear camera to help you park more easily.



Electronic Parking Brake with Automatic Vehicle Hold

To prevent unwanted movement on steep roads, the Automatic Vehicle Hold engages when the car comes to a complete stop and releases when the gas pedal is pressed.



Advanced Navigation and Driver Information System


To help you confidently arrive at each destination in a relaxed state of mind, the Equus comes standard with a navigation system.

Sonic Perfection.

With 608 watts from its 13 channels and 17 speakers, the Lexicon® 7.1 Discrete audio system on board the Equus more than satisfies the most discriminating audiophile. It's called the 7.1 Discrete because it uses 7 unique sound fields with a single rear subwoofer and 17 speakers to envelope Equus occupants in a sound that's as close as possible to what you'd hear from a live performance.



EXTERIOR COLOUR CHOICES



WHITE SATIN PEARL



PHANTOM BLACK



GRANITE GREY



PLATINUM METALLIC

INTERIOR COLOUR CHOICES



JET BLACK LEATHER SEATS



CASHMERE BEIGE LEATHER SEATS



SADDLE BROWN LEATHER SEATS



GENUINE WOOD (WALNUT)



GENUINE WOOD (BIRCH BURL)



GENUINE WOOD (WALNUT)

Choice of interior colour depends upon exterior selection. Due to print production process, the colours shown throughout the brochure may vary slightly from the actual hue. See your dealer for model applications and to view the Hyundai Colour Selector. Visit hyundaicanada.com or see you dealer for details.

2012 EQUUS FEATURES

Thermoelectric Rear Console Refrigerator

SIGNATURE	STANDARD EQUIPMENT INCLUDES:
	ngine, Dual Continuously Variable Valve Timing (D-CVVT), Gasoline Direct Injection (GDI)
8-speed Automatic Trans	mission with SHIFTRONIC®
10-way Power Front Pass	enger's Seat
12-way Power Driver's So	eat (with Lumbar + Seat Cushion Extender)
19" Alloy Wheels	
4-Wheel disc brakes with	Anti-lock Braking System (ABS) and Electronic Brake-force Distribution (EBD)
60/40 Power Reclining ar	nd Heated Rear Seats
9 Airbags1: Advanced Dua and Roof-mounted Side-	al Front Airbags, Front and Rear Seat-mounted Side-impact Airbags, Driver Knee Airbag, curtain Airbags
Acoustic Laminated Wind	shield, Front and Rear Side Windows
Adaptive Front Lighting S	ystem with Auto-leveling
Bluetooth®♦ Hands Free F	hone System
Dual Asymmetrical Exhau	st Tips Integrated with Rear Bumper
	ure Control with Air Quality System
	ed Auto-dimming Side Mirrors with Turn Signal Indicators and Approach Lamps
	ming Inside Rearview Mirror with HomeLink® and Compass
Electro-hydraulic Power S	·
•	er (supervision) with 3.5" TFT LCD Screen
	ad Restraints with Power Adjustment
	ol (ESC) with Traction Control System (TCS) ² and Brake Assist (BA)
	Air Suspension with Continuous Damping Control
	ssistance System and Rearview Camera
Heated/Cooled Front Sea	•
	Leather Wrapped Steering Wheel
	Headlights with LED Turn Signal Indicators
, ,	ů ů
Illuminated Door Scuff Plantagrated Mamary System	
• • •	m (IMS) for Driver's Side Seat, Mirror and Steering Wheel
	iary Input Jacks and iPod® Connection Cable
	nd Real Wood Interior Trim
	rround Sound Audio System with 17 Speakers
	Oriver Information System and Multimedia Controller
Power Rear Sunshade	
Power Tilt and Slide Glass	
	Surfaces and Micro Fibre Suede Headliner
Proximity Key Entry with	Push-button Start
Rearview Camera	
Tire Pressure Monitoring	System
Windshield Wiper De-icer	, Rain-sensing Wipers and Auto-defogging Windshield with Humidity Sensor
ULTIMATE	INCLUDES SIGNATURE STANDARD EQUIPMENT PLUS:
50/50 Split Rear Seats w	ith Reclining Function
Heated/Cooled Rear Seat	S
	port and Massage System
Forward-view Cornering	
Power Trunk Lid (Open/Cl	•
Rear Illuminated Vanity M	
Rear Seat Entertainment	
	n Head Restraints with Manual Tilt
Thermoelectric Rear Con-	nolo Defrigorator

		Edun	Ī.
MECHANICAL	FOL (FORM) POUR OR SHOULD BY A CONTRACT OF MARKET		
Engine	5.0L, (5,038cc) DOHC 32-valve V8 Dual Continuously Variable Valve Timing (D-CVVT) Gasoline Direct Injection (GDI)Tuned Intake System		
	(TIS) Iridium-tipped spark plugs	S	S
Block/Head Composition	Aluminum/Aluminum	S	S
Horsepower	429 @ 6,400 RPM with Premium Unleaded	S	S
orque	376 lb. ft @ 5,000 RPM with Premium Unleaded	S	S
Fransmission Type	8-speed Electronic and SHIFTRONIC® Manual Shift Mode	S	S
Bore & Stroke (mm)	96.0 x 87.0	S	S
Compression Ratio	11.5	S	S
Motor Mounts (Aluminum, Rubber insulated)	Hydraulic	S	S
nduction System	Tuned	S	S
Fuel System	Gasoline Direct Injection (GDI)	S	S
Recommended Fuel	Unleaded / Premium	S	S
Emissions Level	ULEV II	S	S
xhaust	Dual Asymmetrical Tips	S	S
gnition System	Electronic / Distributorless (Controlled by ECU)	S	S
Brakes	Front / Rear: Type: Ventilated Disc (Four Piston)	S	S
	icle Hold with Dash-mounted Electronic Switch	S	
Steering	Type: Electro-Hydraulic Power Steering (EHPS), Vehicle Speed Sensing	S	
	Turns (lock to lock): 2.8	S	
	Turning Diameter (curb to curb, in metres): 12.08	S	
Suspension	Front / Rear: Multi-link (5-link)	S	
raoponoion	Front: Stabilizer Bar: 29mm (solid)	S	
	Rear: Stabilizer Bar: 18mm (solid)	S	
	Front / Rear: Electronically Controlled Air Suspension (EAS)	S	S S S S S S S S S S S S S S S S S S S
	Front / Rear: Continuous Damping Control (CDC)	S	
EXTERIOR	Tront / ricar. continuous bamping control (obc)	-	J
Wheels	19" 9-spoke Chrome Alloy	c	
vileeis	·	S	
	8.0J x 19 (Front)	S	S
Tius -	9.0J x 19 (Rear)	S	S
Tires	Front – P245/45R19	S	S
	Rear – P275/40R19	S	S
Lights	High Intensity Discharge (HID) Xenon with Auto-leveling	S	S
	Adaptive Front Light System (AFLS) (Auto Cornering)	S	S
	Automatic Headlights	S	S
	Front LED Turn Signal Indicators	S	S
	LED Position Lamps (white LED lights surrounding the HID Lamp)	S	S
	Front Fog Lights	S	S
Outside Mirrors	Dual Power, Bodycolour with Chrome – Part of IMS (Integrated Memory System)	S	S
	Auto-adjusting – Tilt Down When in Reverse (side selection required)	S	S
	Power Folding, Heated with Timer	S	S
	Electrochromic Auto-dimming	S	S
	Approach Lamps – Activate Upon Approach	S	S
	LED Outside Mirror Turn Signal Indicator	S	S
		S	S
Noldings & Trim	Bumpers – with Chrome-insert Molding		
Noldings & Trim	Bumpers – with Chrome-insert Molding Integrated Exhaust with Rear Bumper	S	S
Moldings & Trim		S S	S

		Equus Signature	Equus Ultimate
EXTERIOR (continued)	sors – Body Colour sensors on front & rear bumpers	S	S
Glass	Tinted Glass – Solar Control (All windows)	S	S
uidos	Hydrophobic Glass (water repelling) – Front Door Windows Only	S	S
	Acoustic Laminated Glass – Noise reducing (windshield; front doors, rear doors)	S	S
Wipers	Front Windshield, 2-speed, Rain-sensing with Variable Intermittent	S	S
Wiporo	Auto-defogging Windshield with Humidity Sensor	S	S
	Windshield-wiper Deicer	S	S
Power Trunk Lid	Power Open/Close; Operated by Proximity Key, Button on Lid and Interior Release	-	S
INTERIOR	Town open access, openated by Fromming reas, button on the and memorial relocation		
Seating Surfaces	Ultra-Premium Leather Seating Surfaces	S	S
Capacity	5 Passenger	S	-
capacity	4 Passenger	-	S
Front Seats	Multi-adjustable Bucket	S	S
	12-way Power Driver's Seat with Memory (I.M.S.)	S	S
	Power Driver's Adjustable Head Restraint	S	S
	Power Driver's Seat Cushion Extension and Lumbar Support	S	S
	Driver's Seat Massage System	S	S
	10-way Power Passenger's Seat	S	S
	Heated and Cooled Front Seats	S	S
Standard Rear Seats	60/40 Power Reclining Rear Seats, Heated	S	-
	Head Restraints (adjustable) – 3 positions	S	-
	Butterfly Adjustment for Outboard Seat Head Restraints	S	-
	Centre Armrest with Dual Cupholders and Control Console	S	-
First-class Rear Seat	50/50 Split Rear Seats with Power Reclining Function	-	S
	Heated and Cooled Rear Seats	-	S
	First-class Seat (passenger side): Massage System and Leg Support	-	S
	Power Adj. Head Restraints (Up/Down) w/ Manual Tilt	-	S
	Fixed Rear Centre Console Storage	-	S
	Rear Console Refrigerated Storage (thermoelectric)	-	S
Audio: Head Unit, Speakers & Amplifier	AM/FM/HD Radio/XM®/In Dash 6-DVD Changer/MP3 Lexicon® 7.1 Discrete Logic 7® Surround Sound System with 17 speakers	S	S
Navigation	Navigation System with 8-inch display, Driver Information System	S	S
iPod®/USB/AUX	iPod® Connection Cable, USB and AUX Input Jacks (centre console mounted)	S	S
Rear Seat Monitor	8" LCD screen, Interface with Rear DIS Integrated Control on Rear Fixed Centre Armrest; DVD player, HVAC, Audio Control from Rear Seat	-	S
Roof Trim	Micro Fibre Suede	S	S
Sunvisors	w/ Illuminated Driver and Passenger Vanity Mirror and Visor Extension	S	S
Rear Illuminated Vanity Mirrors	Dual	-	S
Shift Knob	Leather-wrapped with Woodgrain-insert	S	S
Sunroof	Power Tilt & Slide with One Touch Open/Close	S	S
HVAC/Defogger	Air Conditioning	S	S
	Dual-zone Automatic Temperature Control with Outside Temperature Display	S	S
	Rear Seat Temperature Controls and Heater Ducts	S	S
Power Rear Sunshade		S	S
Power Rear Side-window Sunshade (ad	•	-	S
	up with Pinch Protection (all 4 windows); Illuminated	S	S
Power Door Locks		S	S
Proximity Entry System with Push-butto	·	S	S
Dual Cupholders Electrochromic Auto-dimming Inside Re	Front Centre Console-mounted, with Cover earview Mirror with Compass	S S	S S

INTERIOR (II II			Equus Signature	Equus Ultimate
INTERIOR (continued)	Loothar wranna	duy/ Deal Wood Trim	-	
Steering Wheel	- ''	d w/ Real Wood Trim	S	S
		elescopic with Memory (I.M.S.)	S	S
	Heated	®¢, Smart Cruise Controls	S	S
		Nanring System (LDWS) – On/Off	S	S
		rols – Trip & Display	S	S
HomeLink® Integrated Transceiver	VEHICLE IIIIO COILL	Itols — Itip & Display	S	S
ights	Interior lighting -	- Front & Rear with Delay	S	S
igno	Front Map Lights	•	S	S
		phts (centre-mounted)	S	S
		ent Light, Cargo Area Light, Ashtray Light	S	S
SAFETY				
Airbags ¹	Driver (1) Front I	Passenger (1), Occupant Classification System (OCS)	S	S
9-		Passenger Seat-mounted Side-impact (2)	S	S
		Seat-mounted Side-impact (2)	S	S
		(1), Side Curtain, Roof-mounted (front + rear passengers) (2)	S	S
Electric Front Seatbelt Pretensioners and Fo		(1), olde od. a.i., 1001 incantod (1011 1 1001 pacestigolo) (2)	S	S
Advanced Motorized Front Pre-collision Seat		S	S	S
Seatbelt Tensioning System – Retraction Du			S	S
ATCH Lower Anchors and Upper Tether And		0	S	S
Electronic Active Head Restraints for Front P			S	S
ehicle Stability Management (VSM) with Pr	e-Collision Warnin	ng	S	S
Electronic Stability Control System (ESC) wit	th Traction Control	System (TCS) ² and Brake Assist (BA)	S	S
Anti-lock Braking System (ABS) with Electro			S	S
Smart Cruise Control		et cruise control following distances and used with VSM		
		ential collision situations	S	S
Lane Departure Warning System (LDWS) – L	ine Recognition a	and Warning	S	S
DIMENSIONS				
On officions of Dunes (od)		0.27		
Coefficient of Drag (cd)				
• ()		3,045		
Wheelbase (mm) Overall Length (mm)		3,045 5,158		
Wheelbase (mm) Overall Length (mm) Overall Width (mm) (excludes mirrors -with	door handles)	5,158 1,889		
Wheelbase (mm) Overall Length (mm) Overall Width (mm) (excludes mirrors -with of the control o	door handles)	5,158 1,889 1,490		
Wheelbase (mm) Overall Length (mm) Overall Width (mm) (excludes mirrors -with of the control o	,	5,158 1,889 1,490 1,620 / 1,628		
Wheelbase (mm) Overall Length (mm) Overall Width (mm) (excludes mirrors -with of the control of	lector)	5,158 1,889 1,490 1,620 / 1,628 130		
Wheelbase (mm) Overall Length (mm) Overall Width (mm) (excludes mirrors -with of the control of	lector)	5,158 1,889 1,490 1,620 / 1,628 130 145 / 175 (high setting)		
Wheelbase (mm) Overall Length (mm) Overall Width (mm) (excludes mirrors -with of Overall Height (mm) (with EAS) Track – Front / Rear Minimum Ground Clearance (mm) (front defoundment of Minimum Ground Clearance (mm) – Under Coverhang – Front / Rear	lector) Cover	5,158 1,889 1,490 1,620 / 1,628 130 145 / 175 (high setting) 878 / 1,234		
Wheelbase (mm) Overall Length (mm) Overall Width (mm) (excludes mirrors -with of Overall Height (mm) (with EAS) Track – Front / Rear Winimum Ground Clearance (mm) (front definimum Ground Clearance (mm) – Under COverhang – Front / Rear Head Room (mm) – Front (w/ sunroof) / Rea	lector) Cover	5,158 1,889 1,490 1,620 / 1,628 130 145 / 175 (high setting) 878 / 1,234 982 / 967		
Wheelbase (mm) Overall Length (mm) Overall Width (mm) (excludes mirrors -with of Overall Height (mm) (with EAS) Track – Front / Rear Minimum Ground Clearance (mm) (front definimum Ground Clearance (mm) – Under Coverhang – Front / Rear Head Room (mm) – Front (w/ sunroof) / Realeg Room (mm) – Front / Rear	lector) Cover	5,158 1,889 1,490 1,620 / 1,628 130 145 / 175 (high setting) 878 / 1,234 982 / 967 1,145 / 988		
Wheelbase (mm) Overall Length (mm) Overall Width (mm) (excludes mirrors -with of Overall Height (mm) (with EAS) Track - Front / Rear Minimum Ground Clearance (mm) (front definimum Ground Clearance (mm) - Under Coverhang - Front / Rear Head Room (mm) - Front (w/ sunroof) / Reat Leg Room (mm) - Front / Rear Shoulder Room (mm) - Front / Rear	lector) Cover	5,158 1,889 1,490 1,620 / 1,628 130 145 / 175 (high setting) 878 / 1,234 982 / 967 1,145 / 988 1,501 / 1,473		
Wheelbase (mm) Overall Length (mm) Overall Width (mm) (excludes mirrors -with of Overall Height (mm) (with EAS) Track - Front / Rear Minimum Ground Clearance (mm) (front definimum Ground Clearance (mm) - Under Coverhang - Front / Rear Head Room (mm) - Front (w/ sunroof) / Rear Leg Room (mm) - Front / Rear Hip Room (mm) - Front / Rear	lector) Cover	5,158 1,889 1,490 1,620 / 1,628 130 145 / 175 (high setting) 878 / 1,234 982 / 967 1,145 / 988 1,501 / 1,473 1,409 / 1,399		
Wheelbase (mm) Overall Length (mm) Overall Length (mm) Overall Width (mm) (excludes mirrors -with of Overall Height (mm) (with EAS) Frack - Front / Rear Minimum Ground Clearance (mm) (front definimum Ground Clearance (mm) - Under Coverhang - Front / Rear Head Room (mm) - Front (w/ sunroof) / Rear Leg Room (mm) - Front / Rear Shoulder Room (mm) - Front / Rear Lip Room (mm) - Front / Rear Curb Weight (kg)	lector) Cover	5,158 1,889 1,490 1,620 / 1,628 130 145 / 175 (high setting) 878 / 1,234 982 / 967 1,145 / 988 1,501 / 1,473 1,409 / 1,399 [Signature – 2,089], [Ultimate – 2,106]		
Wheelbase (mm) Overall Length (mm) Overall Length (mm) Overall Width (mm) (excludes mirrors -with of Overall Height (mm) (with EAS) Track - Front / Rear Minimum Ground Clearance (mm) (front definimum Ground Clearance (mm) - Under Coverhang - Front / Rear Head Room (mm) - Front (w/ sunroof) / Reat Leg Room (mm) - Front / Rear Shoulder Room (mm) - Front / Rear Hip Room (mm) - Front / Rear Curb Weight (kg) GVWR (kg)	lector) Cover	5,158 1,889 1,490 1,620 / 1,628 130 145 / 175 (high setting) 878 / 1,234 982 / 967 1,145 / 988 1,501 / 1,473 1,409 / 1,399 [Signature – 2,089], [Ultimate – 2,106] 2,530		
Wheelbase (mm) Overall Length (mm) Overall Length (mm) Overall Width (mm) (excludes mirrors -with of Overall Height (mm) (with EAS) Irack – Front / Rear Minimum Ground Clearance (mm) – Under Of Overhang – Front / Rear Head Room (mm) – Front (w/ sunroof) / Reat Leg Room (mm) – Front / Rear Shoulder Room (mm) – Front / Rear Hip Room (mm) – Front / Rear Curb Weight (kg) GVWR (kg) Fuel Tank (L)	lector) Cover	5,158 1,889 1,490 1,620 / 1,628 130 145 / 175 (high setting) 878 / 1,234 982 / 967 1,145 / 988 1,501 / 1,473 1,409 / 1,399 [Signature – 2,089], [Ultimate – 2,106] 2,530 77		
Wheelbase (mm) Overall Length (mm) Overall Length (mm) Overall Width (mm) (excludes mirrors -with of Overall Height (mm) (with EAS) Track - Front / Rear Minimum Ground Clearance (mm) (front definimum Ground Clearance (mm) - Under Coverhang - Front / Rear Head Room (mm) - Front (w/ sunroof) / Reat Leg Room (mm) - Front / Rear Shoulder Room (mm) - Front / Rear Hip Room (mm) - Front / Rear Curb Weight (kg) GVWR (kg)	lector) Cover	5,158 1,889 1,490 1,620 / 1,628 130 145 / 175 (high setting) 878 / 1,234 982 / 967 1,145 / 988 1,501 / 1,473 1,409 / 1,399 [Signature – 2,089], [Ultimate – 2,106] 2,530 77 Passenger Compartment – 3,095		
Wheelbase (mm) Overall Length (mm) Overall Length (mm) Overall Width (mm) (excludes mirrors -with of Overall Height (mm) (with EAS) Irack – Front / Rear Minimum Ground Clearance (mm) – Under Of Overhang – Front / Rear Head Room (mm) – Front (w/ sunroof) / Reat Leg Room (mm) – Front / Rear Shoulder Room (mm) – Front / Rear Hip Room (mm) – Front / Rear Curb Weight (kg) GVWR (kg) Fuel Tank (L)	lector) Cover	5,158 1,889 1,490 1,620 / 1,628 130 145 / 175 (high setting) 878 / 1,234 982 / 967 1,145 / 988 1,501 / 1,473 1,409 / 1,399 [Signature – 2,089], [Ultimate – 2,106] 2,530 77 Passenger Compartment – 3,095 Cargo (Trunk) – 473		
Wheelbase (mm) Overall Length (mm) Overall Length (mm) Overall Width (mm) (excludes mirrors -with of Overall Height (mm) (with EAS) Frack – Front / Rear Minimum Ground Clearance (mm) – Under Of Overhang – Front / Rear Head Room (mm) – Front (w/ sunroof) / Reat Leg Room (mm) – Front / Rear Shoulder Room (mm) – Front / Rear Hip Room (mm) – Front / Rear Curb Weight (kg) GWWR (kg) Fuel Tank (L)	lector) Cover	5,158 1,889 1,490 1,620 / 1,628 130 145 / 175 (high setting) 878 / 1,234 982 / 967 1,145 / 988 1,501 / 1,473 1,409 / 1,399 [Signature – 2,089], [Ultimate – 2,106] 2,530 77 Passenger Compartment – 3,095		
Wheelbase (mm) Overall Length (mm) Overall Length (mm) Overall Width (mm) (excludes mirrors -with of Overall Height (mm) (with EAS) Frack - Front / Rear Minimum Ground Clearance (mm) - Under Of Overhang - Front / Rear Head Room (mm) - Front (w/ sunroof) / Reat Leg Room (mm) - Front / Rear Shoulder Room (mm) - Front / Rear Hip Room (mm) - Front / Rear Curb Weight (kg) GWWR (kg) Fuel Tank (L)	lector) Cover	5,158 1,889 1,490 1,620 / 1,628 130 145 / 175 (high setting) 878 / 1,234 982 / 967 1,145 / 988 1,501 / 1,473 1,409 / 1,399 [Signature – 2,089], [Ultimate – 2,106] 2,530 77 Passenger Compartment – 3,095 Cargo (Trunk) – 473		



MThe Hyundai names, logo, product names, feature names, images and slogans are trademarks owned by Hyundai Auto Canada Corp. Specifications, features, illustrations, accessories, materials and equipment and all other information shown in this brochure are based on the latest information available at the time of publication. Although descriptions are believed to be correct, accuracy cannot be guaranteed. Hyundai Auto Canada Corp. reserves the right to make any changes or modifications at any time, without notice or obligation, including, without notice or obligation and presents and produced in the front of a bytendal notice. The Supplemental Restraint System (RSR) is designed to work with the 3-point seateblet system. The SRS set deploys in certain vehicle. The Supplemental Restraint System (RSR) is desig