
## CAMARO/2014





### FIND NEW ROADS"



### A A AM A MAN A MAN A A AM CAMARO/ This is sheer adrenaline. You sense it in the iconic shape. You feel it in the agile, quick-to-respond handling. It's the serious attitude. Everything about Camaro that has always ignited passion is advanced further. This is the 2014 Camaro. Experience it. Camaro 2SS Coupe in Red Rock Metallic with available RS Package and available features. Camaro 2LT Convertible in Blue Ray Metallic with available RS Package and available features.



Camaro 2SS Coupe in Red Rock Metallic with available RS Package and available features. Why does Camaro look the way it does? This is performing art. Every line, every curve amplifies the technology within.

UNMISTAKABLE, UNMATCHED From deep-set eyes to sculpted rear shoulders, the shape of Camaro is pure emotion. This is Camaro in cool, classic form, with a refined look that enhances this iconic shape. A redesigned front fascia with a wider, lower opening offers improved cooling and reduced aerodynamic lift.

RS - CUSTOMIZED CAMARO The RS Package, available on LT and SS, takes Camaro temptation to an even hotter level. High-Intensity Discharge (HID) headlights with LED halo rings and the new chrome-accented

New SS-specific grille and lower extensions add to an aggressive look that is nothing short of pure adrenaline.

grille add mysterious allure, while restyled LED tail lights are a brilliant tribute to the 1969 Camaro. 20-inch Midnight silver-painted wheels with summeronly tires¹ complete the powerful statement.

SS – BEAUTY THAT WORKS SS makes an emphatic performance statement for 2014 with a new functional hood air extractor for improved airflow. New SS-specific grille and lower extensions add to an aggressive look that is nothing short of pure adrenaline.

LESSONS LEARNED FROM RACING From its wider grille that forces more air to the 426-horsepower V8² to the strategically shaped rear spoiler and sculpted rear deck, the 2014 Camaro SS is aerodynamically designed to reduce lift. 20-inch wheels and Pirelli® P ZERO™ high-performance summer-only tires,¹ on RS and SS models, were specifically chosen for their track-competitive traction and cornering power.

TUNED FOR THE TRACK "Everything about the ZL1 design is directly related to its technology and serious performance, especially aerodynamics," says Ed Welburn, GM vice president of global design. The shape of the 580-horsepower ZL1 – featuring lower grille splitter, single-piece rockers with wheel extensions, cooling ducts for the Brembo® brakes, and underbody belly pan – is designed to maximize downforce.

FUNCTIONAL HOOD AIR EXTRACTOR Camaro ZL1, Z/28 (shown above) and SS all feature specific hood extractors that allow air entering from the lower grille to escape from the hood, reducing lift.

1 Do not use summer-only tires in winter conditions, as it would adversely affect vehicle safety, performance and durability. Use only GM-approved tire and wheel combinations. Unapproved combinations may change the vehicle's performance characteristics. For important tire and wheel information, see your dealer for details. 2 When equipped with standard manual transmission.





Camaro Convertible 2LT in Blue Ray Metallic with available RS Package and available features.

IT'S YOUR TIME TO FLY Any way you order it, Camaro is a precision-tuned, highly acclaimed performer. The 3.6L 323-horsepower dual overhead cam V6 engine, standard on LS and LT Coupe and LT Convertible, features the advanced technologies of Direct Injection and Variable Valve Timing. Bottom line? The 3.6L V6 Camaro will propel you from 0-96 km/h (0-60 mph) in 5.9 seconds! Plus, it offers a highway fuel consumption rating of 7.2 L/100 km<sup>2</sup>

**HUG A CORNER** Camaro elevates finesse and balance to an art form. The sophisticated 4.5-link independent rear suspension lets Camaro hug corners with smooth confidence. This is chassis technology you won't find on Ford Mustang. With a standard 6-speed manual transmission, traction control and StabiliTrak,® Camaro further tempers power with control.

GO ALL OUT At the heart of SS: the latest generation of the timeless Chevrolet V8 engine. You can pair this 6.2L V8 with a 6-speed manual transmission and launch control. Equipped this way, Camaro SS puts down 426 horsepower and 420 lb.-ft. of torque. Or you can have the best of both worlds with an available 6-speed automatic transmission that incorporates Active Fuel Management® with 400 horsepower for a highway fuel consumption rating of 8.3 L/100 km<sup>3</sup> and TAPshift™ for on-the-fly gear changes.

PRECISION PLAY Either way, automatic or manual, Camaro SS will intimidate any would-be competitor. SS achieves its enviable balance of precision and responsiveness via a uniquely tuned suspension. Weight distribution is a near-ideal 52/48. Tracktested details include SS-specific stabilizer bars and dampers, along with electric power steering and the exceptional stopping power of Brembo® brakes with 20-inch wheels and Pirelli® P ZERO™ high-performance summer-only tires.4

1LE: ALWAYS COMPETITION-READY For more than two track-proven, upgraded chassis and body structure. decades, owners and enthusiasts alike have coveted Paired with a 3.91 final-drive ratio and ZL1-based the competition-ready third- and fourth-generation 20-inch forged-aluminum wheels, 1LE is tuned for Camaro 1LE SS Performance Package. 1LE combines road-racing performance. the white-knuckle performance elements of the ZL1 and SS with a decidedly aggressive attitude of its own. The 2014 Camaro SS 1LE boasts its own FE6 Performance Ride and Handling suspension, Goodyear® Eagle® F1 Supercar® Gen 2 summer-only tires,4 TREMEC® 6-speed manual transmission and a



Camaro 2SS Coupe in Summit White with available RS Package and available 1LE SS Performance Package.

1 1LS/LT Coupe. Based on GM testing. 2 2014 Camaro equipped with V6 engine and standard manual transmission. Fuel consumption ratings based on GM testing in accordance with approved Transport Canada test methods. Your actual fuel consumption may vary. 3 2014 Camaro SS equipped with available automatic transmission. Fuel consumption ratings based on GM testing in accordance with approved Transport Canada test methods. Your actual fuel consumption may vary. 4 Do not use summer-only tires in winter conditions, as it would adversely affect vehicle safety, performance and durability. Use only GM-approved tire and wheel combinations. Unapproved combinations may change the vehicle's performance characteristics. For important tire and wheel information, see your dealer for details.



Camaro ZL1 Coupe in Silver Ice Metallic.

**RESPECT THE HISTORY** Its bloodline traces back to the legendary original-production 1969 Camaro ZL1. But make no mistake. This ZL1 is the most technologically advanced Camaro ever. And it is available in Coupe or Convertible models.

THE FIRST SUPERCHARGED CAMARO Powered by an all-aluminum 6.2L supercharged V8 engine, ZL1 packs the one-two punch of 580 horsepower and 556 lb.-ft. of torque. Its strong presence is echoed by a brazen dual-mode exhaust system. In extreme conditions, ZL1 maintains the utmost

composure, thanks to its performance-tuned suspension that uses Magnetic Ride Control™ to adapt to varying road or track surfaces. Performance Traction Management (PTM), on ZL1 Coupe, is an advanced system that integrates the Magnetic Ride Control, launch control with manual transmission, traction control and Active Handling systems to achieve racetrack-ready performance and consistency.

PROVEN ON THE NÜRBURGRING ZL1 engineers obsessed over every detail of today's ZL1 to make sure it lived up to its name. They proved it on the most challenging tracks in the world, including an epic trek around Germany's Nürburgring, where the ZL1 Coupe clocked a 7:41.27 lap.

"You have to have an extremely well-mannered, confidence-inspiring car to take any corner at 160 mph without lifting off the throttle ... and the ZL1 was just brilliant," says Aaron Link, Camaro ZL1 suspension engineer.

MAGNETORHEOLOGICAL SHOCKS ZL1 was the first production car in North America to feature the latest generation of Magnetic Ride Control. You're not going to find that in many cars. ZL1 has three distinct damper calibrations: Tour, Sport and Track. These shocks employ magnetorheological fluid for damping levels adjusted up to 1000 times per second, making the system exceptionally responsive and providing increased wheel control on even the roughest road or the most challenging track by reducing heave, pitch and roll.

### PERFORMANCE TRACTION MANAGEMENT (PTM)

PTM, found on the ZL1 Coupe, is an advanced system that integrates Magnetic Ride Control, launch control, traction control and StabiliTrak Electronic Stability Control to work in harmony for racetrack performance and consistency.

### 5 PTM MODES (COUPE ONLY)

MODE 1 - Traction: Wet; Active Handling: On; Suspension Mode: Tour; Skill Level: All MODE 2 - Traction: Dry; Active Handling: On; Suspension Mode: Tour; Skill Level: All MODE 3 - Traction: Sport 1; Active Handling: On; Suspension Mode: Sport; Skill Level: Intermediate MODE 4 - Traction: Sport 2; Active Handling: Off; Suspension Mode: Sport; Skill Level: Advanced MODE 5 - Traction: Race; Active Handling: Off; Suspension Mode: Track; Skill Level: Advanced

THE ULTIMATE CONVERTIBLE Go ahead and open it up. It's hard to top the 580-horsepower ZL1 Coupe. Unless, of course, you lower the top — and keep nearly all the acceleration, road-hugging, high-performance capabilities of the most technologically advanced Camaro ever. Your call.

1 These tires perform best in dry conditions. Do not use summer-only tires in winter conditions, as it would adversely affect vehicle safety, performance and durability. Use only GM-approved tire and wheel combinations. Unapproved combinations may change the vehicle's performance characteristics. For important tire and wheel information, see your dealer for details.

THE WISH LIST FOR ANY RACER Lightweight, drysump LS7 V8 engine. Carbon ceramic brakes. Integrated coolers for track use. True aerodynamic downforce. Significant reduction in curb weight. Every detail is engineered specifically to create the ultimate track experience. The 2014 Camaro Z/28 restores the mission of the original Z/28, and serves were made for uncompromised track performance. Al Oppenheiser, Camaro chief engineer. as a testament to the expertise of Chevrolet as the best-selling brand of performance cars.

MAKES NO EXCUSES Powered by the handassembled LS7 V8 – the most powerful naturally aspirated, regular production, small block V8 ever, with an estimated 500 horsepower and 470 lb.-ft. of

torque. Lightweight components such as titanium intake valves and connecting rods, coupled with a forged-steel crankshaft, make the LS7 engine incredibly robust.

STREET-LEGAL ROAD RACER Nearly 200 changes The lightweight chassis offers increased maximum cornering grip of 1.05 g. Get consistent lap-after-lap With legendary excellence in precision and stopping power and 1.5 g in deceleration with a robust Brembo® carbon ceramic brake system. Z/28 curb weight was reduced by 136 kg (300 lb.) compared to the ZL1, with changes from thinner rear-window glass to forged-aluminum wheels

wrapped in high-performance Pirelli® P ZERO™ TROFEO R summer-only tires! Even air conditioning and insulation were removed. There's only one interior speaker - just for the safety belt chime. "We set out to make the fastest road-racing Camaro possible that was still street legal," says

performance, this car could only come from Chevrolet and could only be called Z/28. Available Spring 2014.

# THE MOST TRACK-CAPABLE CAMARO EVER







Available USB port.9

1 MyLink functionality varies by model. Full functionality requires compatible Bluetooth and smartphone, and USB connectivity for some devices MyLink on Camaro does not include CD player. Visit MyLink.Chevrolet.ca for more details. 2 Requires available Chevrolet MyLink and compatible iPhone running iOS 6. 3 Data plan rates apply. 4 Available in 10 Canadian provinces and the 48 contiguous United States. Subscription sold separately after trial period. Visit siriusxm.ca for details. 5 Requires iPhone or Android platform. 6 Available on select Apple, Android and BlackBerry devices. Services vary by device, vehicle and conditions. Requires active OnStar service plan. 7 Requires automatic transmission and factory-installed remote vehicle starter system. 8 Visit onstar.ca for coverage map, details and system limitations. Services vary by model and conditions. After the complimentary trial period, an active OnStar service plan is required. 9 Not compatible with all devices.

Navigation included for six months, a voice calls out upcoming turns and street names which are also controls, tune into Stitcher SmartRadio®3 or listen displayed on the new full-colour Driver Information to commercial-free programming through SiriusXM Centre, standard on 2LT, 2SS and ZL1 models. Or

you to access information while your eyes stay on the road. Through voice commands or touch

Satellite Radio<sup>™4</sup> included for three months.

g data and other performance data, even your radio station, directly onto the windshield.

### **PERFORMANCE**

### **CAMARO V6**

ENGINE	3.6L DOHC V6 DI VVT
HORSEPOWER	323 @ 6800 rpm
TORQUE	278 lbft. @ 4800 rpm
AXLE RATIO	3.27:1 (1LS, LT); 2.92:1 (2LS)
0 TO 96 KM/H (0 TO 60 MPH)	6.4 seconds (2LS); 5.9 seconds (1LS and LT Coupe)
QUARTER MILE	14.8 seconds @ 150 km/h (93 mph) – 2LS 14.3 seconds @ 158 km/h (98 mph) – 1LS, manual LT Coupe 14.4 seconds @ 158 km/h (98 mph) – automatic LT Coupe
SKID PAD (MAXIMUM LATERAL ACCELERATION)	.80 g (LS); .82 g (LT); .90 g (LT with RS Package)
TOP SPEED	250 km/h (155 mph); 182 km/h (113 mph LS, 1LT with 18" wheels)
BRAKING SYSTEM	4-wheel disc with 4-wheel ABS
BRAKING DISTANCE	96 to 0 km/h (60 to 0 mph) in 37.5 m (123 ft.) – LT with RS Package and 20" wheels 96 to 0 km/h (60 to 0 mph) in 39.0 m (128 ft.) – LT with 19" wheels 96 to 0 km/h (60 to 0 mph) in 40.2 m (132 ft.) – LS, 1LT with 18" wheels
CURB WEIGHT	1679 kg (3702 lb.) – 2LS Coupe 1687 kg (3719 lb.) – 1LS Coupe
WHEELS	20" x 8" aluminum front; 20" x 9" aluminum rear (LT with RS Package)
TIRES	BFGoodrich® Radial T/A (P245/55R18) (LS, 1LT) Pirelli® P ZERO NERO™ (P245/50R19) (1LT with available 19" wheels, 2LT) Pirelli P ZERO™ (P245/45R20) front and (P275/40R20)¹ rear (LT with RS Package)
WEIGHT DISTRIBUTION (F/R)	51.8/48.2 (manual Coupe) 52.2/47.8 (automatic Coupe)

### CAMAROSS

CAMANU 33	
ENGINE	6.2L LS3 V8, aluminum block and heads (manual) 6.2L L99 V8, aluminum block and heads (automatic)
BORE AND STROKE MM (IN.)	103 x 92 (4.06 x 3.62)
COMPRESSION RATIO	10.7:1 (manual); 10.4:1 (automatic)
HORSEPOWER	426 @ 5900 rpm (manual) 400 @ 5900 rpm (automatic)
TORQUE	420 lbft. @ 4600 rpm (manual) 410 lbft. @ 4300 rpm (automatic)
REDLINE	6600 rpm (manual); 6200 rpm (automatic)
AXLE RATIO	3.45:1 (manual); 3.27:1 (automatic)
0 TO 96 KM/H (0 TO 60 MPH)	4.7 seconds – manual Coupe 4.8 seconds – automatic Coupe

### CAMARO SS (CONTINUED)

QUARTER MILE	12.9 seconds @ 182 km/h (113 mph) – manual Coupe 13.3 seconds @ 169 km/h (105 mph) – automatic Coupe
SKID PAD (MAXIMUM LATERAL ACCELERATION)	.90 g
TOP SPEED	250 km/h (155 mph)
NÜRBURGRING LAP TIME	8:19 (Coupe)
BRAKING SYSTEM	Front 1-piece 355 mm (14.0 in.) rotors with Brembo® 4-piston calipers and rear 1-piece 365 mm (14.4 in.) rotors with Brembo 4-piston calipers; 4-wheel ABS
BRAKING DISTANCE	96 to 0 km/h (60 to 0 mph) in 37.5 m (123 ft.)
CURB WEIGHT	1773 kg (3908 lb.) – manual Coupe 1790 kg (3946 lb.) – automatic Coupe
POWER-TO-WEIGHT	4.16 kg (9.17 lb.) curb weight/horsepower (manual Coupe)
WHEELS	20" x 8" aluminum front; 20" x 9" aluminum rear
TIRES	Pirelli P ZERO (245/45R20 front; 275/40R20 rear) <sup>1</sup>
WEIGHT DISTRIBUTION (F/R)	51.8/48.2 (manual Coupe) 52.2/47.8 (automatic Coupe)
STABILIZER BARS (DIAMETER IN MILLIMETRES)	23 mm front; 24 mm rear

### CAMARO SS WITH 1LE PERFORMANCE PACKAGE

ENGINE	6.2L LS3 V8, aluminum block and heads
BORE AND STROKE MM (IN.)	103 x 92 (4.06 x 3.62)
COMPRESSION RATIO	10.7:1
HORSEPOWER	426 @ 5900 rpm
TORQUE	420 lbft. @ 4600 rpm
REDLINE	6600 rpm
AXLE RATIO	3.91:1
0 TO 96 KM/H (0 TO 60 MPH)	4.7 seconds
QUARTER MILE	12.9 seconds @ 182 km/h (113 mph)
SKID PAD (MAXIMUM LATERAL ACCELERATION)	1.0 g
TOP SPEED	250 km/h (155 mph)
BRAKING SYSTEM	Front 1-piece 355 mm (14.0 in.) rotors with red-painted Brembo 4-piston calipers and rear 1-piece 365 mm (14.4 in.) rotors with red-painted Brembo 4-piston calipers; 4-wheel ABS
BRAKING DISTANCE	96 to 0 km/h (60 to 0 mph) in 36.6 m (120 ft.)
CURB WEIGHT	1758 kg (3875 lb.)
POWER-TO-WEIGHT	4.13 kg (9.10 lb.) – curb weight/horsepower
WHEELS	20" x 10" forged-aluminum front 20" x 11" forged-aluminum rear

### CAMARO SS WITH 1LE PERFORMANCE PACKAGE (CONTINUED)

TIRES	Goodyear® Eagle® F1 Supercar® Gen 2 (P285/35ZR20)¹				
WEIGHT DISTRIBUTION (F/R)	51.8/48.2				
STABILIZER BARS (DIAMETER IN MILLIMETRES)	27 mm front; 28 mm rear				

### CAMARO ZL1

TOP SPEED

NÜRBURGRING LAP TIME

BRAKING SYSTEM

BRAKING DISTANCE

POWER-TO-WEIGHT

STABILIZER BARS

WEIGHT DISTRIBUTION (F/R)

(DIAMETER IN MILLIMETRES)

CURB WEIGHT

WHEELS

TIRES

ENGINE	6.2L LSA supercharged V8, aluminum block and heads
BORE AND STROKE MM (IN.)	103 x 92 (4.06 x 3.62)
COMPRESSION RATIO	9.1:1
HORSEPOWER	580 @ 6000 rpm
TORQUE	556 lbft. @ 4200 rpm
REDLINE	6200 rpm
AXLE RATIO	3.73:1 (manual); 3.23:1 (automatic)
0 TO 96 KM/H (0 TO 60 MPH)	4.0 seconds (man. Coupe) 3.9 seconds (auto. Coupe) 4.2 seconds (man. Convertible) 4.1 seconds (auto. Convertible)
QUARTER MILE	12.1 seconds @ 193 km/h (120 mph) – man. Coupe 12.0 seconds @ 192 km/h (119 mph) – auto. Coupe 12.4 seconds @ 188 km/h (117 mph) – man. Convertible 12.3 seconds @ 188 km/h (117 mph) – auto. Convertible
SKID PAD (MAXIMUM LATERAL ACCELERATION)	1.0 g (Coupe); .98 g (Convertible)

290 km/h (180 mph) man. Coupe

296 km/h (184 mph) auto. Coupe 250 km/h (155 mph) man. Convertible

Front 2-piece 370 mm (14.6 in.) rotors with Brembo

6-piston calipers and rear 1-piece 365 mm (14.4 in.)

rotors with Brembo 4-piston calipers; 4-wheel ABS

96 to 0 km/h (60 to 0 mph) in 38.4 m (126 ft.)

3.22 kg (7.10 lb.) curb weight/hp (Coupe)

3.42 kg (7.55 lb.) curb weight/hp (Convertible)

7:41.27 (Coupe)

1869 kg (4120 lb.) Coupe

1984 kg (4374 lb.) Convertible

20" x 10" forged-aluminum front

20" x 11" forged-aluminum rear

Goodyear Eagle F1 Supercar Gen 2

25 mm front: 28 mm rear (Coupe)

23 mm front; 26 mm rear (Convertible)

(P285/35ZR20 front: P305/35ZR20 rear)1

52.4/47.6 (Coupe); 51.6/48.4 (Convertible)

### 250 km/h (155 mph) auto. Convertible

Camaro 1LT enhances 1LS features with:

Power convertible top with glass rear window (Convertible)

Rear spoiler, rear park assist and rear vision camera (Convertible)

Fog lights

Sport cloth seating surfaces with power 6-way front bucket seats

Chevrolet MyLink<sup>6</sup> Radio infotainment system with 178 mm (7-in.) colour touch-screen display

7-speaker audio system (Convertible)

USB port<sup>7</sup>

### SELECT VEHICLE FEATURES

### CAMARO COUPE 1LS

Camaro 1LS includes these standard features:

323 hp 3.6L V6 engine with Direct Injection and Variable Valve Timing (VVT)

Oil life monitoring system

6-speed manual transmission with Hill Start Assist<sup>2</sup>

4-wheel disc brakes with ABS and Panic Brake Assist

StabiliTrak Electronic Stability Control System and traction control

Limited-slip rear differential<sup>2</sup>

4-wheel independent sport suspension

18-in, silver-painted aluminum wheels

Power exterior mirrors

Remote keyless entry system

Dual exhaust system with polished stainless steel tips

6 airbags

Driver Information Centre with compass and tire pressure monitoring system

Air conditioning with air filtration system and particulate/pollen filter

Power windows and programmable door locks

Tilt and telescopic adjustable steering column and cruise control

Steering wheel-mounted Bluetooth,® cruise and audio system controls

Front bucket seats with power recliners and cloth seating surfaces

6-speaker audio system with AM/FM stereo, CD player and auxiliary audio input jack

SiriusXM Satellite Radio<sup>3</sup>

Bluetooth hands-free phone connectivity

OnStar with 6 months of the Directions & Connections® Plan featuring Turn-by-Turn Navigation4 and OnStar RemoteLink.5

### CAMARO COUPE 2LS

Camaro 2LS enhances 1LS features with:

6-speed automatic transmission with TAPshift manual shift control.

### CAMARO COUPE/CONVERTIBLE 1LT

4 airbags (Convertible)

Leather-wrapped steering wheel and shifter

Bluetooth wireless audio streaming.

### CAMARO COUPE/CONVERTIBLE 2LT

Camaro 2LT enhances 1LT features with:

19-in. painted-aluminum wheels

Heated, power exterior mirrors with driver-side auto-dimming feature

Tonneau cover (Convertible)

Rear park assist and rear vision camera (Coupe)

Head-Up Display (HUD) instrumentation with colour display

Auto-dimming frameless interior rear-view mirror

Centre console-mounted auxiliary gauges

Leather-appointed front seating surfaces with heated front bucket seats

Boston Acoustics® premium audio system with 245-watt amplifier.8

### CAMARO COUPE/CONVERTIBLE 1SS

Camaro 1SS enhances 1LT features with:

426 hp 6.2L V8 engine (standard with manual transmission) (400 hp 6.2L V8 engine with available automatic transmission)

Brembo performance braking system and performance suspension

20-in. bright silver-painted aluminum wheels

Unique SS lower body extensions, lower grille, hood air extractor, rear diffuser and rear spoiler

### CAMARO COUPE/CONVERTIBLE 2SS

Camaro 2SS enhances 1SS features with:

Heated, power exterior mirrors with driver-side auto-dimming feature

onneau cover (Convertible)

Rear park assist and rear vision camera (Coupe)

Head-Up Display (HUD) instrumentation with colour display

Auto-dimming frameless interior rear-view mirror

Centre console-mounted auxiliary gauges

Leather-appointed front seating surfaces with heated front bucket seats

Boston Acoustics premium audio system with 245-watt amplifier.8

### CAMARO COUPE/CONVERTIBLE ZL1

Camaro ZL1 enhances 2SS features with:

580 hp supercharged 6.2L V8 engine with centre console-mounted boost gauge

Magnetic Ride Control suspension and Brembo high-performance braking system

20-in. black-painted 10-spoke forged-aluminum wheels

Unique ZL1 front and rear fascias, unique grille, front splitter, rear diffuser, side rocker extensions, sport rear spoiler and all-aluminum hood with carbon-fibre insert

Xenon® High-Intensity Discharge (HID) headlights

Dual-mode performance exhaust system with quad polished tips

Sport alloy pedals and flat-bottom design steering wheel

Leather-appointed front seating surfaces with sueded microfibre inserts.

1 Do not use summer-only tires in winter conditions, as it would adversely affect vehicle safety, performance and durability. Use only GM-approved tire and wheel combinations. Unapproved combinations may change the vehicle's performance characteristics. For important tire and wheel information, see your dealer for details. 2 Included with manual transmission only. 3 Available in 10 Canadian provinces and the 48 contiquous United States, Subscription sold separately after trial period. Visit siriusxm.ca for details. 4 Visit onstar.ca for coverage map, details and system limitations. Services vary by model and conditions. On Star acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data. After the complimentary trial period, an active OnStar service plan is required. 5 Available on select Apple, Android and BlackBerry devices. Services vary by device, vehicle and conditions. Requires active OnStar service plan. 6 MyLink functionality varies by model. Full functionality requires compatible Bluetooth and smartphone, and USB connectivity for some devices. MyLink on Camaro does not include CD player. Visit MyLink. Chevrolet.ca for more details. 7 Not compatible with all devices. 8 Includes 9-speaker system on Coupe models and 8-speaker system on Convertible models.

### **DIMENSIONS**



1918 mm (75.5 in.)



1628 mm (64.1 in.) LS, LT 1618 mm (63.7 in.) ss. zl.1



### INTERIOR. MM (IN.) FRONT/REAR

CADACITIES		
- Convertible	1444/1080 (56.9/42.5)	
- Coupe	1444/1281 (56.9/50.4)	
Shoulder Room		
Legroom	1077/759 (42.4/29.9)	
- Convertible	960/907 (37.8/35.7)	
- Coupe	950/897 (37.4/35.3)	
Headroom		

### CAPACITIES

Trunk Volume, L (cu. ft.)	
- Coupe	320 (11.3)
- Convertible	289 (10.2)*
Fuel Tank, L (imp. gal.)	72 (15.8)

### CURB WEIGHT KG (LB.)

1L:	S Coupe with manual transmission	1687 (3719)**
1L	T Coupe with manual transmission	1696 (3738)†
1L7	T Convertible with manual transmission	1821 (4015)††
15	S Coupe with manual transmission	1773 (3908) <sup>‡</sup>
15	S Convertible with manual transmission	1892 (4172)‡‡
ZL	1 Coupe with manual transmission	1869 (4120) <sup>◊</sup>
ZL	1 Convertible with manual transmission	1984 (437 <b>4</b> ) <sup>⋄</sup>

<sup>\*</sup> Convertible top up. Trunk volume is 221 L (7.8 cu. ft.) top down. \*\* 2LS Coupe with automatic transmission 1679 kg (3702 lb.). † 1LT Coupe with automatic transmission 1688 kg (3722 lb.). †† 1LT Convertible with automatic transmission 1815 kg (4002 lb.). ‡ 1SS Coupe with automatic transmission 1790 kg (3946 lb.). ## 1SS Convertible with automatic transmission 1909 kg (4209 lb.). ♦ ZL1 Coupe with automatic transmission 1882 kg (4149 lb.). ♦♦ ZL1 Convertible with automatic transmission 1997 kg (4403 lb.).

SPECIFICATIONS ■ STANDARD □ AVAILABLE - NOT AVAILABLE

	1LS/2LS	1LT/2LT	188/288	ZL1		1LS/2LS	1LT/2LT	188/288	ZL1		1LS/2LS	1LT/2LT	188/288	ZL1
SAFETY AND SECURITY					MECHANICAL (CONTINUED)					EXTERIOR				
Airbags - driver and front passenger, dual-stage, frontal with Passenger Sensing System and					Engine - 3.6L DOHC V6 with VVT and Direct Injection Horsepower - 323 @ 6800 rpm;					Convertible top  - power with glass rear window <sup>2</sup> - tonneau cover	- -	<b>■</b>	<b>■</b>	:
airbag suppression  – driver and front passenger, seat-mounted side-impact <sup>1</sup>	:		:		Torque – 278 lbft. @ 4800 rpm  – 6.2L LS3 V8 with SFI and standard manual transmission	•	•	-	-	Fascias - front and rear body-colour with rear diffuser - unique SS lower body extensions, lower grille,	•	•	_	_
<ul> <li>driver and front passenger, seat-mounted high-position side-impact<sup>2</sup></li> <li>front-to-rear, outboard seating positions, head curtain side-impact<sup>1</sup></li> </ul>					Horsepower – 426 @ 5900 rpm; Torque – 420 lbft. @ 4600 rpm – 6.2L L99 V8 with SFI, Active Fuel Management and available automatic transmission	-	-	•	-	hood air extractor and rear diffuser  - unique ZL1 front and rear fascias, grille, front splitter, rear diffuser and side rocker extensions	_	_		_
OnStar In-Vehicle Communications and Assistance Service – includes 6 months of the Directions & Connections Plan with Turn-by-Turn Navigation* and OnStar RemoteLink**					Horsepower – 400 @ 5900 rpm; Torque – 410 lbft. @ 4300 rpm – 6.2L LSA supercharged V8 with SFI Horsepower – 580 @ 6000 rpm;	-	-	4	-	Glass – solar-absorbing, tinted  Hood  – aluminum with carbon-fibre insert  – aluminum with exposed carbon-fibre weave	:	-	-	•
Safety restraints					Torque – 556 lbft. @ 4200 rpm Engine block heater				_	Lights				
<ul> <li>3-point belts for all seating positions with front safety belt pre-tensioners</li> <li>LATCH (Lower Anchors and Top tethers for CHildren), rear seats</li> </ul>	:	:	:		Exhaust system - aluminized stainless steel - dual with polished stainless steel tips		:	:	-	- daytime running lights with automatic light control - halogen headlights - Xenon® High-Intensity Discharge	:	:	:	<b>-</b>
Security system – content theft alarm, audible/visible					- dual-mode performance with quad polished tips Steering	-	□5	5		(HID) headlights <sup>13</sup> - fog lights	- -	□ <sup>14</sup>	□14 ■	
StabiliTrak - Electronic Stability Control System					- power hydraulic, rack-and-pinion, variable-ratio	•			_	Mirrors				
Theft-deterrent system – electronic immobilizer					- power electric, rack-and-pinion, variable-ratio Suspension					- power remote control	•	•		-
Traction control – electronic, full-function, all-speed					- 4-wheel independent, Sport (FE2) - 4-wheel independent, Performance	•	•	-	-	- power remote control, heated with driver-side auto-dimming feature	-	<b>1</b> 5	16	•
MECHANICAL					(FE3 on Convertible; FE4 on Coupe)	-	-		_	Mouldings  – black roof ditch <sup>1</sup>				_
Battery – maintenance-free with run-down protection					- 4-wheel independent, Performance with Magnetic Ride Control (FE5)	-	-	-		- body-colour roof ditch	-	1,14	1,14	<b>1</b>
Brakes - power, 4-wheel disc			-	_	Transmission  – 6-speed manual with Hill Start Assist  – 6-speed manual with short-throw shifter and	■ 6			-	Park assist – rear, obstacle detection with audible warning  Rear vision camera	_	■17 ■17	■ 18 ■ 18	ė.
<ul> <li>power, 4-wheel disc, Brembo® performance</li> <li>4-piston front and rear calipers</li> <li>power, 4-wheel disc, Brembo high-performance</li> </ul>	piston front and rear calipers – – Hill Start Assist		-	-	-	•	Spoiler - rear, deck-lid	_	2,14	•	_			
6-piston front and 4-piston rear calipers  - 4-wheel Anti-lock Braking System (ABS) with	-	-	-	•	manual shift control - 6-speed manual with Performance	□7	8,9	9	9	- rear, deck-lid, Sport  Sunroof - power, tilt/sliding glass panel with	_	_	19	•
Panic Brake Assist					short-throw shifter	_	-	5	_	express-open feature <sup>20</sup>	-			
Differential – rear limited-slip	3	3			Vehicle starter system – remote	-	□10	□ <sup>10</sup>	10					

1 Standard on Coupe models. 2 Standard on Convertible models. 3 Deleted on 2LS, 1LT, and 2LT models when available automatic transmission is specified. 4 Requires available 6-speed automatic transmission. 5 Not available with 6-speed automatic transmission. 6 Standard on 1LS only. 7 Available on 2LS only. 8 Deletes limited-slip rear differential. 9 Includes remote vehicle starter system. 10 Included with available 6-speed automatic transmission. 11 Available on 1LT; standard on 2LS. 13 Fog lights act as daytime running lights when equipped with Xenon HID headlights. 14 Included with available RS Package. 15 Standard on 2SS only. 17 Standard on 1LT only. 16 Standard on 1LT and 2LT Coupe. 18 Standard on 1SS and 2SS Convertible and 2SS Coupe. 19 Included with available Inc. SS Performance Package. 20 Available on Coupe models on 1L. 24 Requires available RS Packages. 19 Included with available RS Packages. 19 Included with available RS Package. 25 Requires Black interior. Not available increased automatic transmission. 5 Not available on 2LS. 19 Included with Available on 2LS only. 19 Included with available on 2LS only. 19 Included with available on 2LS only. 21 Standard on 2LS convertible and 2SS coupe. 19 Included with available on 2LS only. 21 Standard on 1LT only. 22 Included with available BS Packages. 25 Included with available RS Packages. 26 Included SS embroidery on head restraints. 29 Includes SS embroidery on head restraints. 30 Includes SS embroidery on head restraints. 31 Requires black interior. 32 MyLink functionality varies by model. Full functionality requires compatible Bluetooth and smartphone, and USB connectivity for some devices. MyLink on Camaro does not include CD player. Visit MyLink. Chevrolet.ca for more details. 33 Data plan rates apply. 34 8-speaker system included on Coupe models.

1LS/2LS 1LT/2LT 1SS/2SS ZL1 EXTERIOR (CONTINUED) - P245/55R18 all-season† touring - P245/50R19 all-season† touring - P245/45R20 front and P275/40R20 rear summer performance<sup>††</sup> - P285/35ZR20 summer high-performance<sup>††</sup> - P285/35ZR20 front and P305/35ZR20 rear summer high-performance<sup>††</sup> -18" x 7.5" silver-painted aluminum - 19" x 8" bright silver-painted aluminum -19" x 8" polished-aluminum - 20" x 8" front and 20" x 9" rear bright silver-painted aluminum - 20" x 8" front and 20" x 9" rear Midnight silver-painted aluminum - 20" x 8" front and 20" x 9" rear polished-aluminum - 20" x 10" front and 20" x 11" rear black-painted 10-spoke forged-aluminum - 20" x 10" front and 20" x 11" rear bright 5-spoke forged-aluminum Rear Vision Package – includes rear park assist and rear vision camera RS Package - includes rear spoiler (1LT Coupe), body-colour roof ditch mouldings and shark fin antenna (Coupe models only), 20" x 8" front and 20" x 9" rear Midnight silver-painted aluminum wheels with P245/45R20 front and P275/40R20 rear summer performance tires, Xenon High-Intensity Discharge (HID) headlights<sup>13</sup> and RS badging on 1LT/2LT and red SS badging on 1SS/2SS - 🗆 1LE SS Performance Package – includes unique manual transmission, 3.91 rear axle ratio, 20" x 10" front and 20" x 11" rear black-painted 10-spoke forged-aluminum wheels, P285/35ZR20 summer high-performance<sup>††</sup> tires. Performance Ride and Handling suspension (FE6) with strut tower brace and larger stabilizer bars, upgraded halfshafts, red Brembo brake calipers, matte black hood, specific front splitter, Sport rear spoiler, and sueded microfibre-wrapped flat-bottom steering wheel and shifter \_ \_ \_ \_ \_ \_ \_ \_ Stripe Packages - vary by style, model and exterior colour; please see dealer for availability INTERIOR Climate control - manual, single-zone air conditioning - air filtration system, particulate/pollen filter Console - front floor with armrest and dual cupholders . . .

	1LS/2LS	1LT/2LT	188/288	ZL1		1LS/2LS	1LT/2LT	1SS/2SS
ITERIOR (CONTINUED)					INTERIOR (CONTINUED)			
uise control – electronic, steering neel-mounted controls				•	Blue Interior Trim Package – includes Black interior with Blue leather-appointed seats; accent stitching on steering wheel, shifter, door			
efogger – electric rear-window	-	•	-	-	armrests, centre console and seats; and Carbon			
oor mats – front, carpeted strumentation	•	-	•		Flash door trim and instrument panel appliqué	-	27	28
analogue gauges (includes speedometer, tachometer, coolant temperature and	_	_	_	_	Sueded Microfibre Package – includes sueded microfibre-wrapped steering wheel, shifter and boot	_	_	_
fuel gauges) Driver Information Centre	:	:	:	:	SEATS			
Head-Up Display (HUD) instrumentation centre console-mounted battery voltmeter,	-	15	16	•	Power reclining front bucket seats - with cloth seating surfaces		_	_
pil pressure gauge, oil temperature gauge and					- with Sport cloth seating surfaces	-		
transmission fluid temperature gauge	-	15	<b>1</b> 6	26	- with leather-appointed front seating surfaces	-	15	16, 29
tire pressure monitoring system	•	•		_	- with leather-appointed front seating surfaces			
ghting – dome, delayed entry/exit, theatre mming, front reading lights and illuminated					and sueded microfibre inserts	_	_	
inning, front reading lights and indininated itry and exit feature					RECARO® performance front bucket seats <sup>31</sup>	_	_	
cks					Manual 4-way driver-seat adjuster		_	_
power, programmable with lock-out protection					Power 6-way front bucket seats	_	45	40
remote keyless entry system, programmable	_	_	_	_	Heated front bucket seats	-	15	16
with panic feature	•			_	Seatbacks – rear, folding with trunk pass-through <sup>1</sup>			-
rror rear-view, manual				_	ENTERTAINMENT	-		
rear-view, auto-dimming, frameless	_	15	16					
dals – Sport alloy	_	_	_		AM/FM stereo with CD player, MP3 playback, music navigator, graphic information display, auxiliary			
Il plates – with Chevrolet nameplate	-	-			audio input jack, speed-compensated volume			
eering column – tilt and telescopic	_	_		_	control, Radio Data System (RDS) and digital clock		-	-
eering wheel Bluetooth,® cruise and audio system controls eather-wrapped with Bluetooth, cruise	•	-	-	-	Chevrolet MyLink <sup>32</sup> Radio infotainment system – includes 178 mm (7-in.) diagonal colour touch- screen display, AM/FM stereo with MP3 playback, seek up/down, scan, auxiliary audio input jack,			
and audio system controls (includes eather-wrapped shift knob) flat-bottom design, leather-wrapped with Bluetooth, cruise and audio system controls	-	•		-	TheftLock,® digital clock, personal media connectivity by Bluetooth to vehicle audio system; voice-activated technology for audio, phone, phone book and music selection;			
(includes leather-wrapped shift knob)	_	_	19		Gracenote® music database and Stitcher			
unk – release, power remote	•	<b>1</b> 5	<b>1</b> 6		SmartRadio®33 compatibility	_	•	
niversal home remote – 3-channel transmitter indows	_	15	16		Chevrolet MyLink <sup>32</sup> Radio with Navigation <sup>‡</sup> and SiriusXM NavTraffic <sup>‡‡</sup>	_		
power, driver and front passenger	_	_	_	_	6-speaker audio system <sup>1</sup>			
express-up/-down power, rear quarter, express-up/-down²					7-speaker audio system <sup>2</sup>	-		
ferno Orange Trim Package – includes Black					Premium Boston Acoustics® audio system			
terior with Inferno Orange leather-appointed ats; accent stitching on steering wheel, shifter,					with 245-watt amplifier <sup>34</sup> Bluetooth	_		12
or armrests, centre console and seats; and					- hands-free phone connectivity			
ferno Orange door trim and instrument					- wireless digital audio streaming	-		
nel appliqué	_	27	28		SiriusXM Satellite Radio <sup>‡‡</sup>		•	
					USB port <sup>⋄</sup>	-		-

<sup>\*</sup> Visit onstar.ca for coverage map, details and system limitations. Services vary by model and conditions. OnStar service plan is required.

<sup>\*\*</sup> Available on select Apple, Android and BlackBerry devices. Services vary by device, vehicle and conditions. Requires active OnStar service plan.

<sup>†</sup> All-season tires may not satisfy winter tire required during certain months or in certain regions. Contact your Provincial, Municipal or local road authority for information regarding which tires are required in your particular area.

<sup>††</sup> Do not use summer-only tires in winter conditions, as it would adversely affect vehicle safety, performance and durability. Use only GM-approved tire and wheel combinations. Unapproved combinations may change the vehicle's performance characteristics. For important tire and wheel information, see your dealer for details.

At time of printing, detailed map coverage is available for most major urban areas of the United States and for certain metropolitan areas of Canada (Vancouver, Calgary, Edmonton, Winnipeg, Windsor, London, Toronto, Ottawa, Montreal, Quebec City and Halifax), Coverage is significantly limited outside these areas.

<sup>‡‡</sup> Available in 10 Canadian provinces and the 48 contiguous United States. Subscription sold separately after trial period. Visit siriusxm.ca for details.

<sup>♦</sup> Not compatible with all devices.

### WARRANTY INFORMATION

Chevrolet puts the same care into its warranty and support programs that it does into the cars and trucks it builds. So you can have peace of mind knowing that every Chevrolet is backed by this comprehensive coverage: - 3-year/60,000 km New Vehicle Limited Warranty\*

- 5-year/160,000 km Powertrain Component Limited Warranty, with \$0 deductible on repairs and the warranty is fully transferable at no charge\*
- 5-year/160,000 km Courtesy Transportation\*
- 5-year/160,000 km 24/7 Roadside Assistance\*
- 6-year/160,000 km rust-through perforation coverage\*
- 8-year/130,000 km coverage on catalytic converters and powertrain control modules (PCMs).\*
- \* Whichever comes first. Conditions and limitations apply; see dealer for details.

### OTHER OWNERSHIP PRIVILEGES AND PROGRAMS:\*\*

- GM Protection Plan (GMPP) the only extended service plan backed by the resources and commitment of General Motors, GMPP may be purchased at the time of sale or subsequently during the New Vehicle Limited Warranty period
- GM Goodwrench Service with GM-certified technicians and GM-approved parts, nobody knows your Chevrolet vehicle better
- · Goodwrench Service Maintenance Plan (GSMP) the only maintenance plan designed specifically for buyers of General Motors vehicles, and is backed by the resources and commitment of General Motors, GSMP may be purchased at the time of sale or on vehicles up to 3 model years old or 60,000 km
- · Chevrolet Owner Centre as an owner, take advantage of the Chevrolet Owner Centre. This online owner's destination gives you access to contests, current offers, and the latest driving and maintenance tips. Find out more at chevroletowner.ca
- \*\* Conditions and limitations apply.

### TO HELP YOU PURCHASE OR LEASE A NEW VEHICLE:

- Purchase Financing and Leasing on-the-spot financing; see dealer for full details
- GM Student Bonus Program students or recent graduates of high school, college or university!! may be entitled to receive a Student Bonus vehicle redemption allowance of \$500 or \$750<sup>‡</sup> (tax inclusive) (purchased vehicle dependant) to use towards the purchase, lease or finance of one eligible new Chevrolet vehicle
- The GM Card GM cardholders may redeem up to \$3500 GM Card® Earnings (subject to Vehicle Redemption Allowances) towards the Total Purchase Price on eligible new GM vehicles. For full program details, please visit thegmcard.ca
- † Subject to eligibility. †† Conditions and limitations apply. ‡ Program subject to change.

### INFORMATION RESOURCES:

You can find more information about these programs from your Chevrolet dealer, or at these information centres:

- The GM website at gm.ca
- The GM Customer Care Centre at 1-800-GM-DRIVE (1-800-463-7483 or 1-800-263-3830 for TDD users).

### A WORD ABOUT THIS BROCHURE

Some of the equipment shown or described throughout this brochure may be available at extra cost. We have tried to make this brochure comprehensive and factual. We reserve the right, however, to make changes at any time, without notice, in prices, colours, materials, equipment, specifications, models and availability. Specifications, dimensions, measurements, ratings and other numbers in this brochure and other printed materials provided at the dealership or affixed to vehicles are approximates based upon design and engineering drawings and prototypes and laboratory tests. Your vehicle may differ due to variations in manufacture and equipment. Since some information may have been adapted since the time of the printing, please check with your Chevrolet dealer for complete details. General Motors of Canada Limited reserves the right to lengthen or shorten the model year for any product, for any reason, or to start and end model years at different times.

### A WORD ABOUT ASSEMBLY

Chevrolet vehicles are equipped with engines and components produced and assembled by different operating units of General Motors, its subsidiaries and suppliers, and these engines and components may change or be obtained from different sources from time to time. All such engines and components are approved for use in Chevrolet vehicles. Certain equipment ordered may be unavailable at the time of assembly and we suggest that you verify that your vehicle includes the equipment you ordered, or if there are changes, that they are acceptable to you.

The marks appearing in this brochure including, but not limited to, General Motors, GM, Chevrolet, the Chevrolet emblem, Camaro and their respective logos, emblems, slogans and vehicle model names and body designs; and other marks such as Active Fuel Management, Find New Roads, Magnetic Ride Control, MyLink, SS, StabiliTrak, TAPshift, ZL1 and Z/28 are trademarks of General Motors LLC and/or General Motors of Canada Limited, its subsidiaries, affiliates or licensors. ©Copyright 2013 General Motors of Canada Limited. All rights reserved. OnStar, the OnStar emblem and OnStar RemoteLink are registered trademarks of OnStar, LLC. Apple, iPhone, iPod and iTunes are trademarks of Apple Inc. registered in the U.S. and other countries. BlackBerry is a registered trademark of Research In Motion Limited. Bluetooth is a registered trademark of Bluetooth, SIG, Inc. Boston Acoustics is a registered trademark of Boston Acoustics Inc. Brembo is a registered trademark of Brembo S.p.A. Facebook is a registered trademark of Facebook Inc. Goodyear, Eagle and Supercar are registered trademarks of Goodyear Canada Inc. Gracenote is a registered trademark of Gracenote, Inc. Pirelli is a registered trademark and P ZERO and P ZERO NERO are trademarks of Pirelli & C. S.p.A. SiriusXM, the SiriusXM logo, channel names and logos are trademarks of SiriusXM Radio Inc. Stitcher and Stitcher SmartRadio are registered trademarks of Stitcher SmartRadio, Inc. TheftLock is a registered trademark of Delphi Technologies. Inc. Tremec is a registered trademark of The Kuo Group. RECARO is a registered trademark of REČARO Holding GmbH. Twitter is a trademark of Twitter Inc. You Tube is a registered trademark and Android and Google Play are trademarks of Google Inc.

© Copyright 2013 General Motors of Canada Limited. All rights reserved. All text, images, graphics and other materials in this brochure are subject to the copyright and other intellectual property rights of General Motors LLC and/or General Motors of Canada Limited. These materials may not be reproduced, distributed or modified without the express written permission of General Motors LLC and/or General Motors of Canada Limited. Printed in Canada, October 2013



### INTERIOR COLOURS







Blue-Accented Leather Appointments<sup>4</sup> Inferno Orange-Accented Leather

Appointments4

Black Leather Appointments with Sueded Microfibre Seating Surfaces<sup>5</sup>

### 1 Standard on LS. 2 Standard on 1LT and 1SS. 3 Standard on 2LT and 2SS. 4 Available on 2LT and 2SS. 5 Standard on ZL1. 6 Requires available RS Package. 7 Requires available 1LE SS Performance Package.

### COLOURS







G7P – RED ROCK METALLIC





GAZ - SUMMIT WHITE

GLJ – ASHEN GREY METALLIC



GBA – BLACK



GBE - Crystal Red Tintcoat\*,\*\*

**EXTERIOR COLOURS** 

G7C - Red Hot

G7D - Bright Yellow\*

GA7 - Summit White

GBA - Black

G7P - Red Rock Metallic

GAN - Silver Ice Metallic

CONVERTIBLE TOP COLOURS

INTERIOR COLOURS



■ BLACK ■ BEIGE

Beige Convertible Top

\*Available at extra cost. \*\*Not available on LS.

GBE - CRYSTAL RED TINTCOAT \*\*

### **WHEELS**



(Standard on LS and 1LT)

GAN - SILVER ICE METALLIC



(Standard on 2LT, shown)

Polished-Aluminum

(Available on 1LT and 2LT)





Bright Silver-Painted Aluminum

(Standard on SS)



Silver-Painted Aluminum

(Available on LT and SS)6

GXH - BLUE RAY METALLIC



20" Black-Painted 10-Spoke

Forged-Aluminum

(Standard on ZL1; available on SS7)



Black Convertible Top

DEALER-INSTALLED ACCESSORIES

PERSONALIZE YOUR CAMARO AT CHEVROLET.CA/ACCESSORIES







Body-Colour Engine Cover



Forged-Aluminum

(Available on ZL1)



Front Splitter Stripe Packages











youtube.com/ chevroletcanada

CHEVROLET.CA

190-14-B-007E