

PREMIER ES LIMITED



Introducing Premier ES Limited, the newest member of the Eagle lineup and a very significant addition to the world of touring sedans.

Available in spring 1989, Premier ES Limited offers a sophisticated blend of luxury and performance. And with virtually every feature as standard, Premier ES Limited provides an uncompromising driving experience—all the while furthering the Eagle commitment to inspiring driver confidence.





STANDARD FEATURES, SPECIFICATIONS & DIMENSIONS



Standard Features

Eagle Premier ES Limited includes all features standard on Premier ES, plus the following items:

FUNCTIONAL

Brakes Power four-wheel disc

5.0-mph impact design, body color P205/60HR15 Goodyear Eagle® GT "H" speed-rated, steel-belted radial tires 15″x6″ cast aluminum, white Bumpers Tires

Wheels

EXTERIOR

Graphics/ White monochromatic execution with body-color fascias, bodyside cladding, and Appearance/ Moldings grille (with center-mounted Eagle logo)

Black window surround moldings, cladding inserts, and door handles

Bright front and rear fascia moldings Dual upper bodyside accent stripes Dual electric remote-control, black Acrylic clearcoat, bright white

Paint INTERIOR

Mirrors

Air Conditioning Audio System Premium Audio System-AM/FM electronically tuned stereo cassette/radio with

graphic equalizer, eight premium Accusound by Jensen® speakers, and power

Color-keyed with storage bin and cup holders Console

Cruise Control

Steering wheel-mounted Power Lock Group Includes power door locks, rear trunk lid

release, remote-control fuel-door release, remote-control locking system with illuminated entry

Power Windows

Power windows with driver's window single-

touch feature

Genuine leather facings with vinyl, front sport buckets and rear bench; six-way power Seats

feature for driver and passenger seats. Includes adjustable headrests, seatback and front-door map pockets, rear seat center armrest, and unique ultrahyde-covered door

trim panels.

Unique perforated leather-wrapped sport, Steering Wheel 2-spoke with six-position tilt feature

Technical Specifications

BRAKES

Ventilated composite disc, power-assisted, 265 mm rotor diameter

Solid composite disc, power-assisted, Rear 255 mm rotor diameter

Dual diagonal with rear wheel proportion-ing valve Master Cylinder

STEERING

Type

Location Center-mounted

SUSPENSION

Front Type

Independent, MacPherson struts

Coil (firmer rate) Spring Type Stabilizer Bar Standard, 26 mm

Rear Type

Independent, 4-bar with trailing arms

Torsion bar 26 mm Spring Type Gas-filled shock absorbers Dampening Stabilizer Bar

ENGINE*

Displacement (cu. in.)/ Configuration 3.0 litre (182)/V6 150 @ 5000 rpm Horsepower (Bhp) 171 @ 3750 rpm Torque (lb-ft) Bore x Stroke 93.0 mm x 73.0 mm

Standard, 22 mm

Compression Ratio Camshaft Location (number)

Cylinder heads (2) Fuel Delivery System Electronic fuel injection (multi-port)

Combustion Chamber Design Hemispherical

Accessory Drive Belts Single serpentine *California emissions package required at extra cost on all vehicles registered in California–not available otherwise. TRANSMISSION Transmission Type

Mounting Direction **Engine Application**

Controls Gear Ratios

1st 2nd 3rd 4th

Reverse Overall Axle Ratio

Torque Converter

Lockup Features

Longitudinal 3.0 litre Mechanical 1.41:1 0.74:1 2.88:1 3.59:1

Automatic 4-speed

260 mm Split torque (semi-lockup) feature in 3rd, mechanical lockup feature in 4th gear

Vehicle Dimensions (inches unless otherwise specified)

EXTERIOR Width Length Wheelbase Tread 106.0 Overall Length 192.8 Front Height Rear Overall Width Overall Height Turning Diameter Curb-to-Curb (ft.) 36.0

INTERIOR

(figures may change with new seats)

Front Compartment Headroom Shoulder Room Hiproom Rear Compartment Headroom Legroom Shoulder Room-Hiproom

Interior Volume Passenger Room (cu. ft.) Cargo Room (cu. ft.) EPA Total Interior

Volume (cu. ft.)
Curb Weight (lbs.) 3143

Every new 1989 Eagle Premier ES Limited is backed by Chrysler's 7/70 Protection Plan. Upon expiration of the basic new vehicle limited warranty-12 months/12,000 miles-limited warranty coverage is extended to 7 years or 70,000 miles on powertraincomponents and to 7 years or 100,000 miles on outerbody rust-through. A deductible may be required. See limited warranty at your dealer for details.



All product illustrations and specifications are based upon current information at the time of publication approval. Although descriptions are believed correct, accuracy cannot be guaranteed. Chrysler Motors Corporation reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, colors, and materials and to change or discontinue models. See your dealer

