

Features & Options

2006 Jetta



We're obsessed with details. Want proof? Check out all the features and options of the Jetta. Print them out for handy reference.

Product Program

MODEL	ENGINE	TRANSMISSION
Jetta 2.5	2.5L, 150 hp, 5 cylinder	5-speed manual 6-speed automatic with Tiptronic®
Jetta TDI®	1.9L TDI®, 100 hp, 4 cylinder	5-speed manual 6-speed automatic with DSG* and Tiptronic®
Jetta 2.0T	2.0L turbo, 200 hp, 4 cylinder	6-speed manual 6-speed DSG* automatic with Tiptronic®

* Direct Shift Gearbox

Standard Equipment

Legend:

- S = Standard, at no additional charge
- O = Option, at additional charge
- P = Part of option package, at additional package charge
- = Not available

EXTERIOR		2.5	TDI®	2.0T
Antenna	Window antenna	S	S	S
	Window mounted diversity antenna	P	P	P
Anti-Corrosion	Fully galvanized sheet metal	S	S	S
Badging	Rear/driver side/model badge	S	S	S
	Rear/passenger side /2.5 badge	S	-	-
	Rear/passenger side /TDI badge	-	S	-
	Rear/passenger side/2.0T badge	-	-	S
Body Panels	Crash optimized front end	S	S	S
Brake Lights	Center high mounted stop lamp in top of rear window	S	S	S
Bumpers	Body colour bumpers with matching front and rear valance	S	S	S
	Dual exhaust pipes	-	S	-
	Dual chrome exhaust pipes	S	-	S
Doors	Four doors	S	S	S
	Anti-intrusion side door beams	S	S	S
	Body colour door handles	S	S	S
	Tinted glass, green	S	S	S
Grille	Chrome front grille	S	S	S
Horn	Dual tone horns	S	S	S

EXTERIOR		2.5	TDI®	2.0T
Lights, Front/Rear	Dual-reflector halogen headlamps with clear, lightweight, chip resistant polycarbonate lenses	S	S	S
	Daytime Running Lights (DRL). Upon start-up of vehicle, headlights engage with reduced power. Instrument panel lighting, parking lights and taillights remain off. To engage all lights with full power, the light switch must be turned to the on position	S	S	S
	High Intensity Gas-discharge headlamps (Xenon) with auto-leveling and headlight washer system with clear, lightweight, chip resistant polycarbonate lenses	-	-	O
	Headlights-on warning tone, upon opening of driver's door when ignition key is removed	S	S	S
	Side blinkers integrated into side exterior mirrors	S	S	S
Mirrors	Body colour mirror housings	S	S	S
	Driver and passenger side power exterior mirrors, heatable	S	S	S
	Driver and passenger side power exterior mirrors, heatable with memory	-	P	-
Moldings/Panels	Chrome applications to exterior side window frames	P	P	S
Paint	Metallic paint (no charge)	O	O	O
	Non-metallic paint	S	S	S
Roof	Power glass sunroof with tilt, slide, tinted glass, manual sunshade, pinch protection, and driver's door power lock operated convenience closing feature	P	P	P
Tires	195/65 R15 H, all season tires	S	S	-
	205/55 R16 H, all season tires	P	P	S
	225/45 R17 H, all season tires	-	-	P
	195/65 R 15 H, steel spare wheel and all season tire	S	S	-
	205/55 R 16 H, steel spare wheel and all season tire	P	P	S
Wheels	6J X 15" steel wheels, with full wheel cover	S	S	-
	6.5J X 16" alloy wheels	P	P	S
	7.5J X 17" alloy wheels	-	-	P
	Anti-theft wheel locks	P	P	S

INTERIOR		2.5	TDI®	2.0T
Wipers/Washer	Two-speed windshield wipers with variable intermittent wipe feature	S	S	S
	Heatable windshield washer nozzles, front	S	S	S
Air Conditioning	Manual single-zone climate control (Climatic), CFC-free	S	S	S
Alarm/Anti-Theft	Anti-theft vehicle alarm system for doors, hood, trunk lid, radio, and starter, with warning LED in door top sill and with audible and visual activation	S	S	S
	Immobilizer III theft deterrent system	S	S	S
Armrest	Front center armrest adjustable/folding with storage compartment (cooled)	S	S	S
Ashtray	Non-smoker package (power outlet with plug, storage receptacle)	S	S	S
Assist Handles	Silicone damped-return assist handles, two front and two rear	S	S	S
Cruise Control	Cruise control stalk	S	S	S
Defroster	Electric rear window defroster	S	S	S
Doors/Side Panels	Integrated armrests in front door panels	S	S	S
	Integrated armrests in rear door panels	S	S	S
	Molded door trim with cloth inserts	S	S	S
	Molded door trim with leatherette inserts	P	P	P
Floor Mats	Front and rear floor mats	S	S	S
Instrument Cluster	Break wear indicator	S	S	S
	Illumination of controls and gauges - blue, with red indicators	S	S	S
	Seatbelt reminder and fuel cap seal warning	S	S	S
	Speedometer, tachometer, odometer, trip odometer, coolant temperature gauge, fuel gauge, gear indicator (if equipped with optional automatic transmission), outside temperature, warning lights, digital clock	S	S	S
	Multi function trip computer: Featuring trip time, trip length, average trip speed, average trip fuel consumption, current fuel consumption, miles to empty, compass, radio station display, personalizing functions.	P	P	P
Keys	Folding keys (2) with radio-frequency remote transmitter for central locking, eyelet	S	S	S
	Valet key	S	S	S
Lighting	Glove box light	S	S	S
	Interior front center dome light with time delay and two reading lights	S	S	S
	Luggage compartment light	S	S	S
	Interior rear center dome light	S	S	S

INTERIOR		2.5	TDI®	2.0T
Locks	Automatic locking feature (doors lock automatically when vehicle reaches 8 mph). Dealer can disable feature or program to unlock when ignition key is removed. Doors unlock automatically upon airbag ¹ deployment	S	S	S
	Child safety rear door locks	S	S	S
	Driver and passenger door mounted power lock/unlock switches for central locking system	S	S	S
	Remote central power locking system with selective unlocking and key operated convenience open and close feature (windows)	S	S	S
Mirrors, Interior	Driver and front passenger visor vanity mirrors, illuminated with cover	S	S	S
	Mirror control pad with joystick control	S	S	S
Ornamentation	Chrome button for parking brake	S	S	S
	"Microtech" interior trim	S	S	S
	Chrome lock cylinder for glove box and trunk release switch	S	S	S
	Metallic trim around shifter	S	S	S
	Metallic instrument cluster rings	S	S	S
Power Outlets	Power outlet (SAE size) in trunk	S	S	S
	Power outlet (SAE size) in center console	S	S	S
Radio/Audio	AM/FM radio sound system with single CD player, MP3 format readable, and 10 speakers.	S	S	S
	Premium AM/FM radio sound system with in-dash 6-disc CD Changer, MP3 format readable, 10 speakers, theft-deterrent warning light and coding system.	P	P	P
Remote Releases	Remote releases for trunk and fuel filler flap with valet lock out, located on driver's side door	S	S	S
Restraint Systems	Driver and front passenger front airbag ¹ supplemental restraint system	S	S	S
	Driver and front passenger side thorax airbag ¹ supplemental restraint system	S	S	S
	Side Curtain Protection®	O	O	O
	Rear passenger side thorax airbag ¹ supplemental restraint system	O	O	O
	Five adjustable head restraints with crash active front head restraints	S	S	S
	Advanced front airbags ¹ with dual stage deployment through sophisticated seat sensors	S	S	S
	Emergency locking retractors for all seating positions	S	S	S
	Safety belts pre-tensioners with load limiters, front seats only	S	S	S
	Safety belts pre-tensioners with load limiters, rear outboard seating positions	O	O	O
	Height adjustable front 3-point safety belts, colour coordinated	S	S	S
	Rear 3-point safety belts, all 3 seating positions, colour coordinated	S	S	S

INTERIOR		2.5	TDI®	2.0T
Restraint Systems	LATCH (Lower Anchors and Tether for CHildren. Formerly known as ISOFIX) - child seat lower attachment points and top tether rear outboard seating positions	S	S	S
	Child seat tether anchorage points with markings, rear seating positions	S	S	S
	Buckle switch (sensor which deploys airbag depending on safety belt use)	S	S	S
	Interlock feature - center rear safety belts cannot be extended unless seat back is in fully locked position	S	S	S
Seating, Front	8-way manually adjustable height and reach front seats, power recline with adjustable (height & angle) lockable head restraints	S	S	S
	12-way power adjustable front driver seat with 4-way power adjustable lumbar support, 3-position memory function	P	P	P
	Heatable front seats	S	S	S
	Lumbar support, adjustable for driver and front passenger seats	S	S	S
Seating, Rear	Rear seat head restraints, height adjustable, all seating positions	S	S	S
	60/40 split folding rear seat	S	S	S
	60/40 split folding rear seat with center armrest and pass-through	P	P	P
Special Features	Homelink	P	P	P
	Blinker control stalk with lane change feature (one tap on the lever creates a three-blink sequence)	S	S	S
Steering Wheel	3-spoke padded steering wheel	S	S	S
	3-spoke padded leather wrapped steering wheel	P	P	P
	3-spoke leather wrapped multi-function steering wheel, with audio and telephone controls	P	P	P
	Height adjustable and telescoping steering column	S	S	S
	Steering wheel deformable/collapsible upon impact	S	S	S
	Theft-deterrent steering column	S	S	S
Storage, Interior	Two front cupholders	S	S	S
	Two rear cupholders integrated into rear center armrest	P	P	P
	Front door storage pockets with rubber liners	S	S	S
	Front seatback storage pockets	S	S	S
	Front storage compartment located in center console	S	S	S
	Rear center armrest storage	P	P	P
	Soft opening (silicone dampened) glovebox, lockable	S	S	S
	Storage compartment inside front center armrest	S	S	S
Sunvisor	Driver and passenger, with sliding feature	S	S	S

INTERIOR		2.5	TDI®	2.0T
Trim (Details)	Molded shift knob	S	S	S
	Leather shift knob	P	P	P
	Molded handbrake grip	S	S	S
	Leather handbrake grip	P	P	P
	Gear selector cover (automatic transmission only)	O	O	O
	"Microtech" interior applications	S	S	S
	Chrome interior door handles	S	S	S
	Soft-touch interior parts	S	S	S
Trunk/Cargo Area	Trunk escape handle - emergency internal release mechanism to unlatch trunk lid. Fluorescent reflector for location	S	S	S
	4 tie-down hooks in floor of trunk, one in each corner	S	S	S
	Fully carpeted lined luggage compartment	S	S	S
	Grip on inside of trunk lid to assist closing	S	S	S
	Loading edge protection, plastic	S	S	S
	Removable storage divider	S	S	S
Upholstery	Velour seat fabric	S	S	S
	Leather seating surfaces	P	P	P
Ventilation System	Air vents in instrument panel	S	S	S
	Rear passenger ventilation for heat and A/C in center console	S	S	S
	Pollen / odor filter	S	S	S
Windows	Key opening & closing feature for power windows	S	S	S
	Power windows with pinch protection and automatic one-touch feature, operable from driver's side only	S	S	S

TECHNICAL		2.5	TDI®	2.0T
Battery	Hard shell battery box protection	S	S	S
Body Panels	Crash optimized front end	S	S	S
Brakes	ABS (Anti-lock Braking System)	S	S	S
	Power assisted front vented disc brakes, rear solid disc brakes	S	S	S
	EBD - Electronic Brake-pressure Distribution	S	S	S
	HBA - Hydraulic Brake Assistant	S	S	S
Emissions	Bin 5 EPA Federal Emissions Concept	S	-	S
	Bin 9 EPA Federal Emissions Concept	S	S	S
	OBD II	S	S	S
	EVAP standard for Federal	S	-	S
	ORVR (On-board Refueling Vapor Recovery)	S	-	S
Engine	2.5L 150 horsepower, 170 lbs-ft torque, 5 cylinder, in-line, 4 valves per cylinder	S	-	-
	1.9L TDI® Pumpe Duese 100 horsepower, 177 lbs-ft torque, 4 cylinder, in-line, turbocharged, direct pump injection diesel	-	S	-
	2.0T FSI® 200 horsepower, 207 lbs-ft torque, 4 cylinder, in-line, 4V, turbocharged	-	-	S
Side Protection	Anti-intrusion side door beams	S	S	S
Steering	Electro-mechanical variable assisted power rack-and-pinion steering	S	S	S
	Independent front McPherson struts, stabilizer bar	S	S	S
	Rear fully independant four-link suspension with coil springs, telescopic shock absorbers and stabilizer bar	S	S	S
Traction Control	ASR - Anti-Slip Regulation	S	S	S
	EDL - Electronic Differential Lock	S	S	S
	EBA - Engine Braking Assist prevents compression-induced skidding in slippery conditions	S	S	S
	Electronic Stabilization Program	O	O	S
Transmission	5-speed manual transmission	S	S	-
	6-speed manual transmission	-	-	S
	6-speed automatic transmission with Tiptronic® and Sport mode	O	-	-
	6-speed automatic DGS transmission with Tiptronic® and Sport mode	-	O	O
	Cable shift mechanism - manual transmission only	S	S	S
	Clutch starter interlock for manual transmission. Vehicle will not start if clutch is not depressed	S	S	S
	Hydraulic clutch for manual transmission	S	S	S

WARRANTY		2.5	TDI®	2.0T
Anti-Corrosion	12 year/unlimited distance Limited Warranty against Corrosion Perforation	S	S	S
Powertrain Warranty	5 year/100,000 km (whichever occurs first). Powertrain Limited Warranty	S	S	S
Vehicle Warranty	4 year/80,000 km (whichever occurs first). New Vehicle Limited Warranty. Wear & tear items and adjustments excluded after initial 12 month/20,000 km (whichever occurs first)	S	S	S

ROADSIDE ASSISTANCE		2.5	TDI®	2.0T
Roadside Assistance	4-year/unlimited distance, 24-hour, provided by Professionnal Dispatch Group	S	S	S

¹Airbags are supplemental restraints only and will not deploy under all accident circumstances. Always use safety belts and seat children only in the rear, using restraint systems appropriate for their size and age.

[†]Please review limitations and exclusions with your dealership representative

All equipment listed is subject to production-related change or delayed

Roadside Assistance is provided by Professional Dispatch Group

Option Program

PACKAGES		2.5	TDI®	2.0T
Luxury Package (2.5 & TDI)	Power Sunroof	0	0	-
	16" alloy wheels			
	205/55 R16 H, all season tires			
	Anti-theft wheel locks			
	Chrome exterior window trim			
Leather Luxury Package (2.5 & TDI)	Includes Luxury Package, plus:	0	0	-
	Leather seating surfaces			
	Leather wrapped steering wheel			
	Leather shift knob			
	Leather handbrake grip			
	Split-folding rear seat with rear center armrest, two integrated cup			
Premium Leather Luxury Package (2.5 & TDI)	Includes Leather Luxury Package, plus:	0	0	-
	Power 12-way adjustable driver seat with 4-way lumbar support			
	3-position memory for driver's seat			
	Leather wrapped multi-function steering wheel			
	Sound system with in-dash 6 disc CD changer, MP3 readable and satellite radio compatible			
	Diversity antenna			
	Trip computer			
	Multi-function display with compass			
	Homelink			
	Manual rear sunshade			
Luxury Package (2.0T)	Power Sunroof	-	-	0
	17" alloy wheels			
	225/45 R17 H, all season performance tires			
	Sport Suspension			
Leather Luxury Package (2.0T)	Includes Luxury Package, plus:	-	-	0
	Leather seating surfaces			
	Leather wrapped steering wheel			
	Leather shift knob			
	Leather handbrake grip			
	Split-folding rear seat with rear center armrest, two integrated cup holders and pass-through			

PACKAGES		2.5	TDI®	2.0T
Premium Leather Luxury Package (2.0T)	Includes Leather Luxury Package, plus:	-	-	0
	Power 12-way adjustable driver seat with 4-way lumbar support			
	3-position memory for driver's seat and exterior mirrors			
	Leather wrapped multi-function steering wheel			
	Sound system with in-dash 6 disc CD changer, MP3 readable and satellite radio compatible			
	Diversity antenna			
	Trip computer			
	Compass			
	Homelink			
Manual rear sunshade				
OPTIONS		2.5	TDI®	2.0T
6-speed automatic transmission with Tiptronic®		0	-	-
6-speed automatic transmission with DSG and Tiptronic®		-	0	0
Side curtain Protection		0	0	0
Side Curtain Protection with rear side airbags		0	0	0
Electronic Stabilization Program with brake assist		0	0	-

Jetta 2.5L

ENGINE			
Type	2.5L, 5 cylinder, in-line		
Bore	82.5 mm		
Stroke	92.8 mm		
Displacement	2,480 cm ³		
Compression Ratio	9.5 : 1		
Horsepower (SAE) @ rpm	150 @ 5,000 (110 kW @ 5,000)		
Maximum torque, lbs - ft @ rpm	170 @ 3,750 (228 Nm @ 3,750)		
Fuel Requirement	Regular unleaded		
Firing Order	1-2-4-5-3		
ENGINE DESIGN			
Arrangement	Front mounted, transverse		
Cylinder Block	Cast iron		
Crank Shaft	Steel, six main bearings		
Cylinder Head	Aluminum alloy, cross flow		
Valve Train	Double overhead camshaft, chain driven with automatic tensioner, four valves per cylinder, maintenance free hydraulic lifters, single coil valve springs		
Cooling System	Water cooled, water pump, cross flow radiator, double electric PWM controlled radiator fan		
Lubrication	External gear pump, chain driven, oil cooler		
Fuel / Air Supply	Sequential multi-point fuel injection (Motronic®)		
Emissions	Bin 5 EPA Federal Emissions Concept, OBD II, ORVR (On-board Refueling Vapor Recovery), EVAP (enhanced evaporation system) standards for Federal Standards, 3-way catalytic converter. Two oxygen sensors.		
ELECTRICAL SYSTEM			
Alternator - V/A	14/140		
Battery - V/Ah	12/60		
Ignition	Digital electronic, with two knock sensors		
DRIVETRAIN			
Drivetrain	Front wheel drive		
Transmission Gear Ratios:1	Manual	Automatic	
1 st	3.78	4.04	
2 nd	2.12	2.37	
3 rd	1.36	1.56	
4 th	1.03	1.16	
5 th	0.84	0.85	
6 th	--	0.67	
Final I	3.65	3.89	
Final II	--	--	

CAPACITIES			
Engine Oil (with filter)	6.0 L		
Fuel Tank	55.0 L		
Cooling System	9.5 L		
Wiper Fluid	3.0 L		
STEERING			
Type	Rack and pinion, electro-mechanical, power assisted		
Turns (lock to lock)	3.00		
Turning Circle (curb to curb)	10.9 m		
Ratio	16.4:1		
INTERIOR VOLUME - SAE			
EPA Class	Compact		
Seating Capacity	Five		
Passenger Volume	2.5 m ³		
Cargo Volume	0.5 m ³		
Cargo Volume with rear seat folded	1.0 m ³		
	Front	Rear	
Volume	1.40 m ³	1.10 m ³	
Head Room	977 mm	944 mm	
Shoulder Room	1,391 mm	1,348 mm	
Leg Room	1,046 mm	900 mm	
BODY, CHASSIS AND SUSPENSION			
Type	Unitized construction, bolt-on front fenders		
Front Suspension	Independent McPherson struts, coil springs, telescopic shock absorbers, integrated stabilizer bar		
Rear Suspension	Multilink rear suspension, coil springs, telescopic gas pressurized shock absorbers, stabilizer bar		
Service Brakes	Power assisted, dual circuit, vented 280 x 22 mm front discs and 232 x 9 mm solid rear discs		
Anti Lock Braking System	Standard, all four wheels, with electronic brake pressure distribution		
Parking Brake	Mechanical, effective on rear wheels		
Wheels/Tires	6J X 15" steel wheels 195/65 R15 H, all season tires (snow chain compatible)		
Drag Coefficient	.31		
DIMENSIONS			
Wheelbase	2,578 mm		
Front Track	1,540 mm		
Rear Track	1,518 mm		
Length	4,554 mm		
Width	1,781 mm		
Height	1,459 mm		
Ground Clearance	137 mm		

WEIGHTS		Manual	Automatic	
Curb Weight		1,465 kg	1,490 kg	
	Front	862 kg	887 kg	
	Rear	603 kg	603 kg	
Payload		496 kg	501 kg	
FUEL CONSUMPTION¹		Manual	Automatic	
City L/100km		10.8	10.8	
Highway L/100km		7.2	7.2	
PERFORMANCE²		Manual	Automatic	
0-100 km/h		9.1 seconds	9.1 seconds	
Top Track Speed²		208 km/h	208 km/h	

¹Transport Canada estimates only. Your fuel consumption may vary.

²Maximum speed electronically limited in Canada. Obey all speed and traffic laws.

All equipment listed is subject to production-related change or delayed

Jetta 1.9L

ENGINE			
Type	1.9L, 4 cylinder, in-line, turbocharged direct injection, Pumpe Düse		
Bore	79.5 mm		
Stroke	95.5 mm		
Displacement	1,896 cm ³		
Compression Ratio	18.5 : 1		
Horsepower (SAE) @ rpm	100 @ 4,000 (74 kW @ 4,000)		
Maximum torque, lbs - ft @ rpm	177 @ 1,800-2,400 (250 Nm @ 1,800-2,400)		
Fuel Requirement	Diesel		
Firing Order	1-3-4-2		
ENGINE DESIGN			
Arrangement	Front mounted, transverse		
Cylinder Block	Cast iron		
Crank Shaft	Forged steel, five main bearings		
Cylinder Head	Aluminum alloy, cross flow		
Valve Train	Single overhead camshaft, spur belt driven, two valves per cylinder, maintenance free hydraulic lifters, single valve springs		
Cooling System	Water cooled, water pump, cross flow radiator, thermostatically controlled electric 3-speed radiator fan		
Lubrication	Rotary gear pump, intermediate shaft driven, oil cooler		
Fuel / Air Supply	Electronically controlled direct injection (EDC), turbocharger		
Emissions	Bin 10 EPA Federal Emissions Concept, OBD II, catalytic converter, watercooled EGR system		
ELECTRICAL SYSTEM			
Alternator - V/A	14/70		
Battery - V/Ah	12/70		
Ignition	Compression ignition		
DRIVETRAIN			
Drivetrain	Front wheel drive		
Transmission Gear Ratios:1	Manual	Automatic	
1st	3.78	3.46	
2nd	2.06	2.05	
3rd	1.35	1.30	
4th	0.97	0.90	
5th	0.74	0.91	
6th	--	0.76	
Reverse	3.60	3.99	
Final I	3.39	4.38	
Final II	--	3.33	

CAPACITIES			
Engine Oil (with filter)	4.8 L		
Fuel Tank	55.0 L		
Cooling System	8.2 L		
Wiper Fluid	3.0 L		
STEERING			
Type	Rack and pinion, power assisted		
Turns (lock to lock)	3.00		
Turning Circle (curb to curb)	10.9 m		
Ratio	16.4:1		
INTERIOR VOLUME - SAE			
EPA Class	Compact		
Seating Capacity	Five		
Passenger Volume	2.5 m ³		
Cargo Volume	0.5 m ³		
Cargo Volume with rear seat folded	1.0 m ³		
	Front	Rear	
Volume	1.40 m ³	1.10 m ³	
Head Room	977 mm	944 mm	
Shoulder Room	1,391 mm	1,348 mm	
Leg Room	1,046 mm	900 mm	
BODY, CHASSIS AND SUSPENSION			
Type	Unitized construction, bolt-on front fenders		
Front Suspension	Independent McPherson struts, coil springs, telescopic shock absorbers, 21 mm integrated stabilizer bar		
Rear Suspension	Independent multi link rear axle, coil springs, telescopic gas pressurized shock absorbers, 18 mm stabilizer bar		
Service Brakes	Power assisted, dual circuit, vented 280 x 22 mm front discs and 232 x 9 mm		
Anti Lock Braking System	Standard, all four wheels, 3-channel with electronic brake pressure		
Parking Brake	Mechanical, effective on rear wheels		
Wheels/Tires	6J X 15" steel wheels		
	195/65 R15 H, all season tires (snow chain compatible)		
Drag Coefficient	.31		
DIMENSIONS			
Wheelbase	2,578 mm		
Front Track	1,540 mm		
Rear Track	1,518 mm		
Length	4,554 mm		
Width	1,781 mm		
Height	1,459 mm		
Ground Clearance	137 mm		

WEIGHTS	Manual	Automatic	
Curb Weight	1,450 kg	1,470 kg	
	862 kg	872 kg	
	598 kg	598 kg	
Payload	501 kg	501 kg	
FUEL CONSUMPTION¹	Manual	Automatic	
City L/100km	6.6	6.8	
Highway L/100km	5.2	5.1	
PERFORMANCE²	Manual	Automatic	
0-100 km/h	-- seconds	-- seconds	
Top Track Speed²	-- km/h	-- km/h	

¹Transport Canada estimates only. Your fuel consumption may vary.

²Maximum speed electronically limited in Canada. Obey all speed and traffic laws.

All equipment listed is subject to production-related change or delayed

Jetta 2.0T

ENGINE			
Type	4 cylinder, in-line, turbocharged with intercooler		
Bore	82.5 mm		
Stroke	92.8 mm		
Displacement	1,984 cm ³		
Compression Ratio	10.3:1		
Horsepower (SAE) @ rpm	200 @ 5,100-6,000 (147 kW @ 5,100-6,000)		
Maximum torque, lbs - ft @ rpm	207 @ 1,800-5,000 (280 Nm @ 1,800-5,000)		
Fuel Requirement	Premium unleaded recommended for maximum performance		
Firing Order	1-3-4-2		
ENGINE DESIGN			
Arrangement	Front mounted, transverse		
Cylinder Block	Cast iron		
Crank Shaft	Forged steel, five main bearings		
Cylinder Head	Aluminum alloy		
Valve Train	Dual overhead camshaft, belt driven, four valves per cylinder, maintenance free hydraulic lifters		
Cooling System	Water cooled, thermostatically controlled electric radiator fan		
Lubrication	Gear pump, pressurized, full flow with oil cooler		
Fuel / Air Supply	Fully electronic engine management with drive-by-wire throttle control, FSI [®] direct fuel injection		
Emissions	Underhood ceramic precatlyst with catalyst heating function via homogenous split dual injection		
ELECTRICAL SYSTEM			
Alternator - V/A	14/140		
Battery - V/Ah	12/60		
Ignition	Digital electronic, with two knock sensors		
DRIVETRAIN			
Drivetrain	Front wheel drive		
Transmission Gear Ratios:1	Manual	Automatic	
1 st	3.36	3.46	
2 nd	2.09	2.15	
3 rd	1.47	1.46	
4 th	1.10	1.08	
5 th	1.11	1.09	
6 th	0.96	0.92	
Final I	3.99	3.99	
Final II	3.94	4.06	

CAPACITIES			
Engine Oil (with filter)	4.6 L		
Fuel Tank	55.0 L		
Cooling System	8.0 L		
Wiper Fluid	3.0 L		
STEERING			
Type	Electromechanical steering with speed-dependent power assistance		
Turns (lock to lock)	3.00		
Turning Circle (curb to curb)	10.7 m		
Ratio	16.2:1		
INTERIOR VOLUME - SAE			
EPA Class	Compact		
Seating Capacity	Five		
Passenger Volume	2.5 m ³		
Cargo Volume	0.5 m ³		
Cargo Volume with rear seat folded	1.0 m ³		
	Front	Rear	
Volume	1.40 m ³	1.10 m ³	
Head Room	977 mm	944 mm	
Shoulder Room	1,391 mm	1,348 mm	
Leg Room	1,046 mm	900 mm	
BODY, CHASSIS AND SUSPENSION			
Type	Unitized construction, bolt-on front fenders		
Front Suspension	McPherson strut with lower wishbones, aluminium subframe, tubular antiroll bar, track-stabilising steering roll radius		
Rear Suspension	Four-link rear suspension with separate spring/shock absorber arrangement, subframe, tubular anti-roll bar		
Service Brakes	Power assisted, dual circuit, vented 288 x 25 mm front discs and 260 x 12 mm solid rear discs		
Anti Lock Braking System	Standard, all four wheels, 3-channel, ESP with electronic brake force distribution EBD, ABS; hydraulic brake assistant; electronic differential lock EDL		
Parking Brake	Mechanical, effective on rear wheels		
Wheels/Tires	7.5J X 17" alloy wheels 225/45 R17Y, summer performance tires		
Drag Coefficient	.33		
DIMENSIONS			
Wheelbase	2,578 mm		
Front Track	1,540 mm		
Rear Track	1,518 mm		
Length	4,554 mm		
Width	1,781 mm		
Height	1,459 mm		
Ground Clearance	137 mm		

WEIGHTS	Manual	Automatic	
Curb Weight	1,478 kg	1,498 kg	
	880 kg	900 kg	
	598 kg	598 kg	
Payload	477 kg	477 kg	
FUEL CONSUMPTION¹	Manual	Automatic	
City L/100km	10.0	9.4	
Highway L/100km	6.9	6.9	
PERFORMANCE²	Manual	Automatic	
0-100 km/h	6.7 seconds	6.9 seconds	
Top Track Speed	208 km/h	208 km/h	

¹Transport Canada estimates only. Your fuel consumption may vary.

²Maximum speed electronically limited in Canada. Obey all speed and traffic laws.

All equipment listed is subject to production-related change or delayed