

DOMINATES WITH VIRTUE







4x4 GR Sport Type (Spot Order)

Built to emphasize the absolute power and the rough look with the **two-tone** design that ignited with 4x4 function for you to accelerate down the road.



MEW IGDENGINE

(2.8 Diesel of : 4x4 & 4x2 GR sport, 4x2 VRZ)

Experience the greater power on the road for outstanding performance.



New Front Bumper Spoiler & GR Emblem (GR Sport Type)

An exclusive GR emblem is embedded on the Front Bumper Grille along with the New Front Bumper Spoiler that will add your divine style as you roam any street firmly.

New Black Alloy Wheel (GR Sport Type)

A stunning design of rigorousness that blends with every sporty journey.

New GR Side Sticker (GR Sport Type)

Bold impression for captivating side exterior.



4x4 GR Sport Type


New GR Grade Emblem (2.8 GR Sport Type)

With a sporty look to bring the excitement and exhilaration of a racer in your driving experience.



Easy 4x4 Switch (4x4 GR Sport Type)

Control the road ahead with an easy differential lock function to adapt in every terrain.



Downhill Assist Control (DAC)

(4x4 GR Sport Type)

Maintain low vehicle speed while driving down a steep, slippery or dumpy slope.





The combination of strength, sport appearance, and elegant design at the same time makes its performance stunning on all terrains.

More with 2,800cc Conquer the road with outstanding performance, more power, and fuel



New Sporty Interior Design (GR Sport Type)

The elegant black color gives the impression of luxury but also immediately gives a sporty image.

New GR opening (GR Sport Type) on Advanced 9" Head Unit Display (GR Sport, VRZ Type)

Start the journey with new Multimedia system to keep you connected and in control effortlessly.

Smart Phone Connection Voice Command

4x2 GR Sport Type

NFC E-Toll Card Checking (e-Money & Flazz)



New GR Scuff Plate

(GR Sport Type)

Adding more bold protection in style with the exclusive GR emblem.

4x2 GR Sport Type

New GR Floor Mat

(GR Sport Type)

The delicate GR Floor Mat to welcome you on every sporty journey that you take.

4x2 GR Sport Type

New GR Engine Start/ Stop Button (GR Sport Type)

Designed exclusively to reinforce the powerful and sporty impression.

4x2 GR Sport Type



New GR Headrest Cover

(GR Sport Type)

It not only provides comfort but also implies a sporty sensation in all aspects.



New GR Steering Wheel (GR Sport Type)

An exclusive GR Steering for your sporty atmosphere in every journey.

New Adaptable Auto A/C with Dual Zone (All Type)

Allows the driver and front passenger to set different temperature comforts.



4x2 GR Sport Type

Power Seat Adjuster (GR Sport, VRZ Type)

The precision in setting for your most convenience seating position that available for driver and passenger seats.


THE PROGRESSIVE TECNOLOGY



New Wireless Charger

(GR Sport Type)

Compatible with a product that supports Qi wireless charging.



Drive Mode System (Eco-Normal-Power Mode) (All Type)

Switch to Eco mode for smooth and fuel efficiency driving experience or Power mode for maximum engine power and stronger acceleration.



Electro-chromic Rearview Mirror

(All Type)

Rearview mirror that automatically dims when it senses light from behind, reducing glare that creates vision problems for a night drive.

Rear Seat Entertainment with Illumination (GR Sport, VRZ Type)

First-class entertainment for rear-seat passenger with premium ambient light that awards absolute comfort.



Surround Monitor (GR Sport Type)

Feels the surrounding even more with the new intelligent system, which helps to prevent collisions when parking or setting off.

- Blind Spot Detection
- Lane Departure Warning
- Moving Object Detection (MOD)
- - Headway Monitoring Warning (HMW)



Complete Information In Integrated MID (All Type)

Enrich your journey with integrated MID and an advanced odometer that provide car information at your fingertips.

Sport/Eco Mode Display

Tire Turning Angle Display

- TFT Opening Animation
- 🖊 Clearance Sonar Detection Display 🔲 Power Back Door (PBD) Switch Status Displ
 - (GR Sport, VRZ Type)



Kick Sensor with Power Backdoor (GR Sport, VRZ Type)

Automated convenience technology designed for easy loading just by swipes of your feet.



COMPREHENSIVE SAFETY FEATURES



7 SRS Airbags

(dual + knee + side + curtain shield airbags) Ensure the safety by enduring impacts to minimize the chance of injury. (4x4 GR Sport Type)



Hill Start Assist (HSA)

Prevents the vehicle from rolling back on steep hills. (All Type)



Emergency Brake Signal (EBS)

Lights during emergency braking to alert surroundings and reduce collisions. (All Type)



Traction Control (TRC)

Enhance the ability to grip the road and maintain traction when wheelspin detected. (All Type)



Vehicle Stability Control (VSC)

Prevent the risk of wheel slip by reducing power and applying brake force. (All Type)



Trailer Sway Control

Detects trailer sway and helps to suppress it by control the braking. (All Type)



An integrated solution that you can access through mToyota application. Giving you comfort, providing peace of mind, and always get connected to your car.

SAFETY & CONVENIENCE PEACE OF MIND

FIND MY CAR (All Type)

Accurately know where the vehicle is parked, to provide you feeling of safety and convenience.



E-CARE (MAINTENANCE) (All Type)

A reminder to you for periodic vehicle maintenance to make your vehicle always in the best performance.



TRIP DRIVING UPDATE (All Type)

Record all vehicle journeys include distance and duration to support your vehicle always at the outstanding performance.



GEOFENCING (All Type)

Giving alert if your vehicle is outside the authorized zone to ensure your security at all times.

Accessed with mTOYOTA



INQUIRY & SUPPORT CENTER (All Type)

Direct assistance from Toyota Call Center to solve your problems. Give you more ability to keep moving forward.



ROAD ASSISTANCE (All Type)

Provide an SOS button if you got an accident, and will be assisted by Toyota Call Center to be directed to Emergency Road Assistant (ERA) provider to make you feel safer while driving.

TOYOTA CUSTOMIZATION OPTION (TCO) **SHOW YOUR STYLE!**

Customization items for all types may vary depending on the products and areas.



OUTER MIRROR ORNAMENT

The details emphasize a bolder look.



CARGO NET

Provides a sense of security because the items are protected while in the trunk.



SPARE TIRE COVER

Ensure that the spare tire will always be in a safe condition.



AIR PURIFIER

Helping the air circulation in the cabin by sanitizing the air from pollutants, allergens, toxins, and other impurities.

SPECIFICATIONS

SPESIFIKASI / SPECIFICATIONS		ATIONS	4x2					4x4
MODEL / TYPE		2.7 GR *	2.8 GR	2.8 VRZ	2.4	4 G*	2.8 GR * SPORT A/T	
DIMENSI / D	OIMENSION			A	N/ I		WI/I	A/1
						.795		
Panjang / Overall W		mm				.855		
Tinggi / Overall Height mm		1,835 1,835						
Jarak Sumbu / Wheelbase mm		1,039 2,745						
Donan / Front mm		1,545						
Jarak Pijak / Whe	neel Iread	kang / Rear mm				,555		
MESIN / ENG	GINE							
Tipe Mesin / <i>Engine Type</i>		2TR-FE 4 Silinder Segaris, 4 Katup, DOHC, Dual WT-i / 2TR FE In-Line 4 Cylinders, 4 Valve, DOHC, Dual WT-i	1GD-FTV 4 Silinder Segaris, 4 Katup, DOHC, VNT Intercooler / 1GD FTV, In-Line 4 Cylinders, 4 Valve, DOHC, VNT Intercooler		2 GD FTV 4 Silinder Segaris, 4 Katup, DOHC, VNT Intercooler / 2GD FTV, In-Line 4 Cylinders, 4 Valve, DOHC, VNT Intercooler		1GD-FTV 4 Silinder Segaris, 4 Katup, DOHC, VNT Intercooler / 1GD FTV, In-Line 4 Cylinders, 4 Valve, DOHC, VNT Intercooler	
lsi Silinder / Dis	splacement	cc	2,694	2,755		2,393		2,755
Diameter x Langkah / Bore x Stroke mm x mm		95.0 x 95.0	92.0 x 103.6		92.0 x 90.0		92.0 x 103.6	
		ps / rpm	163 / 3,400	203.9 /3,000 - 4,000		149.6/3,400		203.9 /3,000 - 4,000
Torsi Maksimum / Max. Torque kgm / rpm		24.7 / 4,000	50.9 / 1,600 - 2,800		40.8/1,6	500-2,000	50.9 / 1,600 - 2,800	
	Jenis / Type		Bensin Tanpa Timbal / Unleaded Gasoline			Diesel		
Bahan Bakar / Fuel	Sistem / System		Sistem Injeksi / Fuel Injection Sistem Injeksi dengan Common Rail / Common Rail Fuel Injection					
Kapasitas Tangki / Ta		/ Tank Capacity Itr	80					
SASIS / CHA	ASSIS							
Sistem Penggerak Roda / Drive System		Sistem Penggerak 2 roda / Two-Wheel Drive					Sistem penggerak 4 roda / Four-Wheel Drive	
Differential Lock			without					with
Limited Slip Differential (LSD)			without					,,,,,,
Transmisi / Transmission			Otomatis 6 Tingkat Kecepatan dengan Sport Sequential Switchmatic / 6 Speed Automatic with Sport Sequential Switchmatic Manual 6 Tingkat Kecepatan / 6 Speed Manual					with
			Otomatis 6 Tingkat Kece	epatan dengan Sport Sequential Switc		rt Sequential Switchmatic	Manual 6 Tingkat Kecepatan / 6 Speed Manual	with Otomatis 6 Tingkat Kecepatan dengan Sport Sequential Switchmatic / 6 Speed Automatic with Sport Sequential Switchmatic
		<u>1</u> st	3.600	3.600	hmatic / 6 Speed Automatic with Spo 3.600	3.600	6 Speed Manual 4.784	Otomatis 6 Tingkat Kecepatan dengan Sport Sequential Switchmatic / 6 Speed Automatic with Sport Sequential Switchmatic 3.600
		2nd	3.600 2.090	3.600 2.090	hmatic / 6 Speed Automatic with Spo 3.600 2.090	3.600 2.090	6 Speed Manual 4.784 2.423	Otomatis 6 Tingkat Kecepatan dengan Sport Sequential Switchmatic 6 Speed Automatic with Sport Sequential Switchmatic 3.600 2.090
ransmisi / <i>Trans</i>	ismission	2nd 3rd	3.600 2.090 1.488	3.600 2.090 1.488	hmatic / 6 Speed Automatic with Spo 3.600 2.090 1.488	3.600 2.090 1.488	6 Speed Manual 4.784 2.423 1.443	Otomatis 6 Tingkat Kecepatan dengan Sport Sequential Switchmatic / 6 Speed Automatic with Sport Sequential Switchmatic 3.600 2.090
Fransmisi / Trans	ismission	2nd 3rd 4th	3.600 2.090 1.488 1.000	3.600 2.090 1.488 1.000	3.600 2.090 1.488 1.000	3.600 2.090 1.488 1.000	6 Speed Manual 4.784 2.423 1.443 1.000	Otomatis 6 Tingkat Keepastan dengan Sport Sequential Switchmatic / 6 Speed Automatic with 2 3.600 2.090 1.488 1.000
Fransmisi / Trans	ismission	2nd 3rd 4th 5th	3.600 2.090 1.488 1.000 0.687	3.600 2.090 1.488 1.000 0.687	3.600 2.090 1.488 1.000 0.687	3.600 2.090 1.488 1.000 0.687	6 Speed Manual 4.784 2.423 1.443 1.000 0.777	Ottmatic 5 Tinglet Kenepatan dergan Sport Sequential Switchmatic / 6 Speed Automatic will Sport Sequential Switchmatic / 3.600 2.090 1.488 1.000 0.687
Transmisi / <i>Trans</i>	ismission	2nd 3rd 4th 5th	3.600 2.090 1.488 1.000 0.687 0.580	3.600 2.090 1.488 1.000 0.687	3.600 2.090 1.488 1.000 0.687 0.580	3.600 2.090 1.488 1.000 0.667	6 Speed Manual 4.784 2.423 1.443 1.000 0.777 0.643	Ottmatic 6 Tinglet Korepatan degas Sport Sequential Switchmatic / 6 Speed Autoratic wit Sport 3.6000 2.090 1.488 1.000 0.687
Transmisi / <i>Trans</i> Perbandingan Gi	ismission Sigi / Gear Ratio	2nd 3rd 4th 5th 6th Reverse	3.600 2.090 1.488 1.000 0.687 0.580 3.732	3.600 2.090 1.488 1.000 0.687 0.580 3.732	3.600 2.090 1.488 1.000 0.687 0.580 3.732	3,600 2,090 1,488 1,000 0,687 0,580 3,732	6 Speed Manual 4.784 2.423 1.443 1.000 0.777 0.643 4.066	Otomatis 6 Tingkat Keceptan dangar Sport Sequential Switchmatic / 6 Speed Automatic with Con- Sequential Switchmatic / 2.090 2.090 1.488 1.000 0.687 0.580 3.732
Transmisi / <i>Trans</i> Perbandingan Gi	ismission	2nd 3rd 4th 5th 6th Reverse	3.600 2.090 1.488 1.000 0.687 0.580	3.600 2.090 1.488 1.000 0.687 0.580 3.732	3.600 2.090 1.488 1.000 0.687 0.580 3.732	3.600 2.090 1.488 1.000 0.687 0.580 3.732 4.100	6 Speed Manual 4.784 2.423 1.443 1.000 0.777 0.643 4.066 3.583	Otomatis 6. Tingkat Kecepatan dangan Sport Sequential Switchmatic 6. Speed Automatic with Sport Sequential Switchmatic 3.6000 2.090 1.488 1.000 0.687
Transmisi / <i>Trans</i> Perbandingan Gi Perbandingan Gi	ismission iigi / Gear Ratio iigi Akhir / Final C	2nd 3rd 4th 5th 6th Reverse Gear Ratio Depan / Front	3.600 2.090 1.488 1.000 0.687 0.580 3.732	3.600 2.090 1.488 1.000 0.687 0.580 3.732	3.600 2.090 1.488 1.000 0.687 0.580 3.732	3.600 2.090 1.488 1.000 0.687 0.580 3.732 4.100 zer / Double Wishbone with Coli Spring &	6 Speed Manual 4.784 2.423 1.443 1.000 0.777 0.643 4.066 3.583	Otomatis 6 Tingkat Kecepatan dangar Sport Sequential Switchmatic / 6 Speed Automatic with Correct Sequential Switchmatic 3.600 2.090 1.488 1.000 0.687 0.580 3.732
Transmisi / <i>Trans</i> Perbandingan Gi Perbandingan Gi	ismission iigi / Gear Ratio iigi Akhir / Final C	2nd 3rd 4th 5th 6th Reverse Gear Ratio Depan / Front Belakang / Rear	3.600 2.090 1.488 1.000 0.687 0.580 3.732	3.600 2.090 1.488 1.000 0.687 0.580 3.732	1.488 1.000 0.687 0.580 3.732 909 14-Link dengan Lateral R	3.600 2.090 1.488 1.000 0.687 0.580 3.732 4.100 zer / Double Wishbone with Coil Spring &	6 Speed Manual 4.784 2.423 1.443 1.000 0.777 0.643 4.066 3.583	Otomatis 6 Tingkat Keceptan dangar Sport Sequential Switchmatic / 6 Speed Automatic with Con- Sequential Switchmatic / 2.090 2.090 1.488 1.000 0.687 0.580 3.732
Transmisi / Trans Perbandingan Gi Perbandingan Gi Suspensi / Suspe	ismission Sigi / Gear Ratio Sigi Akhir / Final C	2nd 3rd 4th 5th 6th Reverse Gear Ratio Depan / Front Belakang / Rear Depan / Front	3.600 2.090 1.488 1.000 0.687 0.580 3.732	3.600 2.090 1.488 1.000 0.687 0.580 3.732	1.000 3.732 909 Wishbone dengan Koil Spring & Stabili Cakram Berventi	3.600 2.090 1.488 1.000 0.687 0.580 3.732 4.100 ear / Double Wishbone with Coil Spring & Coil of the Coil	6 Speed Manual 4.784 2.423 1.443 1.000 0.777 0.643 4.066 3.583	Otomatis 6 Tingkat Keceptan dangar Sport Sequential Switchmatic / 6 Speed Automatic with Con- Sequential Switchmatic / 2.090 2.090 1.488 1.000 0.687 0.580 3.732
Transmisi / <i>Trans</i> Perbandingan Gi Perbandingan Gi Suspensi / <i>Susp</i>	ismission Sigi / Gear Ratio Sigi Akhir / Final C	2nd 3rd 4th 5th 6th Reverse Depan / Front Belakang / Rear Depan / Front Belakang / Rear	3.600 2.090 1.488 1.000 0.687 0.580 3.732	3.600 2.090 1.488 1.000 0.687 0.580 3.732	3.600 2.090 1.488 1.000 0.687 0.580 3.732 909 Vishbone dengan Koil Spring & Stabili Cakram Berventi Cakram Berventi	3.600 2.090 1.488 1.000 0.687 0.580 3.732 4.100 4.100 Wishbone with Coil Spring & Coil of June 10 Coil Spring & Co	6 Speed Manual 4.784 2.423 1.443 1.000 0.777 0.643 4.066 3.583	Otomatis 6 Tingkat Keceptan dangar Sport Sequential Switchmatic / 6 Speed Automatic with Con- Sequential Switchmatic / 2.090 2.090 1.488 1.000 0.687 0.580 3.732
Perbandingan Gi Perbandingan Gi Suspensi / Susp	ismission iigi / Gear Ratio Gear Ratio Gear Ratio Gear Ratio Gear Ratio Gear Ratio Gear Ratio Gear Ratio Gear Ratio	2nd 3rd 4th 5th 6th Reverse Gear Ratio Depan / Front Belakang / Rear Depan / Front	3.600 2.090 1.488 1.000 0.687 0.580 3.732 4.555	3.600 2.090 1.488 1.000 0.687 0.580 3.732 3.	3.600 2.090 1.488 1.000 0.687 0.580 3.732 909 Vishbone dengan Koil Spring & Stabili Cakram Berventi Cakram Berventi With +	3.600 2.090 1.488 1.000 0.687 0.580 3.732 4.100 2er / Double Wishbone with Coil Spring & Coil / 4-link with Lateral Rod lass / Ventilated Disc EBD + BA	6 Speed Manual 4.784 2.423 1.443 1.000 0.777 0.643 4.066 3.583	Otomatis 6. Tingkat Keepatan dengan Sport Sequential Switchmatic / 6 Speed Automatic with 2 of S
Transmisi / Trans Perbandingan Gi Perbandingan Gi Suspensi / Suspensi / Suspensi / Ukuran Ban / Tir	smission siigi / Gear Ratio siigi / Gear Ratio siigi Akhir / Final O trake System re Size	2nd 3rd 4th 5th 6th Reverse Bear Ratio Depan / Front Belakang / Rear Depan / Rear ABS	3.600 2.090 1.488 1.000 0.687 0.580 3.732	3.600 2.090 1.488 1.000 0.687 0.580 3.732 3.	3.600 2.090 1.488 1.000 0.687 0.580 3.732 909 Vishbone dengan Koil Spring & Stabili Cakram Berventi Cakram Berventi	3.600 2.090 1.488 1.000 0.687 0.580 3.732 4.100 2er / Double Wishbone with Coil Spring & Coil / 4-link with Lateral Rod lass / Ventilated Disc EBD + BA	6 Speed Manual 4.784 2.423 1.443 1.000 0.777 0.643 4.066 3.583	Otomatis 6 Tingkat Kecepatan dangar Sport Sequential Switchmatic / 6 Speed Automatic with Correct Sequential Switchmatic 3.600 2.090 1.488 1.000 0.687 0.580 3.732
Transmisi / Trans Perbandingan Gi Perbandingan Gi Suspensi / Suspensi / Suspensi / Suspensi / Trans	ismission ingi / Gear Ratio ingi / Gear Ratio ingi / Gear Ratio ingi / Akhir / Final Commension ingi / System	2nd 3rd 4th 5th 6th Reverse Sear Ratio Depan / Front Belakang / Rear Depan / Front Belakang / Rear ABS	3.600 2.090 1.488 1.000 0.687 0.580 3.732 4.555	3.600 2.090 1.488 1.000 0.687 0.580 3.732 3.	3.600 2.090 1.488 1.000 0.687 0.580 3.732 909 Vishbone dengan Koil Spring & Stabili Cakram Berventi Cakram Berventi With +	3.600 2.090 1.488 1.000 0.687 0.580 3.732 4.100 2er / Double Wishbone with Coil Spring & Coil / 4-link with Lateral Rod lass / Ventilated Disc EBD + BA	6 Speed Manual 4.784 2.423 1.443 1.000 0.777 0.643 4.066 3.583	Otomatis 6 Tinglat Kecepatan dengan Sport Sequential Switchmatic 6 Speed Automatic with Sport Sequential Switchmatic 3.600 2.090 1.488 1.000 0.687 0.580 3.732 3.909
Transmisi / Trans Perbandingan Gi Perbandingan Gi Suspensi / Suspensi / Suspensi / Suspensi / Br Ukuran Ban / Tir FITUR KEAM/ 7 SRS Airbags (dua	ismission siigi / Gear Ratio siigi Akhir / Final C pension trake System re Size ANAN / SAFE: al + knee + side + c	2nd 3rd 4th 5th 6th Reverse Bear Ratio Depan / Front Belakang / Rear Depan / Rear ABS	3.600 2.090 1.488 1.000 0.687 0.580 3.732 4.555	3.600 2.090 1.488 1.000 0.687 0.580 3.732 3. Double V	3.600 2.090 1.488 1.000 0.687 0.580 3.732 909 Vishbone dengan Koil Spring & Stabili Cakram Berventi Cakram Berventi With + 265/60 R18	3,600 2,090 1,488 1,000 0,687 0,580 3,732 4,100 2rer / Double Wishbone with Coil Spring & God / 4-Link with Lateral Rod last / Ventilated Disc last / Ventilated Disc EBD + BA 265/6	6 Speed Manual 4.784 2.423 1.443 1.000 0.777 0.643 4.066 3.583 8 Stabilizer	Otomatis 6. Tingkat Kecepatan dengan Sport Sequential Switchmatic / 6 Speed Automatic with 2.000 2.090 1.488 1.000 0.687 0.580 3.732 3.909
Transmisi / Trans Perbandingan Gi Perbandingan Gi Suspensi / Suspensi / Suspensi / Suspensi / Suspensi / Suspensi / Sistem Rem / Br Ukuran Ban / Tirr FITUR KEAMI 7 SRS Artbags (dua Hill Start Assist	ismission smission sigi / Gear Ratio sigi Akhir / Final C trake System re Size anan / SAFET al + Kree + side + c (HSA)	2nd 3rd 4th 5th 6th Reverse Gear Ratio Depan / Front Belakang / Rear Depan / Front Belakang / Rear ABS TY FEATURES uttain shield airbags)	3.600 2.090 1.488 1.000 0.687 0.580 3.732 4.555	3.600 2.990 1.488 1.000 0.687 0.580 3.732 3. Dauble V	3.600 2.090 1.488 1.000 0.687 0.580 3.732 909 Vishbone dengan Koil Spring & Stabili Cakram Berventi With + 265/60 R18	3,600 2,090 1,488 1,000 0,687 0,580 3,732 4,100 2rer / Double Wishbone with Coil Spring & God / 4-Link with Lateral Rod last / Ventilated Disc last / Ventilated Disc EBD + BA 265/6	6 Speed Manual 4.784 2.423 1.443 1.000 0.777 0.643 4.066 3.583 8 Stabilizer	Otomatis 6. Tingkat Kecepatan dengan Sport Sequential Switchmatic 7. Sequential Switchmatic 7. Separation of Separation of Separation of Separation of Sequential Switchmatic 3.600 2.090 1.488 1.000 0.687 0.580 3.732 3.909
Perbandingan Gi Perbandingan Gi Suspensi / Suspensi / Suspensi / Suspensi / Suspensi / Sistem Rem / Bi Ukuran Ban / Tiri FITUR KEAM/ FISS Airbags (dua Hill Start As St. Downhill Start As Downhill Start As	ismission sigi / Gear Ratio sigi Akhir / Final o tension trake System fre Size ANAN / SAFET al knee + Side + C (+RSA) assist Control (DA	2nd 3rd 4th 5th 6th Reverse Gear Ratio Depan / Front Belakang / Rear Depan / Front Belakang / Rear ABS TY FEATURES uttain shield airbags)	3.600 2.090 1.488 1.000 0.687 0.580 3.732 4.555	3.600 2.090 1.488 1.000 0.687 0.580 3.732 3. Double V	3.600 2.090 1.488 1.000 0.687 0.580 3.732 909 Wishbone dengan Koil Spring & Stabili Cakram Berventi Cakram Berventi With +	3.600 2.090 1.488 1.000 0.687 0.580 3.732 4.100 ear / Double Wishbone with Call Spring & Call of the Call of	6 Speed Manual 4.784 2.423 1.443 1.000 0.777 0.643 4.066 3.583 8 Stabilizer	Otomatis 6 Tinglat Kecepatan dengan Sport Sequential Switchmatic 3.600 2.090 1.488 1.000 0.587 0.580 3.732 3.909
Perbandingan Gi Perbandingan Gi Suspensi / Suspensi / Suspensi / Suspensi / Suspensi / Suspensi / Sistem Rem / Bi Ukuran Ban / Tir FITUR KEAMI 7 SRS Arbags dua hulli Start Asia Downhill Start Asia Emergency Brake	ismission iigi / Gear Ratio iigi / Gear Ratio iigi Akhir / Final O trake System re Size ANAN / SAFET al « kree » side » t (Kree » side » t ANAN / SAFET al « kree » side » t ANAN / SAFET	2nd 3rd 4th 5th 6th Reverse Gear Ratio Depan / Front Belakang / Rear Depan / Front Belakang / Rear ABS TY FEATURES uttain shield airbags)	3.600 2.090 1.488 1.000 0.687 0.580 3.732 4.555	3.600 2.090 1.488 1.000 0.687 0.580 3.732 3. Double V	3.600 2.090 1.488 1.000 0.687 0.580 3.732 909 Vishbone dengan Koil Spring & Stabili Cakram Berventi With + 265/60 R18	3.600 2.090 1.488 1.000 0.687 0.580 3.732 4.100 ear / Double Wishbone with Coil Spring & Coil Coil Coil Coil Coil Coil Coil Coil	6 Speed Manual 4.784 2.423 1.443 1.000 0.777 0.643 4.066 3.583 8 Stabilizer	Otomatis 6 Tinglat Kecepatan dengan Sport Sequential Switchmatic / 6 Speed Automatic with Sport Sequential Switchmatic 3.600 2.090 1.488 1.000 0.687 0.580 3.732 3.909
Transmisi / Trans Perbandingan Gi Perbandingan Gi Suspensi / Suspensi / Suspensi / Suspensi / Suspensi / Sistem Rem / Br Ukuran Ban / Tir. FITUR KEAMI/ 7 SRS Artbags (dua	ismission smission siigi / Gear Ratio siigi Akhir / Final Control (DA rake System sire Size al + knee + side + c (HSA) assist Control (DA ke Signal (EBS) ntrol	2nd 3rd 4th 5th 6th Reverse Gear Ratio Depan / Front Belakang / Rear Depan / Front Belakang / Rear ABS TY FEATURES uttain shield airbags)	3.600 2.090 1.488 1.000 0.687 0.580 3.732 4.555	3.600 2.090 1.488 1.000 0.687 0.580 3.732 3. Double V	3.600 2.090 1.488 1.000 0.687 0.580 3.732 909 Wishbone dengan Koil Spring & Stabili Cakram Berventi Cakram Berventi With +	3.600 2.090 1.488 1.000 0.687 0.580 3.732 4.100 2er / Double Wishbone with Coil Spring & Coil / 4-link with Lateral Rod lass / Ventilated Disc EBD + BA 265K	6 Speed Manual 4.784 2.423 1.443 1.000 0.777 0.643 4.066 3.583 8 Stabilizer	Otomatis 6 Tinglat Kecepatan dengan Sport Sequential Switchmatic 3.600 2.090 1.488 1.000 0.587 0.580 3.732 3.909

- Untuk peningkatan mutu dan penyesuaian dengan perkembangan teknologi, PT Toyota-Astra Motor sewaktu-waktu dapat mengubah spesifikasi, perlengkapan standar atau data lain dalam lembar spesifikasi ini.
 PT Toyota-Astra Motor reserves the right to olter ony details of specifications and equipments without prior notice.
 Spesifikasi dan kelengkapan dapat berbeda dengan gambar di brosur ini, tergantung model kendaraan / Details and specifications may differ from the picture shown, depending on models.
 Waktu inden minimal 3 bulan (perkiraan waktu bisa berubah tergantung dengan keadaan pabrik). / With minimum 3 months indent time (the time could be changed depending on factory state).

PILIHAN WARNA / COLOR OPTIONS



SUPER WHITE



SILVER METALLIC



DARK GRAY MICA METALLIC



- Pilihan warna dalam brosur dapat sedikit berbeda dengan warna mobil sesungguhnya. / Color options in the brochure might slightly be different from the actual color of the cars.

 ** Hanya tersedia di Fortuner tipe 4x4 GR Sport (Spot Order). Tersedia mulai dari September 2022. / Only available on Fortuner 4x4 GR Sport type (Spot Order). Availability starts from September 2022.



Toyota didukung oleh sales outlet dan layanan purna jual (service & spare parts) yang tersebar di seluruh Indonesia dan selalu siap melayani Anda. Untuk mengetahui dealer Toyota terdekat di kota Anda, hubungi Toyota Customer Care atau akses website.





SCAN HERE TO KNOW MORE



Authorized Toyota Dealer





