

OPEL MOVANO



Wir leben Autos.



Opel Movano. No job too big.

As all the numbers show ...

In your business there's no room for numbers that don't add up. That applies especially to your transport and logistics operations. You need vehicles that are purpose-built to be strong enough – and big enough – for your biggest projects.

Meet Opel Movano. The large van that's been designed, engineered and built with you and your business in mind. With more versions, more driver comfort and stronger than ever before – and with the availability of rear-wheel drive. All with the same proven efficiency and reliability that comes standard with every Opel commercial vehicle. So, with your Opel Movano, you can be sure that there'll be no job too big.





3 roof heights. 4 vehicle lengths. 2,800 to 4,500 kg gross vehicle weight.

1 comprehensive line-up.

The Opel Movano range starts with panel vans and crew vans, all available in four different vehicle lengths and three heights, with different drive trains and GVW ratings, all of which can be tailored to meet your requirements.



Litho: Badges: Blitz logo & R3500





Litho: Badges: Blitz logo & Turbo, erase engine badge.



2 drive options: front-wheel drive and rear-wheel drive. Up to 3 t towing capacity.

1 answer for any challenge.

No two jobs are the same, and no two roads are the same. So, if towing heavy trailers or uneven road surfaces are a staple of your business, you'll already be thinking about rear-wheel drive. Opel Movano is available with rear-wheel drive in two vehicle lengths and with gross vehicle weight ratings of 3,500 and 4,500 kg. Up to 3,500 kg the capable front-wheel drive Opel Movano will cover all your needs.





270° wide opening rear doors. 1,270 mm¹ side opening.

1 form that truly follows function.

Design is about much more than good looks (which the Opel Movano certainly has). It's about creating usable load space and ensuring that it's easily accessible. Opel Movano's rear doors can be opened to 270° (optional), and 1,270 mm¹ wide sliding side doors take the hassle out of loading or unloading full-size euro-pallets.

¹1,050 mm for L1 version.



Litho: erase engine badge



1 professional driver. 8.5 hours on the road.

0 problems.

How you sit is just as important as where you sit. Whether you drive yourself, or others drive for you, it's vital that a day at the steering wheel does not result in a week of back problems. The cabin of Opel Movano, from the choice of seats to the ergonomically located gear lever and tilt-able steering wheel, has been designed to keep the driver, as well as the van, on the road day after day.

Instrument panel. Clear, easy-to-read instruments, ideally and ergonomically placed, reduce driver fatigue and increase operating safety.



Suspended driver's seat. More comfort for driving over rough terrain or long distances. Fore, aft, rake, and height-adjustable, with sensitivity control.



Air conditioning. A major plus factor in crew comfort and efficiency, manual air conditioning and Electronic Climate Control are optionally available.



10 user-friendly storage spaces. 2 12-V power sockets.

1 productive work station.

The Opel Movano driver always takes his office with him. With the practicability of two power sockets and numerous standard stowing possibilities including holders that accommodate 2-litre water bottles. The optional Convenience Pack includes a CD radio with remote display, upgraded driver's seat with armrest and lumbar support, a dual passenger seat with storage and a folding centre seat that includes a swivelling tray for the driver's laptop computer, a dash-mounted retractable clipboard and additional sound-deadening material on the bulkhead.

Multiple storage possibilities. Practical, convenient, and efficient. A place for almost every business or personal need. See also chapter Option Packs for more details on storage.





Countless red lights. Endless queues.

0 emissions.

Think big, but think green. Did you know that Opel were the first manufacturer anywhere to offer an eco variant right across their range of light commercials? This is not just a matter of green principles, it is also the practical realisation that many of our customers, and your customers too, want to be seen to be actively protecting the environment.

The Opel Movano ecoFLEX is a perfect vehicle for this. The standard Start/Stop system cuts emissions and fuel consumption to zero whenever you have to stop at a red light or in a jam – resulting in considerable savings in towns and heavy traffic conditions. Front- or rear-wheel drive, with a choice of 100 or 125 hp, the Movano ecoFLEX models are an impressive and stylish way to make a valid ecological statement.

The logo for Opel Movano ecoFLEX is displayed in a metallic, 3D style. The word 'eeco' is in a lowercase, rounded font, and 'FLEX' is in a bold, uppercase, sans-serif font. The letters have a reflective, chrome-like finish with highlights and shadows, giving them a three-dimensional appearance.

eeco FLEX









Litho: erase engine badge



Tyre labelling

Dimension	195/75 R16	215/65 R16	225/65 R16	235/65 R16
Tyre Fuel Efficiency Rating	B	B	E-B	E-C
Tyre Wet Grip Rating	B	B	C-B	B
Tyre Noise Rating (dB)	72	71	73-70	73-70
Sound Class				

Panel van FWD Engines	ecoFLEX with Start/Stop System		2.3 CDTI (74 kW/100 hp)	2.3 CDTI (92 kW/125 hp)	2.3 CDTI (74 kW/100 hp)	2.3 CDTI (92 kW/125 hp)	2.3 CDTI (110 kW/150 hp)
	2.3 CDTI (74 kW/100 hp)	2.3 CDTI (92 kW/125 hp)					
Fuel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Displacement (cm ³)	2,298	2,298	2,298	2,298	2,298	2,298	2,298
Max. output (kW/hp) at rpm	74/100 3,500	92/125 3,500	74/100 3,500	92/125 3,500	74/100 3,500	92/125 3,500	110/150 3,500
Max. torque (Nm) at rpm	285 1,250–2,000	310 1,250–2,500	285 1,250–2,000	310 1,250–2,500	285 1,250–2,000	310 1,250–2,500	350 1,500–2,750
Emission standard	Euro 5	Euro 5	Euro 5	Euro 5	Euro 5	Euro 5	Euro 5
Transmission	6-speed manual	6-speed manual	6-speed manual	6-speed manual	6-speed Easytronic®	6-speed manual	6-speed Easytronic®
Fuel consumption (l/100 km) ¹							
Urban	8.3–8.2	8.3–8.2	9.3–9.2	9.3–9.2	8.4	10.2–9.8	8.8–8.5
Extra-urban	7.3–7.0	7.3–7.0	7.4–7.0	7.4–7.0	7.6	7.8–7.5	8.0–7.7
Combined	7.7–7.4	7.7–7.4	8.0–7.8	8.0–7.8	7.9	8.7–8.3	8.3–8.0
CO ₂ emission combined (g/km) ¹	201–195	201–195	211–205	211–205	206	227–219	217–209
Service interval (km/years)	40,000/1	40,000/1	40,000/1	40,000/1	40,000/1	40,000/1	40,000/1

Panel van RWD Engines	ecoFLEX with Start/Stop System ²		2.3 CDTI (74 kW/100 hp)	2.3 CDTI (92 kW/125 hp)	2.3 CDTI (74 kW/100 hp)	2.3 CDTI (92 kW/125 hp)	2.3 CDTI (110 kW/150 hp)
	2.3 CDTI (74 kW/100 hp)	2.3 CDTI (92 kW/125 hp)					
Fuel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Displacement (cm ³)	2,298	2,298	2,298	2,298	2,298	2,298	2,298
Max. output (kW/hp) at rpm	74/100 3,500	92/125 3,500	74/100 3,500	92/125 3,500	74/100 3,500	92/125 3,500	110/150 3,500
Max. torque (Nm) at rpm	285 1,250–2,000	310 1,250–2,500	285 1,250–2,000	310 1,250–2,500	285 1,250–2,000	310 1,250–2,500	350 1,500–2,750
Emission standard	Euro 5	Euro 5	Euro 5	Euro 5	Euro 5	Euro 5	Euro 5
Transmission	6-speed manual	6-speed manual	6-speed manual	6-speed manual	6-speed Easytronic®	6-speed manual	6-speed Easytronic®
Fuel consumption (l/100 km) ¹							
Urban	9.6–8.3	9.6–8.3	10.4–9.2	10.8–9.1	10.6	10.8–9.1	10.6
Extra-urban	8.3–7.2	8.3–7.2	8.4–7.2	8.7–8.4	8.9	8.7	8.9
Combined	8.8–7.6	8.8–7.6	9.2–8.0	9.5–8.9	9.5	9.5–8.9	9.5
CO ₂ emission combined (g/km) ¹	230–199	230–199	240–209	248–232	249	248–232	249
Service interval (km/years)	40,000/1	40,000/1	40,000/1	40,000/1	40,000/1	40,000/1	40,000/1

¹ In acc. with regulation R (EC) No. 715/2007 (in the version respectively applicable). ² Available with single rear wheels only.

All information was accurate and up to date at the time of going to press. The company reserves the right to alter engine specifications at any time, which may influence the content of the shown data. Please consult your Opel dealer for the latest information. Fuel consumption data and CO₂ emission data are determined according to regulation R (EC) No. 715/2007 (in the version respectively applicable). The figures for fuel consumption and CO₂ emissions do not relate to a specific vehicle and are not part of an offer. They are provided only for the purpose of comparison between different vehicle variants. Additional equipment may increase the kerb weight of the vehicle and impact the payload. This may lead to a reduction in top speed and increased acceleration time. Driving performance figures assume a 75 kg driver plus a 125 kg load.





12 tunnels. 4 sudden heavy storms.

1 van for all conditions.

When carrying people, their safety is always a priority. That's why, besides the standard ESP[®], ABS, driver's airbag, and standard three-point seat belts for all occupants, a front passenger airbag is also available. Additional safety and protection is also available through the option of automatic headlight and windscreen wiper systems, which react instantly to changing light and weather conditions. And every Opel Movano offers excellent crosswind stability and a vision-optimized view of the road.



Static Cornering Light. Simply activated by the indicator switch at low speeds, it throws light exactly where it's needed.



Electronic Stability Program (ESP[®]). ESP[®] massively increases stability and safety. It is standard on every Movano and includes Hill Start Assist, Trailer Stability Program and Enhanced Traction Mode.



Please check!

Up to 17 m³ load capacity. Up to 2.2 t payload.

1 effective business plan.

With an available total load volume of up to 17 m³, up to 2.2 t payload, and a maximum load floor length of over 4.3 m, Opel Movano can swallow vast amounts of goods with ease.



Load compartment protection. Optional half or full-height wooden side panels and a resin-coated wooden floor, all perfectly tailored to the Opel Movano, protect the interior from damage. The panels are also specially constructed not to obstruct the vital lashing eyes.


Opel Movano panel vans.

Hard working space with easy access perfectly describes all Opel Movano panel vans. Wide 1,270 mm side doors that allow a euro-pallet to be loaded sideways on all but the shortest variant. On H1 and H2 variants the rear doors are full height, coping easily with load heights of up to 1,820 mm on the H2 models. Load lengths are available up to 4,383 mm, with conveniently located lashing eyes and points, meaning ample space for secure and balanced cargo stowage. In addition, a sturdy metal bulkhead to protect the crew is standard.


With a choice of four gross vehicle weights, four lengths, single or double rear wheels, front- or rear-wheel drive, three roof heights, three power outputs, 6-speed manual or Easytronic® transmissions and a whole range of comfort, business and convenience options and accessories, the Opel Movano panel van fits perfectly to your business plans.




Panel van: dimensions




L1H1/H2 FWD




L2H2/H3 FWD



L3H2/H3 FWD




L3H2/H3 RWD (SRW/DRW)




L4H2/H3 RWD (SRW'/DRW)


Litho: Client to provide numbers



L3 (SRW/DRW)




H2/H3



H2/H3 (SRW')

¹ Available as of autumn 2014.



H2/H3 (DRW)

Panel van: versions



L1H1 FWD



L1H2 FWD

L: length 1 = short 2 = medium 3 = long 4 = extra long
H: roof height 1 = standard 2 = medium 3 = high

FWD = front-wheel drive RWD = rear-wheel drive
SRW = single rear wheels DRW = dual rear wheels

All dimensions in mm.



L2H2 FWD



L2H3 FWD



L3H2 FWD



L3H3 FWD



L3H2 RWD (SRW)



L3H3 RWD (SRW)



L3H2 RWD (DRW)



L3H3 RWD (DRW)



Litho: L4H2 RWD (SRW)

L4H2 RWD (SRW)



Litho: L4H3 RWD (SRW)

L4H3 RWD (SRW)



L4H2 RWD (DRW)



L4H3 RWD (DRW)

Panel van: weights¹ and volumes

Opel Movano panel van body versions	Weight class (in kg)	Max. payload (in kg)	Max. roof load (in kg)	Load volume (in m ³)	Max. load floor length (in mm)	Load floor width max./between wheel arches (in mm)	Max. load compartment height (in mm)	Turning circle (curb to curb/wall to wall) (in m)
FWD								
L1H1	2,800	994	200	8.0	2,583	1,765/1,380	1,700	12.0/12.5
L1H1	3,300	1,489	200	8.0	2,583	1,765/1,380	1,700	12.0/12.5
L1H1	3,500	1,684	200	8.0	2,583	1,765/1,380	1,700	12.0/12.5
L1H2	2,800	966	200	9.0	2,583	1,765/1,380	1,894	12.0/12.5
L1H2	3,300	1,461	200	9.0	2,583	1,765/1,380	1,894	12.0/12.5
L1H2	3,500	1,656	200	9.0	2,583	1,765/1,380	1,894	12.0/12.5
L2H2	3,300	1,415	200	10.8	3,083	1,765/1,380	1,894	13.6/14.1
L2H2	3,500	1,610	200	10.8	3,083	1,765/1,380	1,894	13.6/14.1
L2H3	3,300	1,379	–	12.3	3,083	1,765/1,380	2,144	13.6/14.1
L2H3	3,500	1,569	–	12.3	3,083	1,765/1,380	2,144	13.6/14.1
L3H2	3,500	1,530	200	13.0	3,733	1,765/1,380	1,894	15.7/16.2
L3H3	3,500	1,490	–	14.8	3,733	1,765/1,380	2,144	15.7/16.2
RWD								
L3H2 single rear wheels	3,500	1,390	200	12.4	3,733	1,765/1,380	1,798	13.6/14.1
L3H3 single rear wheels	3,500	1,352	–	14.2	3,733	1,765/1,380	2,048	13.6/14.1
L3H2 dual rear wheels	3,500	1,254	200	12.4	3,733	1,765/1,080	1,798	13.6/14.1
L3H3 dual rear wheels	3,500	1,221	–	14.2	3,733	1,765/1,080	2,048	13.6/14.1
L3H2 dual rear wheels	4,500	2,254	200	12.4	3,733	1,765/1,080	1,798	13.6/14.1
L3H3 dual rear wheels	4,500	2,221	–	14.2	3,733	1,765/1,080	2,048	13.6/14.1
L4H2 single rear wheels ²	3,500	XXX	200	14.9	4,383	1,765/XXX	1,798	15.7/16.2
L4H3 single rear wheels ²	3,500	XXX	–	17.0	4,383	1,765/XXX	2,048	15.7/16.2
L4H2 dual rear wheels	3,500	1,176	200	14.9	4,383	1,765/1,080	1,798	15.7/16.2
L4H3 dual rear wheels	3,500	1,134	–	17.0	4,383	1,765/1,080	2,048	15.7/16.2
L4H2 dual rear wheels	4,500	2,176	200	14.9	4,383	1,765/1,080	1,798	15.7/16.2
L4H3 dual rear wheels	4,500	2,134	–	17.0	4,383	1,765/1,080	2,048	15.7/16.2

¹ Minimum vehicle weight according to type approval, including all fluids, tool, and a 90 % fuel load. Excludes the weight of the driver and deletable options, e. g. spare wheel, bulkhead, and sliding side load door. Final weight may vary according to the specification of the vehicle, e. g. options, delete options, and accessories. ² Available as of autumn 2014.





7-man team. 180 traffic cones.

1 flexible workforce.

Transporting a work crew and their equipment is the speciality of Opel Movano crew van. Two sit next to the driver (one if an optional single seat is specified), while the rear bench seat can accommodate four crew members abreast, seat belts and headrests are, of course, standard. Access is through a large sliding door, and the crew is protected from load movement by a high-strength glazed ABS bulkhead.



4-seat rear bench. Fully trimmed seats with safety belts make transporting crew members a safe and simple matter.

Opel Movano crew vans.


Pls. check!

The people you need, where they are needed, with whatever they need to get the job done. It's easy with the Opel Movano crew van. Three load lengths, three gross vehicle weights, **four** power options and two heights fit just about any task. A full range of optional equipment including pneumatic suspension, power take-off, and sturdy towing hitch deal with the more demanding challenges.


A fully trimmed cabin with three seats forward, the centre with fold-flat capability, four in the second row, integrated into the bulkhead, offers comfort for a crew of seven. Through-flow heating and ventilation and windows in the sliding side door and the opposite side panel ensure a civilized travelling atmosphere.




Crew van: dimensions




L1H1/H2 FWD




L2H2 FWD




L3H2 FWD




L3H2 RWD (SRW/DRW)




L3 (SRW/DRW)



H2



H2 (SRW)



H2 (DRW)

Crew van: versions



L1H1 FWD



L1H2 FWD

L: length 1 = short 2 = medium 3 = long
H: roof height 1 = standard 2 = medium 3 = high

FWD = front-wheel drive RWD = rear-wheel drive
SRW = single rear wheels DRW = dual rear wheels

All dimensions in mm.



L2H2 FWD



L3H2 FWD



L3H2 RWD (SRW)



L3H2 RWD (DRW)

Crew van: weights¹ and volumes

Opel Movano crew van body versions	Weight class (in kg)	Max. payload (in kg)	Max. roof load (in kg)	Load volume (in m ³)	Max. load floor length (in mm)	Load floor width max./between wheel arches (in mm)	Max. load compartment height (in mm)	Turning circle (curb to curb/wall to wall) (in m)
FWD								
L1H1	3,300	1,330 ²	200	n.a.	1,716	1,765/1,380	1,700	12.0/12.5
L1H1	3,500	1,525 ²	200	n.a.	1,716	1,765/1,380	1,700	12.0/12.5
L1H2	3,300	1,305	200	5.3	1,716	1,765/1,380	1,894	12.0/12.5
L1H2	3,500	1,500	200	5.3	1,716	1,765/1,380	1,894	12.0/12.5
L2H2	3,300	1,206	200	6.9	2,175	1,765/1,380	1,894	13.6/14.1
L2H2	3,500	1,398	200	6.9	2,175	1,765/1,380	1,894	13.6/14.1
L3H2	3,500	1,323	200	9.0	2,825	1,765/1,380	1,894	15.7/16.2
RWD								
L3H2 single rear wheels	3,500	1,176	200	8.3	2,825	1,765/1,380	1,798	13.6/14.1
L3H2 dual rear wheels	3,500	1,047	200	8.3	2,825	1,765/1,080	1,798	13.6/14.1

¹ Minimum vehicle weight according to type approval, including all fluids, tool, and a 90 % fuel load. Excludes the weight of the driver and deletable options, e. g. spare wheel, bulkhead, and sliding side load door. Final weight may vary according to the specification of the vehicle, e. g. options, delete options, and accessories. ²Preliminary data.

Equipment and options.

Infotainment.

Staying in touch, knowing exactly where to go, how to get there and how the traffic is moving gives you a real advantage in business. Also, people work best in relaxed conditions. For these reasons the infotainment packages in the Opel Movano are tailor-made for outstanding performance. There are three packages available, all have been exactly developed especially for the Opel Movano.



High-mounted colour display screen. As part of the optional navigation system, the screen is centrally positioned, immediately above the rear-view mirror, to ensure maximum visibility with minimum distraction from the road. In addition to all the route guidance information, the screen also displays infotainment status, external temperature, and Bluetooth® mobile phone signal strength.

Satellite navigation with colour display and European coverage. Clear, attractive graphics show the full range of routing information in either day or night modes, including distance, current speed limit, RDS-EON route delay information, and estimated arrival time. There is also a choice between bird's eye view and direct overhead view (shown here). Maps cover 26 European countries. The system is easy to operate and can be updated over the Internet. The navigation system also features TomTom's LIVE service package, with support for HD traffic, Google Local Search, and weather forecasts. A 3-month trial subscription is included (features vary by market).

High-mounted radio display (not shown). The high-definition monochrome display screen for the CD 35 BT USB audio system is located above the rear-view mirror position.



Bird's eye view graphics. As an alternative to the direct overhead 2-D map portrayal, selecting “bird's eye view” adds useful 3-D perspective to the route display.



Bluetooth® connectivity. Easy to operate and virtually universal, Bluetooth® makes mobile phone communication hands-free and safe.



Steering column radio controls. These help avoid driver distraction.

R 15 BT USB. Tuner with integrated display, which also displays the time. With RDS EON, Bluetooth®, USB and aux-in. 2 x 15 W.

CD 16 BT USB. CD/MP3 player, tuner with RDS EON, Bluetooth®, USB, aux-in and integrated display, steering column controls. 2 x 15 W.

CD 35 BT USB. CD/MP3 player, tuner, Bluetooth®, 2 x USB, aux-in, high-mounted monochrome display, steering column controls. 4 x 20 W. The CD 35 BT USB is also available with satellite navigation and high-mounted colour display screen.

Auxiliary input (aux-in) and USB connection. All Opel Movano infotainment systems feature auxiliary input jacks and USB connection.

Digital radio. All European digital radio formats can be received with DAB/DAB+/DMB audio. Available as option in combination with CD 16 BT USB.

Cockpit



Board computer. This provides information including fuel consumption, range, driving time, and distance covered.



Digital tachograph. Easily operated by the driver. Reliably records driving and rest time for assembling and analysing fleet management data.



Cruise control with speed limiter. Steering wheel controlled, the cruise control also allows the driver to select a temporary maximum speed.

Fixed speed limiter. This can be programmed at one of four predetermined speeds. It cannot be deactivated by the driver.

Automatic lights and wipers. Optionally available to reduce driver distraction and increase safety.

Third key. Especially useful for fleet operators or multiple drivers, the third key exactly replicates the first two.

Comfort



Comfort driver's seat. Optionally available deep contoured seat, adjustable lumbar support and armrest, height-adjustable. Also available for co-driver.



Suspended driver's seat. This is optionally available and ideal for driving on rough terrain or long distances, 4-way adjustable with fixed armrest. Suspension sensitivity is also adjustable.



Electronic Climate Control. Selectable thermostatically controlled temperature control. Also available with the Comfort Pack.



Smoker Pack. A removable ashtray that fits into the cupholders and a cigarette lighter that can be used in any of the 12-V sockets.



Air conditioning. Improved working ambience in all weather conditions. Available as part of the Climate Pack, it also features a pollen filter.



Parking heater. Instant climate comfort and clear windows from the start. Available with programmable timer, which also monitors cabin temperature and heating cycle.

Exterior



Rear step. Standard on rear-wheel drive models, the anti-slip rear step eases access to the load compartment. Optional on FWD models.



Parking heater with remote control. Allows the system to be started and controlled when needed without having to enter the car. The display monitors all important settings.



Removable trailer hitch. The Euro style ball trailer hitch further extends the practicality of the Opel Movano.

Load security



Movable partition wall. Fitted into the roof and floor rails at 25 mm intervals and especially useful for restraining parcels and loose loads. With possibility to open for walk through.



Load restraint net. Three-dimensional, highly flexible, and adaptable, the load restraint net is ideal for cargo in different dimensions and compositions.



Telescopic blocking bars. These are installed horizontally or vertically on the fixing rails, and secure heavy loads safely.



Side panelling fixations. Flexible straps for space-securing fixation of loads on the side anchorage rails.



Side anchorage rails. With fixing points every 25 mm, supplied with 6 movable lashing eyes, providing universal load securing.



Movable lashing eyes. Purpose designed for the Opel Movano rail system. Made of steel with push-button locking mechanism.



Fixed load lashing eyes. Ideally located, 6, 8, 10, or 12 floor load lashing eyes (depending on vehicle length) keep loads secure and safely in place. 4 side-mounted lashing eyes are also optionally available.



Bulkhead window protection. A solid steel mesh which complies to ISO standards protects the window without obstructing the view.



Roof glass windows. These provide improved light conditions in the load compartment for better orientation.



Protective wooden panels. Full- or half-height wooden panels protect the walls while a resin-coated wooden floor protects the load area floor.



Grab handles for rear door and sliding door area. These assist access to and exit from the load compartment.

Safety and security



Vehicle security system. Remote-controlled anti-theft alarm that uses volumetric movement sensors to protect the whole vehicle (engine compartment, cabin, and load compartment) against intrusion.

Deadlocks. Extra security optionally available for all models.



Park Pilot. This gives an audible warning to avoid accidental damage when reversing.



Front foglights. These are recessed against accidental damage and optimally positioned.

Blind angle mirrors. Dual lens exterior rear-view mirrors minimize blind spot dangers while driving. A large convex mirror mounted on the front passenger sunblind offers extra blind spot coverage while reversing in tight spaces.

Chassis

Rear locking differential. To assist driving in rough or slippery conditions the locking differential is optionally available for RWD models.

Pneumatic suspension. For increased ride comfort and load security, a height-adjustable pneumatic rear suspension is optionally available for FWD models.

Ancillary systems

Power take-off. An auxiliary drive from the engine is available. For heavier duty applications, a gearbox-driven power take-off is available on all RWD models.

Second battery. Recommended for vehicles with additional heating and air-conditioning systems and electric consumers.

Option Packs

Created to help you get the most out of your Opel Movano, the following option packs will also simplify ordering.

Convenience Pack

- CD 35 BT USB. CD/MP3 player, tuner, Bluetooth®, USB, aux-in, high-mounted monochrome display, steering column controls. 4 x 20 W
- Retractable dashboard document clipboard
- Comfort driver's seat
- Double bench seat with centre fold-flat swivel tray and under-seat storage
- Sound-deadening panel on bulkhead
- One-touch-down power driver's window

Storage Pack

- Covered and open A4 storage on dashboard
- Additional lower door trim **storage**
- **12-V** power socket, load compartment

Lighting Pack

- Automatic headlamps and windscreen wipers
- Front foglights
- Door to door illumination
- Static Cornering Light

Climate Pack

- Manual air conditioning
- **CD 16 BT** USB. CD/MP3 player, tuner with RDS EON, Bluetooth®, **2 x USB**, aux-in and integrated display, steering column controls. 2 x 15 W

Comfort Pack

- Automatic headlamps and windscreen wipers
- Front foglights
- Electronic Climate Control (ECC) with pollen filter
- CD 35 BT USB. CD/MP3 player, tuner, navigation, Bluetooth®, USB, aux-in, high-mounted colour display, steering column controls. 4 x 20 W

Professional Pack¹

- Trailer hitch
- Rear Park Pilot
- 270° opening glazed or unglazed rear doors

Safety Pack

- Front airbags, driver and passenger
- Side airbag, driver
- Cruise control with speed limiter
- On-board computer

Construction Pack


- Towing hitch
- Rear locking differential
- Suspended driver's seat

¹ Not available on shortest wheelbase.

Accessories: exterior



Roof base carrier. Light but strong transverse mounted aluminium bars can carry long loads up to the 200 kg maximum roof loading capacity, such as pipes, scaffolding, etc.



Rear-mounted ladder. In robust steel, provides easy roof access for all vehicle heights.



Roof rack tray, aluminium. Strong, practical and made to carry loads up to the 200 kg maximum roof loading capacity, available for all Opel Movano vehicle lengths.



Towing hitch, heavy duty. This strong, high-quality towing hitch extends the usability and versatility of the Opel Movano. Standard ball or pin and ball-type, with 7- or 13-pin electrical adapter. Towing electrics to be ordered separately.



Walkway for roof rack. Sturdy perforated aluminium walkway enhances roof access. To be used with roof rack tray, available for all Opel Movano vehicle lengths.



Splash guards. Tough thermoplastic, specifically designed to protect the bodywork from damage resulting from stone chips, splashes, grit, etc.

Accessories: interior



Seat covers, standard. Protective and good-looking, the dark grey seat covers are made of hard-wearing polyester and specifically tailored for the Opel Movano.



Floor mats, carpet. Practical, hard-wearing and smart, the dark grey “Movano”-branded carpets fit perfectly to the cabin floor. The carpet covers both driver and passenger sides.



Floor mats, all-weather. Tailored to the Opel Movano, the light grey rubber mats protect against dirt and are easily removed for cleaning.



Seat covers, premium. The dark grey leather-look seat covers deliver more style and luxury while protecting the original seat fabric.



Rear-view camera. Clear 3.5" LCD rear-view monitor screen, mounted in the driver's sun visor, automatically activated by selecting reverse gear.



Multimedia connection. Integrated in the glove box, the aux-in and USB ports allow the connection of mobile digital sources with the speakers in the vehicle. Connected devices can be remote-controlled.



Side window protection grilles. Interior-mounted, epoxy-coated perforated metal grilles protect the glass against load damage.



Rear window protection grilles. Sturdy white-coated metal grilles internally mounted to protect the rear glass while allowing driver rear-view vision.

Shelving and storage for professionals. Every job has its organizational demands, some easier to meet than others. Our stowage and storage products include modularly compatible and purpose-designed racks, bins and boxes to suit virtually any application. Built by our network of certified suppliers, they add robust working precision to load flexibility, maximizing crew efficiency.



Pulse, Charcoal.



Vinyl, Charcoal.



Arctic White



North Sea Blue



Signal Blue



Poppy Red



Mandarin Orange



Saffron Yellow



Ink Blue



Halo Silver¹



Ambient Blue¹



Pearl Black¹

¹Metallic.

40,000 km service intervals.¹ 3,200 service points.

1 proven route to peace of mind.

Opel Movano is built on the premise that your commercial vehicles should be out there working for your business and clients, not standing around in workshops. To this end, Opel Movano has been engineered to provide years of reliable service, with the minimum of necessary servicing. Before going on sale, Opel Movano test vehicles covered over 3.2 million real-world test kilometres, as well as extensive bench testing. It is covered by a six-year anti-perforation warranty.

Should unscheduled maintenance be required, a Europe-wide network of 3,200 specialist service points is there to get your Opel Movano back on the road with minimum downtime, or provide a temporary replacement vehicle.

For full details of leasing, maintenance, or fleet customer services, please contact your specialist Opel commercial vehicle dealer.

¹Or 2 years.



Litho: Ba



Badges: Blitz logo, reposition Movano badge, erase engine badge

Opel Service.

Europe-wide Customer Service.

More than 3,200 Opel repair workshops including over 2,000 commercial vehicle specialized service centres throughout Europe are prepared to provide individual, professional, and punctual service. Good service also includes explaining to you in detail what has been repaired and why, and where this is shown on the invoice.

OPEL RoadPlus.

Maximum uptime.

Your vehicle will be immediately diagnosed without appointment should you need to visit one of our Opel commercial vehicle repair workshops. Smaller repairs are done while you wait and standard wear-and-tear parts will be replaced within a day. Should the repair take more than 3 hours, an alternative transport solution shall be made available to you free of charge within the first 3 years of ownership of your new vehicle.

Customer Information Centre.

Your Opel partner is at your service for all questions and special requests. For any additional information on your van, you may also contact our Opel Customer Information Centre, tel. (add: local number).

Opel Roadside Assistance.

This mobility service is valid and free of charge for all new Opel vehicles during the first year after the date on which they were first registered or delivered to the customer by the distributor, depending on which date comes first. No matter where you are, the Opel Roadside Assistance is there to help. In more than 40 European countries – round the clock. Offering services such as breakdown assistance, towing services, rental car, hotel accommodation, or the organization of onward transportation, e.g. via rail or air (please see programme conditions). Your distributor or authorized repairer will be happy to offer an extension at your annual service.

Financing Offers.

Opel Finance offers you interesting tailor-made financing models. You alone decide how you would like to pay for your vehicle, in accordance with your particular needs.

Leasing Offers.

You can also lease your Opel, e.g. through Opel Leasing. Leasing terms can be adapted to fit your business requirements and capabilities.

Insurance Service.

Our Opel Insurance Services round off the Opel service package. We offer Opel customers all types of automotive insurance.

Opel Rent Service.

Opel Rent will keep you on the road if your vehicle is out of service.

New Vehicle Warranty.

This warranty applies to all new Opel commercial vehicles for a period of 24 months without any mileage restrictions, as from the day on which it was either registered for the first time or delivered to the customer by the Opel partner, depending on which date comes first.

Extended Vehicle Warranty.

This repair cost insurance enables you to extend the warranty on your new vehicle to a maximum of xx years.

Up to 6 year Anti-Perforation Warranty.

Opel provides you with a reliable long-term warranty against perforation according to the warranty conditions as described in the service booklet.

Parts and Accessories.

All items necessary to maintain your vehicle in perfect condition and to individualize it for your private and business needs are available at your Opel partner.

Recycling.

Information about Design for Recycling, Take-Back points for End of Life Vehicles (ELVs), and the recycling of ELVs can be found on the Internet at www.opel.com

In case of any questions, please ask your Opel partner. More information can be found under www.opel.com

www.opel.com

Some illustrations in this brochure contain special equipment not included in standard delivery. The information contained in this brochure was accurate at the time of going to press. We reserve the right to make changes in design and equipment. The colours printed in the brochure only approximate actual colours. Illustrated optional equipment is available at extra charge. Availability, technical features, and equipment provided on our vehicles can vary outside of the Federal Republic of Germany. For precise information on the equipment provided on our vehicles, please contact your local Opel partner.



PEFC certified

This brochure is from sustainably managed forest and controlled sources.