This brochure is for general guidance only and its contents do not in any way constitute an offer or representations by Nissan. While all reasonable efforts have been made to ensure the accuracy of the information provided, due to Nissan's policy of continuous product improvement, all particulars contained are subject to constant revision and Nissan reserves the right to change, alter or modify, among other things, specifications, colours and prices of models and accessories, without any notice at any time. Because of the limitations of the printing processes, the colours shown in this brochure may differ slightly from the actual colours of the paint and interior trim materials used. Accordingly you should consult your local Nissan Authorised Dealer for the exact introduction dates for all models and for the most current information. Reproduction in whole or part of this brochure, without the written permission of Nissan, is forbidden.

Visit our website at: www.nissan.co.uk

Nissan Motor (GB) Limited

Denham Way Maple Cross Rickmansworth Hertfordshire WD3 9YS



Part No: 99999-52489 - 08/2003



AS FAR AS YOU CAN GO









☐ A PROVEN **SURVIVOR**

Throughout Nissan's 50 year history of producing 4x4s, there has always been a Patrol. Built to tackle the roughest terrain, it has scored numerous victories in rallies throughout the world, including several triumphs in the notoriously tough Paris-Dakar rally.

The Patrol GR's durability has been further emphasised by it being the vehicle of choice for emergency services and peace-keeping forces in the most demanding circumstances. Its sheer strength and sure-footed off-road ability has earned the Patrol GR the respect of experts and enthusiasts the world over, and for 2003 we've given it a fresher look and added even more refinement.



☐ THE 4x4 EXPRESS

Whether tackling off-road terrain, towing power boats or cruising along motorways, the Patrol GR's 158 HP 3.0 litre turbo diesel engine always ensures effortless progress.

With over 80% of its $354\,\mathrm{Nm}$ of torque available across the entire rev range, the Patrol GR will tow anything up to $3500\,\mathrm{kg}$ with ease. To make the best use of this power, there's a 5-speed manual gearbox or a 4-speed automatic. Whichever you choose, multi-link coil suspension will allow you to enjoy a stable, relaxed drive.





Maximum lateral inclination of 48°

Maximum climbable gradient of 39°

Approach angle of 37°

Departure angle of 31°

Ground clearance of 210mm

Wading depth of 700mm



RIVER DEEP, MOUNTAIN HIGH


Whatever conditions you're facing, the Patrol GR's combination of a tough, ladder frame chassis, commanding driving position and selectable four wheel drive will carry you through.

For day-to-day trips around town or on open roads, you can select two wheel drive to minimise fuel consumption. Engaging four wheel drive high-ratio provides maximum traction in slippery conditions, while four wheel drive low-ratio can be selected if the terrain becomes more challenging. In extreme conditions, you can also disengage the rear stabiliser bar and lock the rear differential for extra assistance.



The switchable stabiliser gives you the best of both worlds. Select "OFF" and the rear anti-roll bar disengages to give you maximum axle articulation for tackling the most arduous off-road conditions. Switch to "ON" and you have the ideal set-up for predictable handling and optimum on-road stability.





☐ TOUGH YET TRANQUIL

Hard on the outside, soft and inviting on the inside; the Patrol GR provides a level of luxury and practicality that you'd expect to find in an executive estate car.


Electric windows and mirrors and dual front airbags are standard on all models, while the SVE grade features front side airbags, leather upholstery and climate control. In the back, the long wheelbase allows an extra row of seats and both the second and third row will split 50:50 and fold away. Whether it's seven people or an antique wardrobe, the Patrol GR's got room for it.



Third row seats folded away.



Rear seats split and folded.



All rear seats folded.

COLOURS AND SPECIFICATIONS

| | | | S, SVE MANUAL | SVE AUTOMATIC | | | | S, SVE MANUAL | SVE AUTOMATI |
|--------------------------------------|---------|---------------------------|--|--|---|------------------|--------------------------------------|------------------|-----------------|
| Engine | | | | Weights and Dimensions | | | | | |
| Engine code | | ZD30DDTi | | Body type | | | 5 door | | |
| No. of cylinders, configuration | | 4, in-line | | Seating capacity | | | 7 persons | | |
| Valves per cylinder | | 4 | | Kerb weight minimum / maximum ² | | kg | 2355 / 2499 2305 / | | |
| Air intake system | | Turbocharged, Intercooler | | Gross Vehicle Weight | | kg | 3100 | 3000 | |
| Engine capacity cc | | 2953 | | Maximum payload ² | | kg | 745 | 695 | |
| Bore x stroke mm | | 96.0 x 102.0 | | Maximum axle weight front | | kg | 1500 | 1500 | |
| Maximum engine power 1 kW (| | kW (hp) / rpm | n 116 (158) / 3600 | | rear | | kg | 1800 | 1800 |
| Maximum torque ¹ Nm / rpm | | Nm / rpm | 354 / 2000 | | Maximum trailer weight braked | | kg | 3500 | 2500 |
| Compression ratio | | 17.9 ± 0.8 | | unbraked | | kg | 750 | 750 | |
| Fuel type | | Diesel | | Maximum vertical load on coupling point | | kg | 140 | 100 | |
| Fuel supply | | Direct injection | | Maximum roof load | | kg | 100 (200 on dedicated fixing points) | | |
| Emission control system | | EGR | | Overall length | | mm | 5065 | | |
| Drivetrain | | | | Overall width | | mm | 1930 | | |
| Clutch type | | | Dry plate, Hydraulic, | Torque converter | Overall height | | mm | 1855 | |
| | | | Power-assisted | | Wheelbase | | mm | 2970 | |
| Transmission | | | 5 speed manual | 4 speed automatic | Track | front (offset) | mm | 1605 (+10) | |
| Gear ratio | 1st | | 4.2621 | 2.7843 | | rear (offset) | mm | 1625 (+10) | |
| | 2nd | | 2.4556 | 1.5448 | Luggage space | minimum length | mm | 230 | |
| | 3rd | | 1.4882 | 1.0000 | | minimum width | mm | 810 | |
| | 4th | | 1.0000 | 0.6947 | | minimum height | mm | 1025 | |
| | 5th | | 0.8509 | - | Luggage capacity | (VDA) | litres (cubic feet) | 183 (6.5) | |
| | Reverse | | 3.9715 | 2.2750 | Maximum with fo | Ided seats (VDA) | litres (cubic feet) | 2226 (78.6) | |
| Transfer ratio | | | High: 1.0000 - | - Low: 2.0201 | Fuel tank capacit | у | litres (gallons) | 95 (20.9) | |
| Final drive | ratio | | 4.375 | | Performance | | | | |
| | type | | Rear differen | ential lock | Fuel consumption | 1 ³ | | | |
| Driven wheels | | | 4WD (pa | rt-time) | | Urban cycle | mpg (litres/100 km) | 19.8 (14.3) | 20.3 (13.9 |
| Chassis | | | | | | Extra-urban | mpg (litres/100 km) | 32.1 (8.8) | 31.4 (9.0) |
| Suspension | front | | Rigid axle, 3 link, Co | oil springs, Stabiliser bar | Combined | | mpg (litres/100 km) | 26.2 (10.8) | |
| Suspension | rear | | Rigid axle, 5 link, Co | oil springs, Stabiliser bar | CO ₂ mass emissi | on | g/km | 288 | 287 |
| Steering | | | Recirculating ball, Power-ass | sisted with steering damper | Maximum speed | | mph (km/h) | 99 (160) | |
| Braking system | | | Ventilated disc front, Ventilated disc rear, Power-assisted Electronic 3 channel/5 sensor ABS | | Acceleration 0 - | 62 mph | secs | 15.4 | 16.9 |
| | | | | | Minimum turning circle (kerb to kerb) metres (feet) | | metres (feet) | 12.2 (40.0) | |
| Wheel size | | | 16 x 8JJ | | | | | | |
| Tvre size | | | 265/7 | 0R16 | | | | | |







¹ In accordance with 1999/99/EC.
2 Figures in accordance with EC directive. Kerb weight is without driver and including coolan, oils, fuel, spare wheel and tools. Payload will be reduced depending on the options and/or accessories installed.
3 In accordance with 1999/100/EC. (Optional equipment, maintenance, driving technique and road and weather conditions may affect the official results.)

Grey Cloth

SVE Grey Leather SVE Tan Leather

| | S | SVE | | S | SVE |
|---|---|---------------------------------------|--|---|-----|
| 4x4 | | | Comfort and convenience | | |
| Selectable four wheel drive with high and low ratios | • | • | Power-assisted and tilt adjustable steering | • | • |
| Rear differential lock | • | • | Electric front and rear windows | • | • |
| Switchable stabiliser system | • | • | Electrically adjustable front seats | | • |
| Automatic free running hubs with manual lock | • | • | 2 x 12 volt power sockets | • | • |
| Safety | | Outside temperature gauge and compass | | • | |
| Driver's and front passenger's airbag | • | • | Heating, ventilation and visibility | | |
| Front side airbags | | • | Electric tilt/slide sunroof | | • |
| Anti-lock brakes (ABS) | • | • | Manual air conditioning | • | |
| ight adjustable, 3 point ELR front seatbelts with pretensioners | | • | Climate control air conditioning | | • |
| ecurity | | | Heated front seats | | • |
| mote keyless entry • | | • | Seating, trim and storage | | |
| Central locking | • | • | Driver's front seat lumbar support and height adjustment | • | • |
| NATS immobiliser | • | • | Second row individual folding seats (50:50 split) | • | • |
| Ultrasonic and perimetric alarm | • | • | Third row individual folding seats | • | • |
| Exterior | | | Centre console box with lid | • | • |
| Chrome grille | • | • | 6 cupholders | • | • |
| Aluminium side steps | • | • | Rope hooks | • | • |
| Black bumpers and wheelarches | • | | Wood effect centre console | | • |
| Colour coded bumpers and wheelarches | | • | Leather upholstery | | • |
| 16" steel wheels | • | | Leather steering wheel and gearshift knobs | | • |
| 6" alloy wheels (x4) | | • | In-car entertainment | | |
| Front fog lamps | | • | 4 x 15w speakers | • | • |
| Headlamp washers | • | • | RDS stereo radio cassette | • | • |
| Electrically adjustable and heated door mirrors | • | • | 6 disc CD autochanger | • | • |
| Asymmetrically split rear doors | • | • | | | |
| Soft spare wheel cover | • | • | | | |

| Body colour | | | | | | | |
|--------------|--------------------|------------------|-----------------|-----------------|-------------------------|----------------------|-----------------------|
| Merlot (AX5) | Amazon Green (DW0) | Kuro Black (KH3) | Alabaster (QM1) | Gun Metal (WV2) | Amazon Green/Dune (11F) | Merlot/Dune (11H) | Cayman Blue/Nimbus (2 |
| Pearlescent | Pearlescent | Solid | Solid | Metallic | Two-tone Pearlescent | Two-tone Pearlescent | Two-tone Pearlescent |
| 100 | Ja. | A | | | Jan Jan | | |
| | | | | | | | |
| | | | | | | | |
| 0 | 0 | | • | 0 | | | |
| | | • | | • | | | 0 |
| | | | | | 0 | 0 | |
| | | · | 1 | I. | | | |