

LET IMAGINATIVE IDEAS LIGHT THE WAY FOR YOU

The new Accord is fitted with advanced Active Cornering Lights (ACL)*. They use xenon technology which means both the high-beam and the dipped beam come from a single set of bulbs,

giving you high levels of illumination at both settings. The Highbeam Support System monitors the driving conditions around you and switches automatically. The Active Cornering Light* illuminates the turning you are about to take, from the moment you indicate or turn the steering wheel. Just a few more bright ideas from Honda.

^{*} For more information on availability of these and other features please see specification pages.





Advanced Technology

SMOOTH? SPORTY? HOW ABOUT BOTH?

The Accord's smooth and responsive drive is all down to the clever combination of technology and engineering.

At the core of this is a redesigned double wishbone front and multi-link


rear suspension system. This creates greater stability so that your car responds sharper and more accurately to your demands. And to ensure absolute confidence in your drive, Vehicle Stability Assist (VSA)* and Trailer Stability Assist (TSA)* combine with

Electronic Brake-force Distribution (EBD) to provide extra grip and more control when braking.

*For more information on availability of these and other features please see specification pages











Options >

MAKE IT YOUR OWN

We made a lot of difficult decisions in order to build the best Accord we could. Adding a personal touch to yours shouldn't be as tough.

The main image shows the Dynamic Pack which contains a body coloured

front grille, front and rear sports bumpers, side skirts, a tailgate spoiler and 18" Delta alloy wheels. The Premium Pack includes stainless steel doorstep garnishes, elegance floor carpets, a moulded boot tray and body coloured door protectors.



Dimensions & capacity		SALOON	_	_		TOURER	
	2.0 i-VTEC				2.0 i-VTEC		2.2 i-DTEC
Overall length (mm)	-	4725				4750	
Overall width (mm)		1840				1840	
Overall width including door mirror (mm)		2110				2110	
Overall height - unladen (mm)		1440				1470	
Wheelbase (mm)		2705				2705	
Ground clearance - with driver (mm)		135				135	
Maximum seating capacity (persons)		5				5	
Turning radius - at body (m)	5.85*	5.86		5.86*	5.85*	5.86*	5.86*
Steering wheel lock to lock (wheel turns)	2.61	2.61		2.61**	2.61	2.61	2.61
Trunk capacity - rear seat up (litres, VDA method)		467∆				406	
Trunk capacity - rear seat down load to window (litres, VDA method)		-				660	
Maximum trunk capacity - rear seat down load to roof (litres, VDA method)		-				1183	
Fuel tank (litres)		65				65	

SALOON

* 2.2 i-DTEC Type S grade has a Turning radius of 6.05(m), 2.0 i-VTEC EX grade has a Turning radius of 5.86(m)

** 2.2 i-DTEC Type S grade has a Steering wheel lock to lock of 2.53 (wheel turns)

△ ES-GT grade Trunk capacity is 460 (with Satellite Navigation)
EX and Type-S grades Trunk capacity is 460 as standard

TOURER

* 2.0 i-VTEC EX grades have a Turning radius of 5.86(m), 2.2 i-DTEC Type S grades have a Turning radius of 6.05(m)

Key • Standard • Optional - Not available

Transmission

ENGINE	TRANSMISSION	ES	ES-GT	EX	> Type S
2.0 i-VTEC	> 6 speed manual	•	•	•	-
2.01=V1LO	> 5 speed automatic	•	•	•	-
0.411///	6 speed manual	-	-	•	-
2.4 i-VTEC	5 speed automatic	-	-	•	-
2.2 i-DTEC 150PS	6 speed manual	•	•	•	-
2.2 FDTEG 150PS	5 speed automatic	•	•	•	-
2.2 i-DTEC 180PS	6 speed manual	-	-	-	•

			SAI	LOON		TOURER			
		2.0 i-VTEC			2.2 i-DTEC 180PS	2.0 i-VTEC		2.2 i-DTEC 150PS	2.2 i-DTEC 180PS
PERFORMANCE AND WEIGHTS		F	Petrol	Di	esel	Pe	etrol	D	iesel
Displacement (cc)		1997	2354	21	99	1997	2354	2	199
Valve train		SOHC 16 valve	DOHC 16 valve	DOHC	16 valve	SOHC 16 valve	DOHC 16 valve	DOHC	16 valve
Emission standard			Eu	uro 5			Е	uro 5	
Fuel required		Unlea	aded (95)	Die	esel	Unlead	ded (95)	D	iesel
Engine maximum power (kW @ rpm)		115/6300	148/7000	110/4000	132/4000	115/6300	148/7000	110/4000	132/4000
Engine maximum power (PS @ rpm)		156/6300	201/7000	150/4000	180/4000	156/6300	201/7000	150/4000	180/4000
Engine maximum torque (Nm @ rpm)	6 speed manual	192/4100-5000	234/4300-4400	350/2000-2750	380/2000-2750	192/4100-5000	234/4300-4400	350/2000-2750	380/2000-2750
	5 speed automatic	192/4100-5000	230/4200-4400	350/2000-2750	-	192/4100-5000	234/4200-4400	350/2000-2750	_
Maximum speed (mph)	6 speed manual	134	141	132	137	132	138	129	135
	5 speed automatic	132	141	129	-	130	138	126	-
Curb weight (kg)	6 speed manual	1428-1501	1480-1570	1542-1632	1575-1659	1480-1565	1533-1636	1598-1703	1629-1715
	5 speed automatic	1458-1532	1516-1602	1615-1700	-	1508-1586	1569-1666	1673-1766	-
Maximum permissible weight (kg)	6 speed manual	1935	1995	2030	2060	1990	2050	2100	2125
	5 speed automatic	1960	2030	2110	-	2015	2085	2180	-
Payload (kg)	6 speed manual	434	425	398	401	425	414	397	410
	5 speed automatic	428	428	410	-	429	419	414	-
Maximum permissible axle weight - front/rear (kg)	6 speed manual	1020/920	1055/950	1130/920	1145/935	1020/1000	1055/1030	1130/1000	1145/1005
	5 speed automatic	1045/920	1095/950	1200/930	-	1045/1000	1095/1030	1200/1010	-
Maximum towing weight (kg) braked ^{△△}	6 speed manual	1500	1600	17	00	1500	1600	1	700
	5 speed automatic	1500	1600	1100	-	1500	1600	1100	-
Maximum towing weight (kg) unbraked ^{△△}			Ę	500				500	
Maximum roof load (kg)				60				80	
Gear ratio 6 speed manual transmission	1st	3	3.266	3.9	933	3.5	266	3.	933
	2nd	1	1.884	2.0	037	1.3	884	2.	037
	3rd	1.297	1.361	1.5	297	1.297	1.361	1.	297
	4th	1	1.023	2.0	975	1.	023	0.	975
	5th	C	0.829	0.:	777	0.0	829	0.	777
	6th	0.720	0.686	0.0	634	0.720	0.686	0.	634
	Reverse	3	3.583	4.0	008	3.	583	4.	008
	Final	4.388	4.764	3.4	550	4.388	4.764	3.	550
Gear ratio 5 speed automatic transmission	1st	2.785	2.651	2.697	-	2.785	2.651	2.697	-
	2nd	1.684	1.613	1.606	-	1.684	1.613	1.606	-
	3rd	1.128	1.081	1.071	-	1.128	1.081	1.071	-
	4th	C).772	0.693	-	0.	772	0.693	-
	5th	0.592	0.566	0.490	-	0.592	0.566	0.490	-
	6th			-		-	-		-
	Reverse	2	2.000	1.888	-	2.	000	1.888	-
	Final	4	1.437	4.312	_	4.	437	4.312	}

At Maximum towing weights: These are based on the ability of the car, with two occupants of 75kg each, to restart on a 12% gradient at sea level. At altitudes in excess of 1500 metres, engine output may drop with a reduction in towing capability. Extra weight, such as additional passengers or luggage, should also be deducted from the maximum towing weight.

EX grade Engine maximum Torque for 2.4 i-VTEC is 230/4200-4400.

					TOURER				
			ES	ES	G-GT	}	X	> Type S	
		2.0 i-VTEC	2.2 i-DTEC 150PS	2.0 i-VTEC	2.2 i-DTEC 150PS		2.2 i-DTEC 150PS	2.2 i-DTEC 180PS	
PERFORMANCE									
0-62.5 mph (seconds)	6-speed manual	9.7	9.7	10.1	9.8	8.3	10.1	8.8	
	5-speed automatic	11.1	10.4	11.5	10.5	10.0	10.7	-	
FUEL ECONOMY AND EMIS	SSIONS [†]								
Urban cycle (mpg)	6-speed manual	30.7	40.9	30.7	40.9	24.4	40.4	39.2	
	5-speed automatic	27.7	34.3	27.7	34.4	23.2	34.0	-	
Urban cycle (I/100km)	6-speed manual	9.2	6.9	9.2	6.9	11.6	7.0	7.2	
	5-speed automatic	10.2	8.2	10.2	8.2	12.2	8.3	-	
Extra urban (mpg)	6-speed manual	48.7	61.4	48.7	61.4	40.4	60.1	57.6	
	5-speed automatic	49.6	54.3	49.6	54.3	43.5	53.3	-	
Extra urban (l/100km)	6-speed manual	5.8	4.6	5.8	4.6	7.0	4.7	4.9	
	5-speed automatic	5.7	5.2	5.7	5.2	6.5	5.3	-	
Combined (mpg)	6-speed manual	40.4	51.4	40.4	51.4	32.5	50.4	49.6	
	5-speed automatic	38.7	44.8	38.7	44.8	32.8	44.1	-	
Combined (I/100km)	6-speed manual	7.0	5.5	7.0	5.5	8.7	5.6	5.7	
	5-speed automatic	7.3	6.3	7.3	6.3	8.6	6.4	- > -	
Combined CO ₂ (g/km)	6-speed manual	163	143	163	143	201	146	150	
2.0	5-speed automatic	170	164	170	164	199	167		
SAFETY									
Driver i-SRS airbag (continuous	usly staged inflation)	•	•	•	•	•	•	•	
Passenger SRS airbag with cu	ut off switch	•	•	•	•	•	•	•	
Side airbags (front)		•	•	•	•	•	•	•	
Side curtain airbags (front and	rear)	•	•	•	•	•	•	•	
Active head rests (front)		•	•	•	•	•	•	•	
Front ventilated disc brakes an	nd rear disk brakes	•	•	•	•	•	•	•	
ABS (Anti-lock Braking System		•	•	•	•	•	•	•	
Electronic Brakeforce Distributio		•		•	•		•	•	
Brake Assist (BA)		•	•	•	•	•	•	•	
Vehicle Stability Assist (VSA)		•	•	•	•	•	•	•	
Trailer Stability Assist (TSA)		•		•	•	•	•	•	
Front seat belts with 2 stage Emergency Locking Retractor	(ELR)	•	•	•	•	•	•	•	
Rear seat belts with Emergence					•				
ISOFix points (outer rear seats)			•	•	•		•	•	
Advanced Driver Assist System (A						0	0	•	
SECURITY									
Immobiliser system		•	•					•	
Interior and perimeter alarm (C	CAT1)	•	•		•	•	•	•	
Tilt sensor			_	-		•	_	•	
1111 301 1301								•	

[†] Fuel consumption: This test is designed to give an indication of on-road fuel consumption.

^a Advanced Driver Assist System (ADAS) includes Lane Keeping Assist System (LKAS), Collision Mitigation Braking System (CMBS), Adaptive Cruise Control (ACC) and Bi-HID headlights with Active Cornering Lights (ACL) with headlight washers. Please note: Bi-HID headlights with Active Cornering Lights (ACL) and headlight washers are standard on the 2.2 i-DTEC Type S grade.

				TOURER					
		ES	} Es	S-GT		EX	Type S		
	2.0 i-VTEC	2.2 i-DTEC	2.0 i-VTEC	2.2 i-DTEC		2.2 i-DTEC			
		150PS				150PS			
SECURITY	_								
Super locks	•	•	•	•	•	•	•		
Selectable door unlock	•	•	•	•	•	•	•		
Tonneau cover	•	•	•	•	•	•	•		
Remote central locking with 2 jack knife keys	•	•	•	•	•	•	•		
INTERIOR - TRIM									
Fabric interior	•	•	-	-	-	-	-		
Half leather half fabric interior	-	-	•	•	-	-	-		
Leather interior	-	-	-	-	•	•	•		
Leather steering wheel	•	•	•	•	•	•	•		
Leather gear knob	•	•	-	-	•	•	-		
Alloy and leather gear knob	-	-	•	•	-	-	•		
Drilled aluminium sports pedals	-	_	•	•	-	-	•		
Grey roof lining	•	•	•	•	•	•	•		
INTERIOR LIGHTS									
Combi meter colour white	•	•	_	_		•	-		
Combi meter colour red	-		•	•		_	•		
Ignition lock illumination	•	•	•	•	•	•	•		
Map light (front)	•	•	•	•	•	•	•		
Trunk light	•	•	•	•	•	•	•		
Glove box light	•	•	•	•	•	•	•		
Courtesy door light	•	•	•	•	•	•	•		
Ambient light (front)	-				•	•	•		
Courtesy light (front and rear)	•	•				•	•		
FUNCTION AND TECHNOLOGY									
Multi Info Display (MID) with maintenance reminder system	•	•	•		•	•	•		
Shift Indicator Light (SIL) (manual transmission only)	•	•			•	-	•		
Electric Power Steering (EPS)					· •				
Motion adaptive EPS			•		•		•		
COMFORT AND CONVENIENCE			·	•	<u> </u>	<u> </u>	·		
Automatic climate control air conditioning (left:right independent)	•	•							
			o [†]	o [†]	> - 				
GPS dual climate control (left:right independent)	-	· -			•	•	•		
Rear air conditioning vent	-	-	-	-	•	•			
Cruise control	•	•	•	•	•	•	•		
Adaptive Cruise Control (ACC) set with ADAS Pack	-	-	-	-	0	0	0		
Auto windscreen wipers with rain sensor	-	-		-	•	•	•		
Auto headlights with dusk sensor	-	-	-	-	•	•	•		
Auto dimming rear view mirror	-	-	-	-	•	•	•		
Parking sensors (front and rear)	-	-	}	-	•	•	•		

				TOURER					
		ES		S-GT		EX		Type S	
	2.0 i-VTEC	2.2 i-DTEC 150PS	2.0 i-VTEC	2.2 i-DTEC 150PS		2.2 i-DTEC 150PS		2.2 i-DTEC 180PS	
COMFORT AND CONVENIENCE									
Electric windows (front and rear)	•	•	•	•	•	•	}	•	
Driver and passenger one touch power window (up/down)	•	•	•	•	•	•		•	
Rear passenger one touch power window (up/down)	-	-	•	•	•	•		•	
Power window key fob operation	-	-	•	•	•	•		•	
Tilt and telescopic steering wheel	•	•	•	•	•	•		•	
Electric adjustable and heated door mirrors	•	•	•	•	•	•		•	
Electric retractable door mirrors	•	•	•	•	•	•		•	
Exterior mirror tilt for reverse	-	-	-	-	•	•		•	
Sun visor vanity mirrors	•	•	-	-	-	-		-	
Sun visor vanity mirrors with illumination	-	-	•	•	•	•		•	
Sunglasses box	•	•	•	•	•	•		•	
Climate controlled glove box	•	•	•	•	•	•		•	
Accessory socket (instrument panel)	•	•	•	•	•	•		•	
Accessory socket (centre console)	•	•	•	•	•	•		•	
Accessory socket (trunk)	•	•	•	•	•	•		•	
Cargo net	-	-	-	-	•	•		•	
Cargo net hook	•	•	•	•	•	•		•	
Power tailgate	-	-	-	-	•	•		•	
Driver seat manual height adjustment	•	•	•	•	•	•		•	
Passenger seat manual height adjustment	•	•	•	•	•	•		•	
Driver seat manual lumbar support	•	•	•	•	•	•		•	
Passenger seat manual lumbar support	•	•	•	•	•	•		•	
Driver seat back pocket	-	-	-	-	•	•		•	
Passenger seat back pocket	•	•	•	•	•	•		•	
Front heated seats	-	-	-	-	•	•		•	
AUDIO AND COMMUNICATIONS									
Stereo CD tuner with MP3 compatibility	•	•	•	•	-	-	}	-	
Premium audio - 6 CD tuner - MP3 compatible with subwoofer	-	-	o [†]	o†	•	•		•	
Auxiliary socket	•	•	•	•	•	•		•	
USB port (iPod® compatible) ⁰	•	•	•	•	•	•		•	
6 speakers	•	•	•	•		-		-	
10 speakers (including subwoofer)	-	-	o [†]	o†	•	•		•	
Steering wheel remote audio controls	•	•	•	•	•	•		•	
Bluetooth® Hands Free Telephone (HFT) system ⁽⁾	•	•			•	•		•	
Advanced Navigation pack**	_	-	0	0	•	•		•	
EXTERIOR									

† Premium audio and 10 speakers with subwoofer are available as part of the Advanced Navigation pack on the ES-GT grade.

				TOURER			
		ES	E	S-GT	}	EX	Type S
	2.0 i-VTEC	2.2 i-DTEC 150PS	2.0 i-VTEC	2.2 i-DTEC 150PS		2.2 i-DTEC 150PS	2.2 i-DTEC 180PS
GT Aero Kit: front spoiler and side skirts	-	-	•	•	-	-	•
Chrome exterior door handles	•	•	•	•	•	•	•
Glass electric tilt and slide sunroof with sunshade	-	-	-	-	•	•	-
Privacy glass	-	-	•	•	•	•	•
Single rear exhaust	•	•	•	•	-	•	•
Twin rear exhaust	-	-	-	-	•	-	-
Roof Rail	•	•	•	•	•	•	•
EXTERIOR LIGHTS							
Halogen headlights	•	•	•	•	-	-	-
Highbeam Support System (HSS)	-	-	-	-	•		•
Bi-HID headlights with Active Cornering Light (ACL)	-	-	-	-	•		•
Headlight washers	-	-	-	-			•
Front fog lights	-	-	•	•	•	•	•
WHEELS							
17" alloy wheels	•*	•*	•*	•*	•	•	-
18" alloy wheels	-	-	-	-	-	-	•
Tyres 225/50 R17 98V	•	•	•	•	•	•	-
Tyres 235/40 R18 98W	-	-	-	-	-	-	•
Tyre repair kit	•	•	•	•	•	•	•

These specification details do not apply to any particular product which is supplied or offered for sale. The manufacturers reserve the right to vary their specifications, including colours, with or without notice and at such times in such manner as they think fit. Major as well as minor changes may be involved. Every effort, however, is made to ensure the accuracy of the particulars contained in this prochure. This publication shall not constitute in any circumstances whatsoever an offer by the Company to any person. All sales are made by the Distributor or Dealer concerned with the benefit of the standard Conditions of Sale and Warranty given by the Distributor or Dealer, copies of which may be obtained from them on request. This publicity material applies to the UK only Trade Descriptions Act (1968). Whilst efforts are made to ensure specification accuracy, brochures are prepared and printed several months in advance of distribution and consequently cannot always immediately reflect either changes in specification or in some isolated cases the provision of a particular feature. Customers are always advised to discuss specification details with the supplying Dealer, especially if your model selection is dependent upon one of the features advertised.

[◊] Always use the recommended USB flash memory device. For information please contact your local Honda Dealer.

^{♦♦} Please refer to www.hondahandsfree.com for a list of compatible phones.

Highbeam Support System (HSS), Bi-HID headlights with Active Cornering Light (ACL) and headlight washers are available as part of the optional Advanced Driver Assist System (ADAS). *Complimentary upgrade to 17" alloy wheels on ES and ES-GT grades.

^{**}Advanced Navigation pack includes: Voice recognition DVD Satellite Navigation, GPS dual climate control, rear parking camera, Premium Audio system with 6 CD changer and subwoofer.

					SALOON			
			ES	} ES	S-GT		EX	Type S
		2.0 i-VTEC	> 2.2 i-DTEC 150PS		2.2 i-DTEC 150PS	2.0 i-VTEC/ 2.4 i-VTEC	2.2 i-DTEC 150PS	2.2 i-DTEC 180PS
PERFORMANCE								
0-62.5 mph (seconds)	6-speed manual	9.4	9.4	9.4	9.5	9.9 / 8.1	9.5	8.8
	5-speed automatic	> 10.8	10.0	10.9	10.1	11.3 / 9.8	10.3	-
FUEL ECONOMY AND EMIS	SSIONS [†]							
Urban cycle (mpg)	6-speed manual	31.4	41.5	31.4	41.5	31.0 / 24.4	40.9	39.8
	5-speed automatic	28.0	34.9	28.0	34.9	27.7 / 23.5	34.4	-
Urban cycle (I/100km)	6-speed manual	9.0	6.8	9.0	6.8	9.1 / 11.6	6.9	7.1
	5-speed automatic	10.1	8.1	10.1	8.1	10.2 / 12.0	8.2	-
Extra urban (mpg)	6-speed manual	50.4	64.2	50.4	64.2	48.7 / 40.9	62.8	58.9
	5-speed automatic	50.4	56.5	50.4	56.5	49.6 / 44.8	55.4	-
Extra urban (I/100km)	6-speed manual	5.6	4.4	5.6	4.4	5.8 / 6.9	4.5	4.8
	5-speed automatic	5.6	5.0	5.6	5.0	5.7 / 6.3	5.1	-
Combined (mpg)	6-speed manual		53.3	40.9	53.3	40.4 / 32.8	52.3	50.4
	5-speed automatic	38.7	46.3	38.7	46.3	38.7 / 33.6	45.6	-
Combined (I/100km)	6-speed manual	6.9	5.3	6.9	5.3	7.0 / 8.6	5.4	5.6
	5-speed automatic	7.3	6.1	7.3	6.1	7.3 / 8.4	6.2	-
Combined CO ₂ (g/km)	6-speed manual	159	138	159	138	162 / 199	141	147
	5-speed automatic	168	159	168	159	170 / 195	162	-
SAFETY								1
Driver i-SRS airbag (continuous	ly staged inflation)	•	•	•	•	•	•	•
Passenger SRS airbag with cut	off switch	•	•	•	•	•	•	•
Side airbags (front)		•	•	•	•	•	•	•
Side curtain airbags (front and r	rear)	•	•	•	•	•	•	•
Active head rests (front)		•	•	•	•	•	•	•
Front ventilated disc brakes and	d rear disc brakes	•	•	•	•	•	•	•
ABS (Anti-lock Braking System))	•	•	•	•	•	•	•
Electronic Brakeforce Distribution	ı (EBD)	•	•	•	•	•	•	•
Brake Assist (BA)		•	•	•	•	•	•	•
Vehicle Stability Assist (VSA)		•	•	•	•	•	•	•
Trailer Stability Assist (TSA)		•	•	•	•	•	•	•
Front seat belts with 2 stage Emergency Locking Retractor (I	ELR)	•	•	•	•	•	•	•
Rear seat belts with Emergency	/ Locking Retractor (ELR)	•	•	•	•	•	•	•
SOFix points (outer rear seats)		•	•	•	•	•	•	•
Advanced Driver Assist System (A	ADAS) °	-	-	-	-	-/o	0	0

[†] Fuel consumption: This test is designed to give an indication of on-road fuel consumption.

Advanced Driver Assist System (ADAS) includes Lane Keeping Assist System (LKAS), Collision Mitigation Braking System (CMBS), Adaptive Cruise Control (ACC) and Bi-HID headlights with Active Cornering Lights (ACL) with headlight washers. Please note: Bi-HID headlights with Active Cornering Lights (ACL) and headlight washers are standard on the 2.2 i-DTEC Type S grade.

				SALOON	_			
		ES	E S	S-GT			EX	Type S
	2.0 i-VTEC	2.2 i-DTEC 150PS	2.0 i-VTEC	2.2 i-DTEC 150PS		2.0 i-VTEC/ 2.4 i-VTEC	2.2 i-DTEC 150PS	> 2.2 i-DTEC 180PS
SECURITY								
Immobiliser system	•	•	•	•		•	•	•
Interior and perimeter alarm (CAT1)	•	•	•	•		•	•	•
Tilt sensor	-	-	-	-		-/•	-	•
Super locks	•	•	•	•		•	•	•
Selectable door unlock	•	•	•	•		•	•	•
Remote central locking with 2 jack knife keys	•	•	}	}		•	•	•
INTERIOR - TRIM								
Fabric interior	•	•	-	-		-	-	-
Half leather half fabric	-	-	•	•		-	} -	} -
Leather interior	-	-	-	-		•	•	•
Leather steering wheel	•	•	•	•		•	•	•
Leather gear knob	•	•	} -	-		•	•	•
Alloy and leather gear knob	-	} -	•	•		-	-	•
Drilled aluminium sports pedals	-	-	•	•		-	-	•
Grey roof lining	•	•	•	•		•	•	•
INTERIOR LIGHTS								
Combi meter colour white	•	•	-	-	}	•	•	-
Combi meter colour red	-	-	•	•		-	-	•
Ignition lock illumination	•	•	•	•		•	•	•
Map light (front)	•	•	•	•		•	•	•
Trunk light	•	•	•	•		•	•	· }
Glove box light	•	•	•	•		•	•	•
Courtesy door light	•	•	•	•		•	•	•
Ambient light (front)	_	} -	•	•		•	•	}
Courtesy light (front and rear)	•	•	•	<u>'</u>		•	•	•

Key • Standard • Optional - Not available

				SALOON				
		ES	}	ES-GT	}	EX	}	Type S
	2.0 i-VTEC	2.2 i-DTEC 150PS	2.0 i-VTEC	2.2 i-DTEC 150PS	2.0 i-VTEC/ 2.4 i-VTEC	2.2 i-DTEC 150PS		2.2 i-DTEC 180PS
FUNCTION AND TECHNOLOGY								
Multi Info Display (MID) with maintenance reminder system	•	•	•	•	•	•	}	•
Shift Indicator Light (SIL) (manual transmission only)	•	•	•	•	•	•		•
Electric Power Steering (EPS)	•	•	•	•	•	•		•
Motion adaptive EPS	•	•	•	•	•	•		•
COMFORT AND CONVENIENCE								
Automatic climate control air conditioning (left:right independent)	•	•	•	•	} -	} -		-
GPS dual climate control (left:right independent)	-	-	o [†]	o†	•	•		•
Rear air conditioning vent	-	-	-	-	•	•		•
Cruise control	•	•	•	•	•	•		•
Adaptive Cruise Control (ACC)	-	-	-	-	-/•	0		0
Auto windscreen wipers with rain sensor	-	-	-	-	•	•		•
Auto headlights with dusk sensor	-	-	-	-	•	•		•
Auto dimming rear view mirror	-	-	-	-	•	•		•
Parking sensors (front and rear)	-	-	-	-	•	•		•
Electric windows (front and rear)	•	•	•	•	•	•		•
Driver and passenger one touch power window (up/down)	•	•	•	•	•	•		•
Rear passenger one touch power window (up/down)	-	-	•	•	•	•		•
Power window key fob operation	-	-	•	•	•	•		•
Tilt and telescopic steering wheel	•	•	•	•	•	•		•
Electric adjustable and heated door mirrors	•	•	•	•	•	•		•
Electric retractable door mirrors	•	•	•	•	•	•		•
Exterior mirror tilt for reverse	-	} -	-	-	•	•		•
Sun visor vanity mirrors	•	•	-	-	}	} -		-
Sun visor vanity mirrors with illumination	-	} -	•	•	•	•		•
Sunglasses box	•	•	•	•	•	•		•
Climate controlled glove box	•	•	•	•	•	•		•
Accessory socket (instrument panel)	•	•	•	•	•	•		•

				SALOON			SALOON							
		ES	} Es	S-GT	}		EX	> Type S						
	2.0 i-VTEC	2.2 i-DTEC 150PS	2.0 i-VTEC	2.2 i-DTEC 150PS		2.0 i-VTEC/ 2.4 i-VTEC	2.2 i-DTEC 150PS	> 2.2 i-DTEC 180PS						
COMFORT AND CONVENIENCE														
Accessory socket (centre console)	•	•	•	•	}	•	•	•						
Driver seat manual height adjustment	•	•	•	•		•	•	•						
Passenger seat manual height adjustment	•	•	•	•		•	•	•						
Driver seat manual lumbar support	•	•	•	•		•	•	•						
Passenger seat manual lumbar support	•	•	•	•		•	•	•						
Driver and front passenger seat power adjust (8 way) with driver memory	-	-	-	-		•	•	•						
Driver seat back pocket	-	-	-	-		•	•	•						
Passenger seat back pocket	•	•	•	•		•	•	•						
Front heated seats	-	} -	-	} -		•	•	•						
AUDIO AND COMMUNICATIONS														
Stereo CD tuner with MP3 compatibility	•	•	•	•		-	-	-						
Premium audio - 6 CD tuner - MP3 compatible with subwoofer	-	-	o†	> o [†]		•		•						
Auxiliary socket	•	•	•	•		•	•	•						
USB port (iPod® compatible)°	•	•	•	•		•	•	•						
6 speakers	•	•	•	•		-	-	-						
10 speakers (including subwoofer)	-	} -	o [†]	o [†]		•	•	•						
Steering wheel remote audio controls	•	•	•	•		•	•	•						
Bluetooth® Hands Free Telephone (HFT) system [⋄] ◊	•	•	•	•		•	•	•						
Advanced Navigation pack**	-	-	•	0		•	•	•						
EXTERIOR														
GT Aero Kit: front spoiler, side skirts and rear diffuser	-	-	•	•		-	}	•						
Chrome exterior door handles	•	•	•	•		•	•	•						
Glass electric tilt and slide sunroof with sunshade	-	-	-	-		•	•	-						
Single rear exhaust	•	•	•	•		•/-	•	•						
Twin rear exhaust	-	-	} -	} -		-/•	-	-						

† Premium audio and 10 speakers with subwoofer are available as part of the Advanced Navigation pack on the ES-GT grade.

	SALOON								
	ES				ES	S-GT	EX		Type S
	2.0 i-VTEC		2.2 i-DTEC 150PS			2.2 i-DTEC 150PS	2.0 i-VTEC/ 2.4 i-VTEC	2.2 i-DTEC 150PS	2.2 i-DTEC 180PS
EXTERIOR LIGHTS									
Halogen headlights	•	}	•	}		•	} -	-	-
Highbeam Support System (HSS)	-		-	} -		} -	-	-	•
Bi-HID headlights with Active Cornering Light (ACL)	-		-	} -		} -	-	-	•
Headlight washers	-		-	} -		} -	-	-	•
Front fog lights	-		-	}		•	•	•	•
WHEELS									
17" alloy wheels	•*	}	•*		k	•*	•	•	-
18" alloy wheels	-		-	} -		} -	} -	-	•
Tyres 225/50 R17 98V	•		•	}		•	•	•	-
Tyres 235/40 R18 98W	-		-	} -		-	} -	-	•
Tyre repair kit	•		•	}		•	•	•	•

⁰ Always use the recommended USB flash memory device. For information please contact your local Honda Dealer.

These specification details do not apply to any particular product which is supplied or offered for sale. The manufacturers reserve the right to vary their specifications, including colours, with or without notice and at such times in such manner as they think fit. Major as well as minor changes may be involved. Every effort, however, is made to ensure the accuracy of the particulars contained in this brochure. This publication shall not constitute in any circumstances whatsoever an offer by the Company to any person. All sales are made by the Distributor or Dealer concerned subject to and with the benefit of the standard Conditions of Sale and Warranty given by the Distributor or Dealer, copies of which may be obtained from them on request. This publicity material applies to the UK only Trade Descriptions Act (1968). Whilst efforts are made to ensure specification accuracy, brochures are prepared and printed several months in advance of distribution and consequently cannot always immediately reflect either changes in specification or in some isolated cases the provision of a particular feature. Customers are always advised to discuss specification details with the supplying Dealer, especially if your model selection is dependent upon one of the features advertised.

^{**} Please refer to www.hondahandsfree.com for a list of compatible phones.

[■] Highbeam Support System (HSS), Bi-HID headlights with Active Cornering Light (ACL) and headlight washers are available as part of the optional Advanced Driver Assist System (ADAS). *Complimentary upgrade to 17" alloy wheels on ES and ES-GT grades.

^{**}Advanced Navigation pack includes: Voice recognition DVD Satellite Navigation, GPS dual climate control, rear parking camera, Premium Audio system with 6 CD changer and subwoofer.

Glossary

> 01 > ADAPTIVE CRUISE CONTROL (ACC)

ACC uses information from a millimetre-wave radar mounted inside the front grille to measure the distance to the vehicle ahead, while vehicle speed and yaw rate sensors detect the vehicle's driving parameters.

In addition to maintaining a set speed, ACC is also able to automatically regulate both the vehicle speed and its distance to the vehicle ahead travelling in the same lane, thereby reducing the burden of highway (or similar road) driving and enhancing driver comfort and safety. ACC only operates if all the following conditions are fully fulfilled:

- The vehicle speed is set between 30-180km/h
- Main switch is activated

ADVANCED COMPATIBILITY ENGINEERING (ACE)

Accord has been designed with an innovative frame structure engineered to reduce the concentrated frontal force on occupants in front end impacts. Accord's Advanced Compatibility Engineering (ACE) design disperses and absorbs crash energy over a larger area enhancing the preservation of the cabin space, improving safety for all occupants. Additionally, ACE also helps to reduce misalignment with vehicles of different sizes. The design of Accord's structure reduces impact forces acting upon other vehicles including the smallest of super-minis.

> 03 > ANTI-LOCK BRAKING SYSTEM (ABS)

ABS prevents the wheels from locking when the brakes are applied in an emergency, reducing the possibility of a skid on wet, icy or loose surfaces and enabling the driver to retain steering control.

>04 >BLUETOOTH®

The Bluetooth® Hands Free Telephone System (HFT) enables drivers to make and receive calls without taking hands off the wheel. An in-car speaker and microphone system operated via steering wheel controls allows calls to be made safely whilst driving.

05 CO₂

Carbon dioxide is one of the exhaust gases believed to be one of the causes of the greenhouse effect. The lower the CO_2 emissions, the better for the environment.

06 COLLISION MITIGATION BRAKING SYSTEM (CMBS)

CMBS has been specifically designed to help alert the driver of an impending collision or - if it's unavoidable - to reduce the severity of impact by automatically applying the brakes if a collision is detected. The "eye" of the system is a radar transmitter mounted behind Accord's grille. A radar signal is constantly transmitted and the return echo evaluated. If the system detects a vehicle or obstruction in the road, it determines the distance and closing speed. If the closing speed goes above the threshold, the system immediately alerts the driver with a flashing indicator on the instrument panel and an audible alarm. If the driver takes no action to reduce speed, the system will automatically vibrate the driver's seatbelt and lightly apply the brakes. At the point when the system senses that a frontal collision is inevitable and the driver has still taken no avoidance action, both of the front seatbelts are retracted tightly and strong braking is applied automatically. This automatic action is designed to lower impact speed and help reduce vehicle damage and the severity of personal injury.

07 >i-DTEC

The Honda i-DTEC engine - the 'i' stands for 'intelligent' - is a new-generation direct injection engine that uses both the latest common rail and variable turbocharger technology. As a result, it's significantly quieter, smoother, more powerful and returns greater fuel economy than conventional diesels.

· 08 FUEL CONSUMPTION

The figures for the fuel consumption and CO_2 emissions are to give you an indication of the car's performance. Following legislation by the VCA (Vehicle Certification Agency), all car manufacturers generate these statistics through the same industry standard test. This allows comparison across all manufacturers and models. The tests use a base grade version of the model and do not take into account optional levels of equipment, such as different sized wheels, tyres and other factors that can affect the economy of the model. The test is on a rolling road and there is no additional weight in the car other than the driver (no passengers or cargo) and it does not account for individual driving style, which can mean a difference to the figures achievable in the real world.

> 09 > HIGHBEAM SUPPORT SYSTEM

The Highbeam Support System assesses the driving conditions around you and switches automatically, if required. The Active Cornering Light means that the comering light will illuminate the turning you are about to take, from the moment you indicate or turn the steering wheel.

Identifies the boundaries of the vehicle's lane by processing images from a C-MOS camera mounted behind the windscreen. It then calculates the optimum steering torque to keep the vehicle in the centre of the lane and provides steering torque to the wheel to keep the vehicle in the centre of the lane.

- On roads with left and right boundary markings (where markings are clear and visible)
- On motorways or roads that are equivalent to motorways
- Driver has to keep contact with the steering wheel; if the system fails to recognise the driver's input on the steering, it switches itself off
- Side indicators are not activated
- Steering torque generated by the driver does not indicate imminent lane change manoeuvre.

11 SATELLITE NAVIGATION SYSTEM WITH VOICE RECOGNITION

The satellite linked, DVD-based navigation system delivers turn-by-turn directions by voice and moving map display all the way to your destination. The DVD also contains points of interest such as service stations if you should require them in an unfamiliar area. The system can recognise over 550 voice commands - including many operations for the audio and climate control systems - so the driver can make adjustments without taking their hands off the steering wheel.

▶ 12 ≯TRAILER STABILITY ASSIST (TSA)

TSA works in conjunction with VSA and has been designed to enhance safety when towing a trailer. Through various sensors normally attributed just to the vehicle's VSA, TSA will initiate the appropriate brake applications to the wheels which will then stabilise Accord and trailer.



ONE SMALL STEP

The biggest dreams often come in the smallest packages. Like ASIMO; seen as the world's most advanced humanoid robot. ASIMO is 130cm tall and houses sophisticated technology that allows it to run and also recognise and identify individuals in a 360 degree range. In future we believe ASIMO may become another set of eyes, ears, hands or legs for people in need of extra help.