

Petrol





Hybrid



exterior design >







interior design >



magic seats >

Magic Seats

The unique flexibility of the Jazz is characterised in an interior that can be transformed with either a push of a button or the lift of a lever. The rear seats lift up, fold over and lock down with one easy movement and the 60:40 split folding design creates numerous amounts of configurations for your ever changing requirements.

Petrol



Hybrid



performance >

Hybrid Technology







hybrid technology >



Safety

Airbags

Dual Supplemental Restraint System front, side and curtain airbags protect the cabin and intelligent SRS not only allows you to turn the passenger airbag off but also reminds you to switch it on again.

Advanced Compatibility Engineering (ACE) The 42% high tensile steel body structure dispenses energy across the frame and away from those in and around the car.

Active front head restraints

In the event of a collision, Anti-whiplash front head restraints and 3-point ELR seatbelts help keep passengers safe and secure.

Vehicle Stability Assist (VSA)

During the drive, the VSA sensors monitor grip to calculate the amount of power or braking force needed for maximum control.



safety >

Attention to detail













PETROL	S/SE	> ES	> EX/EXL	HYBRID	HE	> HS	> HX
--------	------	------	----------	--------	----	------	------

model line-up >

Colours



Take your pick

In keeping with the Jazz's flexibility, we've provided eight distinctive colours to let you find the right choice for your personality.

From this range of colours, the Jazz Hybrid is available in six colours. This includes Azure Blue Metallic, Milano Red, Alabaster Silver Metallic, Crystal Black Pearl and also two colours which are exclusive to the Jazz Hybrid: Fresh Lime Metallic and Premium White Pearl.

colours >

Metallic and pearlescent paints are available at an additional cost. Please refer to the price list or consult your local Dealer for more details.

The following colours are available while stocks last (please check availability with your local Dealer):

Jazz Petrol: Royal Sapphire Blue Pearl and Ionized Bronze Metallic. Jazz Hybrid: Storm Silver Metallic and Taffeta White.

The following colours are available to order from June 2012: Jazz Hybrid: Alabaster Silver Metallic and Premium White Pearl.

Make it your own

To add a personal touch to your Jazz, choose from some of the following genuine accessories:

options >

			Hybrid						
Specification	1.2 S / S A/C Manual	1.2 SE Manual	1.4 S Manual / CVT	1.4 ES Manual / CVT	1.4 EX Manual / CVT	1.4 EXL Manual / CVT	1.3 Hybrid HE CVT	1.3 Hybrid HS CVT	1.3 Hybrid HX CVT
Engine	manadi	manual							
Туре	SOHC i-VTEC Petrol	SOHC i-VTEC Petrol	SOHC i-VTEC Petrol	SOHC i-VTEC Petrol	SOHC i-VTEC Petrol	SOHC i-VTEC Petrol	SOHC i-VTEC Petrol with electric motor	SOHC i-VTEC Petrol with electric motor	SOHC i-VTEC Petrol with electric motor
Displacement (cc)	1198	1198	1339	1339	1339	1339	1339	1339	1339
Petrol engine: Maximum power (PS @ rpm)	90/6000	90/6000	99/6000	99/6000	99/6000	99/6000	88/5800	88/5800	88/5800
Petrol engine: Maximum torque (Nm @ rpm)	114/4900	114/4900	127/4800	127/4800	127/4800	127/4800	121/4500	121/4500	121/4500
Electric motor: Maximum power (PS @ rpm)	N/A	N/A	> N/A	N/A	N/A	N/A	14/1500	14/1500	14/1500
Electric motor: Maximum torque (Nm @ rpm)	N/A	N/A	N/A	N/A	N/A	N/A	78/1000	78/1000	78/1000
Fuel delivery type	PGM-FI	PGM-FI	PGM-FI	PGM-FI	PGM-FI	PGM-FI	PGM-FI	PGM-FI	PGM-FI
Fuel Economy [†]									
Urban (mpg)	42.8	45.6	42.8 / 42.2	42.8 / 42.2	42.2 / 40.9	42.2 / 40.9	61.4	61.4	61.4
Urban (L/100km)	6.6	6.2	6.6 / 6.7	6.6 / 6.7	6.7 / 6.9	6.7 / 6.9	4.6	4.6	4.6
Extra urban (mpg)	61.4	61.4	58.9 / 61.4	58.9 / 61.4	57.7 / 60.1	57.7 / 60.1	64.2	64.2	64.2
Extra urban (L/100km)	4.6	4.6	4.8 / 4.6	4.8 / 4.6	4.9 / 4.7	4.9 / 4.7	4.4	4.4	4.4
Combined (mpg)	53.3	54.3	51.4 / 52.3	51.4 / 52.3	50.4 / 51.4	50.4 / 51.4	62.8	62.8	62.8
Combined (L/100km)	5.3	5.2	5.5 / 5.4	5.5 / 5.4	5.6 / 5.5	5.6 / 5.5	4.5	4.5	4.5
CO ₂ (g/km)	123	120	126 / 125	126 / 125	129 / 128	129 / 128	104	104	104
Transmission									
5-speed manual	•	•	• / -	• / -	• / -	• / -	-	-	-
7-speed CVT	-	-	- / •	-/•	- / •	-/•	•	•	•
Performance (man/auto)									
Acceleration 0-62 mph (secs)	12.5	12.7	11.5 / 12.8	11.5 / 12.8	11.8 / 13.1	11.8 / 13.1	12.1	12.1	12.3
Maximum speed (mph)	110	110	113 / 109	113 / 109	113 / 109	113 / 109	109	109	109
Weights and Capacities (man/auto)									
Boot capacity seats up (litres, VDA method) with underfloor storage	> 379	379	379	399	399	399	303	303	303
Boot capacity seats down (litres, VDA method)	883	883	883	883	883	883	883	883	883
Fuel tank (litres)	42	42	42	42	42	42	40	40	40
Kerb weight (kg)	1070	1081	1112 / 1140	1112 / 1140	1112 / 1140	1112 / 1140	1209	1209	1209
Turning circle – kerb to kerb (m)	10.08	10.08	10.08 / 10.46	10.08 / 10.46	10.46	9.88	10.82	10.82	10.82
Maximum towing weight with brakes (kg)*	1000	1000	1000 / N/A	1000 / N/A	1000 / N/A	1000 / N/A	N/A	N/A	N/A
Maximum towing weight without brakes (kg)*	450	450	450 / N/A	450 / N/A	450 / N/A	450 / N/A	N/A	N/A	N/A
Maximum load weight (kg)	1580	1580	1610 / 1535	1610 / 1535	1610 / 1535	1610 / 1535	1600	1600	1600
Maximum roof load (kg)	50	50	50	50	50	50	50	50	50
Dimensions									
Length (mm)	3900	3900	3900	3900	3900	3900	3900	3900	3900
Wheelbase (mm)	2500	2500	2500	2500	2500	2500	2500	2500	2500
Height (mm) including aerial	1655	1655	1655	1655	1655	1655	1655	1655	1655
Height (mm) excluding aerial	1525	1525	1525	1525	1525	1525	1525	1525	1525

				Hybrid					
Specification	1.2 S / S A/C	1.2 SE	1.4 S	1.4 ES	1.4 EX	1.4 EXL	1.3 Hybrid	1.3 Hybrid	1.3 Hybrid
	Manual	Manual	Manual / CVT	Manual / CVT	Manual / CVT	Manual / CVT	HE ČVT	HS ĈVT	HX CVT
Dimensions	2029	2029	2029	2029	2029	2029	2029	2029	2029
Width (mm) including door mirrors	1695	1695	1695	1695	1695	1695	1695	1695	1695
Width (mm) excluding door mirrors Wheels and Tyres	1095	1095	1095	1095	1095	1095	1095	1095	1695
15" steel wheels		•	•	(L			<u>ـ</u>
15" alloy wheels								•	
16" alloy wheels	-	-		<u></u>		•			<u></u>
Tyres	175/65R15 84T	175/65R15 84T	175/65R15 84T	175/65R15 84T	185/55R16 83H	185/55R16 83H	175/65R15 84T	175/65R15 84T	175/65R15 84T
Wheels	> 15x5 1/2J	15x5 1/2J	15x5 1/2J	15x5 1/2J	16x6 J	16x6 J	15x5 1/2J	15x5 1/2J	15x5 1/2J
Instant Mobility System (IMS) repair kit	10,0 1/20	1000 1/20	1000 1/20	1000 1/20	10x0 3	•	13,3 1/20	1000 1720	•
Instruments and Controls	•	•	ſ	•		•	•	•	ſ
Cruise control	-	-	· .	- 1		•			
Paddle shift gear selector (CVT)		<u> </u>	-/•	-/•	-/•	-/•			<u>, </u>
Steering wheel audio controls			-/-	-/•	-/•	-/•	•		<u> </u>
Digital Clock (built into audio system)		-		((-	•	
							•	•	· ·
Digital odometer (A / B trip) Tachometer (rev counter)							•	•	[
		•			(•	•	[
External temperature gauge Adjustable dashboard illumination		•			(•	•	<u>; </u>
Audible headlight on reminder		•		(•	•	
							•	•	· ·
Internally adjustable headlight height						<u> </u>	•	•	[
Low fuel warning light Idle Stop	ļ			•	<u></u>	[•	· · · · · · · · · · · · · · · · · · ·	<u>, </u>
Safety		•	(ſ		(ſ•
Dual front, side and curtain Supplemental									
Restraint System (SRS) airbags	•	•	•	•	•	•	•	•	•
Passenger airbag cut off switch	•	•	•	•	•	•	•	•	•
Vehicle Stability Assist (VSA)	•	•	•	•	•	•	•	•	•
Hill Start Assist (HSA)	-	-	-	-	-	-	•	•	•
Anti-lock Braking System (ABS)	•	•	•	•	•	•	•	•	•
Electronic Brake-force Distribution (EBD)	•	•	•	•	•	•	•	•	•
Emergency Brake Assist (EBA)	•	•	•	•	•	•	•	•	•
Front and rear disc brakes	•	•	•	•	•	•	•	•	•
High level rear brake light	•	•	•	•	•	•	•	•	•
Side impact protection beams	•	•	•	•	•	•	•	•	•
Active front headrests	•	•	•	•	•	•	•	•	•
Front seat belt pre-tensioners	•	•	•	•	•	•	•	•	•
Height adjustable front seat belts	•	•	•	•	•	•	•	•	•
5 x 3 point seat belts	•	•	•	•	•	•	•	•	•
ISOFix child seat restraint mechanism	•	•	•	•	•	•	•	•	•

			Hybrid						
Specification	1.2 S / S A/C Manual	1.2 SE Manual	1.4 S Manual / CVT	1.4 ES Manual / CVT	1.4 EX Manual / CVT	1.4 EXL Manual / CVT	1.3 Hybrid HE CVT	1.3 Hybrid HS CVT	1.3 Hybrid HX CVT
Security	Wianuai	Inianuai							
Perimeter alarm	<u>ا</u> _ ا	-	•			•	-	•	
Rolling code ECU engine immobiliser	•	•	•	•	•	•	•	•	•
Honda Superlocks (deadlocks)	•	•	•	•	•	•	•	•	•
Externally visible Vehicle Identification Number (VIN)	•	•	•	•	•	•	•	•	•
Remote keyless entry	•	•	•	•	•	•	•	•	•
Rear parcel shelf	•	•	•	•	•	•	•	•	•
High security integrated audio	•	•	•	•	•	•	•	•	•
Glovebox	•	•	•	•	•	•	•	•	
Locking wheelnuts	-	> _	•	•	•	•	-	•	•
Exterior									
Hybrid body trim		× _	<u>}</u>	-	-	-	•	•	•
Body coloured bumpers	•	•	•	•	•	•	•	•	•
Body coloured door mirrors	-	× •	•	•	•	•	•	•	•
Body coloured door handles	-	•	•	•	•	•	•	•	
Electric heated and adjustable door mirrors	•	•	•	•	•	•	•	•	
Electric retractable door mirrors with indicator	-	> _	•	•	•	•	-	•	•
Panoramic glass roof	-	× _	<u> </u>	> -	•	•	-		
Privacy glass	-	> _	-	> _	•	•		•	•
Roof mounted aerial	•	•	•	•	•	•	•	•	•
Auto headlights with dusk sensor	-	× _	-	-	•	•	-	• •	•
Front foglights	-	-	-	-	•	•	-	• •	•
Rear foglight	•	•	•	•	•	•	•	•	•
Front intermittent wiper	•	•	•	•	•	•	•	•	•
Auto windscreen wipers with rain sensor	-	-	-	-	•	•	-	•	•
Rear wiper	•	•	•	•	•	•	•	•	•
Comfort and Convenience									
Tilt and telescopic steering wheel adjustment	•	•	•	•	•	•	•	•	•
Leather steering wheel	-	-	-	-	•	•	-	•	•
Leather gear knob	-	-		-		• / •	-		•
Power assisted steering	•	•	•	•	•	•	•	•	•
Interior light	•	•	•	•	•	•	•	•	•
Map light	•	•	•	•	•	•	•	•	•
Boot light	•	•	•	•	•	•	•	•	•
Flexible two tier boot	-			•	•	•	-	-	-
Cargo luggage floor hook	•	•	•	•	•	•	-		-
Manual air conditioning	-/•	•	-	-	-	-	-		-
Auto climate control air conditioning	-	•	-	•	•	•	•	•	•
Dust and pollen filter	•	•	•	•	•	•	•	•	•

					Hybrid					
Specification	1.2 S / S A/C Manual		1.2 SE Manual	1.4 S Manual / CVT	1.4 ES Manual / CVT	1.4 EX Manual / CVT	1.4 EXL Manual / CVT	1.3 Hybrid HE CVT	1.3 Hybrid HS CVT	1.3 Hybrid HX CVT
Comfort and Convenience										
Driver vanity mirror	•		•	•	•	•	•	•	•	•
Passenger vanity mirror	-		•	-	•	•	•	-	•	•
Cooled glove box	-		-	-	•	•	•	•	•	•
Front electric windows	•		•	•	•	•	•	•	•	•
Rear electric windows			-	•	•	•	•	•	•	•
Driver seatback pocket			-	-	•	•	•	•	•	•
Passenger seatback pocket	•	}	•	•	•	•	•	•	•	•
Seating										
Leather upholstery with heated front seats			-	-			•	-	-	•
Fabric upholstery	•		•	•	•	•	•	•	•	-
Drivers' seat height adjustment	•		•	•	•	•	•	•	•	•
Rear centre headrest and 3-point seatbelt	•		•	•	•	•	•	•	•	•
Drivers' armrest			-	-		•	•	-	•	•
Magic seat flexibility system	•		•	•	•	•	•	•	•	•
Reclining Rear Seat	•		•	•	•	•	•	•	•	•
In Car Entertainment (ICE)										
Stereo CD tuner with MP3 compatibility	•		•	•	•	•	•	•	•	•
Auxiliary socket (MP3 connection)	•		•	•	•	•	•	•	•	•
Rear speakers	-		-	•	•	•	•	•	•	•
Front speakers	•		•	•	•	•	•	•	•	•
Speed adjusting audio volume	•		•	•	•	•	•	•	•	•
USB socket [∆]	-		-	•	•	•	•	-	•	•
Bluetooth Hands Free Telephone (HFT) system [□] ◆	-		-		-	•	•	-	-	•

			Hybrid						
Specification	1.2 S-T / S-T A/C Manual	1.2 SE Manual	1.4 S-T Manual / CVT	1.4 ES-T Manual / CVT	1.4 EX-T Manual / CVT	1.4 EXL-T Manual / CVT	1.3 Hybrid HE-T CVT	1.3 Hybrid HS-T CVT	1.3 Hybrid HX-T CVT
Engine									
SD Navigation system with integrated Bluetooth® Hands Free Telephone (HFT) is available from April 2012	•	o	•	•	•	•	•	•	•

Δ Always use the recommended USB flash memory device. Some USB memory devices may not work in this audio unit.

 \Box For a list of compatible phones, please refer to www.honda-access.com

* The T grades feature a USB port but not an auxiliary socket. On EX-T, EXL-T and HX-T grades the Jazz does not feature steering wheel mounted hands free Bluetooth® controls.

These specification details do not apply to any particular product which is supplied or offered for sale. The manufacturers reserve the right to vary their specifications, including colours, with or without notice and at such times in such manner as they think fit. Major as well as minor changes may be involved. Every effort, however, is made to ensure the accuracy of the particulars contained in this brochure. This publication shall not constitute in any circumstances whatsoever an offer by the Company to any person. All sales are made by the Distributor or Dealer concerned subject to and with the benefit of the standard Conditions of Sale and Warranty given by the Distributor or Dealer, copies of which may be obtained from them on request. Whilst efforts are made to ensure specification accuracy, content is prepared several months in advance of circulation and consequently cannot always immediately reflect either changes in specification or in some isolated cases the provision of a particular feature. Customers are always advised to discuss available model line-up and specification details with the supplying Dealer especially if your model selection is dependent upon one of the features advertised. You accept that if you do go ahead and make a purchase or enter into any kind of transaction, whether for payment or not, you did so entirely in reliance on your own skill and judgment and not on that of anyone else.

Glossary

ADVANCED COMPATIBILITY ENGINEERING (ACE)

The Jazz has been designed with an innovative frame structure engineered to reduce the concentrated frontal force on occupants in front end impacts. The Jazz's Advanced Compatibility Engineering (ACE) design disperses and absorbs crash energy over a larger area, enhancing the preservation of the cabin space and improving safety for all occupants. Additionally, ACE also helps to reduce misalignment with vehicles of different sizes; the design of the Jazz's structure reduces impact forces acting upon other vehicles.

> 02 > ANTI-LOCK BRAKING SYSTEM (ABS)

ABS prevents the wheels from locking when the brakes are applied in an emergency, reducing the possibility of a skid on wet, icy or loose surfaces, and enabling the driver to retain steering control.

\triangleright 03 \succ CO₂

Carbon dioxide is one of the exhaust gases believed to be one of the causes of the Green House Effect. Therefore, the lower the CO_2 emissions, the better it is for the environment.

> 04 > ELECTRIC POWER STEERING (EPS)

An electric motor assists steering instead of hydraulics. It runs off the battery, not engine, so helps to reduce emissions and fuel consumption.

05 ELECTRONIC BRAKE-FORCE DISTRIBUTION (EBD)

This works in tandem with ABS, analysing weight distribution around the car and automatically adjusting the braking force applied to the front and rear wheels to help maintain directional stability.

06 > FUEL CONSUMPTION

The figures for the fuel consumption and CO₂ emissions are to give you an indication of the car's performance. Following legislation by the VCA (Vehicle Certification Agency), all car manufacturers generate these statistics through the same industry standard test. This allows comparison across all manufacturers and models. The tests use a standard version of the model and do not take into account optional levels of equipment, such as different sized wheels, tyres and other factors that can affect the economy of the model. The test is on a rolling road and there is no additional weight in the car other than the driver (no passengers or cargo) and it does not account for individual driving style, which can mean a difference to the figures achievable in the real world.

07 CONTINUOUSLY VARIABLE TRANSMISSION (CVT)

Selects the best drive ratio to keep the engine in its most efficient power range. This delivers the optimum fuel economy and ensures that the most efficient drive ratio is always selected. This promotes better fuel economy, lower emissions and an exceptionally smooth ride.

08 > VEHICLE STABILITY ASSIST (VSA)

VSA helps keep the Jazz on course in adverse driving conditions by detecting and correcting potential understeer or oversteer. The system continually monitors vehicle speed, throttle position, individual wheel speeds, steering angle, lateral G-force and yaw rate to detect when oversteer or understeer is imminent. When necessary, VSA automatically reduces the engine's torque and uses the ABS system to apply brakes to each wheel, as needed, to help stabilise the vehicle. The response is so quick that the instability may be corrected before the driver even knows it's occurring.

09 > i-VTEC

The combination of VTEC and VTC for improved engine performance, fuel economy and emissions.

• 10 > VTC (VARIABLE TIMING CONTROL)

Changes the timing angle of the intake side camshaft relative to the crankshaft as engine speed and load change. This way the cylinder filling with air/fuel mixture is optimised for improved torque and performance, with 90% of torque available at just 3,000 rpm.

11 VTEC (VARIABLE VALVE TIMING AND LIFT ELECTRONIC CONTROL)

Varies the amount of valve lift and the duration of valve opening during the intake stroke of each engine cylinder. The effect is optimised combustion over changing engine speeds, with the result of reduced fuel consumption and emissions as well as increased engine performance.

12 > IMA

IMA stands for Integrated Motor Assist, which means that an electric motor sits alongside the petrol engine it supports. The Jazz uses an electric motor to assist the petrol engine, ensuring fuel consumption and emissions are kept to a minimum.

The system uses the petrol engine as the main source of power to drive the car. The electric motor combines with the engine to provide torque and power during starts or accelerating, when engine fuel consumption is usually high.

When the vehicle comes to a halt, the petrol engine stops and the car runs only from the battery. This means no petrol is being consumed and so there are no emissions.



11

One small step

The biggest dreams often come in the smallest packages. Like ASIMO; our humanoid robot. ASIMO is 130 cm tall and houses sophisticated technology that allows it to run and also recognise and identify individuals in a 360 degree range. In future we believe ASIMO may become another set of eyes, ears, hands or legs for people in need of extra help.