

# DISCOVERY XXV SPECIAL EDITION



ABOVE AND BEYOND





[Build & Price](#)

[Print](#)  
[Save](#)  
[Exit](#)



Like father, like son. When Discovery first took to the tracks, hills and fords of the world some twenty-five years ago, it defined capability and versatility. Now, the XXV Special Edition goes even further. Superb levels of finish, premium interior, clever technologies and an unwavering eye for detail have helped shape the most refined and beautifully realised Discovery ever.

[Build & Price](#)

[Print](#)  
[Save](#)  
[Exit](#)



From the Andes to Zagreb, the XXV Special Edition tackles almost all terrains with unwavering ability and composure. Whether you're crossing an expanse of water or cruising down a highway, you'll do so in utmost comfort.

[Build & Price](#)

[Print](#)  
[Save](#)  
[Exit](#)

## EXTERIOR KEY FEATURES



Certain features set the XXV Special Edition Discovery apart. Clever touches accentuate the refined look of the vehicle. Extended silver roof rails, 20 inch forged alloy wheels and a new grille are featured. So too are Narvik Black mirror caps, fender vents with Dark Atlas mesh and body coloured door handles.

[Build & Price](#)

[Print](#)  
[Save](#)  
[Exit](#)

## EXTERIOR KEY FEATURES



The standard Discovery grille has been restyled to create an even more contemporary look with a Narvik Black surround, Atlas frame and Dark Atlas mesh.

[Build & Price](#)

[Print](#)  
[Save](#)  
[Exit](#)

## EXTERIOR KEY FEATURES



At the rear of the vehicle, a stainless steel tread plate is both functional and stylish. Whilst on the tailgate, the XXV ingot adds another unique touch.

[Build & Price](#)

[Print](#)  
[Save](#)  
[Exit](#)

## LAND ROVER XXV WHEEL



The Special Edition has been designed with 20 inch five split-spoke forged alloy wheels with a light silver polished finish for added style.

[Build & Price](#)

[Print](#)  
[Save](#)  
[Exit](#)



# LAND ROVER XXV ENGINE

The SDV6 engine features an enhanced powertrain and improvements including Intelligent Stop/Start technology, reduced CO<sub>2</sub> emissions and greater fuel economy.

| 3.0L SDV6 DIESEL AUTOMATIC            |               |                        |
|---------------------------------------|---------------|------------------------|
| Driveline                             |               | Four Wheel Drive (4WD) |
| Power (kW / PS)                       |               | 183 / 248              |
| Torque (Nm)                           |               | 600                    |
| Maximum torque (rpm)                  |               | 2,000                  |
| Capacity (cc)                         |               | 2,993                  |
| No. of cylinders                      |               | 6                      |
| Cylinder layout                       |               | Longitudinal V6        |
| FUEL ECONOMY                          |               |                        |
| Urban                                 | mpg (l/100km) | 32.5 (8.7)             |
| Extra Urban                           | mpg (l/100km) | 37.2 (7.6)             |
| Combined                              | mpg (l/100km) | 35.3 (8.0)             |
| CO <sub>2</sub> Urban emissions       | g/km          | 230                    |
| CO <sub>2</sub> Extra Urban emissions | g/km          | 201                    |
| CO <sub>2</sub> Combined emissions    | g/km          | 213                    |

|                           | LIST PRICE | VAT 20.0%  | RETAIL PRICE | ON-THE-ROAD PRICE |
|---------------------------|------------|------------|--------------|-------------------|
| 3.0 SDV6 DIESEL AUTOMATIC |            |            |              |                   |
| XXV Special Edition       | £53,429.17 | £10,685.83 | £64,115.00   | £64,790.00        |

The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. A vehicle's actual fuel consumption may differ from that achieved in such tests and these figures are for comparative purposes only.

[Build & Price](#)

[Print](#)  
[Save](#)  
[Exit](#)

## EXTERIOR STANDARD FEATURES

### XXV Exterior Differentiation

- 20 inch five split-spoke alloy wheels
- Bright finish full length roof rails
- Bright finish tread plate
- Grille mesh in Dark Atlas with Bright Atlas frame and Narvik Black grille surround
- Fender vent mesh in Dark Atlas with Bright Atlas surround
- Heated powerfold exterior mirrors
- Narvik Black mirror caps
- Unique XXV badging.

### Exterior Features

- Adaptive Xenon headlamps with Automatic High Beam Assist (AHBA)
- Privacy glass
- Premium Causeway Grey metallic paint
- Full size spare wheel
- Tyre Pressure Monitoring System (TPMS).

Visit [landrover.co.uk/xxv](http://landrover.co.uk/xxv) for more information.

**Build & Price**

**Print  
Save  
Exit**

## LAND ROVER XXV – LEATHERS AND VENEER



In the XXV Special Edition's interior one thing is immediately apparent: the specification has never been more luxurious. The Windsor leather covered fascia top and leather wrapped door casings and armrests bear testimony to the craftsman's skill.

[Build & Price](#)

[Print](#)  
[Save](#)  
[Exit](#)

## LAND ROVER XXV INTERIOR



Leather seats featuring unique embossing on the headrests, add greatly to the sense of sophistication. Interior shown: Windsor leather interior in Cirrus, with Cirrus seats with Ebony contrast stitching and Grand Black Lacquer veneer.

[Build & Price](#)

[Print](#)  
[Save](#)  
[Exit](#)

## INTERIOR KEY FEATURES



A wood and leather steering wheel with silver paddle controls, Grand Black inserts and a Grand Black Lacquer veneer is standard on XXV.

[Build & Price](#)

[Print](#)  
[Save](#)  
[Exit](#)

## INTERIOR KEY FEATURES



To add a further touch of exclusivity and individuality to the cockpit, the brightly finished Drive Select rotary gear shifter is set in a Gloss Black surround – which is unique to this vehicle – and features the XXV logo. Such attention to detail is everywhere you look and in everything you touch.

[Build & Price](#)

[Print](#)  
[Save](#)  
[Exit](#)

# INTERIOR STANDARD FEATURES

## XXV Interior Differentiation

- Cirrus Windsor leather seats with XXV embossed headrests and Ebony contrast stitch
- Driver and front passenger electric seat adjustment (driver memory adjustment)
- Front and rear heated seats
- Grand Black Lacquer finishers with XXV logo
- Grand Black Lacquer wood and leather heated steering wheel
- Extended Windsor leather door armrests, top rolls and dashboard
- Premium carpet mats with XXV stitching.

## Infotainment

- Touch-screen navigation
- Meridian™ Surround Audio System (825W) with 17 speakers, Bluetooth® connectivity, digital TV, MP3 compatible CD and USB input
- Rear seat entertainment system including WhiteFire® wireless headphones
- Surround Camera System with front and rear parking sensors, T-junction view and Tow Assist
- **Exterior Detection Pack** – consists of Wade™ Sensing, Blind Spot Monitor, Closing vehicle Sensing, Reverse Traffic Detection.

## Comfort and Convenience

- Front and rear Climate Control with time delay function
- Cooled centre front cubby box
- Electric sunroof (tilt/slide front glass) with fixed glass Alpine roof
- Keyless entry
- Push Button Start
- Cruise Control.

The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Jaguar Land Rover Limited is under licence. WhiteFire® is a registered trademark of Unwired Technology LLC and any use of such marks by Land Rover is under license.

[Build & Price](#)

[Print](#)  
[Save](#)  
[Exit](#)



[Build & Price](#)

[Print](#)  
[Save](#)  
[Exit](#)



# TECHNICAL SPECIFICATION

| SDV6 3.0 AUTO<br>(AIR SUSPENSION)                            |   |
|--|---|
| <b>ENGINE DATA</b>   |   |
| Capacity (cc)  | 2,993   |
| No. of cylinders   | 6   |
| Cylinder layout  | Longitudinal V6   |
| Valves per cylinder  | 4   |
| Bore (mm)  | 84  |
| Stroke (mm)  | 90  |
| Compression ratio (:1)                                       | 16  |
| Maximum power kW (PS) / rpm                                  | 188 (256) / 4,000                                       |
| Maximum torque Nm / rpm                                      | 600 / 2,000   |
| <b>BRAKES</b>  |   |
| Front type   | Ventilated disc   |
| Front diameter (mm)  | 360   |
| Rear type  | Ventilated disc   |
| Rear diameter (mm)   | 350   |
| Park brake   | Electric Park Brake (EPB) integrated into brake caliper |
| <b>WEIGHTS (kg)</b>  |   |
| Weight from  | 2,570   |
| Gross vehicle weight   | 3,260   |
| Maximum mass on each axle (front)                            | 1,450   |
| Maximum mass on each axle (rear)                             | 1,855   |
| <b>TOWING (kg)</b>   |   |
| Unbraked trailer   | 750   |
| Maximum towing   | 3,500   |
| Maximum coupling point / nose weight                         | 150   |
| Maximum vehicle and trailer combination / Gross Train Weight | 6,760   |
| <b>ROOF CARRYING (kg)</b>                                    |   |
| Maximum roof load (including Roof Rails)                     | 75  |
| <b>PERFORMANCE</b>   |   |
| Maximum speed mph  | 112   |
| Acceleration (secs) 0-60mph                                  | 8.8   |
| Fuel tank capacity – usable litres                           | 82.3  |
| Diesel Particulate Filter (DPF)                              | Standard  |

[Build & Price](#)

[Print](#)  
[Save](#)  
[Exit](#)

# DIMENSIONS AND CAPABILITIES



Wheelbase 2,885mm



Front wheel track 1,605mm



Overall length 4,829mm

## Turning Circle

Kerb-to-kerb 11.45m  
Turns lock-to-lock 3.32



Rear wheel track 1,612.5mm

XXV specific vehicle not illustrated.

[Build & Price](#)

[Print](#)  
[Save](#)  
[Exit](#)

# DIMENSIONS AND CAPABILITIES



|             | A              | B          | C               |
|-------------|----------------|------------|-----------------|
| Ride Height | Approach Angle | Ramp Angle | Departure Angle |
| Off-road    | 36.2°          | 27.3°      | 29.6°           |
| Standard    | 32.2°          | 22.8°      | 26.7°           |



## Obstacle Clearance

Off-road height up to 310mm  
Standard ride height up to 185mm

## Standard Ride Height

With Alpine Glass Roof (not open): 1,882mm  
With Roof Rails: 1,891mm  
With Alpine Glass Roof (open): 1,920mm  
With DAB Radio Antennae: 1,938mm  
With Roof Rails and Crossbar fitted: 1,980mm  
Access height setting will reduce each of the above by 50mm.

## Loadspace Capacity

Rear seats upright  
Height 1,027mm (1,058mm with Alpine roof),  
Width 1,235mm  
Loadspace volume 1,260 litres  
Loadspace width between arches 1,146mm

Rear seats folded  
Height 1,027mm (1,058mm with Alpine roof),  
Width 1,235mm  
Loadspace volume 2,558 litres  
Loadspace width between arches 1,146mm  
Maximum length at floor 1,950mm

## Headroom

Maximum front headroom 1,027mm  
2nd row headroom 1,076mm  
3rd row headroom 1,018mm

[Build & Price](#)

[Print](#)  
[Save](#)  
[Exit](#)



[Build & Price](#)

[Print](#)  
[Save](#)  
[Exit](#)



BY APPOINTMENT TO  
HER THE QUEEN  
MANUFACTURERS OF  
MOTOR VEHICLES  
JAGUAR LAND ROVER LIMITED  
COVENTRY



BY APPOINTMENT TO  
HRH THE DUKE OF EDINBURGH  
MANUFACTURERS OF  
MOTOR VEHICLES  
JAGUAR LAND ROVER LIMITED  
COVENTRY



BY APPOINTMENT TO  
HRH THE PRINCE OF WALES  
MANUFACTURERS OF  
MOTOR VEHICLES  
JAGUAR LAND ROVER LIMITED  
COVENTRY

**IMPORTANT NOTICE:** Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles and alterations take place continually. Whilst every effort is made to produce up to date literature, this brochure should not be regarded as an infallible guide to current specifications, nor does it constitute an offer for the sale of any particular vehicle. Distributors and dealers are not agents of Jaguar Land Rover Limited by any express or implied undertaking or representation.

All Land Rover Approved Accessories fitted by a Land Rover Dealer within one month or 1,600 kilometres/ 1,000 miles (which ever occurs first) of the handover of a new registered vehicle will benefit from the same warranty terms and period of cover as the vehicle warranty. Accessories purchased outside of these parameters will be subject to a 12 month unlimited mileage warranty. All Land Rover Approved Accessories are rigorously tested to the same exacting standards as those applied to our vehicles. Performance in extreme hot and cold temperatures, corrosion resistance, impact and airbag deployment highlight some of the exhaustive product testing carried out to ensure accessories are both durable and importantly, continue to comply with current legislation.

All our accessories are designed to be an integral part of Land Rover vehicles. While many items such as roof carriers are simple to fit, some products require specialist tools and diagnostic equipment to ensure correct integration with the vehicle structure and electrical systems. These products vary from market to market, please consult your Land Rover Dealer who will be pleased to advise you on current specifications and any query you may have.

The colours reproduced here are subject to the limitations of the printing process and may therefore vary slightly from the actual vehicle. The company reserves the right to alter or withdraw any colour finish without notice. Some of these colours may not be obtainable in your country. Please check availability of colours and current specifications with your Land Rover Dealer. Distributors and dealerships are not agents of Jaguar Land Rover Limited and have absolutely no authority to bind Jaguar Land Rover Limited to any express or implied undertaking or representation.

**Jaguar Land Rover Limited** Registered Office:  
Abbey Road, Whitley, Coventry CV3 4LF  
United Kingdom.

Registered in England and Wales: Number 1672070

[landrover.co.uk](http://landrover.co.uk)

© Jaguar Land Rover Limited 2014.

Keep me informed



**Build & Price**

**Print  
Save  
Exit**