



Innovation
that excites

NISSAN

MY14.5 NV400



[Technical specifications](#) | [Price list](#) | [Commitments](#)

[Print](#) | [Close](#)

[REQUEST A TEST DRIVE](#)



CONTENTS	PAGE NUMBER
Engine Options	03
Engine Specification	04
CO2 and Fuel Emissions	05
Panel Van Grades	06
Panel Van Technical Specification	08
Crew Van Grades	12
Crew Van Technical Specification	14
Crew Bus Grades	16
Crew Bus Technical Specification	18
Chassis, Dropside and Tipper Grades	22
Chassis Technical Specification	24
Dropside Technical Specification	26
Tipper Technical Specification	28

NV400 ENGINE OPTIONS						Engine Type	100 PS	125 PS	135 PS Stop/Start	150 PS		165 PS Stop/Start					
						Transmission	6 Speed Manual	6 Speed Manual	6 Speed Manual	6 Speed Manual	6 Speed Semi Auto	6 Speed Manual					
						Emission Level	Euro 5										
Vehicle Type	Body type	Drive Wheels	Rear Wheels	Length	Height	GVW (Kgs)											
Van	Panel Van	FWD	Single	L1	H1	2800	•										
						3300	•	•	•								
				L2	H2	3300	•	•	•			•	•				
						3500		•	•			•	•				
		L3	H2	H3	3500		•	•			•	•					
					3500		•	•			•	•					
		Crew Van	FWD	Single	L2	H2	3500		•	•							
							RWD	Twin	L3	H2	3500		•	•			
	Crew Bus		FWD	Single	L2	H2	3500		•	•		•					
							Chassis / Chassis Conversions	FWD	Single	L2	N/A	3500		•	•		
												3500		•	•		
	RWD	Twin	L3	N/A	3500				•			•					
					4500				•				•				
Chassis Double Cab	FWD	Single	L3	N/A	3500		•	•			•						
					3500			•				•					
	RWD	Twin	L3	N/A	3500			•			•						
					3500			•				•					
Dropside Single Cab	FWD	Single	L2	N/A	3500		•	•									
					3500		•	•			•						
					3500			•				•					
	RWD	Twin	L3	N/A	3500			•			•						
					3500			•				•					
					3500			•				•					
Dropside Double Cab	FWD	Single	L3	N/A	3500		•	•			•						
					3500			•				•					
	RWD	Twin	L3	N/A	3500			•			•						
					3500			•				•					
Tipper Single Cab	FWD	Single	L2	N/A	3500		•	•									
					3500		•	•			•						
					3500			•				•					
	RWD	Twin	L3	N/A	3500			•			•						
					3500			•				•					
					3500			•				•					
Tipper Double Cab	FWD	Single	L3	N/A	3500		•	•			•						
					3500			•				•					
	RWD	Twin	L3	N/A	3500			•			•						
					3500			•				•					
Trabus	Trabus	FWD	Single	L2	H2	3900				•							
						3900				•							
Platform	Platform	FWD	Single	L3	H1	3500		•	•		•						

• - Available

NV400 ENGINE SPECIFICATIONS						
Engine Specifications	110 PS	125 PS	135 PS SS	150 PS	165 PS SS	150 PS
Emission Level	Euro 5					
ENGINE						
Engine	M9T					
Engine Capacity	2298					
Injection Type	Direct Common Rail					
Single / Twin Turbo	Single Turbo	Single Turbo	Twin Turbo	Single Turbo	Twin Turbo	Single Turbo
Stop / Start	No	No	Yes	No	Yes	No
Fuel Type	Diesel					
No. of Cylinders	4					
No. of Valves	16					
Bore x Stroke	85 x 101.3					
Volumetric Ratio	16.1					
Catalizer and Particle Filter (DPF)	Yes					
Max. Engine Power kW (ps)	81 (110)	92 (125)	100 (135)	110 (150)	120 (165)	110 (150)
Max. Engine Power (rpm)	3500					
Max. Engine Torque (Nm)	285	310	340/350 (RWD)	350	360	350
Max. Engine Torque (rpm)	1250 - 2000	1250 - 2500	1250 - 2500	1500 - 2750	1250 - 2000	1500 - 2750
TRANSMISSION						
Transmission Type	Manual					Semi Auto
No. of Speeds	6					
Front / Rear Wheel Drive	FWD	FWD	FWD/RWD	FWD	FWD/RWD	FWD
Gearbox Type	PF6	PF6	PF6 / ZF4	PF6	PF6 / ZF4	PA0
Rear Axle Type if RWD (long / short)	-	-	Long/short	-	Long/short	-
CHASSIS						
Braking System	ABS & ESP; 302mm / 28mm front discs / 18mm rear discs					
Suspension Front	Pseudo mac pherson front axle					
Suspension Rear	Spring steel suspension rear axle					
Steering	Power assisted					

* Exact configuration of the rear suspension is dependant on the selected vehicle. FWD vehicles have Mono-leaf spring steel suspension, RWD vehicles with single rear wheel configuration have Bi-leaf spring steel suspension, and RWD vehicles with double rear wheel configuration have Tri-leaf spring steel suspension rear axle.

Fuel Consumption* and CO ₂ Emissions							Engine Type		110 PS		125 PS		135 PS Start/ Stop		150 PS		165 PS Start/ Stop									
							Transmission		6 Speed Manual		6 Speed Manual		6 Speed Manual		6 Speed Manual		6 Speed Semi Auto		6 Speed Manual							
							Emission level							Euro 5												
Vehicle Type	Body type	Driven Wheels	Rear Wheels	Length	Height	GVW (Kgs)	CO ₂	MPG	CO ₂	MPG	CO ₂	MPG	CO ₂	MPG	CO ₂	MPG	CO ₂	MPG								
Van	Panel Van	FWD	Single	L1	H1	2800	119	36.7																		
						3300	207	35.8	207	35.8	176	42.1														
						3500			207	35.8	180	41.2					209	35.5	180	41.2						
				L2		H2	3500			207	35.8	180	41.2					209	35.5	180	41.2					
							3500			207	35.8	180	41.2				209	35.5	180	41.2						
							3500			207	35.8	180	41.2				209	35.5	180	41.2						
				L3		H2	3500			207	35.8	180	41.2					209	35.5	180	41.2					
		3500					211	35.1	184	40.3				217	34.2	184	40.3									
		3500					211	35.1	184	40.3				217	34.2	184	40.3									
		RWD	Twin	L3	H2	3500						213	34.8													
						3500					216	34.3							216	34.3						
						4500					209	35.5						209	35.5							
				L4		H2	3500																			
							4500					209	35.5						209	35.5						
3500										216	34.3															
H3	H2	3500																								
		4500					209	35.5																		
Crew Van	Crew Bus	FWD	Single	L2	H2	3500			211	35.1	184	40.3			198	37.5										
		RWD	Twin	L3		3500			213	34.8	188	39.4														
Passenger Carrier	Crew Bus	FWD	Single	L2	H2	3500			195	38.0	168	44.1					TBC	TBC								
Chassis / Chassis Conversions	Chassis Single Cab	FWD	Single	L2	N/A	3500			TBC	TBC	TBC	TBC						TBC	TBC							
						3500			TBC	TBC	TBC	TBC														
				L3		RWD	Twin	3500							TBC	TBC						TBC	TBC			
								4500									TBC	TBC					TBC	TBC		
								3500										TBC	TBC					TBC	TBC	
		L4	RWD	Twin		3500																TBC	TBC			
						3500																	TBC	TBC		
						4500																		TBC	TBC	
						3500																			TBC	TBC
						3500																				TBC
	Chassis Double Cab	FWD	Single	L3		3500						TBC	TBC	TBC	TBC						TBC	TBC				
						3500																				
						3500																				
						3500																				
						3500																				
	Dropside Single Cab	FWD	Single	L2		3500						TBC	TBC	TBC	TBC							TBC	TBC			
						3500																				
						3500																				
						3500																				
						3500																				
Dropside Double Cab	FWD	Single	L3	3500						TBC	TBC	TBC	TBC							TBC	TBC					
				3500																						
				3500																						
				3500																						
				3500																						
Tipper Single Cab	FWD	Single	L2	3500						TBC	TBC	TBC	TBC							TBC	TBC					
				3500																						
				3500																						
				3500																						
				3500																						
Tipper Double Cab	FWD	Single	L3	3500						TBC	TBC	TBC	TBC							TBC	TBC					
				3500																						
				3500																						
				3500																						
				3500																						
Trabus	Trabus	FWD	Single	L2	H2	3900													TBC	TBC						
						3900																TBC	TBC			
Platform	Platform	FWD	Single	L3	H1	3500													TBC	TBC						

* MPG is a combined fuel consumption figure



PANEL VAN GRADES

Practical and versatile, with the capacity and strength for effective medium-duty carrying applications, the Nissan NV400 panel van gives you more but demands less.

The NV400 is available in four lengths, three heights and with either front or rear wheel drive. The range is powered by an efficient 2.3dCi engine with a choice of 110, 125, 135 or 165PS and efficient 6 speed manual or semi-automatic transmissions. The presence of two grades ensures that you can specify a basic workhorse or a high spec van with rear parking sensors and cruise control as standard.

E GRADE

SAFETY AND SECURITY

- ABS with EBD
- Power assisted steering
- Superlocking
- Driver airbag
- Spare wheel
- Immobiliser and alarm
- Automatic door locking at 5mph
- ESP

COMFORT AND CONVENIENCE

- FM audio system with MP3/iPod compatibility
- USB/AUX socket input and Bluetooth® connectivity
- Remote central locking with 2 button key
- Power mirror
- Front driver armrest
- Front power window
- 80 litre fuel tank
- Passenger bench, foldable central seat back with fixed table

CARGO AREA

- Full steel bulkhead behind driver
- Left side sliding panel door
- Right side panel door
- Cargo floor load mounting hooks
- Unglazed 180 degree rear french door

STYLING

- 16" steel wheel with half wheel cover

OPTIONS

- Metallic paint

SE GRADE

ADDITIONAL SPEC TO E GRADE

SAFETY AND SECURITY

- Remote central locking with 3 button key
- Rear parking sensor

COMFORT AND CONVENIENCE

- Cruise control
- Front power window with one-touch lift
- Passenger bench, foldable central seat back with swivelling table
- Front door storage
- 105 litre fuel tank
- Trip computer
- CD/FM audio system with MP3/iPod compatibility
- Upper glove box in central dashboard
- Digital tachograph and speed limiter on 4.5T variants

CARGO AREA

- Cargo floor and body side load mounting hooks
- 12V socket in rear cargo area

STYLING

- Rear bumper with step

OPTIONS

- Metallic paint
- Digital tachograph
- Passenger airbag
- Nissan Connect by TomTom navigation including Western Europe maps
- Rear differential lock, incompatible with FWD variants

OPTION PACKS

- Comfort Pack
 - Front manual air conditioning
 - Front fog lamps
 - Pollen filter
 - Auto wiper and lighting system
- Rear Glazing Pack
 - Full steel bulkhead behind driver with fixed window
 - Glazed 180 degree rear french door
 - Heated rear screen
- Offside Door Pack
 - Offside sliding panel door
 - 270 degree rear door, incompatible with H1 variants

Model	PANEL VAN						
Drive	Front Wheel Drive						
Rear Wheels	Single Rear Wheel						
Length	L1		L2			L3	
Height	H1		H2		H3	H2	H3
Commercial Cargo Volume m ³	8	8	10.8	10.8	12.3	13	14.8
Gross Vehicle Weight	2.8t	3.3t	3.3t	3.5t	3.5t	3.5t	3.5t
Seats	3						
EXTERIOR							
Overall Length	mm	5048		5548		6198	
Wheelbase	mm	3182		3682		4332	
Front Overhang	mm	842					
Rear Overhang	mm	1024					
Overall Width	w/o mirror (mm)	2070					
	with mirror (mm)	2470					
Overall Unladen Height	Min (mm)	2290	2482	2486	2736	2475	2731
	Max (mm)	2303	2495	2499	2749	2488	2744
Front Track	mm	1750					
Rear Track	mm	1730					
Ground Clearance	Min (mm)	189	182	174	178	172	169
	Max (mm)	196	190	181	185	181	179
CARGO / LUGGAGE AREA DIMENSIONS							
Maximum Length	mm	2583		3083		3733	
Maximum Length at 1100mm above the floor	mm	2530		3030		3680	
Maximum Width	mm	1765					
Width Between Wheelarches	mm	1380					
Maximum Height	mm	1700		1894		2144	2144
Cargo Volume (L x W x H)	m ³	7.75		10.31		11.67	14.13
Loading Sill Height	Min (mm)	546	545	548	547	543	542
	Max (mm)	560	558	562	560	557	555
Side Door	Width (mm)	1050		1270			
	Height (mm)	1581		1780			
Back Door	Width (mm)	1580					
	Height (mm)	1627		1820			

Model	PANEL VAN						
Drive	Front Wheel Drive						
Rear Wheels	Single Rear Wheel						
Length	L1		L2			L3	
Height	H1	H1	H2	H2	H3	H2	H3
Commercial Cargo Volume m ³	8	8	10.8	10.8	12.3	13	14.8
Gross Vehicle Weight	2.8t	3.3t	3.3t	3.5t	3.5t	3.5t	3.5t
Seats	3						
WEIGHTS							
Gross Vehicle Weight	Kg	2800	3300	3300	3500	3500	3500
Kerb Weight*	Kg	1770	1811	1880	1880	1931	2010
Maximum Payload	Kg	1030	1489	1420	1620	1569	1490
Maximum Axle Capacity (Front)	Kg	1550	1650	1650	1850	1850	1850
Maximum Axle Capacity (Rear)	Kg	1650	1900	1900	2100	2100	2100
Maximum Trailer Capacity (Braked)	Kg	2500					
Maximum Trailer Capacity (Unbraked)	Kg	750					
Minimum Turning Circle (Wall-to-Wall)	m	12.5		14.1		16.2	
Minimum Turning Circle (Kerb-to-Kerb)	m	12.0		13.6		15.7	
WHEELS / TYRES							
Wheel Size	R16 J6.5						
Tyre Size	215/65		215/65	225/65		225/65	
FUEL TANK							
Fuel Tank Capacity**	L	80 / 105					

*Mass of vehicle in running order w/o driver or passengers, with fluids and tools

**Fuel tank capacity on SE grade is 105L

Model		PANEL VAN				
Drive		Rear Wheel Drive				
Rear Wheels		Single Rear Wheel	Twin Rear Wheel			
Length		L3	L4			
Height		H2	H2	H3		
Commercial Cargo Volume m ³		12.4	14.9		17	
Gross Vehicle Weight		3.5t	3.5t	4.5t	3.5t	4.5t
Seats		3				
EXTERIOR DIMENSIONS						
Overall Length	mm	6198		6848		
Wheelbase	mm	3682		4332		
Front Overhang	mm	842				
Rear Overhang	mm	1674				
Overall Width	w/o mirror (mm)	2070				
	with mirror (mm)	2470				
Overall Unladen Height	Min (mm)	2533	2541		2792	
	Max (mm)	2549	2557		2808	
Front Track	mm	1750				
Rear Track	mm	1612				
Ground Clearance	Min (mm)	181	167			
	Max (mm)	191	178			
CARGO / LUGGAGE AREA DIMENSIONS						
Maximum Length	mm	3733		4383		
Maximum Length at 1100mm above the floor	mm	3680		4330		
Maximum Width	mm	1765				
Width Between Wheelarches	mm	1080				
Maximum Height	mm	1798	1798		2048	
Cargo Volume (L x W x H)	m ³	11.85	13.91		15.84	
Loading Sill Height	Min (mm)	706	701		700	
	Max (mm)	724	717		715	
Side Door	Width (mm)	1270				
	Height (mm)	1684				
Back Door	mm	1580				
	mm	1724				

Model		PANEL VAN				
Drive		Rear Wheel Drive				
Rear Wheels		Single Rear Wheel	Twin Rear Wheel			
Length		L3	L4			
Height		H2	H2	H3		
Commercial Cargo Volume m ³		12.4	14.9		17	
Gross Vehicle Weight		3.5t	3.5t	4.5t	3.5t	4.5t
Seats		3				
WEIGHTS						
Gross Vehicle Weight	Kg	3500	3500	4500	3500	4500
Kerb Weight*	Kg	2246	2324		2366	
Maximum Payload	Kg	1254	1176	2176	1134	2134
Maximum Axle Capacity (Front)	Kg	1850				
Maximum Axle Capacity (Rear)	Kg	2800	2800	3200	2800	3200
Maximum Trailer Capacity (Braked)	Kg	3000				
Maximum Trailer Capacity (Unbraked)	Kg	750				
Minimum Turning Circle (Wall-to-Wall)	m	14.1		16.2		
Minimum Turning Circle (Kerb-to-Kerb)	m	13.6		15.7		
WHEELS / TYRES						
Wheel Size		R16 J5.5				
Tyre Size		195/75				
FUEL TANK						
Fuel Tank Capacity	L	105				

*Mass of vehicle in running order w/o driver or passengers, with fluids and tools



CREW VAN GRADES

With large windows and comfortable seats, the Nissan NV400 Crew Van delivers up to seven people fresh and ready for work, yet still has plenty of space left in the cargo area.

Get the Nissan NV400 Crew Van that perfectly matches your business, choosing from a wide choice of cargo and payload specs plus front or rear wheel drive.

SE GRADE

SAFETY AND SECURITY

- ABS with EBD
- Power assisted steering
- Superlocking
- Driver and passenger airbags
- Automatic door locking at 5mph
- Spare wheel
- Immobiliser and alarm
- ESP

COMFORT AND CONVENIENCE

- Power mirror
- Front driver armrest
- USB/AUX socket input and Bluetooth® connectivity
- Cruise control
- Trip computer
- Rear parking sensors
- Remote central locking with 3 button key
- Front power window with one-touch lift
- Passenger bench, foldable central seat back with swivelling table
- Front door storage
- CD/FM audio system with MP3/iPod compatibility
- 12V socket in rear cargo area
- Upper glove box in central dashboard
- 105 litre fuel tank
- Glazed bulkhead behind 2nd row seats
- 2nd row 4-seater fixed bench with storage underneath and bench side storage pocket
- Cargo floor and body side mounting hooks

CARGO AREA

- Left side sliding door with opening window
- Right side panel door with opening window
- Unglazed 180 degree rear french door

STYLING

- 16" steel wheel with half wheel cover
- Rear bumper with step
- Rear passenger compartment trim including headlining, floor covering

OPTIONS

- Digital tachograph
- Nissan Connect by TomTom navigation including Western Europe maps
- Metallic paint

OPTION PACKS

- Comfort Pack
 - Front manual air conditioning
 - Front fog lamps
 - Pollen filter
 - Auto wiper and lighting system

Model	CREW VAN		
Drive	Front Wheel Drive	Rear Wheel Drive	
Rear wheels	Single Rear Wheel	Twin Rear Wheel	
Length	L2	L3	
Height	H2		
Commercial Cargo Volume m ³	6.9	8.3	
Gross Vehicle Weight	3.5t		
Seats	7		
EXTERIOR DIMENSIONS			
Overall Length	mm	5548	6198
Wheelbase	mm	3682	
Front Overhang	mm	842	
Rear Overhang	mm	1024	1674
Overall Width	w/o mirror (mm)	2070	
	with mirror (mm)	2470	
Overall Unladen Height (Running order)	Min (mm)	2486	2533
	Max (mm)	2502	2556
Front Track	mm	1750	
Rear Track	mm	1730	1612
Ground Clearance	Min (mm)	TBC	TBC
	Max (mm)	174	181
CARGO / LUGGAGE AREA DIMENSIONS			
Maximum Length	mm	2175	2825
Maximum Length at 1000mm above the floor	mm	1990	2640
Maximum Width	mm	1765	
Width Between Wheelarches	mm	1380	1080
Maximum Height	mm	1894	1798
Cargo Volume (L x W x H) - Crew Van	m ³	6.65	8.38
Loading Sill Height	Min (mm)	545	706
	Max (mm)	562	724
Side Door	Width (mm)	1270	
	Height (mm)	1780	1684
Back Door	Width (mm)	1580	
	Height (mm)	1820	1724

14

Model	CREW VAN		
Drive	Front Wheel Drive	Rear Wheel Drive	
Rear wheels	Single Rear Wheel	Twin Rear Wheel	
Length	L2	L3	
Height	H2		
Commercial Cargo Volume m ³	6.9	8.3	
Gross Vehicle Weight	3.5t		
Seats	7		
WEIGHTS			
Gross Vehicle Weight	Kg	3500	
Kerb Weight*	Kg	2102	2453
Maximum Payload	Kg	1398	1047
Maximum Axle Capacity (Front)	Kg	1850	1850
Maximum Axle Capacity (Rear)	Kg	1900	2800
Maximum Trailer Capacity (Braked)	Kg	2500	3000
Maximum Trailer Capacity (Unbraked)	Kg	750	
PERFORMANCE			
Minimum Turning Circle (Wall-to-Wall)	m	14.1	
Minimum Turning Circle (Kerb-to-Kerb)	m	13.6	
FUEL TANK			
Fuel Tank Capacity	L	105	

*Mass of vehicle in running order w/o driver or passengers, with fluids and tools

15



CREW BUS GRADES

The NV400 Crew Bus holds up to nine people in car-like comfort, or six people with more load space, and includes comprehensive active and passive safety features for peace of mind.

SE GRADE

SAFETY AND SECURITY

- ABS with EBD
- Power assisted steering
- Superlocking
- Driver and passenger airbags
- Automatic door locking at 5mph
- Spare wheel
- Immobiliser and pre-wiring for alarm
- ESP
- Tyre pressure monitor
- ISOFIX childseat anchorage points (middle row middle seat and offside seat)

COMFORT AND CONVENIENCE

- Power mirror
- Front driver armrest
- USB/AUX socket input and Bluetooth® connectivity
- Cruise control
- Trip computer
- Rear parking sensors
- Remote central locking with 3 button key
- Front power window with one-touch lift
- Passenger bench, foldable central seat back with swivelling table
- Front door storage
- CD/FM audio system with MP3/iPod compatibility
- 12V socket in rear cargo area
- Upper glove box in central dashboard
- 105 litre fuel tank
- No bulkhead
- 2nd and 3rd row 3-seater fixed bench - easily removable
- Heated rear screen
- Cargo floor load mounting hooks
- Power take off on gearbox

CARGO AREA

- Left side sliding door with opening window
- Right side panel door with opening window
- Glazed 180 degree rear french door

STYLING

- 16" steel wheel with full wheel cover
- Rear bumper with step

OPTIONS

- Metallic paint
- Digital tachograph and towing device
- Combi cargo (removal of 3rd row seats)
- Nissan Connect by TomTom navigation including Western Europe maps

OPTION PACKS

- Comfort Pack
 - Front manual air conditioning
 - Front fog lamps
 - Pollen filter
 - Auto wiper and lighting system
- Premium Comfort Pack
 - Front and rear manual air conditioning
 - Front fog lamps
 - Pollen filter
 - Auto wiper and lighting system

Model	CREW BUS	
Drive	Front Wheel Drive	
Rear Wheels	Single Rear Wheel	
Length	L2	
Height	H2	
Commercial Cargo Volume m ³	8	
Gross Vehicle Weight	3.5t	
Seats	6 / 9	
EXTERIOR DIMENSIONS		
Overall Length	mm	5548
Wheelbase	mm	3682
Front Overhang	mm	842
Rear Overhang	mm	1024
Overall Width	w/o mirror (mm)	2070
	with mirror (mm)	2470
Overall Unladen Height (Running order)	Min (mm)	2486
	Max (mm)	2499
Front Track	mm	1750
Rear Track	mm	1730
CARGO / LUGGAGE AREA DIMENSIONS		
Maximum Length - 9 seats	mm	1448
Maximum Length - 6 seats	mm	2257
Maximum Width	mm	1765
Width Between Wheelarches	mm	1380
Maximum Height	mm	1894
Cargo Volume (L x W x H) - 9 seats	m ³	4.84
Cargo Volume (L x W x H) - 6 seats	m ³	7.54
Loading Sill Height	Min (mm)	n/a
	Max (mm)	n/a
Side Door	Width (mm)	1270
	Height (mm)	1780
Back Door	Width (mm)	1580
	Height (mm)	1820

Model	CREW BUS	
Drive	Front Wheel Drive	
Rear Wheels	Single Rear Drive	
Length	L2	
Height	H2	
Commercial Cargo Volume m ³	8	
Gross Vehicle Weight	3.5t	
Seats	6 / 9	
WEIGHTS		
Gross Vehicle Weight	Kg	3500
Kerb Weight*	Kg	2159
Maximum Payload	Kg	1341
Maximum Axle Capacity (Front)	Kg	1850
Maximum Axle Capacity (Rear)	Kg	2100
Maximum Trailer Capacity (Braked)	Kg	2500
Maximum Trailer Capacity (Unbraked)	Kg	750
PERFORMANCE		
Minimum Turning Circle (Wall-to-Wall)	m	14.1
Minimum Turning Circle (Kerb-to-Kerb)	m	13.6
FUEL TANK		
Fuel Tank Capacity	L	105

*Mass of vehicle in running order w/o driver or passengers, with fluids and tools



[Technical specifications](#) | [Price list](#) | [Commitments](#)

[Print](#) | [Close](#)

[Page 1](#) | [Page 2](#) | [Page 3](#) | [Page 4](#) | [Page 5](#) | [Page 6](#) | [Page 7](#) | [Page 8](#) | [Page 9](#) | [Page 10](#) | [Page 11](#) | [Page 12](#) | [Page 13](#) | [Page 14](#) | [Page 15](#)

[REQUEST A TEST DRIVE](#)





CHASSIS, DROPSIDE AND TIPPER GRADES

The NV400 Chassis Cab provides a well specified van packed with useful standard features. Available with a single or double cab, front or rear wheel drive, in 3 lengths and with a choice of 3 efficient dCi engines, the Chassis Cab can be tailored to suit all requirements

With its robust chassis and easy all-round access to the load space, the Nissan NV400 Dropside makes light work of the heaviest loads. A choice of either a single 3 seat or a double 7 seat cab makes it more versatile.

Hard-working yet uncompromisingly comfortable, the Nissan NV400 Tipper is also available as a 3 seat single cab, or a roomy 7 seat double cab. The load deck tilts automatically at 45° for quick, easy unloading.

E GRADE

SAFETY AND SECURITY

- ABS with EBD
- Power assisted steering
- Superlocking
- Driver airbag
- Automatic door locking at 5mph
- Spare wheel
- Immobiliser and alarm
- ESP

COMFORT AND CONVENIENCE

- Power mirror
- Front driver armrest
- USB/AUX socket input and Bluetooth® connectivity
- Remote central locking with 2 button key
- Front power window
- Passenger bench, foldable central seat back with fixed table
- FM audio system with MP3/iPod compatibility
- 80 litre fuel tank
- Long arm mirror*
- Harness with 6-way connector located under the dash left side for bodybuilder

CARGO AREA

- Cabin rear with fixed window

STYLING

- 16" steel wheel with half wheel cover
- Rear bumper with step

OPTIONS

- Metallic paint

SE GRADE

ADDITIONAL SPEC TO E GRADE

COMFORT AND CONVENIENCE

- Cruise control
- Trip computer
- Front power window with one-touch lift
- Passenger bench, foldable central seat back with swivelling table
- Front door storage
- CD/FM audio system with MP3/iPod compatibility
- Upper glove box in central dashboard

OPTIONS

- Metallic Paint
- Digital tachograph
- Passenger airbag
- Nissan Connect by TomTom navigation including Western Europe maps
- Rear differential lock, incompatible with FWD variants

OPTION PACKS

- Comfort Pack
 - Front manual air conditioning
 - Front fog lamps
 - Pollen filter
 - Auto wiper and lighting system

* Short arm mirrors for factory dropside and tipper conversions

Model	CHASSIS CAB					
Drive	Front Wheel Drive	Rear Wheel Drive				
Body	Chassis Single Cab					
Rear Wheels	Single Rear Wheel		Twin Rear Wheel			
Length	L2	L3	L3	L4	L3	
Height	H1					
Gross Vehicle Weight	3.5t				4.5t	
Seats	3					
EXTERIOR DIMENSIONS						
Overall Length w/o body	mm	5643	6293	6193	6843	6193
Wheelbase	mm	3682	4332	3682	4332	3682
Front Overhang	mm	842				
Rear Overhang	mm	1119		1669		
Maximum Rear Overhang	mm	1400	3032	1928	2754	1928
Overall Width	w/o mirror (mm)	2070				
	with extended mirror (mm)	2654				
Overall Unladen Height	Min (mm)	2259	2270	2278	2267	2278
	Max (mm)	2265	2276	2283	2273	2283
Front Track	mm	1750				
Rear Track	mm	1730		1612		
CARGO / LUGGAGE AREA DIMENSIONS						
Maximum Length	Min (mm)	3184	3834	3734	4384	3734
	Max (mm)	3466	5748	3993	5470	3993
Maximum Width	Min (mm)	2170				
	Max (mm)	2350				
Chassis Height	Min (mm)	735	771	784	786	784
	Max (mm)	740	775	787	789	787
WEIGHTS						
Gross Vehicle Weight	Kg	3500				4500
Kerb Weight*	Kg	1686	1860	1975	2005	1975
Maximum Payload	Kg	1814	1640	1525	1495	2525
Maximum Axle Capacity (Front)	Kg	1850				
Maximum Axle Capacity (Rear)	Kg	2100	2300	2800	3200	
Maximum Trailer Capacity (Braked)	Kg	2500		3000		
Maximum Trailer Capacity (Unbraked)	Kg	750				
PERFORMANCE						
Minimum Turning Circle (Wall-to-Wall)	m	14.1	16.2	14.1	16.2	14.1
Minimum Turning Circle (Kerb-to-Kerb)	m	13.6	15.7	13.6	15.7	13.6
FUEL TANK						
Fuel Tank Capacity	L	80				

*Mass of vehicle in running order w/o driver or passengers, with fluids and tools

Model	CHASSIS CAB			
Drive	Front Wheel Drive	Rear Wheel Drive		
Body	Chassis Double Cab			
Rear Wheels	Single Rear Wheel	Twin Rear Wheel		
Length	L3	L3	L4	
Height	H1			
Gross Vehicle Weight	3.5t			
Seats	7			
EXTERIOR DIMENSIONS				
Overall Length w/o body	mm	6293	6193	6843
Wheelbase	mm	4332	3682	4332
Front Overhang	mm	842		
Rear Overhang	mm	1119	1669	1669
Maximum Rear Overhang	mm	2078	1669	2471
Overall Width	w/o mirror (mm)	2070		
	with extended mirror (mm)	2654		
Overall Unladen Height	Min (mm)	2258	2295	2282
	Max (mm)	2263	2301	2286
Front Track	mm	1750		
Rear Track	mm	1730	1612	1612
CARGO / LUGGAGE AREA DIMENSIONS				
Maximum Length	Min (mm)	3084	2985	3635
	Max (mm)	4044	2985	4436
Maximum Width	Min (mm)	2170		
	Max (mm)	2350		
Chassis Height	Min (mm)	731	775	778
	Max (mm)	736	780	781
WEIGHTS				
Gross Vehicle Weight	Kg	3500		
Kerb Weight*	Kg	1914	2154	2223
Maximum Payload	Kg	1586	1346	1277
Maximum Axle Capacity (Front)	Kg	1850		
Maximum Axle Capacity (Rear)	Kg	2100	2800	2800
Maximum Trailer Capacity (Braked)	Kg	2500	3000	3000
Maximum Trailer Capacity (Unbraked)	Kg	750		
PERFORMANCE				
Minimum Turning Circle (Wall-to-Wall)	m	16.2	14.1	16.2
Minimum Turning Circle (Kerb-to-Kerb)	m	15.7	13.6	15.7
FUEL TANK				
Fuel Tank Capacity	L	80		

*Mass of vehicle in running order w/o driver or passengers, with fluids and tools

Model	DROPSIDE				
Drive	Front Wheel Drive		Rear Wheel Drive		
Body	Dropside Single Cab				
Rear Wheels	Single Rear Wheel		Twin Rear Wheel		
Length	L2	L3	L3	L4	
Height	H1				
Gross Vehicle Weight	3.5t				
Seats	3				
EXTERIOR DIMENSIONS					
Overall Length with body	mm	5749	6418	6299	6949
Wheelbase	mm	3682	4332	3682	4332
Front Overhang	mm	842			
Rear Overhang	mm	1225	1244	1775	1775
Overall Width	w/o mirror (mm)	2070			
	with mirror (mm)	2470			
Front Track	mm	1750			
Rear Track	mm	1730		1612	
CARGO AREA DIMENSIONS					
Cargo Length	Ext (mm)	3230	3900	3780	4430
	Int (mm)	3170	3840	3720	4370
Cargo Width	Ext (mm)	2100			
	Int (mm)	2040			
Cargo Height	Ext (mm)	400			
Cargo Area	m ²	6.5	7.8	7.6	8.9
WEIGHTS					
Gross Vehicle Weight	Kg	3500			
Kerb Weight*	Kg	2038	2110	2363	2449
Maximum Payload	Kg	1462	1390	1137	1051
Maximum Axle Capacity (Front)	Kg	1850			
Maximum Axle Capacity (Rear)	Kg	2100		2800	
Maximum Trailer Capacity (Braked)	Kg	2500		3000	
Maximum Trailer Capacity (Unbraked)	Kg	750			
PERFORMANCE					
Minimum Turning Circle (Wall-to-Wall)	m	14.1	16.2	14.1	16.2
Minimum Turning Circle (Kerb-to-Kerb)	m	13.6	15.7	13.6	15.7
FUEL TANK					
Fuel Tank Capacity	L	80			

*Mass of vehicle in running order w/o driver or passengers, with fluids and tools

Model	DROPSIDE			
Drive	Front Wheel Drive	Rear Wheel Drive		
Body	Dropside Double Cab			
Rear Wheels	Single Rear Wheel	Twin Rear Wheel		
Length	L3	L3	L4	
Height	H1			
Gross Vehicle Weight	3.5t			
Seats	7			
EXTERIOR DIMENSIONS				
Overall Length with body	mm	6499	6398	7048
Wheelbase	mm	4332	3682	4332
Front Overhang	mm	842		
Rear Overhang	mm	1325	1874	1874
Overall Width	w/o mirror (mm)	2070		
	with mirror (mm)	2470		
Front Track	mm	1750		
Rear Track	mm	1730	1612	1612
CARGO AREA DIMENSIONS				
Cargo Length	Ext (mm)	3230	3130	3780
	Int (mm)	3170	3070	3720
Cargo Width	Ext (mm)	2100		
	Int (mm)	2040		
Cargo Height	Ext (mm)	400		
Cargo Area	m ²	6.5	6.3	7.6
WEIGHTS				
Gross Vehicle Weight	Kg	3500		
Kerb Weight*	Kg	2266	2509	2611
Maximum Payload	Kg	1234	991	889
Maximum Axle Capacity (Front)	Kg	1850		
Maximum Axle Capacity (Rear)	Kg	2100	2800	2800
Maximum Trailer Capacity (Braked)	Kg	2500	3000	3000
Maximum Trailer Capacity (Unbraked)	Kg	750		
PERFORMANCE				
Minimum Turning Circle (Wall-to-Wall)	m	16.2	14.1	16.2
Minimum Turning Circle (Kerb-to-Kerb)	m	15.7	13.6	15.7
FUEL TANK				
Fuel Tank Capacity	L	80		

*Mass of vehicle in running order w/o driver or passengers, with fluids and tools

Model	TIPPER			
Drive	Front Wheel Drive	Front Wheel Drive	Rear Wheel Drive	
Body	Tipper Single Cab			
Rear Wheels	Single Rear Wheel	Single Rear Wheel	Twin Rear Wheel	
Length	L2	L3	L3	
Height	H1			
Gross Vehicle Weight	3.5t			
Seats	3			
EXTERIOR DIMENSIONS				
Overall Length with body	mm	5819	TBC	6389
Wheelbase	mm	3682	4332	3682
Front Overhang	mm	842		
Rear Overhang	mm	1295	TBC	1914
Overall Width	w/o mirror (mm)	2070		
	with mirror (mm)	2470	2654	2470
Overall Unladen Height	Min (mm)	2259	TBC	2295
	Max (mm)	2265	TBC	2301
Front Track	mm	1750		
Rear Track	mm	1730	1730	1612
CARGO / LUGGAGE AREA DIMENSIONS				
Cargo Length	Ext (mm)	3280	TBC	3180
	Int (mm)	3205	TBC	3105
Cargo Width	Ext (mm)	2100		
	Int (mm)	2040		
Cargo Height	Ext (mm)	400		
Cargo Area	m ²	6.54	TBC	6.33
WEIGHTS				
Gross Vehicle Weight	Kg	3500		
Kerb Weight*	Kg	2273	TBC	2649
Maximum Payload	Kg	1227	TBC	851
Maximum Axle Capacity (Front)	Kg	1850		
Maximum Axle Capacity (Rear)	Kg	2100	2100	2800
Maximum Trailer Capacity (Braked)	Kg	2500	2500	3000
Maximum Trailer Capacity (Unbraked)	Kg	750		
PERFORMANCE				
Minimum Turning Circle (Wall-to-Wall)	m	14.1	16.2	14.1
Minimum Turning Circle (Kerb-to-Kerb)	m	13.6	15.7	13.6
FUEL TANK				
Fuel Tank Capacity	L	80		

*Mass of vehicle in running order w/o driver or passengers, with fluids and tools

28

Model	TIPPER			
Drive	Front Wheel Drive	Rear Wheel Drive		
Body	Tipper Double Cab			
Rear Wheels	Single Rear Wheel	Twin Rear Wheel		
Length	L3	L3	L4	
Height	H1			
Gross Vehicle Weight	3.5t			
Seats	7			
EXTERIOR DIMENSIONS				
Overall Length w/o body	mm	6539	6539	TBC
Wheelbase	mm	4332	3682	4332
Front Overhang	mm	842		
Rear Overhang	mm	1365	1914	TBC
Overall Width	w/o mirror (mm)	2070		
	with mirror (mm)	2470	2470	2654
Overall Unladen Height	Min (mm)	2258	2295	TBC
	Max (mm)	2263	2301	TBC
Front Track	mm	1750		
Rear Track	mm	1730	1612	1612
CARGO / LUGGAGE AREA DIMENSIONS				
Cargo Length	Ext (mm)	3280	3180	TBC
	Int (mm)	3205	3105	TBC
Cargo Width	Ext (mm)	2100		
	Int (mm)	2040		
Cargo Height	Ext (mm)	400		
Cargo Area	m ²	6.54	6.33	TBC
WEIGHTS				
Gross Vehicle Weight	Kg	3500		
Kerb Weight*	Kg	2502	2649	TBC
Maximum Payload	Kg	998	851	TBC
Maximum Axle Capacity (Front)	Kg	1850		
Maximum Axle Capacity (Rear)	Kg	2100	2800	2800
Maximum Trailer Capacity (Braked)	Kg	2500	3000	3000
Maximum Trailer Capacity (Unbraked)	Kg	750		
PERFORMANCE				
Minimum Turning Circle (Wall-to-Wall)	m	16.2	14.1	16.2
Minimum Turning Circle (Kerb-to-Kerb)	m	15.7	13.6	15.7
FUEL TANK				
Fuel Tank Capacity	L	80		

*Mass of vehicle in running order w/o driver or passengers, with fluids and tools

29



YOU CARE ABOUT YOUR NISSAN SO NISSAN WILL CARE FOR YOU.
THAT'S WHY WE'LL MAKE THE FOLLOWING COMMITMENT:

YOU care about staying on the road when your Nissan is in for service or repair.

NISSAN will keep you mobile free of charge.

YOU care about quality enough to have your Nissan serviced at a Nissan dealership.

NISSAN says thanks by giving you continuous Nissan roadside assistance for free.

YOU care about getting the best value for money when it comes to service and repair.

NISSAN will price match like for like competitor written quotes within 10 miles of your local dealer.

YOU care about having your problems resolved quickly.

NISSAN will propose how to resolve any problem within 2 working days.

YOU care about getting the right Nissan model, engine & gear box to test drive.

NISSAN will guarantee that's what you'll get when you pre-book your test drive either online or through our customer service centre.

AT NISSAN, YOU BRING OUT THE BEST IN US.

You spark our imagination. You provoke our ingenuity. You inspire us to change the rules and innovate. And at Nissan, innovation is not just about additions and extensions; it's about crossing the line to reinvent the status quo. It's about developing unexpected solutions to satisfy your wildest and most pragmatic desires. At Nissan, we design cars, accessories and services that break the mould - making the practical exciting and the exciting practical to offer you a more exhilarating driving experience everyday.



NISSAN NV400
OFFERS YOU:

- 3-YEAR WARRANTY AND 100,000 MILE EXTENDED WARRANTY
- 12-YEAR ANTI-CORROSION WARRANTY
- 3-YEAR PAINT WARRANTY
- 25,000 MILES OR 2 YEAR SERVICE INTERVAL WHICHEVER COMES FIRST

ALL ABOUT NISSAN

YOU + NISSAN
CARE





Nissan. Innovation that excites.

Visit our websites at:
www.nissan.co.uk
www.nissan-lcv.co.uk

Dealer stamp:



Every effort has been made to ensure that the content of this publication is correct at the time of going to press (December 2014). In accordance with the company's policy of continuously improving its products, Nissan Europe reserves the right to change at any time the specification and the vehicles described and shown in this publication. Nissan dealers will be informed of any such modifications as quickly as possible. Please check with your local Nissan dealer to receive the most up-to-date information. All rights reserved. Reproduction in whole or part of this brochure without the written permission of Nissan Europe is forbidden.

Part Number 99999-54165. Printed in the UK.

[Technical specifications](#) | [Price list](#) | [Commitments](#)

[Print](#) | [Close](#)

[REQUEST A TEST DRIVE](#)



[Technical specifications](#) | [Price list](#) | [Commitments](#)

[NV400 Model and option prices](#) | [Further Information](#)

[Print](#) | [Close](#)

[REQUEST A TEST DRIVE](#)



NV400 VAN

Body	Drive Wheel	Wheel Base	Roof	GVW (kg)	Payload (kg)	Engine	Power (PS)	Transmission	Grade	Rear Wheel	Basic Delivered	VED + 1st Reg	Basic On The Road
Panel Van	Front	L1	H1	2,800	1,030	2.3dCi	110	6 manual	E	Single	19,345	280	19,625
Panel Van	Front	L1	H1	3,300	1,489	2.3dCi	110	6 manual	SE	Single	21,045	280	21,325
Panel Van	Front	L1	H1	3,300	1,489	2.3dCi	125	6 manual	SE	Single	21,945	280	22,225
Panel Van	Front	L1	H1	3,300	1,489	2.3dCi	135 SS	6 manual	SE	Single	22,845	280	23,125
Panel Van	Front	L2	H2	3,300	1,420	2.3dCi	110	6 manual	E	Single	21,745	280	22,025
Panel Van	Front	L2	H2	3,300	1,420	2.3dCi	125	6 manual	SE	Single	23,345	280	23,625
Panel Van	Front	L2	H2	3,300	1,410	2.3dCi	135 SS	6 manual	SE	Single	24,245	280	24,525
Panel Van	Front	L2	H2	3,300	1,420	2.3dCi	150	6 Semi-Auto	SE	Single	25,645	280	25,925
Panel Van	Front	L2	H2	3,300	1,410	2.3dCi	165 SS	6 manual	SE	Single	26,045	280	26,325
Panel Van	Front	L2	H2	3,500	1,620	2.3dCi	125	6 manual	SE	Single	24,045	280	24,325
Panel Van	Front	L2	H2	3,500	1,610	2.3dCi	135 SS	6 manual	SE	Single	24,945	280	25,225
Panel Van	Front	L2	H2	3,500	1,620	2.3dCi	150	6 Semi-Auto	SE	Single	26,345	280	26,625
Panel Van	Front	L2	H2	3,500	1,610	2.3dCi	165 SS	6 manual	SE	Single	26,745	280	27,025
Panel Van	Front	L2	H3	3,500	1,569	2.3dCi	125	6 manual	SE	Single	24,545	280	24,825
Panel Van	Front	L2	H3	3,500	1,569	2.3dCi	135 SS	6 manual	SE	Single	25,445	280	25,725
Panel Van	Front	L2	H3	3,500	1,569	2.3dCi	150	6 Semi-Auto	SE	Single	26,845	280	27,125
Panel Van	Front	L2	H3	3,500	1,569	2.3dCi	165 SS	6 manual	SE	Single	27,245	280	27,525
Panel Van	Front	L3	H2	3,500	1,530	2.3dCi	125	6 manual	SE	Single	24,945	280	25,225
Panel Van	Front	L3	H2	3,500	1,530	2.3dCi	135 SS	6 manual	SE	Single	25,845	280	26,125
Panel Van	Front	L3	H2	3,500	1,530	2.3dCi	150	6 Semi-Auto	SE	Single	27,245	280	27,525

[Technical specifications](#) | [Price list](#) | [Commitments](#)

[NV400 Model and option prices](#) | [Further Information](#)

[Print](#) | [Close](#)

[Page 1](#) | [Page 2](#) | [Page 3](#) | [Page 4](#) | [Page 5](#) | [Page 6](#) | [Page 7](#) | [Page 8](#) | [Page 9](#) | [Page 10](#) | [Page 11](#) | [Page 12](#) | [Page 13](#) | [Page 14](#)

[REQUEST A TEST DRIVE](#)

Body	Drive Wheel	Wheel Base	Roof	GVW (kg)	Payload (kg)	Engine	Power (PS)*	Transmission	Grade	Rear Wheel	Basic Delivered	VED + 1st Reg	Basic On The Road
Panel Van	Front	L3	H2	3,500	1,530	2.3dCi	165 SS	6 manual	SE	Single	27,645	280	27,925
Panel Van	Front	L3	H3	3,500	1,490	2.3dCi	125	6 manual	SE	Single	25,445	280	25,725
Panel Van	Front	L3	H3	3,500	1,490	2.3dCi	135 SS	6 manual	SE	Single	26,345	280	26,625
Panel Van	Front	L3	H3	3,500	1,490	2.3dCi	150	6 Semi-Auto	SE	Single	27,745	280	28,025
Panel Van	Front	L3	H3	3,500	1,490	2.3dCi	165 SS	6 manual	SE	Single	28,145	280	28,425
Panel Van	Rear	L3	H2	3,500	1,390	2.3dCi	135 SS	6 manual	SE	Single	26,845	280	27,125
Panel Van	Rear	L3	H2	3,500	1,390	2.3dCi	165 SS	6 manual	SE	Single	28,645	280	28,925
Panel Van	Rear	L4	H2	3,500	1,176	2.3dCi	135 SS	6 manual	SE	Twin	28,595	280	28,875
Panel Van	Rear	L4	H2	3,500	1,176	2.3dCi	165 SS	6 manual	SE	Twin	30,395	280	30,675
Panel Van	Rear	L4	H3	3,500	1,134	2.3dCi	135 SS	6 manual	SE	Twin	29,095	280	29,375
Panel Van	Rear	L4	H3	3,500	1,134	2.3dCi	165 SS	6 manual	SE	Twin	30,895	280	31,175
Panel Van	Rear	L4	H2	4,500	2,176	2.3dCi	135 SS	6 manual	SE	Twin	29,745	220	29,965
Panel Van	Rear	L4	H2	4,500	2,176	2.3dCi	165 SS	6 manual	SE	Twin	31,545	220	31,765
Panel Van	Rear	L4	H3	4,500	2,134	2.3dCi	135SS	6 manual	SE	Twin	30,245	220	30,465
Panel Van	Rear	L4	H3	4,500	2,134	2.3dCi	165 SS	6 manual	SE	Twin	32,045	220	32,265
Crew Van	Front	L2	H2	3,500	1,398	2.3dCi	125	6 manual	SE	Single	26,545	280	26,825
Crew Van	Front	L2	H2	3,500	1,398	2.3dCi	135 SS	6 manual	SE	Single	27,445	280	27,725
Crew Van	Front	L3	H2	3,500	1,323	2.3dCi	125	6 manual	SE	Single	27,445	280	27,725
Crew Van	Front	L3	H2	3,500	1,323	2.3dCi	135 SS	6 manual	SE	Single	28,345	280	28,625

The Basic Delivered prices excludes VAT but includes delivery to the dealership and number plates. The Basic On The Road price excludes VAT but includes delivery to the dealership, number plates, 12 months Vehicle Excise Duty (£225 or £165 for 4.5T variants) and Government First Registration Fee of £55.

* SS: with stop start

[Technical specifications](#) | [Price list](#) | [Commitments](#)

[NV400 Model and option prices](#) | [Further Information](#)

[Print](#) | [Close](#)

[Page 1](#) | [Page 2](#) | [Page 3](#) | [Page 4](#) | [Page 5](#) | [Page 6](#) | [Page 7](#) | [Page 8](#) | [Page 9](#) | [Page 10](#) | [Page 11](#) | [Page 12](#) | [Page 13](#) | [Page 14](#)

[REQUEST A TEST DRIVE](#)

NV400 OPTIONS

	E	SE FWD	SE 3.5T RWD	SE 4.5T RWD	SE Crew Van	Basic Price
Metallic paint	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	350.00
Nissan Connect by Tomtom navigation		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	650.00
Digital tachograph*		<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	550.00
Passenger airbag		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	250.00
Limited Slip Differential			<input type="radio"/>	<input type="radio"/>		500.00
OPTION PACKS						
Comfort pack		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	750.00
- Front air conditioning and Pollen filter						
- Front fog lamp						
- Intelligent Wipers						
- Automatic Lighting System						
Rear glazing pack		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		250.00
- Full steel bulkhead with fixed window						
- Glazed rear doors						
- Heated rear screen						
Offside door pack		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		375.00
- Offside sliding panel door						
- 270 degree unglazed rear doors, incompatible with H1 version						

For latest information on options that can be combined together, please contact your local Nissan Dealer
 *Digital tachograph is recommended for towing when the GTW is above 3500kg to meet EU and UK legislation.

Optional - Standard - Optional Dealer Fit -

1. Ladder



2. Towbar



3. Reversing Camera

4. Aluminium Roof Rack

5. Aluminium Walkway



[Technical specifications](#) | [Price list](#) | [Commitments](#)

[NV400 Model and option prices](#) | [Further Information](#)

[Print](#) | [Close](#)

[Page 1](#) | [Page 2](#) | [Page 3](#) | [Page 4](#) | [Page 5](#) | [Page 6](#) | [Page 7](#) | [Page 8](#) | [Page 9](#) | [Page 10](#) | [Page 11](#) | [Page 12](#) | [Page 13](#) | [Page 14](#)

[REQUEST A TEST DRIVE](#)



NV400 OPTIONS

	E	SE FWD	SE 3.5T RWD	SE 4.5T RWD	SE Crew Van	Basic Price
High Grade Clarion Satellite Navigation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	700
High Grade Clarion Satellite Navigation and Rear View Camera	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	850
Mats, Rubber (front)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35.20
Mudguards (front and rear)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	145.55
Mudguards (front and rear) - Twin wheels			<input type="checkbox"/>	<input type="checkbox"/>		145.00
Park Sensors (rear)	<input type="checkbox"/>	●	●	●	●	304.34
Reversing Camera and Screen	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	437.50
Alarm	●	●	●	●	<input type="checkbox"/>	288.75
Aluminium Roof Rack L1 H1	<input type="checkbox"/>	<input type="checkbox"/>				1,000.00
Aluminium Roof Rack L2 H2	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	1,097.50
Aluminium Roof Rack L3 H2		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1,251.25
Aluminium Walkway L1	<input type="checkbox"/>	<input type="checkbox"/>				287.50
Aluminium Walkway L2	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	317.50
Aluminium Walkway L3		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	347.50
Ladder	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	300.00
Roof bars	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	354.25
Towbar Flanged with coupling jaw pin ball*	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	508.33

* Alternative towbar options available. Please check with your local dealer for further information and prices.
 Dealer fit option prices include fitting but are only a guide. Please check with your local Nissan dealer for exact prices

Standard - ● Optional - ○ Optional Dealer Fit - □



NV400 CREW BUS

Body	Drive Wheel	Length	Roof	GVW (kg)	Payload (kg)	Engine	Power (PS)*	Transmission	Grade	Rear Wheel	Basic Delivered	VAT	Total Retail	VED + 1st Reg	On The Road
Crew Bus	Front	L2	H2	3,500	1,341	2.3 dCi	125	6 manual	SE	Single	23,750	4,750	28,500	540	29,040
Crew Bus	Front	L2	H2	3,500	1,341	2.3 dCi	135 SS	6 manual	SE	Single	24,650	4,930	29,580	345	29,925
Crew Bus	Front	L2	H2	3,500	1,341	2.3 dCi	150	6 Semi-Auto	SE	Single	26,050	5,210	31,260	540	31,800

Basic and Total Retail prices include delivery to the Dealership and number plates. On The Road price includes VAT and 12 months Government Vehicle Excise Duty and Government First Registration fee of £55.
 *SS: with stop & start

[Technical specifications](#) | [Price list](#) | [Commitments](#)

[NV400 Model and option prices](#) | [Further Information](#)

[Print](#) | [Close](#)

[Page 1](#) | [Page 2](#) | [Page 3](#) | [Page 4](#) | [Page 5](#) | [Page 6](#) | [Page 7](#) | [Page 8](#) | [Page 9](#) | [Page 10](#) | [Page 11](#) | [Page 12](#) | [Page 13](#) | [Page 14](#)

[REQUEST A TEST DRIVE](#)

NV400 CREW BUS OPTIONS

	SE	Basic Price	VAT	Total
Matellic paint	<input type="radio"/>	350	70	420
Nissan Connect by Tomtom navigation	<input type="radio"/>	650	130	780
Digital Tachograph and Towbar	<input type="radio"/>	825	165	990
OPTION PACKS				
Comfort pack	<input type="radio"/>	750	150	900
- Front air conditioning and Pollen filter				
- Front fog lamp				
- Intelligent Wipers				
- Automatic Lighting System				
Premium comfort pack	<input type="radio"/>	2,500	500	3,000
- Front and Rear air conditioning and Pollen filter				
- Front fog lamp				
- Intelligent Wipers				
- Automatic Lighting System				
Combi cargo	<input type="radio"/>	No cost option		
- Removal of 3rd row seats*				

Optional -



[Technical specifications](#) | [Price list](#) | [Commitments](#)

[NV400 Model and option prices](#) | [Further Information](#)

[Print](#) | [Close](#)

[Page 1](#) | [Page 2](#) | [Page 3](#) | [Page 4](#) | [Page 5](#) | [Page 6](#) | [Page 7](#) | [Page 8](#) | [Page 9](#) | [Page 10](#) | [Page 11](#) | [Page 12](#) | [Page 13](#) | [Page 14](#)

[REQUEST A TEST DRIVE](#)



NV400 CHASSIS CONVERSION

Body	Drive Wheel	Wheel Base	Cabin	GVW (kg)	Payload (kg)	Engine	Power (PS)	Transmission	Grade	Rear Wheel	Basic Delivered	VED + 1st Reg	Basic On The Road
Chassis	Front	L2	Single	3,500	1,814	2.3dCi	125	6 manual	E	Single	21,245	280	21,525
Chasis	Front	L2	Single	3,500	1,814	2.3dCI	125	6 manual	SE	Single	21,945	280	22,225
Chassis	Front	L2	Single	3,500	1,814	2.3dCi	135 SS	6 manual	SE	Single	22,845	280	23,125
Chassis	Front	L3	Single	3,500	1,794	2.3dCi	125	6 manual	SE	Single	22,645	280	22,925
Chassis	Front	L3	Double	3,500	1,586	2.3dCi	125	6 manual	SE	Single	23,645	280	23,925
Chassis	Front	L3	Single	3,500	1,794	2.3dCi	135 SS	6 manual	SE	Single	23,545	280	23,825
Chassis	Front	L3	Double	3,500	1,586	2.3dCi	135 SS	6 manual	SE	Single	24,545	280	24,825
Chassis	Front	L3	Single	3,500	1,794	2.3dCi	165 SS	6 manual	SE	Single	25,345	280	25,625
Chassis	Front	L3	Double	3,500	1,586	2.3dCi	165 SS	6 manual	SE	Single	26,345	280	26,625
Chassis	Rear	L3	Single	3,500	1,525	2.3dCi	135 SS	6 manual	SE	Twin	25,395	280	25,675
Chassis	Rear	L3	Double	3,500	1,346	2.3dCi	135 SS	6 manual	SE	Twin	26,395	280	26,675
Chassis	Rear	L3	Single	3,500	1,525	2.3dCi	165 SS	6 manual	SE	Twin	27,195	280	27,475
Chassis	Rear	L3	Double	3,500	1,346	2.3dCi	165 SS	6 manual	SE	Twin	28,195	280	28,475
Chassis	Rear	L3	Single	4,500	2,525	2.3dCi	135 SS	6 manual	SE	Twin	26,545	220	26,765
Chasis	Rear	L4	Single	3,500	1,495	2.3dCI	135 SS	6 manual	SE	Twin	26,095	280	26,375
Chasis	Rear	L4	Double	3,500	1,277	2.3dCI	135 SS	6 manual	SE	Twin	27,345	280	27,625
Chasis	Rear	L4	Single	3,500	1,495	2.3dCi	165 SS	6 manual	SE	Twin	27,895	280	28,175
Chasis	Rear	L4	Double	3,500	1,277	2.3dCI	165 SS	6 manual	SE	Twin	29,145	280	29,425

[Technical specifications](#) | [Price list](#) | [Commitments](#)

[NV400 Model and option prices](#) | [Further Information](#)

[Print](#) | [Close](#)

[Page 1](#) | [Page 2](#) | [Page 3](#) | [Page 4](#) | [Page 5](#) | [Page 6](#) | [Page 7](#) | [Page 8](#) | [Page 9](#) | [Page 10](#) | [Page 11](#) | [Page 12](#) | [Page 13](#) | [Page 14](#)

[REQUEST A TEST DRIVE](#)



[Technical specifications](#) | [Price list](#) | [Commitments](#)

[Print](#) | [Close](#)

[NV400 Model and option prices](#) | [Further Information](#)

[Page 1](#) | [Page 2](#) | [Page 3](#) | [Page 4](#) | [Page 5](#) | [Page 6](#) | [Page 7](#) | [Page 8](#) | [Page 9](#) | [Page 10](#) | [Page 11](#) | [Page 12](#) | [Page 13](#) | [Page 14](#)

[REQUEST A TEST DRIVE](#)



Body	Drive Wheel	Wheel Base	Cabin	GVW (kg)	Payload (kg)	Engine	Power (PS)	Transmission	Grade	Rear Wheel	Basic Delivered	VED + 1st Reg	Basic On The Road
Dropside	Front	L2	Single	3,500	1,462	2.3dCi	125	6 manual	E	Single	23,445	280	23,725
Dropside	Front	L2	Single	3,500	1,462	2.3dCi	125	6 manual	SE	Single	24,145	280	24,425
Dropside	Front	L2	Single	3,500	1,462	2.3dCi	135 SS	6 manual	SE	Single	25,045	280	25,325
Dropside	Front	L3	Single	3,500	1,390	2.3dCi	125	6 manual	SE	Single	25,045	280	25,325
Dropside	Front	L3	Double	3,500	1,234	2.3dCi	125	6 manual	SE	Single	25,845	280	26,125
Dropside	Front	L3	Single	3,500	1,390	2.3dCi	135 SS	6 manual	SE	Single	25,945	280	26,225
Dropside	Front	L3	Double	3,500	1,234	2.3dCi	135 SS	6 manual	SE	Single	26,745	280	27,025
Dropside	Front	L3	Single	3,500	1,390	2.3dCi	165 SS	6 manual	SE	Single	27,745	280	28,025
Dropside	Front	L3	Double	3,500	1,234	2.3dCi	165 SS	6 manual	SE	Single	28,545	280	28,825
Dropside	Rear	L3	Single	3,500	1,137	2.3dCi	135 SS	6 manual	SE	Twin	27,795	280	28,075
Dropside	Rear	L3	Double	3,500	991	2.3dCi	135 SS	6 manual	SE	Twin	28,595	280	28,875
Dropside	Rear	L3	Single	3,500	1,137	2.3dCi	165 SS	6 manual	SE	Twin	29,595	280	29,875
Dropside	Rear	L3	Double	3,500	991	2.3dCi	165 SS	6 manual	SE	Twin	30,395	280	30,675
Dropside	Rear	L4	Single	3,500	1,051	2.3dCi	135 SS	6 manual	SE	Twin	28,895	280	29,175
Dropside	Rear	L4	Double	3,500	889	2.3dCi	135 SS	6 manual	SE	Twin	29,745	280	30,025
Dropside	Rear	L4	Single	3,500	1,051	2.3dCi	165 SS	6 manual	SE	Twin	30,695	280	30,975
Dropside	Rear	L4	Double	3,500	889	2.3dCi	165 SS	6 manual	SE	Twin	31,545	280	31,825

Body	Drive Wheel	Wheel Base	Cabin	GVW (kg)	Payload (kg)	Engine	Power (PS)	Transmission	Grade	Rear Wheel	Basic Delivered	VED + 1st Reg	Basic On The Road
Tipper	Front	L2	Single	3,500	1,227	2.3dCi	125	6 manual	E	Single	24,845	280	25,125
Tipper	Front	L2	Single	3,500	1,227	2.3dCi	125	6 manual	SE	Single	25,545	280	25,825
Tipper	Front	L2	Single	3,500	1,227	2.3dCi	135 SS	6 manual	SE	Single	26,445	280	26,725
Tipper*	Front	L3	Single	3,500	TBC	2.3dCi	125	6 manual	SE	Single	26,245	280	26,525
Tipper	Front	L3	Double	3,500	998	2.3dCi	125	6 manual	SE	Single	27,245	280	27,525
Tipper*	Front	L3	Single	3,500	TBC	2.3dCi	135 SS	6 manual	SE	Single	27,145	280	27,425
Tipper	Front	L3	Double	3,500	998	2.3dCi	135 SS	6 manual	SE	Single	28,145	280	28,425
Tipper*	Front	L3	Single	3,500	TBC	2.3dCi	165 SS	6 manual	SE	Single	28,945	280	29,225
Tipper	Front	L3	Double	3,500	894	2.3dCi	165 SS	6 manual	SE	Single	29,945	280	30,225
Tipper*	Rear	L3	Single	3,500	TBC	2.3dCi	135 SS	6 manual	SE	Twin	28,995	280	29,275
Tipper	Rear	L3	Double	3,500	851	2.3dCi	135 SS	6 manual	SE	Twin	29,995	280	30,275
Tipper*	Rear	L3	Single	3,500	TBC	2.3dCi	165 SS	6 manual	SE	Twin	30,795	280	31,075
Tipper	Rear	L3	Double	3,500	851	2.3dCi	165 SS	6 manual	SE	Twin	31,795	280	32,075
Tipper*	Rear	L4	Double	3,500	TBC	2.3dCo	135 SS	6 manual	SE	Twin	30,945	280	31,225
Tipper*	Rear	L4	Double	3,500	TBC	2.3dCi	165 SS	6 manual	SE	Twin	32,745	280	33,025
Tipper*	Rear	L4	Double	3,500	821	2.3dCi	150	6 manual	SE	Twin	31,045	280	31,325

*Special build vehicles may be subject to extended delivery. The Basic Delivered prices excludes VAT but includes delivery to the dealership and number plates. The Basic On The Road price excludes VAT but includes delivery to the dealership, number plates, 12 months Vehicle Excise Duty (£225) and Government First Registration Fee of £55.

[Technical specifications](#) | [Price list](#) | [Commitments](#)

[Print](#) | [Close](#)

[NV400 Model and option prices](#) | [Further Information](#)

[Page 1](#) | [Page 2](#) | [Page 3](#) | [Page 4](#) | [Page 5](#) | [Page 6](#) | [Page 7](#) | [Page 8](#) | [Page 9](#) | [Page 10](#) | [Page 11](#) | [Page 12](#) | [Page 13](#) | [Page 14](#)

[REQUEST A TEST DRIVE](#)

NV400 CHASSIS CONVERSION OPTIONS

	E	SE FWD	SE RWD	Basic Price
Metallic paint	○	○	○	350
Nissan Connect by TomTom navigation		○	○	650
Digital Tachograph#		○	○	550
Passenger airbag		○	○	250
Limited Slip Differential			○	500
Mats, Rubber (front)	□	□	□	35.20
Mudguards (front and rear)	□	□		145.55
Mudguards (front and rear) - Twin wheels			□	145.00
Reversing Camera and Screen	□	□	□	437.50
Towbar Flanged with coupling jaw pin ball*	□	□	□	508.33
OPTION PACKS				
Comfort pack		○	○	750
- Front air conditioning and Pollen filter				
- Front fog lamp				
- Intelligent Wipers				
- Automatic Lighting System				

Standard - ● Optional - ○ Optional Dealer Fit - □

Dealer fit option prices include fitting but are only a guide. Please check with your local Nissan dealer for exact prices

#Digital tachograph is recommended for towing when the GTW is above 3500kg to meet EU and UK legislation.

* Alternative towbar options available. Please check with your local dealer for further information and prices.

NV400 TRABUS

Body	Drive Wheel	Length	Roof	GVW (kg)	Payload (kg)	Engine	Power (PS)	Transmission	Grade	Rear Wheel	Basic Delivered	VED + 1st Reg	Basic On The Road
Trabus	Front	L2	H2	3,900	TBC	2.3dCi	150	6 manual	SE	Single	26,745	220	26,965
Trabus	Front	L3	H2	3,900	TBC	2.3dCi	150	6 manual	SE	Single	27,645	220	27,865

NV400 PLATFORM

Body	Drive Wheel	Length	Roof	GVW (kg)	Payload (kg)	Engine	Power (PS)	Transmission	Grade	Rear Wheel	Basic Delivered	VED + 1st Reg	Basic On The Road
Platform	Front	L3	H1	3,500	1,900	2.3dCi	125	6 manual	SE	Single	22,645	280	22,925
Platform	Front	L3	H1	3,500	1,900	2.3dCi	135 SS	6 manual	SE	Single	23,545	280	23,825
Platform	Front	L3	H1	3,500	1,900	2.3dCi	150	6 semi-Auto	SE	Single	24,945	280	25,225
Tipper	Front	L3	H2	3,900	TBC	2.3dCi	150	6 manual	SE	Single	27,645	220	27,865

[Technical specifications](#) | [Price list](#) | [Commitments](#)

[NV400 Model and option prices](#) | [Further Information](#)

[Print](#) | [Close](#)

[Page 1](#) | [Page 2](#) | [Page 3](#) | [Page 4](#) | [Page 5](#) | [Page 6](#) | [Page 7](#) | [Page 8](#) | [Page 9](#) | [Page 10](#) | [Page 11](#) | [Page 12](#) | [Page 13](#) | [Page 14](#)

[REQUEST A TEST DRIVE](#)

NISSAN VAN INSURANCE

Did you know you can insure your van through Nissan Insurance?

With Nissan Van Insurance, you can be sure that you'll get the right cover at a great price. You'll also be dealing with people who really understand the way your business works. We know you want to save money, so our premiums are price-matched against the UK's leading insurers to give you great value.

Benefits include:

- Fully comprehensive cover available for virtually any type of business use
- 24/7 accident recovery helpline
- Discounts for branded vans and fixtures such as ladder holders
- Windscreen cover included as standard
- All repairs carried out in a Nissan dealership/Nissan approved repair centre
- All repairs carried out using Nissan Genuine Parts
- Like-for-like replacement provided if your vehicle is written off in the first 12 months

Call for a quote today on **0800 011 3528** and find out just how much money you could save with Nissan Van Insurance.

All quotes are based on individual circumstances and are subject to insurer's underwriting criteria. Terms and conditions apply, Nissan Insurance is arranged and administered by Equity Insurance Brokers Limited, which is authorised and regulated by the Financial Services Authority. Registered Office: Library House, New Road, Brentwood, Essex CM 14 4GD. Registered in England No. 258414. Nissan Motor (GB) Limited is authorised and regulated by the Financial Services Authority.

[Technical specifications](#) | [Price list](#) | [Commitments](#)

[NV400 Model and option prices](#) | [Further Information](#)

[Print](#) | [Close](#)

[Page 1](#) | [Page 2](#)

[REQUEST A TEST DRIVE](#)

FURTHER INFORMATION

Price Protection Plan. Order a new Nissan for delivery no more than 4 weeks in advance and the price you are quoted is the price you pay. This is irrespective of any subsequent price rises between placing your order and delivery of your new vehicle. Nissan Motor (GB) is not liable for price adjustments caused by Government changes in the rate of VAT or by any other applicable legislation or regulation or Vehicle Excise Duty.

Navara - Three year/60,000 miles manufacturer's warranty - Nissan's comprehensive warranty provides cover for your new Nissan from defects in materials or workmanship. Your vehicle is covered in all European Countries where Authorised Nissan Dealers are located. If your vehicle becomes inoperative due to warrantable defects, a towing service, when necessary, to the Authorised Dealer is covered. If a warrantable defect abroad takes more than six hours to repair, the Touring Assistance Programme will pay for a hotel or rental car to a certain maximum. The paint warranty covers painted body parts (excluding the underbody) for three years regardless of mileage driven. For further details please contact your local Authorised Nissan Dealer.

LCV model (including NV200, Primastar, NV400 and Cabstar) - New Vehicle Warranty is issued by Nissan International SA is valid for 3 years from the warranty start date or 60,000 miles, whichever comes first. In addition, for each new LCV model (including NV200, Primastar, NV400 and Cabstar) sold by an authorised UK Nissan dealer, Nissan Motor (GB) Limited (NMGB) will issue an extension to the New Vehicle Warranty. This warranty extension will cover your vehicle from 60,000 miles up to 100,000 miles or 3 years from the warranty start date, whichever comes first. Please note that audio and navigation units will not be covered by the warranty extension.

Special build conversions may be subject to extended delivery.

The conversions in this price list are from Nissan Motor GB-appointed converters and have warranty terms in line with the Nissan Pan European Warranty. The converter is responsible for all aspects of the conversion.

Nissan European Roadside Assistance is provided for the first three years of your van's life. Please see www.nissan-aftersales.co.uk for full details including terms and conditions.

Recyclability - we take our environmental responsibilities very seriously - innovation today comes with a deep respect for the environment. Our engines are now much more unobtrusive and their emissions have been considerably reduced. All our vehicles are designed with recycling in mind.

All prices in this list are quoted in pounds sterling. Value Added Tax (VAT) has been calculated at 20%. Accessory prices are subject to change, please see your nearest dealership for the most up to date prices.

While all reasonable effort has been made to ensure the accuracy of the information provided, due to Nissan's policy of continuous product improvement, all particulars contained are subject to constant revision and Nissan reserves the right to change, alter or modify among other things, specifications, colours and prices of models without notice at any time. Accordingly you should consult your local Nissan Dealer for the exact introduction dates of all models and for the most up-to-date information.

[Technical specifications](#) | [Price list](#) | [Commitments](#)

[NV400 Model and option prices](#) | [Further Information](#)

[Print](#) | [Close](#)

[Page 1](#) | [Page 2](#)

[REQUEST A TEST DRIVE](#)



YOU + NISSAN

CARE

You care about the car you drive. So do we. That's why we're making a commitment to providing the best customer service in the market.

Find out more nissan.co.uk/care



Nissan cares for you because you care about your Nissan.
That's why we'll make the following commitment:

YOU care about staying on the road when your Nissan is in for service or repair.

YOU care about quality enough to have your Nissan serviced at a Nissan dealership.

YOU care about getting the best value for money when it comes to service and repair.

YOU care about having your problems resolved quickly.

YOU care about getting the right Nissan model, engine & gear box to test drive.

NISSAN will keep you mobile free of charge.

NISSAN says thanks by giving you continuous Nissan roadside assistance for free.

NISSAN will price match like for like competitor written quotes within 10 miles of your local dealer.

NISSAN will propose how to resolve any problem within 2 working days.

NISSAN will guarantee that's what you'll get when you pre-book your test drive either online or through our customer service centre.



Find out more nissan.co.uk/care





NV200



NV400



NT400 Cabstar

Nissan. Innovation that excites.

NISSAN MOTOR (GB) LIMITED

The Rivers Office Park
Denham Way
Maple Cross
Rickmansworth
Hertfordshire
WD3 9YS

Visit our website at: www.nissan.co.uk



MIX
Paper from
responsible sources
FSC® C014147

Part Number: 99999-54162

Prices effective from 1st October 2014 unless otherwise stated

Dealer stamp:

[Technical specifications](#) | [Price list](#) | [Commitments](#)

[Print](#) | [Close](#)

[REQUEST A TEST DRIVE](#)