


The 505 Family Petrol/Diesel Estate

With 8 seats — all forward-facing — everybody can enjoy a comfortable ride. With two rows of folding seats, it's the only fully converting estate available and offers you the greatest volume capacity.

The petrol version has a 1971cc engine developing 96 din bhp with a 5-speed manual gearbox and power assisted steering as standard. There's an

econoscope for economical motoring, too.
The diesel version has a 2498cc engine
developing 76 din bhp with a 5-speed manual
gearbox. Power assisted steering is standard.
A digital clock, internally adjustable halogen
head

standard.



The Mechanical Features

THE PETROL AND DIESEL ENGINES Like all Peugeot engines, they have power, durability, quietness and balance. The petrol engine is one of the best of its kind, giving you an opportunity to sample motoring that is both sophisticated and economical. It is capable of over 38 mpg at a constant 56 mph in the GL and GR 4-speed estates, and over 40 mpg in the

5-speed family – a truly incredible achievement in an estate of such a size.

The diesel engine is, of course, even more economical and can manage over 44 mpg at a constant 56 mph. A special pre-heating plug enables the engine to start in the coldest temperatures in just 7 seconds.

THE GEAR BOX

The 4- and 5-speed gearboxes give excellent

smoothness and versatility. The gear ratios were calculated to give the best possible combination between performance and fuel consumption, with the fifth gear on the GRD and family models making a significant saving here. At the same time, the fifth gear means that the engine revs are kept down for quiet and smooth cruising.

THE POWER ASSISTED STEERING

This gives you more comfort for less effort. Although it's not noticeable when driving fast or in a straight line, it's a great help on winding roads or when parking. DIAGNOSTIC SOCKET (Petrol engines only) This allows the ignition system to be connected to a dealership's electronic test equipment, so that any fault can be located immediately without the need for time-consuming dismantling.

Active and Passive Safety Features

ACTIVE SAFETY FEATURES

These concern everything involved in controlling the

There is independent coil-spring suspension at the front with telescopic hydraulic shock-absorbers and an anti-roll bar.

The rear has a coiled-spring suspension with anti-roll bar (except on the GL) and telescopic hydraulic shock-absorbers.

The brakes are dual circuit and servo-assisted with discs at the front and drums at the rear. The brakes are automatically adjusted each time they are applied, resulting in maximum effectiveness.


Finally, there's both a brake fluid loss warning light and a brake pad wear warning light on the fascia.

PASSIVE SAFETY FEATURES

This consists of all the features that would lessen the impact in the event of an accident.

The front and rear sections of the estate are designed to crumple and thus absorb the impact of a crash. This means that the passengers all sit in a safety cage in the centre. The steering column is collapsible and the dashboard and fascia are padded, so there are no hard and dangerous protrusions.

The exceptionally large window area gives the driver a panoramic view, and headlamp adjustment and the rear demister mean that he can make the best use of it in all weathers. Rear fog lamps ensure that the vehicle is visible to other road users in inclement weather.



The Six Year Anti-Corrosion Guarantee

All Peugeots have a 6-year anti-corrosion guarantee.

Each new Peugeot is carefully treated against corrosion by being totally immersed in a cataphoretic tank, a process that makes the bodywork particularly resistant to corrosion.

But Peugeot don't just make use of this

technological innovation on its own — they use all the traditional anticorrosion processes as well. In fact, a total of nearly 25kg of material combines to protect the metalwork against corrosion.

This proves, if proof were needed, that your Peugeot will turn out to be a good investment,

guaranteed by more than just words.

The 6-year anti-corrosion guarantee covers repair to any part of the bodywork or underside that has suffered corrosion from the inside, causing the metal to be perforated.

To take advantage of the guarantee, two simple service checks are required to be carried out on the vehicle (lasting two hours approximately and at the expense of the customer, at the end of the second

and fourth years of use). The inspections must be carried out by a recognised Peugeot dealer.

The Peugeot 6-year anti-corrosion guarantee is transferable in the event of a change in ownership, and is limited to vehicles used in the following European countries: Austria, Belgium, Denmark, Finland, France, Great Britain, Holland, Ireland, Italy, Luxembourg, Norway, Portugal, Spain, Sweden, Switzerland, West Germany.






















I. SHEET METAL.

Certain body items which are difficult to protect and liable to corrosion are made of zinc-plated or galvanised steel.

2. PHOSPHATING.

Improves adhesion of resin film in the electrophoretic bath.

3. CATHODIC ELECTROPHORETIC BATH. A film of epoxy resin is deposited on the whole of the body shell. Box sections are pierced to enable internal surfaces to be reached and protected. 4. WATERTIGHT JOINTS.

Mastic cords are put between the sheet metal joints on both the inside and the outside so as to ensure a watertight seal.

5, PVC ANTI-CHIPPING COMPOUND.
Protection of those parts of the body which are subject to attack by loose stones.

The undercoat includes oxydisation-inhibiting pigments (zinc chromates) which improve

anti-corrosion protection. Anti-chipping qualities are also included.

7.NAD (non-aqueous dispersion) ACRYLIC LACOUER.

Thermosetting by baking at above 150°C. High covering power.

8. CLEAR VARNISH (On metallic and black paint only).

Increased brilliance and better protection of the pigmentation of the colour coat against corrosive elements in the atmosphere.

9. PRESSURE INJECTION OF WAX INTO BOX SECTIONS.

Protection of internal wall surfaces, preventing water from penetrating between panels. IO. BITUMEN WAX.

Bitumen compounds applied to the underside of the body to avoid corrosion of the interior of box sections by the penetration of water and the affects of humidity.

SPECIFICATIONS

	ESTATE			FAMILY		
	GL	GR	GRD	PETROL	DIESEL	
ENGINE						
Cubic capacity	1971cc	1971cc	2498cc	1071	0400	
Number of cylinders	197100	197100		1971cc	2498cc	
			Four			
Bore/stroke (mm)	88 x 81	88 x 81	94×90	88 x 81	94×90	
Maximum Power DIN	82 bhp at	96 bhp at	76 bhp at	96 bhp at	76 bhp at	
	5000 rpm	5200 rpm	4500 rpm	5200 rpm	4500 rpm	
Maximum Torque DIN lb ft	116 at	119 at	111 at	119 at	111 at	
	2500 rpm	3000 rpm	2000 rpm	3000 rpm	2000 rpm	
Carburettor	Single choke	Double	Diesel	Double	Diesel	
	omigio oriono	choke	Injection	choke	Injection	
Compression Ratio	8.8:1	8.8:1	23:1	8.8:1	23:1	
Choke: Manual	0.0.1	0.0.1	23.1	0.0.1	23.1	
Automatic					B JEHMA	
Diagnostic Plug						
					194	
TRANSMISSION						
Gearbox: Manual 4-speed	•	•				
5-speed			•	•	•	
STEERING			Rack and pinion			
Power assisted		•	•	•	•	
Turning Circle (between kerbs)	36ft 5ins	36ft 9ins	36ft 9ins	36ft 9ins	36ft 9ins	
SUSPENSION	(5.500,500,50					
Front	Independent coil	enring with anti-r	oll bar and double	acting telescopies	chock	
Hone	absorbers	spring with anti-i	oli bai ai lu double	acting telescopics	SHOCK	
Door		C-11			and all all	
Rear	Coil springs		anti-roll bar and d	louble-acting teles	copic snock	
	with telescopic	absorbers.				
	double acting					
	shock absorbers					
DDAKEC						
			Dual circuit			
BRAKES Front: Disc	•	•	Dual circuit	•	•	
Front: Disc Rear: Drum	•	:	Dual circuit	•	:	
Front: Disc Rear: Drum	:	•	Dual circuit	•	•	
Front: Disc Rear: Drum Servo Assistance	•	•	Dual circuit	•	•	
Front: Disc Rear: Drum Servo Assistance DIMENSIONS	•	•	•	•	:	
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length	•	•	192.9"	•	•	
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length Overall width	•	•	192.9" 68.1"	•	•	
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length Overall width Wheelbase	•	•	192.9"	•	•	
	•	•	192.9" 68.1" 114.2"	•	•	
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length Overall width Wheelbase Interior width (at elbows): front	•	:	192.9" 68.1" 114.2" 56."	•	•	
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length Overall width Wheelbase Interior width (at elbows): front 2nd row seat	•	•	192.9" 68.1" 114.2" 56." 55.5"	•	•	
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length Overall width Wheelbase Interior width (at elbows): front 2nd row seat 3rd seat	•	• • • • • • • • • • • • • • • • • • •	192.9" 68.1" 114.2" 56."	• •	3"	
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length Overall width Wheelbase Interior width (at elbows): front 2nd row seat 3rd seat Load floor length: seats up	•	54.3"	192.9" 68.1" 114.2" 56." 55.5"	28		
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length Overall width Wheelbase Interior width (at elbows): front 2nd row seat 3rd seat Load floor length: seats up seats folded	•	54.3" 91.3"	192.9" 68.1" 114.2" 56." 55.5" 52.0"	28 81		
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length Overall width Wheelbase Interior width (at elbows): front 2nd row seat 3rd seat Load floor length: seats up seats folded Load floor width	•		192.9" 68.1" 114.2" 56." 55.5" 52.0"			
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length Overall width Wheelbase Interior width (at elbows): front 2nd row seat 3rd seat Load floor length: seats up seats folded Load floor width Load compartment height	•	91.3"	192.9" 68.1" 114.2" 56." 55.5" 52.0"	81.	1"	
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length Overall width Wheelbase Interior width (at elbows): front 2nd row seat 3rd seat Load floor length: seats up seats folded Load floor width Load compartment height Load floor area (sq. ft.): seats up	•	91.3"	192.9" 68.1" 114.2" 56." 55.5" 52.0"	81.	0.9	
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length Overall width Wheelbase Interior width (at elbows): front 2nd row seat 3rd seat Load floor length: seats up seats folded Load floor width Load compartment height Load floor area (sq. ft.): seats up seats down	•	91.3" 18.1 32.6	192.9" 68.1" 114.2" 56." 55.5" 52.0"	81. 9 28	.1″ 9.9 8.5	
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length Overall width Wheelbase Interior width (at elbows): front 2nd row seat 3rd seat Load floor length: seats up seats folded Load floor width Load compartment height Load floor area (sq. ft.): seats up seats down Load compartment: (cu. ft.) seats up	•	91.3″ 18.1 32.6 39.2	192.9" 68.1" 114.2" 56." 55.5" 52.0"	81 9 28 21	.1″ 0.9 3.5 .7	
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length Overall width Wheelbase Interior width (at elbows): front 2nd row seat 3rd seat Load floor length: seats up seats folded Load compartment height Load floor area (sq. ft.): seats up seats down	•	91.3" 18.1 32.6	192.9" 68.1" 114.2" 56." 55.5" 52.0"	81. 9 28	.1″ 0.9 3.5 .7	
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length Overall width Wheelbase Interior width (at elbows): front 2nd row seat 3rd seat Load floor length: seats up seats folded Load compartment height Load floor area (sq. ft.): seats up seats down Load compartment: (cu. ft.) seats up seats folded	•	91.3″ 18.1 32.6 39.2	192.9" 68.1" 114.2" 56." 55.5" 52.0"	81 9 28 21	.1″ 0.9 3.5 .7	
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length Overall width Wheelbase Interior width (at elbows): front 2nd row seat 3rd seat Load floor length: seats up seats folded Load floor width Load compartment height Load floor area (sq. ft.): seats up seats down Load compartment: (cu. ft.) seats up seats folded WEIGHTS lbs		91.3" 18.1 32.6 39.2 78.4	192.9" 68.1" 114.2" 56." 55.5" 52.0" 45.3" 34.3"	81 28 21 67	.1″ 0.9 0.5 .7 1.9	
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length Overall width Wheelbase Interior width (at elbows): front 2nd row seat 3rd seat Load floor length: seats up seats folded Load floor width Load compartment height Load floor area (sq. ft.): seats up seats down Load compartment: (cu. ft.) seats up seats folded Load floor area (sq. ft.): seats up seats down Load compartment: (cu. ft.) seats up seats folded	280	91.3" 18.1 32.6 39.2 78.4	192.9" 68.1" 114.2" 56." 55.5" 52.0" 45.3" 34.3"	81 28 21 67 2889	.1" 0.9 0.5 .7 .9	
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length Overall width Wheelbase Interior width (at elbows): front 2nd row seat 3rd seat Load floor length: seats up seats folded Load floor width Load compartment height Load floor area (sq. ft.): seats up seats folded WEIGHTS lbs WEIGHTS lbs Kerb weight Max. laden weight	435	91.3" 18.1 32.6 39.2 78.4	192.9" 68.1" 114.2" 56." 55.5" 52.0" 45.3" 34.3"	2889 4421	.1" 0.9 0.5 7 0.9 3120 4631	
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length Overall width Wheelbase Interior width (at elbows): front 2nd row seat 3rd seat Load floor length: seats up seats folded Load floor width Load compartment height Load floor area (sq. ft.): seats up seats folded WEIGHTS lbs WEIGHTS lbs Kerb weight Max. laden weight		91.3" 18.1 32.6 39.2 78.4	192.9" 68.1" 114.2" 56." 55.5" 52.0" 45.3" 34.3"	81 28 21 67 2889	.1" 0.9 0.5 .7 0.9 3120	
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length Overall width Wheelbase Interior width (at elbows): front 2nd row seat 3rd seat Load floor length: seats up seats folded Load floor width Load compartment height Load floor area (sq. ft.): seats up seats down Load compartment: (cu. ft.) seats up seats folded WEIGHTS lbs	435	91.3" 18.1 32.6 39.2 78.4	192.9" 68.1" 114.2" 56." 55.5" 52.0" 45.3" 34.3"	2889 4421	.1" 0.9 0.5 7 0.9 3120 4631	
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length Overall width Wheelbase Interior width (at elbows): front 2nd row seat 3rd seat Load floor length: seats up seats folded Load floor width Load compartment height Load floor area (sq.ft.): seats up seats down Load compartment: (cu.ft.) seats up seats folded WEIGHTS IbS Kerb weight Max. laden weight (braked trailer)	435	91.3" 18.1 32.6 39.2 78.4	192.9" 68.1" 114.2" 56." 55.5" 52.0" 45.3" 34.3"	2889 4421	.1" 0.9 0.5 7 0.9 3120 4631	
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length Overall length Overall width Wheelbase Interior width (at elbows): front 2nd row seat 3rd seat Load floor length: seats up seats folded Load floor width Load compartment height Load floor area (sq. ft.): seats up seats down Load compartment: (cu. ft.) seats up seats folded WEIGHTS Ibs Kerb weight Max. laden weight Max. towing weight (braked trailer) CAPACITIES Fuel tank	435	91.3" 18.1 32.6 39.2 78.4	192.9" 68.1" 114.2" 156." 55.5" 52.0" 45.3" 34.3" 3054 4564 3308 12.5 gallons	2889 4421	.1" 0.9 0.5 7 0.9 3120 4631	
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length Overall width Wheelbase Interior width (at elbows): front 2nd row seat 3rd seat Load floor length: seats up seats folded Load floor width Load compartment height Load floor area (sq. ft.): seats up seats down Load compartment: (cu. ft.) seats up seats folded WEIGHTS IbS (erb weight Max. laden weight Max. towing weight (braked trailer) CAPACITIES Fuel tank	435	91.3" 18.1 32.6 39.2 78.4	192.9" 68.1" 114.2" 56." 55.5" 52.0" 45.3" 34.3"	81 28 28 21 67 2889 4421 3308	.1" 0.9 0.5 7 0.9 3120 4631	
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length Overall length Overall width Wheelbase Interior width (at elbows): front 2nd row seat 3rd seat Load floor length: seats up seats folded Load floor width Load compartment height Load floor area (sq. ft.): seats up seats down Load compartment: (cu. ft.) seats up seats folded WEIGHTS Ibs Kerb weight Max. Iaden weight Max. towing weight (braked trailer) CAPACITIES FUEL ECONOMY m.p.g. (I/100km)	435: 330:	91.3" 18.1 32.6 39.2 78.4	192.9" 68.1" 114.2" 56." 55.5" 52.0" 45.3" 34.3" 3054 4564 3308 12.5 gallons	2889 4421 3308	9.9 1.5 7 9.9 3120 4631 3308	
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length Overall width Wheelbase Interior width (at elbows): front 2nd row seat 3rd seat Load floor length: seats up seats folded Load floor width Load compartment height Load floor area (sq. ft.): seats up seats folded WEIGHTS Ibs Kerb weight Max. Iaden weight (braked trailer) CAPACITIES Fuel tank TYRES FUEL ECONOMY m.p.g. (I/100km) At 56 mph	435: 330: 38.7 (7.3)	91.3" 18.1 32.6 39.2 78.4 0 5 8	192.9" 68.1" 114.2" 56." 55.5" 52.0" 45.3" 34.3" 3054 4564 3308 12.5 gallons 185 SR 14 radial 44.1 (6.4)	2889 4421 3308	.1" 9.9 9.5 5.7 7.9 3120 4631 3308	
Front: Disc Rear: Drum Servo Assistance DIMENSIONS Overall length Overall width Wheelbase Interior width (at elbows): front 2nd row seat 3rd seat Load floor length: seats up seats folded Load floor width Load compartment height Load floor area (sq. ft.): seats up seats folded WEIGHTS lbs Kerb weight Max. Iaden weight Max. towing weight (braked trailer) CAPACITIES	435: 330:	91.3" 18.1 32.6 39.2 78.4	192.9" 68.1" 114.2" 56." 55.5" 52.0" 45.3" 34.3" 3054 4564 3308 12.5 gallons	2889 4421 3308	9.9 9.5 7 9.9 3120 4631 3308	

These figures are the results of approved tests as recorded by the Department of Energy in official fuel economy certificates. *Diesel consumption in accordance with French government test procedures.

EQUIPMENT

	ESTATE FAMILY					
	GL	GR	GRD	PETROL	DIESE	
FASCIA/INSTRUMENT PANEL						
Indicator warning light	•	•	•	•	•	
Water temperature gauge	•	•	•	•	•	
Fuel gauge	•	•	•	•	•	
Trip meter		•	•	•	•	
Econoscope – petrol models		•		•		
Coolant level warning light	•	•	•	•	•	
Oil pressure warning light	•	•	•	•	•	
Breakdown/stop warning light (water/oil/battery/brakes)	•	•	•	•	•	
Battery charge warning light	•		•	•	•	
Handbrake warning light	•	•	•	•	•	
Brake fluid level warning light	•	•	•	•	•	
Brake pad wear warning light	•	•	•	•	•	
Digital clock		•	•	•	•	
Interior headlight adjustment	•	•	•	•		
Panel light rheostat		•	•	•	•	
DRIVING AIDS/SAFETY FEATURES						
Laminated windscreen		•	•	•	•	
Tinted glass			•	•	•	
2-Speed wipers/electric wash	•	•	•	•	•	
Intermittent wipe	•		•	•		
Halogen headlamps						
Reversing lights						
Rear fog lights			•	•		
Heated rear screen						
Tailgate wash/wipe						
Static door mirrors						
Remote control door mirrors			•			
Dipping interior rear view mirror						
Inertia front seat belts						
Childproof rear door locks						
GENERAL EQUIPMENT						
Illuminated ignition keyhole						
Push button radio						
Radio/cassette player						
Heater with four speed fan						
Rear compartment heating						
Reclining front seats						
Front seat headrestraints						
Cloth seat trim						
Tweed seat trim						
Rubber floor mat						
Floor carpet						
Centre console						
Cigar lighter						
Ashtrays front and rear						
Four armrests						
Hockey stick armrests						
Front door bins						
Lockable glove box						
Vanity mirror						
Courtesy light - front						
Courtesy light – rear						
Seat back map pockets				•	•	
Folding bench seat			•			
Split folding bench seat						
Folding third row seat						

PEUGEOT TAKE PRIDE IN PRECISION

The basis for reliability is thorough research, planning and skill in design. Only the best quality materials and components are used, many of which have been designed specifically for Peugeot and are manufactured in Peugeot factories.

Continual pre- and post-production testing evaluates parts and prototype models for quality of manufacture, for design efficiency and as part of one of the most comprehensive programmes into vehicle and passenger safety.

Anti-corrosion treatment is equally thorough. New cathodic electrophoretic processes give an even greater level of protection, which is reinforced by bitumen wax injection treatments to doors and hollow sections, a PVC anti-chipping compound applied to wheel arches, front and rear lower panels and along the sills, and the whole underbody covered in a thicker bitumen wax coating.

All this extra care means quality and reliability built into each and every Peugeot product.

Take a test drive at your local Peugeot Dealer:

CRAZE BROS. LTD.
27 PALMERSTON ROAD
BOSCOMBE, HANTS
TEL: BOURNEMOUTH 37200

Please Note:

Every endeavour has been made to ensure that the information contained in this brochure was accurate at the time of going to press. Peugeot Talbot however, reserve the right, while preserving the essential characteristics of the models described and illustrated in this brochure, to introduce at any time modifications, changes of detail, equipment or accessories as may be considered necessary. The brochure will be updated from time to time but in order to avoid any misunderstanding any person interested in purchasing a vehicle should enquire of an authorised Peugeot dealer as to whether there have been any material alterations since the date of the issue of this brochure.

Diesel versions will not be available from production until late spring and final specifications should be checked with your local Peugeot dealer

March 1982

PEUGEOT \$3505

Talbot Motor Company Ltd London Road Ryton on Dunsmore Coventry CV8 3DZ