




THE NEW
STREETWISE
BY ROVER

TECHNICAL SPECIFICATIONS



KEY STANDARD FEATURES

Main items of specification

Interior trim & equipment

- Monaco/PVC seat facings.
- 60/40 split folding rear seat.
- Full length floor-mounted centre console.
- Front door bins.
- Height adjustable steering wheel.
- Tinted glass.
- Glovebox with lamp.
- Hinged rear parcel shelf.
- Neutral Coloured internally adjustable door mirrors.
- Front door cup holders and CD stowage.
- Satin chrome circular air vents.

Exterior trim

- Union flag badge on D post.
- 15" Steel wheels.
- Roof bars.
- Neutral coloured bodykit.

Electrical Equipment

- Trafficmaster® Alert System.
- Twin halogen headlamps.
- Headlamp levelling.
- Twin reversing lamps.
- Twin rear fog guard lamps.
- Loadspace lamp.
- Auxiliary power socket.
- Rear wash/wipe (with auto-activation in reverse gear).

Heating & Ventilation

- Four-speed fan and recirculation mode.
- Four fascia vents and side window demist.

Safety

- Driver's airbag.
- Side intrusion beams in doors.
- Driver's seat belt load limiter.
- Adjustable front seat headrests.
- High-mounted rear stop lamp.
- ABS with EBD.

Security

- Engine immobiliser with passive arming.
- Perimetric and volumetric anti-theft alarm.
- Superlocking (front doors).
- Security shielding for steering column and all doors.
- Remote Central Door Locking.
- Pliip controlled remote boot release function.
- Auto-locking, audible mislock and speed locking functions.
- Master locking/unlocking switch including personal panic attack alarm mode.

Audio

- Stereo radio/cassette with RDS.

Steering

- Power assisted steering.

ENGINES

Technical Specification

Engine	STREETWISE	STREETWISE S	STREETWISE SE
1.4 16v (84Ps)	■	■	-
1.4 16v (103Ps)	-	■	■
1.6 16v†	-	■	■
1.8 CVT†	-	■	■
2.0 Turbo Diesel	■	■	■

■ Standard - Not available † Only available in 5-door body style

Engines

	Max. Power	Max. Torque	Engine Capacity	Engine Data
1.4 16v	84Ps (EC) @ 6000 rpm	110 Nm (EC) @ 4500 rpm	1396cc	4 cylinder, transverse, DOHC with electronic multi-point fuel injection, programmed ignition and 3-way controlled catalyst. Hydraulic tappets. Compression ratio 10.5:1.
1.4 16v	103Ps (EC) @ 6000 rpm	123 Nm (EC) @ 4500 rpm	1396cc	4 cylinder, transverse, DOHC with electronic multi-point fuel injection, programmed ignition and 3-way controlled catalyst. Hydraulic tappets. Compression ratio 10.5:1.
1.6 16v	109Ps (EC) @ 6000 rpm	138 Nm (EC) @ 4500 rpm	1589cc	4 cylinder, transverse, DOHC with electronic multi-point fuel injection, programmed ignition and 3-way controlled catalyst. Hydraulic tappets. Compression ratio 10.5:1.
1.8 16v	117Ps (EC) @ 5500 rpm	160 Nm (EC) @ 2750 rpm	1796cc	4 cylinder, transverse, DOHC with electronic multi-point fuel injection, programmed ignition and 3-way controlled catalyst. Hydraulic tappets. Compression ratio 10.5:1.
2.0 Turbo Diesel	101Ps (EC) @ 4200 rpm	240 Nm (EC) @ 2000 rpm	1994cc	4 cylinder, transverse, SOHC turbo-charged intercooled diesel with electronic programmed direct fuel injection and 2-way oxidation catalyst with exhaust gas recirculation. Hydraulic tappets. Fast-acting glow plugs. Compression ratio 19.5:1.

Performance* and Fuel Economy

Model	Transmission	Maximum Speed (mph)	Acceleration (secs)			Urban		Urban Extra		Combined		CO ₂ g/km
			0-60mph	30-50mph (4th gear)	50-70mph (4th gear)	Mpg	L/100km	Mpg	L/100km	Mpg	L/100km	
1.4 (84Ps)	Manual	102	11.8	10.7	12.5	30.0	9.4	46.6	6.1	38.7	7.3	174
1.4 (103Ps)	Manual	108	10.2	9.5	10.8	30.0	9.4	46.6	6.1	38.7	7.3	174
1.6	Manual	110	9.3	7.9	9.1	30.0	9.4	44.7	6.3	37.9	7.5	179
1.8 CVT	Stepspeed	108	9.9	-	-	25.3	11.2	43.1	6.6	34.2	8.3	199
2.0 Turbo Diesel	Manual	110	9.9	6.4	7.2	35.6	7.9	58.1	4.9	47.1	6.0	159

*Manufacturer's data. All fuel economy figures are in accordance with Directive 1999/100/EC. They have been calculated using the same test cycle as used for official exhaust emission classification. They cannot be compared with the previous steady speed/urban figures and are more representative of actual on-road fuel consumption. Under normal use a car's actual fuel consumption figures may differ from those achieved through the test procedure, depending on driving technique, road and traffic conditions, environmental factors, and vehicle condition. All Streetwise petrol models are equipped with a 3-way controlled catalytic converter and **must** use unleaded fuel. The use of Premium (95 RON) unleaded fuel is recommended. Unleaded petrol of a higher octane can be used. Fuel tank capacity: 11 gallons (50 litres).

WHEELS



15" Steel wheel with
195/60 R15 radial tyre



16" Blade alloy wheel with
205/50 R16 radial tyre

Wheels and Tyres

	STREETWISE	STREETWISE S	STREETWISE SE
15" Steel wheel	■	-	-
16" Alloys	□	■	■
Instant Tyre Repair System	■	■	■
Full size spare wheel	□	-	-
Space saver spare wheel	□	□	□

■ Standard □ Optional - Not available

Suspension

Front: McPherson strut with coil springs, telescopic shock absorbers and anti-roll bar.
Rear: H-frame with coil springs and telescopic shock absorbers.

Steering

Rack and pinion, power assisted with positive centre feel.

Brakes

Servo-assisted diagonal split dual circuit system. Front disc brakes, rear drums on all models.

Safety

Laminated windscreen. Driver's airbag. Side intrusion beams in doors. Adjustable front seat headrests. Height adjustable, inertia reel front seat belts with pre-tensioners. Driver's seat belt load limiter. Two inertia reel rear seat belts. High-mounted rear stop lamp.

	Streetwise	Streetwise S	Streetwise SE
Passenger airbag.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
ABS with EBD.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Locks and Security

Engine immobiliser with passive arming. Locking fuel filler flap. Security coded audio.

	Streetwise	Streetwise S	Streetwise SE
Perimetric anti-theft alarm.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Remote control central door locking.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Superlocking (front doors).

	Streetwise	Streetwise S	Streetwise SE
Volumetric anti-theft alarm.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Security shielding for steering column and all doors.

	Streetwise	Streetwise S	Streetwise SE
Thatcham approved Security wheel nuts.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Heating and Ventilation

Four-speed fan and recirculation mode. Four fascia vents. Temperature and volume controlled air flow to windscreen, footwells and front side windows.

	Streetwise	Streetwise S	Streetwise SE
Air conditioning.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

■ Standard □ Optional – Not available

Interior Features

	Streetwise	Streetwise S	Streetwise SE
Monaco seat facings.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Sebring seat facings.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Front seats adjustable for fore/aft movement and full recline. 60/40 split folding rear seat. Four seat configuration. Glovebox. Front ashtray. Full-length floor mounted centre console. Rear ashtray.

	Streetwise	Streetwise S	Streetwise SE
Five seat option.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	Streetwise	Streetwise S	Streetwise SE
Folding boot storage box and convenience hook.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Full depth moulded door casings with cloth trimmed insert. Front door bins. Dipping rear view mirror. Twin swivelling sun visors with driver's docket pocket and passenger's vanity mirror. Hinged rear parcel shelf. Height adjustable soft feel steering wheel. Internally adjustable door mirrors. Carpeted loadspace. Fascia shelf (except models fitted with passenger airbag).

	Streetwise	Streetwise S	Streetwise SE
Driver and passenger cup holders.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

	Streetwise	Streetwise S	Streetwise SE
CD stowage.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

	Streetwise	Streetwise S	Streetwise SE
Leather steering wheel and gearknob.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

	Streetwise	Streetwise S	Streetwise SE
Driver's seat adjustable for height and lumbar support.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Electrical Features

Styled twin halogen headlamps. Headlamp levelling. Twin rear fog guard lamps. Twin reversing lamps. Side repeater flashers. Interior courtesy lamp with delay. Loadspace lamp. Lamps-on warning buzzer. Heated rear window with automatic cut-off.

	Streetwise	Streetwise S	Streetwise SE
Rear Ultrasonic Parking Distance Sensors.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	Streetwise	Streetwise S	Streetwise SE
Trafficmaster® Alert System.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

	Streetwise	Streetwise S	Streetwise SE
Glovebox lamp.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

	Streetwise	Streetwise S	Streetwise SE
Electric sliding/tilting glass sunroof.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	Streetwise	Streetwise S	Streetwise SE
Electric front windows.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

	Streetwise	Streetwise S	Streetwise SE
Electric rear windows (5-door only).	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	Streetwise	Streetwise S	Streetwise SE
Electric door mirrors.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

	Streetwise	Streetwise S	Streetwise SE
Front fog lamps.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

	Streetwise	Streetwise S	Streetwise SE
Auxiliary power socket.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

	Streetwise	Streetwise S	Streetwise SE
Cigar lighter.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

FEATURES

Instruments and Controls

Streetwise

Streetwise S

Streetwise SE

Speedometer with trip recorder. Fuel level and water temperature gauges. Tachometer. Digital clock.
Warning lamps in instrument panel. Two column stalks for indicators, headlamp dip/flash, side/main lights, 2-speed wipers with flick wipe, intermittent wipe and electric screen washers.
Rear wash/wipe with programmed intermittent wipe and automatic activation in reverse gear.


■

■

■



RADIO CASSETTE



CD-PLAYER



BECKER SATELLITE NAVIGATION

Audio

Electronic tune 3-band stereo radio/stereo cassette, security coded, automatic tuning, autostore, radio data system RDS on FM including traffic and news information system and 2 speakers.†

■

-

-

Electronic tune 3-band stereo CD-Tuner with detachable faceplate, automatic tuning, autostore, radio data system RDS on FM including traffic information system, 4 speakers and remote controls on steering wheel.‡

□

■

■

Detachable, roof-mounted aerial.

■

■

■

6-disc CD autochanger.†A

□

□

□

Becker Traffic Pro GPS Satellite navigation* including voice directions, 4-band stereo radio/CD with security code, RDS, separate bass, treble, balance and fader controls.
(Remote controls on steering wheel incompatible with this option.)

□

□


□

■ Standard □ Optional - Not available

*Becker Traffic Pro GPS and 6-disc CD autochanger are mutually exclusive.

†The audio units fitted and their specifications may vary. Please consult your distributor.

‡Not compatible with CD-Tuner, always supplied in conjunction with a radio cassette.



S

TECHNICAL

INTERIOR

EXTERIOR

FUEL

ALLOYS

CAPACITY



COLOUR OPTIONS

SKI BLUE (p)



ROYAL BLUE (p)



SONIC BLUE (m)



IGNITION BLUE* (p)



FIREFROST RED (p)



ARBOUR GREEN (m)



TEMPEST GREY (m)



RIO RED* (s)



STARLIGHT SILVER (m)



TROPHY YELLOW (s)



BLACK PEARL (p)



GOODWOOD GREEN (p)



s - solid m - metallic p - pearlescent

*Please consult your distributor for availability

SEATING OPTIONS



MONACO



NEUTRAL SEBRING WITH
LEATHER



RED SEBRING WITH
LEATHER



BLUE SEBRING WITH
LEATHER

PART LEATHER PACK

- Part leather seats with Sebring fabric
- Rear headrests (x2)

FIVE SEAT OPTION

- Adds a standard three person rear bench seat

COLOUR + TRIM OPTIONS

EXTERIOR/INTERIOR COMBINATIONS





Model	INTERIOR Fabric name	Fabric colour	SOLID			METALLIC			PEARLESCENT						
			Rio Red	Trophy Yellow		Tempest Grey	Starlight Silver	Sonic Blue	Arbour Green		Firefrost Red	Black Pearl	Royal Blue	Ski Blue	Ignition Blue
Streetwise and Streetwise S	Monaco fabric	Black	■	■		■	■	■	■	■	■	■	■	■	■
Streetwise SE	Sebring with leather	Neutral	□	□		□	□	□	□	□	□	□	□	□	□
	Sebring with leather	Blue	┆	┆		□	□	□	┆	┆	□	□	□	□	┆
	Sebring with leather	Red	□	┆		□	□	┆	□	□	┆	┆	┆	┆	┆

■ Standard □ Option - Not available

Body Features

	Streetwise	Streetwise S	Streetwise SE
3/5-door hatchback.*	■	■	■
Body-coloured door mirrors.	-	■	■
Roof rails (up to 65kg capacity).	■	■	■

■ Standard □ Optional - Not available # 1.6 and 1.8 CVT are only available in 5-door hatchback



Recommended Towing Weights	1.4 Manual		1.6 Manual		1.8 Manual		2.0D Manual	
	kg	lb	kg	lb	kg	lb	kg	lb
Unladen minimum*	1015	2235	1015	2235	1040	2290	1120	2465
Unladen maximum*	1110	2445	1120	2465	1150	2535	1215	2675
Max laden weight†	1520	3350	1520	3350	1550	3415	1600	3525
Max axle load, front	830	1825	830	1825	850	1870	915	2015
Max axle load, rear†	750	1650	750	1650	750	1650	750	1650
Max roof load	65	140	65	140	65	140	65	140
Max trailer weight, unbraked	500	1100	500	1100	500	1100	500	1100
Max trailer weight, braked††	1000	2200	1000	2200	1000	2200	1000	2200
Max tow hitch download	70	150	70	150	70	150	70	150

Note:

* Unladen weight is with no occupants and 90% fuel tank filling.

†When towing, the vehicle maximum laden weight can be increased by up to 100kg (221lbs) and the maximum rear axle load can be increased by 15%, provided road speed is limited to a maximum of 62mph (100km/h).

††The maximum towing weights shown above are to an industry defined standard and represent the maximum weight that can be towed by the vehicle, allowing it to restart efficiently on a 12% gradient (1 in 8.3 approx.) at sea level.

Always fit Rover officially approved towing attachments and accessories, available from your Distributor. These are the only ones approved for use on Rover cars.

Insurance Groups (as recommended by the Association of British Insurers). All models are Thatcham Category 1 security rated.

Model	Streetwise	Streetwise S	Streetwise SE
1.4 (84Ps)	TBC	TBC	-
1.4 (103Ps)	-	TBC	TBC
1.6	-	TBC	TBC
1.8 CVT	-	TBC	TBC
2.0 Turbo Diesel	-	TBC	TBC

TBC – Not available at time of going to print.