

TRAFIC SPORT



(Enter Renault's world at Sky Guide 883 and www.renault.tv)

CHARTERHOUSE. JULY 2010. PART NUMBER 7701 380 687
Renault U.K. Limited Customer Services, The Rivers Office Park, Denham Way, Maple Cross, Rickmansworth, Hertfordshire WD3 9YS. Tel: 0800 52 51 50.

TRAFIC PHASE 3 SPORT



TRAFIC SPORT: BUSINESS WITH ADDED PLEASURE



Introducing the most stylish work vehicle ever. Renault wanted to create a working van that looked and drove like a car: Trafic Sport is the result. You may spend most of your working day in the driver's seat, so why not spend it in comfort and style? Trafic Sport boasts all the functionality and durability that have made Trafic a resounding business success. On top of that, we've added some sporty 'extras,' like alloy wheels, all round metallic paint and air conditioning. You'll enjoy the drive so much, you might even forget you're working.

TRAFIC SPORT

THE SMARTEST VAN ON THE ROAD

Is cargo space a priority? Opt for the practical Traffic Sport Panel Van. Featuring floor and side anchorage points, along with a fantastically generous load volume of up to 5.9m³, it tackles any challenge with finesse.

Need a passenger vehicle that allows up to nine people to travel in comfort and safety, with room left for luggage? Go for the Traffic Sport Commercial Passenger Vehicle.

If you need to transport both people and goods, opt for the flexible Traffic Sport Crew Van. An accommodating rear bench seat, flanked by two glazed doors with opening windows, allows you to carry up to three rear passengers with ease, as well as goods in the spacious rear load area (volume up to 4.13m³).

All three variants are available in short or long wheelbase versions, with a range of economical dCi diesel engines and a choice of manual or automatic Quickshift6 gearboxes – giving you total freedom to choose the van that's perfect for you.

Plus, with the extra features that the Traffic Sport offers, whatever version you choose and however you use it, it's an exceptionally smart buy.



CORE FEATURES - PANEL VAN, CREW VAN, PASSENGER VEHICLE

- 16" 'Ixtar' alloy wheels
- Air conditioning and air conditioned glovebox
- Armrest - driver's side and 'Blue Elba' upholstery
- Front fog lights
- Metallic paint with all round paint
- Trip computer - multifunctional
- 3 year / 100k warranty (2 years unlimited mileage)
- 180° opening rear doors - unglazed
- 2 x 20W single CD MP3 Bluetooth and AUX point
- 6 speed gearbox
- Height adjustable driver's seat

- Passenger bench seat
- Power assisted steering wheel
- Side loading door (left) – unglazed (Panel Van only)
- 4 disc brakes
- ABS with EBD (Electronic Brake Distribution)
- Full steel bulkhead (Panel Vans only)
- Driver's airbag
- Insurance approved (Thatcham category 1) alarm and immobiliser
- Remote central locking with deadlocking
- Spare wheel with anti-theft spare wheel holder

- Carminat TomTom® navigation system (UK map)
- Electric windows and door mirrors
- Anchorage points on load floor
- Reach adjustable steering wheel
- Anti-drill locks and ignition barrel
- Height adjustable seatbelts with pretensioners and load limiters
- Side impact bars
- Side protection strips
- Wraparound bumpers
- R.A.I.D. (Renault Anti Intruder Device)

ADDITIONAL FEATURES - CREW VAN

- Side doors (left and right) - glazed with opening window
- Crew Van integral bulkhead with glazed panel
- Removable rear seat bench

ADDITIONAL FEATURES - PASSENGER VEHICLE (NOT INCLUDING CREW VAN FEATURES)

- Side loading doors (left and right) - glazed
- Rear glazed tailgate (heated, wash wipe)
- Second row triple bench seat
- Tinted windows


KEY OPTIONS*

- Airbags - front lateral, curtain and front passenger with airbag deactivation
- Automatic headlights and windscreen wipers and key - 3 button with selective door opening
- ESP (Electronic Stability Programme) with traction and understeer control - load adaptive
- Rear parking sensors
- Passenger seat - height adjustable single seat

- Speed limiter – engine (56 / 62 / 68 mph)
- Tow bar
- Multi-functional TunePoint
- Climate control
- Cruise control
- Leather steering wheel

*More options are available – please see the latest Price Guide or ask your Renault Dealer for details.

COLOURS



NM = Non-metallic Supergloss MP = Metallic Pearlescent MI = Metallic Illusion

It should be noted that printing limitations do not permit these subtle paintwork shades to be shown with absolute accuracy. Only personal inspection of the Traffic at your Renault Dealer will reveal it in its true colours. From time to time changes are made to the colour range. Please check availability with your Renault Dealer.

TECHNICAL SPECIFICATIONS

VERSION	COMMERCIAL PASSENGER VEHICLES				PANEL VAN				
	SL27 dCi 115	SL27 dCi 115 QS6	LL29 dCi 115	LL29 dCi 115 QS6	SL27 dCi 115	LL29 dCi 115	SL27 dCi 115 QS6	LL29 dCi 115 QS6	
Wheelbase	Short	Short	Long	Long	Short	Long	Short	Long	
Roof height	Low				Low				
Engine	M9R (MH)				M9R (MH)				
Emission level	EURO IV				EURO IV				
Number of seats	9				2/3				
ENGINE									
Engine capacity	(cm3) 1996				(cm3) 1996				
Bore x stroke	(mm) 84 x 90				(mm) 84 x 90				
Number of cylinders	4				4				
Compression ratio	15.19				15.19				
Number of valves	16				16				
Maximum power	kW CEE (hp) 84 (115)				kW CEE (hp) 84 (115)				
Engine speed at maximum power	(rpm) 3500				(rpm) 3500				
Maximum torque	(Nm CEE) 290				(Nm CEE) 290				
Engine speed at maximum torque	(rpm) 1600				(rpm) 1600				
Injection type	Commonrail				Commonrail				
Turbocharge	Yes				Yes				
Fuel	Diesel				Diesel				
Pre-catalytic converter / catalytic converter	Standard / Standard				Standard / Standard				
TRANSMISSION									
Gearbox type	Manual	Quickshift 6	Manual	Quickshift 6	Manual	Manual	Quickshift 6	Quickshift 6	
Type	PF6	PA6	PF6	PA6	PF6	PF6	PF6	PF6	
Number of forward gears	6				6				
Speed mph (km/h) at 1000 rpm in 1st	4.28 (6.89)	7.02 (11.29)	7.02 (11.29)	7.02 (11.29)	4.28 (6.89)	4.42 (7.12)	4.28 (6.89)	4.42 (7.12)	
in 2nd	8.0 (12.88)	13.13 (21.13)	13.13 (21.13)	13.13 (21.13)	8.0 (12.88)	8.27 (13.32)	8.0 (12.88)	8.27 (13.32)	
in 3rd	13.34 (20.76)	21.17 (34.07)	21.17 (34.07)	21.17 (34.07)	13.34 (20.76)	13.34 (21.47)	13.34 (20.76)	13.34 (21.47)	
in 4th	18.34 (29.52)	30.09 (48.42)	30.09 (48.42)	30.09 (48.42)	18.34 (29.52)	18.96 (30.52)	18.34 (29.52)	18.96 (30.52)	
in 5th	23.66 (38.09)	38.83 (62.49)	38.83 (62.49)	38.83 (62.49)	23.66 (38.09)	24.47 (39.38)	23.66 (38.09)	24.47 (39.38)	
in 6th	30.03 (48.34)	49.28 (79.30)	49.28 (79.30)	49.28 (79.30)	30.03 (48.34)	31.05 (49.98)	30.03 (48.34)	31.05 (49.98)	
STEERING									
Assisted	Standard				Standard				
Ø turning circle between kerbs	(m) 11.84	11.84	13.17	13.17	11.84	13.17	11.84	13.17	
Ø turning circle between walls	(m) 12.4	12.4	13.73	13.73	12.4	13.73	12.4	13.73	
Turns lock to lock	3.2				3.2				
SUSPENSION									
Ø antiroll bar-front	(mm) 0 22	0 22				0 22			
Ø antiroll bar- rear	(mm) 0 41,2	0 41,2				0 41,2			
WHEELS AND TYRES									
Standard wheels	(") 16	16				16			
Standard tyres (front / rear)	195/65	205/65	205/65	205/65	205/65	205/65	205/65	205/65	
BRAKING									
A.B.S	Standard				Standard				
Servobrake : single (S), double (D) - Ø	(") S 11"	S 11"				S 11"			
Front : plain disc (DP), vent disc (DV) Ø	(mm) 40+45	DV: Bi-piston Ø 40+45				DV: Bi-piston Ø 40+45			
Rear : drum (D), plain disc (DP), vent disc (DV) Ø	(mm) DP Ø 41	DP Ø 41				DP Ø 41			
AERODYNAMICS									
Cx	0.362				0.362				
CAPACITY									
Fuel tank	(litres) 90	90				90			
WEIGHT									
Unladen in running order	(kg) 1883	1897	1954	1968	1678	1724	1690	1737	
Unladen in running order - front axle	(kg) 1134	1148	1192	1206	1098	1138	1110	1150	
Unladen in running order - rear axle	(kg) 749	749	762	762	580	586	580	587	
Gross vehicle weight (G.V.W.)	(kg) 2835	2850	3040	3050	2770	2960	2735	2930	
Within G.V.W. maximum permitted on front axle	(kg) 1450	1450	1620	1620	1450	1580	1450	1580	
Within G.V.W. maximum permitted on rear axle	(kg) 1650	1550	1650	1650	1550	1650	1550	1650	
Maximum towing train weight (G.T.W.)	(kg) 4755	4770	4960	4970	4770	4960	4735	4930	
Maximum payload	(kg) 952	953	1086	1082	1092	1236	1045	1193	
Minimum payload	(kg) 761	770	842	845	835	952	794	916	
Braked trailer	(kg) 2000	2000	2000	2000	2000	2000	2000	2000	
Unbraked trailer	(kg) 750	750	750	750	750	750	750	750	
FUEL CONSUMPTION									
CO2 emissions	(g/km) 199	194	203	199	195	195	192	192	
Urban	(mpg) 31.7	34.4	30.7	33.2	33.2	33.2	33.2	33.2	
Extra-urban	(mpg) 41.5	40.9	41.5	40.4	41.5	41.5	42.8	42.8	
Combined	(mpg) 37.6	38.2	36.7	37.7	38.2	38.2	38.7	38.7	

PANEL VAN				CREW VAN							
SL27 dCi 150	LL29 dCi 150	SL27 dCi 150 QS6	LL29 dCi 150 QS6	SL27 dCi 115	SL29 dCi 115	LL29 dCi 115	SL27 dCi 115 QS6	SL29 dCi 115 QS6	LL29 dCi 115 QS6	LL29 dCi 115 QS6	LL29 dCi 150
Short	Long	Short	Long	Short	Short	Long	Short	Short	Long	Long	Long
Low				Low							
G9U (MV)				M9R (MH)							
EURO IV				EURO IV							
2/3				5/6							
2464				1964							
89 x 99				84 x 90							
4				4							
18				15.19							
16				16							
107 (146)				84 (115)							
3500				3500							
320				290							
1500				1600							
Commonrail				Commonrail							
Yes				Yes							
Diesel				Diesel							
Standard / Standard				Standard / Standard							
Manual	Manual	Quickshift 6	Quickshift 6	Manual	Manual	Manual	Quickshift 6	Quickshift 6	Quickshift 6	Quickshift 6	Manual
PF6	PF6	PA6	PA6	PF6	PF6	PF6	PA0	PA0	PA0	PA0	PF6
6				6							
4.75 (7.66)	4.75 (7.66)	4.75 (7.66)	4.75 (7.66)	4.42 (7.12)	4.42 (7.12)	4.42 (7.12)	4.42 (7.12)	4.42 (7.12)	4.42 (7.12)	4.42 (7.12)	4.75 (7.66)
8.81 (14.22)	8.81 (14.22)	8.81 (14.22)	8.81 (14.22)	8.27 (13.32)	8.27 (13.32)	8.27 (13.32)	8.27 (13.32)	8.27 (13.32)	8.27 (13.32)	8.27 (13.32)	8.81 (14.22)
13.38 (21.58)	13.38 (21.58)	13.38 (21.58)	13.38 (21.58)	13.34 (21.47)	13.34 (21.47)	13.34 (21.47)	13.34 (21.47)	13.34 (21.47)	13.34 (21.47)	13.34 (21.47)	13.38 (21.58)
19.02 (30.68)	19.02 (30.68)	19.02 (30.68)	19.02 (30.68)	18.96 (30.52)	18.96 (30.52)	18.96 (30.52)	18.96 (30.52)	18.96 (30.52)	18.96 (30.52)	18.96 (30.52)	19.02 (30.68)
24.55 (39.59)	24.55 (39.59)	24.55 (39.59)	24.55 (39.59)	24.46 (39.38)	24.46 (39.38)	24.46 (39.38)	24.46 (39.38)	24.46 (39.38)	24.46 (39.38)	24.46 (39.38)	24.55 (39.59)
31.15 (50.24)	31.15 (50.24)	31.15 (50.24)	31.15 (50.24)	31.05 (49.98)	31.05 (49.98)	31.05 (49.98)	31.05 (49.98)	31.05 (49.98)	31.05 (49.98)	31.05 (49.98)	31.15 (50.24)
Standard				Standard							
11.84	13.17	11.84	13.17	11.84	11.84	13.17	11.84	11.84	13.17	13.17	13.17
12.4	13.73	12.4	13.73	12.4	12.4	13.73	12.4	12.4	13.73	13.73	13.73
3.2				3.2							
0 22				0 22							
0 41,2				0 41,2							
16				16							
215/65	215/65	215/65	215/65	205/65	205/65	205/65	205/65	205/65	205/65	205/65	215/65
Standard				Standard							
S 11"				S 11"							
DV: Bi-piston Ø 40+45				DV: Bi-piston Ø 40+45							
DP Ø 41				DP Ø 41							
0.362				0.362							
90				90							
1736	1772	1748	1785	1848	1849	1886	1860	1862	1898	1934	1934
1154	1188	1166	1200	1147	1148	1195	1159	1229	1207	1245	1245
582	584	582	585	701	701	691	701	815	691	689	689
2820	3035	2830	3005	2810	2860	2965	2825	2870	2975	3015	3015
1560	1620	1580	1620	1550	1580	1580	1580	1580	1580	1620	1620
1650	1650	1650	1650	1650	1650	1650	1650	1650	1650	1650	1650
4820	5035	4830	5005	4810	4860	4965	4825	4870	4975	5015	5015
1084	1263	1082	1220	962	1011	1079	965	1008	1077	1081	1081
806	1004	810	968	772	821	918	783	827	923	916	916
2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000
750	750	750	750	750	750	750	750	750	750	750	750
229				229							
27.2				27.2							
37.2				37.2							
32.5				32.5							