CHRYSLER SPECIFICATIONS

CROSSFIRE











There is poetry in every detail. Crossfire gauge instrumentation includes a 260-km/h speedometer elegantly trimmed in Satin Silver. The available 5-speed automatic transmission with AutoStick® allows for clutchless manual shifting. The standard 3.2L V6 delivers 160 kW and an exceptional 310 Nm of torque. Once vehicle speed exceeds 100 km/h, Crossfire's rear spoiler deploys to create additional downforce.




A powerful and poetic performance derived from a sport-tuned touring suspension and a 160 kW engine make Crossfire Roadster a standout in its genre. Crossfire's well-toned cockpit is equally exceptional. Twin leather-trimmed seats, classic leather-wrapped steering wheel, race-inspired gauges and generous Satin Silver detailing — from the premium centre instrumentation stack, to the gearshift and locking centre console (Roadster) — hold the promise of a potent driving experience.



Crossfire's design blends precision engineering with styling eves from the most elegant era of design. Bonnet speed lines and side panel louvres are reminiscent of the Art Deco movement's use of ornamentation for both functional and aesthetic purposes. Technologically savey systems work together to provide a decidedly balanced ride.

Crossfire's large 19-inch rear and 18-inch front performance tyres provide both authoritative handling and a stunning appearance. Crossfire Coupe's satin silver 6-speed shifter is linked to a 3.2L V6 engine with 160 kW, and featuring three-valve technology, plus dual ignition. Crossfire Coupe's styling, speed-sensitive spoiler and stunning accents further enhance an expression of speed.





EXTERIOR COLOURS

| | Inferno Red Crystal Pearl | Oyster Gold Crystal Metallic | Classic* Yellow | Aero Blue Pearl | Sapphire Silver Blue Metallic | Machine Grey Crystal Pearl | Black | Bright Silver Metallic |
|-----------|------------------------------|------------------------------------|--------------------|--------------------|-------------------------------------|----------------------------------|----------|------------------------------|
| Crossfire | 1,2,4* | 1,3,4* | 1,4* | 1,2,4* | 1,2,3 | 1,2 | 1,2,3,4* | 1,2,3,4* |

^{*}Roadster only.

UPHOLSTERY

Dark Slate Grey Nappa Leather Trimmed Seats Dark Slate Grey Nappa Leather Trimmed Seats with Medium Slate Grey Inserts

Dark Slate Grey Nappa Leather Trimmed Seats with Cedar Inserts Dark Slate Grey Nappa Leather Trimmed Seats with Cool Vanilla Inserts

4



Purposeful technology in every Genuine Chrysler Accessory is beautifully bookended from front to rear bumper. The retractable Security Cover keeps rear hatch cargo out of view, for increased security. The Collapsible Cargo Organiser* opens up to keep items securely in place. The Carpet Cargo Magic Tray With LoksTM secures cargo — like luggage — of all shapes. Park Distance Sensors use Ultrasonic technology to assist drivers while reversing. And illuminated Door Sill Plates make night access to the vehicle easier.





Genuine Chrysler Accessories enhance the performance-driven design of Crossfire. A Convertible Windscreen assists with rearward views by utilising an acrylic shield to reduce wind buffeting. And a Vehicle Cover uses Weathershield® material to protect every inch of Crossfire's speedy silhouette.

| Crossfire | Coupe/ |
|-----------|--------|
| Road | cter |

| 23.0 SMC IAV 8 | | | Roadster | |
|---|---|--|-------------------------------|---|
| 19.1 | ENGINE/TRANSMISS | ION | | |
| Better Ministerance Free | 3.2L SOHC 18V V6 | — With 6-speed manual | 21A | |
| Better Ministerance Free | 3.2L SOHC 18V V6 | — With 5-speed automatic with AutoStick® | 22A | |
| Bother Notifination Price — No Origh S Bothers 4 - Stand old carded S — Seel Actors S Betternis Shalibity Program™ S Stabilized Per — Front old valge S Supprintin — Front old valge S Supprintin — Front old valge S Supprintin — Noving S Frection Card Name Nove value S Extractive Card Tax William S Extractive Card Tax William S Extractive Card Tax William S England Tay — Invalidate S England Tay — Hall properties | MECHANICAL | | | |
| Books — 4-whed dix certifold S Entrones Shability Program™ S Stediniers Born — foot and reu S Stediniers Born — foot and S Stediniers Born — foot and S Stedinier Born — foot and S ENERGERESTURS — foot S Entropers (RT Good) — foot and S Endeated Tip — best-defend transify first-aid kill S Following — food S Following — food S Following — food S Following — flood prioritive dischaled S Historian (Park Julian prioritive) S S Mistorian — flood prioritive flood S S Spaller — Rept cloth S S Mistorian — Food prioritive flood S <th< td=""><td></td><td>ree — 700-omn</td><td>ς</td></th<> | | ree — 700-omn | ς | |
| Part | | | | |
| Betroits Sability Properties S Stabilities Par — Forcit cut lever S Schering — Forcit cut lever S Schering — Forcit cut lever S Tractional — Illegend S Total cut lever I Law Section of the plant | Diukes | | | |
| Statering — Front and recor S Statering — Rowel S Suppension — Found S Traction Control — All-good S EFTERION FEATURES Delivoir management of Trong — Row midbo S England of Patricial Yang Lindra di Na S Enboux Tip — Doub Stoph S Fog Lamp — Row S Glass — Timed glass schoding windsheld S Glass — Timed glass schoding windsheld S Micros — Rome findrown S Micros — Health, goarty fillowinds S Micros — Health, goarty fillowinds S Micros — Health, goarty fillowinds S Spoller — Row, active S Tyres — Passa, active S Tyres — Row, findrown S Micros — Il' State institution front/19" eleminant near Mark Wiper Mark — Proving Aller State Institution front/19" eleminant near | Elastrania Ctability Duan | | | |
| Stepreing — Power S Suppression — Touring S Frection Central of All-speed S STERIOR FEATURES* Defender — Rose-vindow S Entergency Rif Group — Rose-vindow S Folg Limps — Foot 1 S Folg Limps — Foot 2 S Glids — Intel glies solding mode/sield S Glids — Intel glies solding mode/sield S Glids — Intel glies solding mode/sield S Heading pays solder — S S Heading pays solder — S S Heading pays solder — Sold pays solder S Spoller — Rose, offen will prove fidely S Upper — Poze, offen will prove fidely S Windows — 18" demins front/19" demins near S | | | | |
| Singention Intention All pand S CENTRICING TEATURISE CENTRICING TEATURISE CENTRICING TEATURISE CENTRICING TEATURISE CENTRICING TEATURISE Emergency Kin Group - Relating the since in this list S Embourt Tip - Build tailing the relation S Glass - Timed place including windchied S Gloss - Ill linearly projector S Gloss - Ill linearly projector S Mirrors - Regular contrile S Mirrors - Restrict power, Indicatory S Type - Pozz, Aguez Rep. Sys S252879 perlumanca S Type - Pozz, Aguez Rep. Sys S252879 perlumanca S Type - Pozz, Aguez Rep. Sys S252879 perlumanca S Windows - Pozz, Aguez Rep. Sys S252879 perlumanca S Windows - Time control ministrict, poze- demander S Name of Sept demander S Name of Sept demander S Na | | | | |
| Traction Control All-speed EXPERIOR EXAILABLE EXPERIOR EXAILABLE Expension of Find Find In Strongle, Birds shall All S. Exherent Tips — Rear window S. Find In Strongle In Strain In Strongle, Birds shall All S. Find In Strongle In Str | | | | |
| EXTENSIVE FACUATES Reconsidor S Emergency Kif Group - Reconsidor S Emergency Kif Group - Post project (s) S Fog Lamps - Frost S Glos - Troot S Headlemys - Hodges projector S Headlemys - Hodges projector S Mirror - Rect, Jones, Joécowy S Spoiler - Rect, done S Fyres - P225-40x18, P255-552R19 parlimentes S Tyres - P225-40x18, P255-552R19 parlimentes S Top, Oubrio - Pose, don's N Wheels - Rece, don's N Wheels - Pose, don's N Wheels - Frost considerate Hunt N Collegate Mark - Pose, don's </td <td></td> <td></td> <td></td> | | | | |
| Defositor — Root-window S Emergancy Kif Group — Relating friends it it S Exhour Tip — Root belight S Fog Lamps — Food S Gloss — Timed glass including windshield S Recolling — Hondry plans including windshield S Micros — Root, activity flumination S Micros — Root, activity flumination S Spoiler — Root, activity S Floor — Root, activity S Spoiler — Root, activity S Floor — Root, activity S Spoiler — Root, activity S Floor — Root, activity S Types — Proteorido prompt food from Protein S S Wheels — I S' adminion front/19" administure rear S Wiper-Live — Proteorido-intermitent, speel-sensitive rear S Wiper-Live — Proteorido-intermitent, speel-sensitive rear S Door Hand — Soft chome S Boor | | | \$ | |
| Entropersy KF Group Related in prioring his besid kit S Educate Tipe — Doal bright S Fog Lamps — Feor S Glass — Teared glass including windshield S Bloadlomps — Hodgen projector S Househomps — Hodgen projector S Finance — Hodgen projector S Williams — Hodgen projector S Williams — Hodgen projector S Spoiler — Hodgen projector S Flority — Hodgen projector S Spoiler — Redated prover, foldrows S Spoiler — Redated prover, foldrows S Vipers — PEZS-MUZERIE, PESS/92KER/19 performance S Vipers — PEZS-MUZERIE, PESS/92KER/19 performance S Vipers — PEZS-MUZERIE, PESS/92KER/19 performance S Vipers — PERS-MUZERIE, PESS/92KER/19 performance S Vipers — Feor teach diverse muzerie field S Vipers/Wickson — Feor teach diverse muzerie field < | EXTERIOR FEATURES | | | |
| Exhaust Tip — Outli bright S Fog Lamps — Foot 1 S Glas — Time of less including windshield S Blead Lamps — Hold ges including windshield S Head Lamps — Hold ges including windshield S Head Lamps — Hold ges including windshield S Head Lamps — Hold ges including windshield S Hill read in Flat search y llumination S Spoaler — Rose, delived S Types — Pover, delived S Types — Pover, delived S Windows — Pover, divised sometime treat S Windows — Fover, divised sometime treat S Crisic Control — S Vinited Defendence — Fover, divised sometime treat S Crisic Control — S Door Hould Iss — Sofian drama | Defroster | — Rear-window | S | |
| Fog Lamps — Fiort S Gloss — Reor S Gloss — Hould gloss including windsheld S Headedamps — Hollyd scortly illumination S Mirrors — Heated, power, foldoway S Spoiler — Root, ordive S Top, Cabrio — Poor, drive M Lop, Cabrio — Root, drive S Top, Cabrio — Root, drive M Wheels — 18" of uninium front/19" cluminium reor S Williams — Poor, driver's and passanger one-touch-down S Windows — Poor, driver's and passanger one-touch-down S Windows — Form, driver's and passanger one-touch-down S Windows — Found, driver's and passanger one-touch-down S Down of the found tourise's and passanger one-touch-down S Book Hadde | Emergency Kit Group | — Reflecting triangle, first-aid kit | S | |
| Floor Flo | Exhaust Tip | — Dual bright | S | |
| Gloss — Intel dipos including windsheld S Headlamps — Hologan projector S — Right security filluminon S Mirrors — Right security filluminon S Spoiler — Relead, pove, foldway S Tyres — Powe, dro S Tyres — Powe, dro MX Wholes — Rie "oluminum front/19" uluminum mear S Windows — Fowe, driver's end pesanger met-tuck-down S Windows — Fowe, driver's end pesanger met-tuck-down S Windows — Fower during signal—Low worder fluid S NETERIOR FEATURES Ending Sequence Seque | Fog Lamps | — Front | S | |
| Headedamps — Indeeque projection S Increase — Builder Joners (Indication) S Mirrors — Builder Joners (Indication) S Spoiler — Rev. certifier S Top. — Pozz-Sch/Qiki p Personation S Top, Cubino — Power, clinh S Wheels — Bit "oluminum front/19" cluminum rear S Windows — Power, clinh demonstrated prosented read read read read read read read re | | — Rear | S | |
| Nght security Illumination S S Mirrors | Glass | — Tinted glass including windshield | S | |
| Mirrors Heatled, power, foldoway S Spoiler Roar, active S Tyres ≃ P225/ ADZR18, P255/35ZR19 performance S Top, Cubrio ~ Power, John NA/S Wheels — 18° duminium fron/19° duminium rear S Windows — 18° duminium fron/19° duminium rear S Windows — Ford vairoid-intermittent, speed-sensitive S Windows — Ford vairoid-intermittent, speed-sensitive S Windows for four durising spind—Low washer fluid S NETRIOR FEATURES Entries Central S of nor one S Door Fring Ponel — Seni durone S Door Fring Ponel — Seni durone S Foliove Box — Seni durone S Britage Indian S Broding Including System — S S Long Gover Deal — S S Long Gover Deal — S S Long Gover Deal — S S Lighter — | Headlamps | — Halogen projector | S | |
| Spolier Read, active S Tyres 2 P225/40/R18, P255/35/R19 performance S Top, Cobrico Power, doth MAX Windows — Power, driver's and possenger ne-touch-down S Windows — Forn's varieble-intermittent, speed-sensitive S Wigners/Washer — Forn varieble-intermittent, speed-sensitive S Wigners/Washer — Forn varieble-intermittent, speed-sensitive S Description — San ductions S Description — San ductions S Sen Handle — Soft busher S Description for Wigners — S — S <th cols<="" td=""><td></td><td>— Night security illumination</td><td>S</td></th> | <td></td> <td>— Night security illumination</td> <td>S</td> | | — Night security illumination | S |
| Tyres P 225/40/R18, P255/33/R19 performance S Top, Cabrio P rower, doth NA/S Wheels 18" aluminium front/19" aluminium rear S Windows P rower, driver's and passenger one-touch-down S Wipers/Washers F front variable-internitient, speed-sansitive S INTERIOR FEATURES Envise FEATURES So on Hondels S of with map packets S Door I find Real S of with map packets S Floor Wash, Front S Glove Box - Locking S Headlamp Levelling System S Instrument Cluster I Includes tochomete S Lamps — Centre high-mount stop S Instrument Cluster — Glove box S Ligher — Group comportment S Ligher — Group comportment S Mirrors — Doyleight rearriew S Power Accesory Delay S Seedonater — 260-km/h primary S Seedonater | Mirrors | — Heated, power, foldaway | S | |
| Top, Cabrio Power, doth NA/S Wheels 18" aluminum front/19" aluminum rear S Windows Power, driver's and passenger one-touch-down S Wipers/Washers Front variable-internitient, speed-sessitive S INTERIOR TEATURES Ecroise Control S Door Handles S off with map packets S Floor Mats, Front S Glove Box - locking S Houseliang Levelling System S Instrument Cluster Includes tochomete S Lumps - Centre high-mount stop S Lemps - Centre high-mount stop S Ligher - Glove box S Ligher - Grogo compartment S Ligher - Grogo compartment S Mirrors - Dory/light rearriew S Power Accesory Delay S Renote Keyles/Illuminete Entry S Speedonnete - 260-km/h primary S Speedonnete - 260-km/h primary S | Spoiler | — Rear, active | S | |
| Wheels — 18° aluminium front/19° aluminium roar S Windows — Power, driver's and passenger one-flouth-down S Wipers/Washers — Front variable-intermittent, speed-sensitive S INTERIOR FEATURES TORIS FEATURES Door Hondles — Solit chrome S Door Hondles — Solit chrome S Book Front — Solit with map pockets S Glove Box — Locking S Brown Blook Front — Solit with map pockets S Glove Box — Locking S Floor Mats, Front — S S Floor Box — Locking S Instrument Cluster — Includes to-doneler S Lomps — Front courtesy/map S Light — Front courtesy/map S Lighter — Glove box S Lighter — Glove box S Mirrors — Doy/night tearriew S Power Accessory Delay — S Reacted Keyless/lluminate | Tyres | — P225/40ZR18, P255/35ZR19 performance | S | |
| Wheels — 18° aluminium front/19° aluminium roar S Windows — Power, driver's and passenger one-flouth-down S Wipers/Washers — Front variable-intermittent, speed-sensitive S INTERIOR FEATURES TORIS FEATURES Door Hondles — Solit chrome S Door Hondles — Solit chrome S Book Front — Solit with map pockets S Glove Box — Locking S Brown Blook Front — Solit with map pockets S Glove Box — Locking S Floor Mats, Front — S S Floor Box — Locking S Instrument Cluster — Includes to-doneler S Lomps — Front courtesy/map S Light — Front courtesy/map S Lighter — Glove box S Lighter — Glove box S Mirrors — Doy/night tearriew S Power Accessory Delay — S Reacted Keyless/lluminate | Top, Cabrio | — Power, cloth | NA/S | |
| Wipers/Washers — Front variable-internitient, speed-sensitive S INTERIOR FEATURES Cruise Control S Door Handles — Sofin throme S Door Trim Ponel — Sof with map pockes S Floor Musts, Front S Glove Box — Locking S Headlamp Levelling System S Instrument Cluster — Includes tochometer S Lomps — Centre high-mount stop S Lomps — Centre high-mount stop S Lighter — Glove box S Lighter — Cago compartment S Lighter — Glove box S Mirrors — Doy/night rearriew S Power Accessory Deloy S Remote Keyless/Illumitation Cell Amy primary S Seedometer — Gelo-winh primary <td>Wheels</td> <td>— 18" aluminium front/19" aluminium rear</td> <td>S</td> | Wheels | — 18" aluminium front/19" aluminium rear | S | |
| Wigers/Washers Front varioble-intermittent, speed-sensitive S INTERIORIE FLATURES Cruise Control Special Control Control Special Control C | Windows | — Power, driver's and passenger one-touch-down | S | |
| NUTRINOR FEATURES Cruise Control | Wipers/Washers | | S | |
| INTERIOR FEATURES Cruise Control S Door Hondles — Soft with map pockets \$ Floor Mats, Front \$ Glove Box — Locking \$ Headlamp Levelling System \$ Instrument Cluster — Includes tachometer \$ Lamps — Centre high-mount stop \$ Lamps — Centre high-mount stop \$ — Front courtesy/map \$ Lighter — Glove box \$ Lighter — Cigra compartment \$ Lighter — Cigra Compartment \$ Mirrors — Doy/right receive \$ Power Accessory Deloy \$ Sender Keyles/s/lluminet Etry \$ Speedometer — 260-km/h primary \$ Steering Column — Telescoping \$ | · | | S | |
| Cruise Control S Door Handles - Soft in knome S Door Trin Panel - Soft with map pockets S Floor Mats, Front S Glove Box - Locking S Headlamp Levelling System S Lamps - Includes tochometer S Lamps - Centre high-mount stop S Lamps - Front courtesy/map S Lighter - Glove box S Lighter - Cigar S Mirrors - Doy/right reaview S Power Accessory Delay S Remote Keyless/Illumitsters S Speedometer - 260-km/h primory S Speedometer - 260-km/h primory S | INTERIOR FEATURES | | | |
| Door Handles — Safin chrome S Door Trim Panel — Soft with map pockets S Floor Mats, Front S Glove Box — Locking S Headlamp Levelling System S Instrument Cluster — Includes tachometer S Lamps — Centre high-mount stop S Lamps — Centre high-mount stop S — Front courtesy/map S — Glove box S Lighter — Clorgo comportment S Lighter — Clorgo S Mirrors — Day/night recreive S Power Accessory Delay S Remote Keyless/Illumin-tel Entry S Speedometer — 260-km/h primary S Steering Column — Telescoping S | | | ς | |
| Door Trin Panel — Soft with map pockets S Floor Mats, Front S Glove Box — Locking S Headlamp Levelling System S Lamps — Includes tachometer S Lamps — Centre high-mount stop S — Front courtesy/map S — Glove box S Lighter — Cargo compartment S Lighter — Gigar S Mirrors — Day/night reaview S Power Accessory Deloy S Remote Keyless/Illomin-te Entry S Speedometer — 260-km/h primary S Speedometer — 260-km/h primary S | | Satin chrama | | |
| Floor Mats, Front S Glove Box — Locking S Headlamp Levelling System S Instrument Cluster — Includes tachometer S Lamps — Centre high-mount stop S — Front courtesy/map S — Glove box S Lighter — Cigar compartment S Lighter — Cigar S Mirrors — Doy/night rearview S Power Accessory Delay S Renote Keyless/Illumited Entry S Speedometer — 260-km/h primary S Speedometer — Telescoping S | | | | |
| Glove Box — Locking S Headlamp Levelling System — Centre Ingh-mount stop S Lamps — Centre high-mount stop S Lamps — Front courtesy/map S — Glove box S Lighter — Cargo compartment S Lighter — Gigar S Mirrors — Doy/night rearview S Power Accessory Delay S Renote Keyless/Illumint=Ethry S Speedometer — 260-km/h primary S Steering Column — Telescoping S | | — 3011 Willi map pockers | | |
| Headlamp Levelling System Instrument Cluster — Includes tachometer S Lamps — Centre high-mount stop S — Front courtesy/map S — Glove box S Lighter — Cargo compartment S Lighter — Cigar S Mirrors — Day/night rearriew S Power Accessory Delay S Remote Keyless/Illuminated Entry S Speedometer — 260-km/h primary S Speedometer — Telescoping S | | | | |
| Instrument Cluster — Includes tachometer S Lamps — Centre high-mount stop S — Front courtesy/map S — Glove box S Lighter — Cargo compartment S Mirrors — Day/night rearview S Power Accessory Delay S Remote Keyless/Illuminated Entry S Speedometer — 260-km/h primary S Speedometer — Telescoping S | | | | |
| Lamps — Centre high-mount stop S — Front courtesy/map S — Glove box S — Cargo compartment S Lighter — Cigar S Mirrors — Doy/night rearview S Power Accessory Delay S Remote Keyless/Illuminuted Entry S Speedometer — 260-km/h primary S Steering Column — Telescoping S | | | | |
| — Front courtesy/map S — Glove box S — Cargo compartment S Lighter — Cigar S Mirrors — Doy/night rearview S Power Accessory Delay S Remote Keyless/Illuminated Entry S Speedometer — 260-km/h primary S Steering Column — Telescoping S | | | | |
| — Glove box S — Corgo compartment S Lighter — Cigar S Mirrors — Doy/night rearview S Power Accessory Delay S Remote Keyless/Illuminated Entry S Speedometer — 260-km/h primary S Steering Column — Telescoping S | Lamps | | | |
| Cargo compartment S Lighter — Cigar S Mirrors — Doy/night rearview S Power Accessory Delay S Remote Keyless/Illuminuted Entry S Speedometer — 260-km/h primary S Steering Column — Telescoping S | | | | |
| Lighter — Cigar S Mirrors — Day/night rearview S Power Accessory Delay S Remote Keyless/Illuminate Entry S Speedometer — 260-km/h primary S Steering Column — Telescoping S | | | | |
| Mirrors — Day/night rearview S Power Accessory Delay S Remote Keyless/Illuminated Entry S Speedometer — 260-km/h primary S Steering Column — Telescoping S | | | | |
| Power Accessory Delay S Remote Keyless/Illuminated Entry S Speedometer — 260-km/h primary S Steering Column — Telescoping S | | | | |
| Remote Keyless/Illuminated Entry S Speedometer — 260-km/h primary S Steering Column — Telescoping S | | — Day/night rearview | S | |
| Speedometer — 260-km/h primary S Steering Column — Telescoping S | | | S | |
| Steering Column — Telescoping S | | ated Entry | S | |
| | Speedometer | — 260-km/h primary | S | |
| Steering Wheelleather | Steering Column | — Telescoping | S | |
| 2) Silvering Hiller | Steering Wheel | — Leather | S | |

| | Crossfire Coupe/ Roadster |
|--|------------------------------|
| SEATING AND TRIM | |
| Seats — Leather-trimmed, high-back buckets | S |
| — Power heated 8-way driver's and 4-way passenger | S |
| ENTERTAINMENT SYSTEMS | |
| Radio — AM/FM CD with changer controls | S |
| Sound Systems — 6 ∞ Infinity® speakers with subwoofers | |
| SAFETY AND SECURITY | |
| Air Bags ⁽²⁾ — Next Generation driver and front-passenger | S |
| — Supplemental Side-impact | S |
| Child Seat Anchor System (LATCH-Ready) | |
| Inside Emergency Boot Release | |
| Locks — Power auto central-locking | S |
| Security Alarm Premium | |
| Sentry Key® Engine Immobiliser | |

 $^{{\}bf S}={\bf Standard}.$ ${\bf O}={\bf Optional}.$ ${\bf NA}={\bf Not}$ available.

Crossfire Coupe/ Roadster

| | Kodasiei |
|-----------------------|------------------|
| INTERIOR DIMENSIONS* | |
| Head Room — Front | 936/948 |
| Leg Room — Front | 1085 |
| Shoulder Room — Front | 1338 |
| Hip Room — Front | 1354 |
| Seating Capacity | 2 |
| Cargo Volume (L) | 215/190 (top up) |

Crossfire Coupe/ Roadster

| EXTERIOR DIMENSIONS* | |
|-----------------------|-------------|
| Wheelbase | 2400 |
| Overall Length | 4058 |
| Overall Width | 1766 |
| Overall Height | 1307/1315 |
| Track — Front/Rear | 1493/1502 |
| Coefficient of Drag | .37/.37 |
| WEIGHT AND CAPACITIES | |
| Base Kerb Weight (kg) | 1,452/1,485 |
| Turning Diameter (m) | 9.8 |
| Fuel Tank (L) | 60 |
| | |

Crossfire Coupe/ Roadster

| | Konnziei |
|--|--------------------------------|
| ENGINE | |
| 3.2L | |
| — Drivetrain | Front engine/Rear drive |
| — Engine Configuration | V6 |
| — Displacement (cc) | 3199 |
| — Compression Ratio | 10.0:1 |
| — Bore and Stroke | 89.9 x 84 |
| — Valve System | SOHC, 3 valves per cylinder |
| — Power (kW @ rpm) | 160 @ 5700 |
| — Torque (Nm @ rpm) | 310 @ 3000 |
| and the state of t | |

^{*}Dimensions in millimeters unless otherwise noted.



⁽¹⁾ No system can repeal the laws of physics or overcome any type of reduced traction. Always drive consistent with weather and road conditions, wearing your seat belts.
(2) Always use seat belts. Children 12 and under should always be in a backseat correctly using an infant or child restraint system, or a seat belt positioned correctly for the child's age and weight.

This brochure is a publication of DaimlerChrysler Corporation. All product illustrations and specifications are subject to change. DaimlerChrysler Corporation reserves the right to make alterations in the described models and services — at any time without prior notice or obligation — which are considered necessary to the purpose of product improvement or for reasons of design and/or marketing, entrinity and Modulus are trademarks of Harman International Industries, Inc. Weathershield is a registered trademark of Covercraft Industries, Inc. and Sentry Key are registered trademarks of DaimlerChrysler.

