

NEW FIORINO





— URBAN —

WORKER

— THE VAN DESIGNED. —



NEW FIORINO is a real small punch of power. Compact, agile and able to get anywhere, it is even more unique and represents the state-of-the-art: **PIONEER OF ITS CATEGORY**, it combines the soul of a commercial vehicle with the look and feel of a car. The smallest of the Fiat Professional range is in fact now even more functional and eco-friendlier with a complete range of **EURO 6 ENGINES**.

The new **ECOJET** version and rejuvenated **ROBOTISED GEARBOX** offer a significant **REDUCTION IN FUEL CONSUMPTION** and make this vehicle particularly well suited to urban and city centres. In line with the times, New Fiorino is the perfect answer for professionals who, like you, want to be ready for whatever the day throws their way. Whichever your road may be, the new Fiorino is ready to follow it.

EURO 6 ENGINES

- 1.3 MultiJet, 80 HP
- 1.3 MultiJet, 95 HP
- 1.4 Fire 77 HP





URBAN CAPACITY

**RIGHT LOOK FOR
EVERY MISSION.**

As everyone knows, it's important to attract attention in town, just like the new Fiorino. With its car styling and new front design, it is unmistakable and even more appealing. But as we know, looks are not everything. The new Fiorino combines its unique style with a load compartment boasting **UP TO 2.8 M³ IN VOLUME** and easy access thanks to the **SIDE LOADING DOOR WITH ERGONOMIC**

VERTICAL HANDLES to take charge of all your jobs. But the advantages do not end there. The new Fiorino demonstrates that it has everything it takes to do a good job: **PAYLOAD CAPACITY UP TO 660 KG**, a **9.95 M STEERING ANGLE**, **180° REAR DOOR OPENING** AND A **LOAD THRESHOLD HEIGHT OF JUST 527 MM.**








URBAN

COMFORT

ENTER THE
UNLIMITED
COMFORT ZONE.

With the New Fiorino you never have to compromise, thanks to its **ERGONOMIC AND COMFORTABLE INTERIORS**, now enhanced by some new features that make the cab functional like an actual mobile office: **STEERING WHEEL WITH COMMANDS** (also available in leather), the **INSTRUMENT CLUSTER** which has **PERMANENT BACK LIGHTING** for greater visibility, a **5 V USB SOCKET**, several practical **STORAGE COMPARTMENTS** and a **5" TOUCHSCREEN BLUETOOTH RADIO WITH NAVIGATOR**.







URBAN

STYLE


**DRESSCODE:
CHAMELEON.**

Every job has its own requirements. And the **NEW FIORINO** is ready to meet them all. Choose between **10 BODYWORK COLOURS** and **3 NEW SEAT FABRICS**, all designed to enhance passenger comfort and please even the most tireless and demanding workers like you. Decide which version is best, which type of body you like the most and go! Your projects can't wait.


PASTEL BODY COLOURS



249 White



168 Red



479 Blue




551 Orange


METALLIC BODY COLOURS




293 Dark Red




333 Teal



487 Dark Blue



444 Bronze



612 Light Grey



632 Black

FIORINO CARGO - COMBI



FIORINO CARGO - COMBI SX



FIORINO CARGO - COMBI ADVENTURE



FABRICS



cod. 094

FABRICS



cod. 323

cod. 319

FABRICS



cod. 323

cod. 319

HUB CAPS AND RIMS



15" 15" 15" Alloy 15" Alloy - diamond treatment

HUB CAPS AND RIMS



15" 15" Alloy 15" Alloy - diamond treatment

HUB CAPS AND RIMS



15" 15" Alloy 15" Alloy - diamond treatment

TECHNICAL SPECIFICATIONS

	1.4 8v Fire	1.3 16v MultiJet2 80 HP		1.3 16v MultiJet2 95 HP	
	Van	Van	Combi	Van	Combi
Engine	Euro 6	Euro 6		Euro 6	
No. of cylinders, layout	4, in line	4, in line		4, in line	
Displacement (cm3)	1368	1248		1248	
Emission level	Euro 6	Euro 6 with DPF - ECOJET: with Start&Stop - ECOpack		Euro 6 with DPF - ECOJET: with Start&Stop - ECOpack	
Compression ratio	11.1 : 1	16.8 : 1		16.8 : 1	
EC max power: kw (HP) at rpm	57 (77) 6000	59 (80) 4000		70 (95) 4000	
EC max torque: Nm at rpm	115 at 3000	200 at 1500		200 at 1500	
Fuel system	Multipoint electronic injection phased sequential	MultiJet direct injection electronic Common Rail with variable geometry turbocharger and intercooler		MultiJet direct injection electronic Common Rail with variable geometry turbocharger and intercooler	
Transmission					
Drive	front	front		front	
Wheels					
Tyres	175/70 R 14 185/65 R 15 185/65 R 15 Q (M+S)	175/70 R 14 185/65 R 15 185/65 R 15 Q (M+S)	185/65 R 15 185/65 R 15 Q (M+S)	185/65 R 15 - 185/65 R 15 Q (M+S)	
Suspensions					
Front	independent McPherson	independent McPherson		independent McPherson	
Rear	torsion beam	torsion beam		torsion beam	
Capacity					
Fuel tank (l)	45	45		45	
Steering					
Kerb-to-kerb turning circle (m)	9.95	9.95		9.95	
Brakes - D (disc) - T (drum)					
Front side (mm)	D 257	D 257		D 284	
Rear side (mm)	T 203	T 228		T 228	
Performance					
Top speed (mph)	98	100	100	104	104
Fuel consumption mpg (l/100 km)					
Urban cycle	31.7 (8.9)	50.4 (5.6) - ECOJET: 60.1 (4.7) / 62.4 (4.5)***	49.6 (5.7) WITH ECO PACK: 58.9 (4.8) / 60.1 (4.7)***	50.4 (5.6) - WITH ECO PACK: 60.1 (4.7)	49.6 (5.7) - WITH ECO PACK: 58.9 (4.8)
Extra-urban cycle	48.7 (5.8)	76.3 (3.7) - ECOJET: 80.7 (3.5) / 83 (3.4)***	74.3 (3.8) WITH ECO PACK: 78.5 (3.6) / 80.7 (3.5)***	76.3 (3.7) - WITH ECO PACK: 80.7 (3.5)	74.3 (3.8) - WITH ECO PACK: 3.6
Combined cycle	40.9 (6.9)	64.2 (4.4) - ECOJET: 72 (3.9) / 74 (3.8)***	62.8 (4.5) WITH ECO PACK: 70.6 (4.0) / 72.4 (3.9)***	64.2 (4.4) - WITH ECO PACK: 72 (3.9)	62.8 (4.5) WITH ECO PACK: 70.6 (4.0)
CO ₂ emissions	161	115 - ECOJET: 104 / 100****	118 WITH ECO PACK: 106 / 103***	115 - WITH ECO PACK: 104	118 - WITH ECO PACK: 106

TECHNICAL SPECIFICATIONS

	1.4 8v Fire	1.3 16v MultiJet ₂ 80 HP		1.3 16v MultiJet ₂ 95 HP	
	Van	Van	Combi	Van	Combi
Dimensions					
Length (mm)	3957	3957	3957	3957	3957
Width (mm)	1716	1716	1716	1716	1716
Height (mm)	1721	1721	1721	1721	1721
Wheelbase (mm)	2513	2513	2513	2513	2513
Front overhang (mm)	854	854	854	854	854
Rear overhang (mm)	590	590	590	590	590
Front track (mm)	1469	1469	1469	1469	1469
Rear track (mm)	1465	1465	1465	1465	1465
Trunk					
Volume (m ³)	–	–	0.36 - 2.5	–	0.36 - 2.5
Load compartment					
Length (mm)	1523 - 2491 [■]	1523 - 2491 [■]	–	1523 - 2491 [■]	–
Width (mm)	1473	1473	–	1473	–
Width between wheel arches (mm)	1046	1046	–	1046	–
Height (mm)	1205	1205	–	1205	–
Load threshold (mm)	527	527	–	527	–
Volume (m ³)	2.5 - 2.8 [■]	2.5 - 2.8 [■]	–	2.5 - 2.8 [■]	–
Side Sliding door					
Width (mm)	min 570 / max 644	min 570 / max 644	min 570 / max 644	min 570 / max 644	min 570 / max 644
Height (mm)	1041	1041	1041	1041	1041
Rear door with two wings					
Width (mm)	min 1056 / max 1140	min 1056 / max 1140	min 1056 / max 1140	min 1056 / max 1140	min 1056 / max 1140
Height (mm)	1040/1060	1040/1060	1040/1060	1040/1060	1040/1060
Weights					
Unladen weight (kg)	1070	1090	1185	1090	1185
GVW (kg)	1680	1700 - 1750 ^{**}	1700 - 1755 [▲]	1700 - 1750 ^{**}	1700 - 1755 [▲]
Payload including driver (kg)	610	610 - 660 ^{**}	4 seats + 286 kg [▲] 5 seats + 170 kg	610 - 660 ^{**}	4 seats + 286 kg [▲] 5 seats + 170 kg
Payload excluding driver (kg)	535	535 - 585 ^{**}	–	535 - 585 ^{**}	–

■ with passenger seat folded ** with increased payload option *** with robotized gearbox ▲ N1 homologation

Fiat Professional recommends the original engine oils

PETRONAS
SELENIA






STANDARD AND OPTIONAL EQUIPMENT

Exterior		Cargo/ Combi	Cargo EcoJet	Cargo/Combi SX	Cargo/Combi Adventure
Heat-reflecting windows		S	S	S	S
Key-lockable fuel filler cap		S	S	S	S
Moulding		S	S	S	S
Integral hub caps	878	S	S	S	S
Electrically adjustable door mirrors with demister	041	•	•	S	S
Right Sliding side door	055	•	•	•	•
Fog lights	097	•	•	•	•
Rear Window Wiper	101	• / S	•	• / S	• / S
15" alloy wheels	108	•	•	•	•
15" tyres	141	S	S	S	-
Winter tyres	142	•	•	•	•
15" M+S tyres		-	-	-	S
Metallic paintwork	210	•	•	•	•
Longitudinal bars for roof rack	357	•	•	•	S
15" Burnished Alloy Wheels With Diamond Effect	420	•	•	•	•
Rear door with two glazed wings	519	• / S	•	•	• / S
Sliding side door	523	• / S	•	S	S
Side windows, fixed 2nd section	55D	• / S	•	• / S	• / S
Front Bumper & Grille With Painted Ultrashine Silver	876	•	•	S	S
Mud flaps	990	•	•	•	•
Internal					
Protective ladder		S / -	S	S / -	S / -
Load compartment mat	798	• / S	•	• / S	• / S
Armrest	132	S	S	S	S
Panelled bulkhead	149	• / -	•	• / -	• / -
Panelled bulkhead with window	199	• / -	•	• / -	• / -
Driver seat lumbar adjustment	40Y	S	S	S	S
Height-adjustable driver seat	450	S	S	S	S
Heated driver's seat	453	•	•	•	•

Internal		Cargo/ Combi	Cargo EcoJet	Cargo/Combi SX	Cargo/Combi Adventure
Foldaway passenger seat	4GQ	• / -	•	• / -	• / -
Load compartment socket	4HG	• / -	•	• / -	• / -
Mixed partition wall (metal lower/mesh upper)	4PB	• / -	•	• / -	• / -
Document holder on dashboard	4PS	•	•	•	•
Fixed cube partition for combined versions (N1 type-approval)	56K	-	-	-	- / •
Load Area Floor Covering PVC	5JC	S	S	S	S
Floor luggage net	762	- / •	-	- / •	- / •
Glove compartment	845	S	S	S	S
Rear head restraints	182	- / •	-	- / •	- / •
Functional / Electrical					
Hydraulic power steering		S	S	S	S
Headlight alignment corrector		S	S	S	S
12 V socket		S	S	S	S
Remote Controlled Central Locking	008	S	S	S	S
Steering wheel height adjustment	011	S	S	S	S
Climate control	025	•	•	•	•
Electric front windows	028	•	•	S	S
Heated rear window	029	• / S	•	• / S	• / S
Dead Lock	064	• / S	•	S	S
Larger alternator (only for diesel version)	065	• / -	•	• / -	• / -
Electronic Alarm	213	•	•	•	•
Comfort-matic semi-automatic transmission (only on 1.3 MultiJet 80 HP)	407	• / -	•	• / -	-
Cruise control (only for diesel version)	416	•	•	•	•
Reverse Parking Sensors	508	•	•	•	•
Detachable Spotlight in Load Compartment	58F	•	•	•	•
Start&Stop System (only for pack ecojet and diesel version)	5DE	•	S	•	•
Pack EcoJet (only for Start&Stop System and Diesel version)	66M	•	S	•	•
5V socket with USB port	83X	•	•	•	•

STANDARD AND OPTIONAL EQUIPMENT

Functional / Electrical		Cargo/ Combi	Cargo EcoJet	Cargo/Combi SX	Cargo/Combi Adventure
Smoker's kit	989	•	•	•	•
Increased payload (660 Kg only for diesel version)	943	S / -	S	S / -	S / -
Safety					
ESC with ASR, HBA, Hill Holder	392	S	S	S	-
Four-sensor ABS+ EBD (Electronic Brake Distribution)		S	S	S	S
Driver's airbag		S	S	S	S
Multi-use Fix&Go tyre repair kit		S	S	S	S
Automatic door closing activated with vehicle moving (above 10 MPH)	130	S	S	S	S
Passenger airbag	502	•	•	•	•
Side airbags	505	•	•	•	•
Independent load compartment opening	57E	S / -	S	S / -	S / -
Traction+ (including ESC)	941	-	-	-	S
Normal size steel spare wheel	980	S	S	S	S
Audio / Telematics					
Steering wheel radio controls	245	•	•	S	S
Radio With Bluetooth 5" Touchscreen	414	•	•	S	S
Radio With Bluetooth 5" Touchscreen With Sat Nav	4CU	•	•	•	•
Leather Steering Wheel With Audio Controls	5KV	•	•	•	•
MP3 radio	717	S	S	-	-
Predisposition For Dab Radio	6QD	•	•	•	•



♦ not available with partition Opt. 201

▼ links steering wheel controls Opt. 245

S = standard • = optional - = not available



A PRO LIKE YOU



www.fiatprofessional.co.uk

CIAO FIAT
00 800 342 800 00
Customer Service

CIAO FIAT

CIAO FIAT
PROFESSIONAL MOBILE
Available on the
App Store



CIAO FIAT PROFESSIONAL MOBILE

 **VEHICLE
PROTECTION**
MOPAR

TOP CARE: THE MOST COMPREHENSIVE PROGRAMME

 **FCA BANK**

FINANCE PACKAGES AND INSURANCE SERVICES

Trim levels and optionals may vary according to specific market or legal requirements. The data provided in this publication are indicative only. FCA reserves the right to make modifications to the models described herein at any time for technical or commercial reasons. Fiat Marketing 02.3.2027.82 - S - 06/2016 - Printed in Italy - TG - Printed on chlorine-free paper.