

JEEP COMPASS

BUYER'S GUIDE

SEPTEMBER 2016



Jeep

COMPASS

MODEL HIGHLIGHTS

	MODEL	TECHNICAL DATA	TRANSMISSION	KEY HIGHLIGHTS
	Sport MKBH492BD	2.0 DOHC 16V dual (VVT) 1,998cc, 4 cylinder 115kW, 190Nm Front wheel drive	5-speed manual transmission including Hill Start Assist (HSA)	17-inch alloy wheels finished in tech silver Air conditioning Auto dimming rear view mirror Front and rear fog lights Heated Premium cloth bucket seats Leather-wrapped steering wheel with audio and cruise controls Remote central locking with illuminated entry Sentry Key® antitheft engine immobilizer Uconnect® 135 CD/MP3 radio with audio jack input for mobile devices Uconnect® Voice Command with Bluetooth®
	Sport MKBH4924C	2.0 DOHC 16V dual (VVT) 1,998cc, 4 cylinder 115kW, 190Nm Front wheel drive	Continuously Variable Automatic Transaxle (CVT2) with AutoStick	
	North MKBR4924R	2.0 DOHC 16V dual (VVT) 1,998cc, 4 cylinder 115kW, 190Nm Front wheel drive	Continuously Variable Automatic Transaxle (CVT2) with AutoStick	17-inch alloy wheels finished in mineral grey Deep tint glass from B-Pillar back Heated Premium Vinyl-trimmed seats with Sport Mesh Cloth inserts Park-view rear backup camera Uconnect 731N system featuring 6.5-inch colour touchscreen, CD/DVD player, AM/FM radio, MP3/HDD compatibility and Navigation Uconnect Voice Command with Bluetooth®
	Limited MKUP4926F	2.4 DOHC 16V dual (VVT) Petrol 2,360cc, 4 cylinder 125kW, 220Nm Freedom Drive I 4WD system with selectable lock feature	Continuously Variable Automatic Transaxle (CVT2) with AutoStick	18-inch alloy wheels with polished mineral grey finish and machined facings Boston Acoustics 9 speaker audio system with subwoofer & two articulating liftgate speakers Climate control air conditioning Freedom Drive I 4WD system with selectable lock feature Heated Perforated Leather-trimmed front bucket seats Power 6-way adjustable driver's seat with manual lumbar adjust Uconnect 731N system featuring 6.5-inch colour touchscreen, CD/DVD player, AM/FM radio, MP3/HDD compatibility and Navigation Uconnect® Voice Command with Bluetooth®

Disclaimer: All product illustrations and specifications are based upon current information. FCA Australia Pty Ltd ABN 23 125 956 505 trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep dealer.

MODEL HIGHLIGHTS

Interior	OC	Exterior	OC	Safety & Security	OC
• 12-volt power outlet • 4 speakers • Air conditioning • Audio jack input for mobile devices • Cruise control • Driver seat height adjuster • Illuminated cup holders • Leather wrapped steering wheel • Premium cloth bucket seats • Rear reclining 60/40 split folding seats • Rear-view auto dimming mirror • Remote USB port • Steering wheel mounted audio controls • Tilt adjustable steering column • Uconnect voice command with bluetooth • Uconnect 135 CD/MP3 radio	JKP RCD HAA RSU NHM CDH CWP SCC C7* CAX GN5 RSX RDZ SUA RSQ REL	• 17-Inch Tech Silver aluminium alloys • 215/60R17 tyres • Acoustic glass windscreen • Black headlight bezels • Body-color accents grille with chrome trim • Body-color door handles • Body-colour fascias • Space saver - steel spare wheel • Halogen projector headlights • Headlight levelling system • Power folding heated mirrors • Power windows with driver's one-touch down • Premium front fog lights • Rear fog lights • Rear window defroster • Rear window wiper/washer • Silver side roof rails	WFW TMD GAK MFA MF3 MNK MLA TBB LMC JKL GUL JPD LNN LPG GFA JHB MW3	• Active head restraints • Anti-lock Braking System (ABS) • Electronic Roll Mitigation (ERM) • Electronic Stability Control (ESC) • Hill Start Assist (manual only) • Mutli-stage driver and front passenger airbags • Remote keyless/Illuminated entry • Security alarm • Sentry Key® Antitheft Engine Immobilizer • Speed sensitive power locks • Supplemental side-curtain front/rear airbags Groups • Safety and comfort group • Heated front seats • Supplemental front seat-mounted side air bags • Tire pressure monitoring warning lamp	CBD BGE BNS BNB BNG CG1 GXP LSD GXX JPH CJ4 AJ1 CMA CJ1 LAB

Interior • Premium Vinyl-trimmed seats with sport mesh cloth inserts • Uconnect 731N CD/DVD/HDD/NAV radio with 6.5-inch touchscreen	OC G7* RHP	Exterior • 17-Inch Mineral Gray aluminium alloys • 215/60R17 tyres • Body-colour exterior mirrors • Body-colour fascias with bright inserts • Deep tint sunscreen glass	OC WFJ TMQ LEP MCZ GEG	Safety & Security • Parkview® rear back-up camera	OC XAC
--	-------------------------	--	--	--	------------------

Interior • 40GB hard drive with 28GB available • Climate control air conditioning • Manual driver lumbar adjustment • Perforated Leather-trimmed front bucket seats • Power 6-way drivers seat	OC XRF HAB CDL SL* JPS	Exterior • 18-Inch aluminium wheel • 215/55R18 tyres • Body-colour fascias with bright inserts • Bright exhaust tip • Bright grille accent	OC WPT TMZ MCY NEC MFD	Groups • Technology Group • 2 articulating liftgate speakers • 9 Boston Acoustics speakers	ADG RFS RC9
---	--	---	--	--	--------------------------

COMPASS

MODEL HIGHLIGHTS

	SPORT	NORTH	LIMITED	OC
GROUPS AND OPTIONS				
Blackhawk Package 17-inch Black aluminum wheels Black side roof rails Body-color rear bumper with step pad Gloss Black Compass badge Gloss Black grille mesh and surrounds Gloss Black Jeep badge	O	N/A	N/A	AHG
Comfort / Convenience Group Deep-tint sunscreen glass	O	S	S	AFB
Power Sunroof	N/A	O	O	GWG

S = Standard N/A = Not Available O = Optional

COMPASS

MODEL HIGHLIGHTS

ALLOY WHEELS





		SPORT	NORTH	LIMITED	OC
	17-inch alloy wheels with tech silver finish F/R: 215/60 R17	S	N/A	N/A	WFW
	17-inch alloy wheels with gloss black finish F/R: 215/60 R17 (Only available as part of Blackhawk package)	O	N/A	N/A	WFP
	17-inch alloy wheels with mineral grey finish F/R: 215/60 R17	N/A	S	N/A	WFJ
	18-inch alloy wheels with mineral grey pocket and polished finish F/R: 215/55 R18	N/A	N/A	S	WPT
	18-inch 5-spoke alloy wheels F/R: 215/55 R18	N/A	N/A	O	WPC

S = Standard N/A = Not Available O = Optional

Disclaimer: All product illustrations and specifications are based upon current information. FCA Australia Pty Ltd ABN 23 125 956 505 trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep dealer.

COMPASS

MODEL HIGHLIGHTS

			SPORT	NORTH	LIMITED	OC	
INTERIOR COLOURS & MATERIAL (ACTUAL COLOUR MAY VARY FROM SAMPLE)							
			Duet/Cubic Cloth Dark Slate Gray with Gray matching accent stitching	S	N/A	N/A	C7DV
			Duet/Cubic Cloth Light Pebble Beige with Beige matching accent stitching	NCO	N/A	N/A	C7DK
			McKinley Vinyl /Sport Mesh Cloth Dark Slate Gray/Black with Light Slate Gray accent stitching	N/A	S	N/A	G7DV
			McKinley Vinyl /Sport Mesh Cloth Light Pebble Beige with Tangerine accent stitching	N/A	NCO	N/A	G7DK
			McKinley Premium Perforated Leather Trim Dark Slate Gray with Light Slate Gray accent stitching	N/A	N/A	S	SLDV
			McKinley Premium Perforated Leather Trim Saddle Brown with Light Frost accent stitching	N/A	N/A	NCO	SLVT
			McKinley Premium Perforated Leather Trim Light Pebble Beige with matching accent stitching	N/A	N/A	NCO	SLDK







Overseas model images shown above

S = Standard N/A = Not Available O = Optional NCO = No Cost Option

Disclaimer: All product illustrations and specifications are based upon current information. FCA Australia Pty Ltd ABN 23 125 956 505 trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep dealer.

COMPASS

MODEL HIGHLIGHTS

		MODEL AVAILABILITY	OC
METALLIC PAINT (ACTUAL COLOUR MAY VARY FROM SAMPLE)			
	Bright White Clear Coat	All	PW7
	Black Clear Coat	All	PX8
	Deep Cherry Red Crystal Pearl	All	PRP
	Billet Silver Metallic	All	PSC
	Maximum Steel Metallic	All	PAR
	True Blue Pearl Coat (Not Available with Blackhawk Pack)	All	PBU
	Granite Crystal Metallic	All	PAU
	Eco Green Pearl (Not Available with Blackhawk Pack)	All	PGX

Disclaimer: All product illustrations and specifications are based upon current information. FCA Australia Pty Ltd ABN 23 125 956 505 trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep dealer.

COMPASS

MODEL HIGHLIGHTS

TECHNICAL INFORMATION

	Sport	North	Limited
Powertrain Engine Displacement (cu cm) kW (hp) @ rpm Torque (Nm @ rpm) Fuel System Exhaust System	2.0 DOHC 16V dual VVT, 4-cylinder 1,998 115 kW (156 hp) @ 6,300 190 @ 5,100 Sequential multiport, electronic fuel injection Oversized displacement muffler for reduced back pressure and noise; long-life design	2.0 DOHC 16V dual VVT, 4-cylinder 1,998 115 kW (156 hp) @ 6,300 190 @ 5,100 Sequential multiport, electronic fuel injection Oversized displacement muffler for reduced back pressure and noise; long-life design	2.4 DOHC 16V dual VVT, 4-cylinder 2,360 125 kW (170 hp) @ 6,000 220 @ 4,500 Sequential multiport, electronic fuel injection Oversized displacement muffler for reduced back pressure and noise; long-life design
Transaxle	5-speed manual* with overdrive / Continuously Variable Automatic II (CVT2)	Continuously Variable Automatic II (CVT2)	Continuously Variable Automatic II (CVT2)
Drive systems	Front wheel drive (2WD) transaxle with constant-velocity joints and equal-length half-shafts	Front wheel drive (2WD) transaxle with constant-velocity joints and equal-length half-shafts	Freedom Drive I active full-time 4-wheel drive (4WD) with selectable LOCK mode (requires 2.4)
Tyres Standard version	215/60 R17	215/60 R17	215/55 R18
Body/Suspension/Chassis Body Design Steering Kerb-to-kerb turning circle (m) Brake System (ABS)	Unitised steel construction with a structural safety cage utilizing advanced hot-stamped, tailor-rolled, dual-phase steel technologies and advanced joint design for added strength, reduced weight and improved NVH; front crumple zone Power-assisted, rack and pinion 10.8m ABS 4-wheel disc hydraulic, power-assisted, 294mm x 26mm vented front / 262mm x 10mm solid rear	Unitised steel construction with a structural safety cage utilizing advanced hot-stamped, tailor-rolled, dual-phase steel technologies and advanced joint design for added strength, reduced weight and improved NVH; front crumple zone Power-assisted, rack and pinion 10.8m ABS 4-wheel disc hydraulic, power-assisted, 294mm x 26mm vented front / 262mm x 10mm solid rear	Unitised steel construction with a structural safety cage utilizing advanced hot-stamped, tailor-rolled, dual-phase steel technologies and advanced joint design for added strength, reduced weight and improved NVH; front crumple zone Power-assisted, rack and pinion 11.3m ABS 4-wheel disc hydraulic, power-assisted, 294mm x 26mm vented front / 262mm x 10mm solid rear
Electronic Stability Control (ESC)	4-channel, 4-wheel antilock with active wheel speed, vehicle-speed, steering-wheel angle, yaw-rate and lateral-acceleration sensors, vehicle stability management with 2-stage activation switch, all-speed traction control, Brake Assist, Electronic Roll Mitigation (ERM) and Electronic Brake-force Distribution	4-channel, 4-wheel antilock with active wheel speed, vehicle-speed, steering-wheel angle, yaw-rate and lateral-acceleration sensors, vehicle stability management with 2-stage activation switch, all-speed traction control, Brake Assist, Electronic Roll Mitigation (ERM) and Electronic Brake-force Distribution	4-channel, 4-wheel antilock with active wheel speed, vehicle-speed, steering-wheel angle, yaw-rate and lateral-acceleration sensors, vehicle stability management with 2-stage activation switch, all-speed traction control, Brake Assist, Electronic Roll Mitigation (ERM) and Electronic Brake-force Distribution
Suspension, Euro-tuned Front Rear	Independent with MacPherson struts, coil springs over gas-charged shocks and stabilizer bar Independent multilink with coil springs, gas-charged shocks and link-type stabilizer bar	Independent with MacPherson struts, coil springs over gas-charged shocks and stabilizer bar Independent multilink with coil springs, gas-charged shocks and link-type stabilizer bar	Independent with MacPherson struts, coil springs over gas-charged shocks and stabilizer bar Independent multilink with coil springs, gas-charged shocks and link-type stabilizer bar
Exterior (millimeters) Wheelbase Overall Length Overall Width Track (front/rear) Overall Height (without roof rails) Running Clearance Approach Angle (degrees) Breakover Angle (degrees) Departure Angle (degrees)	2,635 4,465 1,812 1,520 / 1,520 1,663 209 20 20 28	2,635 4,465 1,812 1,520 / 1,520 1,663 209 20 20 28	2,635 4,465 1,812 1,520 / 1,520 1,663 205 20 20 28

Disclaimer: All product illustrations and specifications are based upon current information. FCA Australia Pty Ltd ABN 23 125 956 505 trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep dealer.

COMPASS

MODEL HIGHLIGHTS

TECHNICAL INFORMATION			
	Sport	North	Limited
Interior (millimeters) (front/rear)			
Seating Capacity	5 adults	5 adults	5 adults
Head Room (without sunroof)	1,033 / 1,013	1,033 / 1,013	1,033 / 1,013
Leg Room	1,032 / 1,001	1,032 / 1,001	1,032 / 1,001
Shoulder Room	1,387 / 1,372	1,387 / 1,372	1,387 / 1,372
Hip Room	1,328 / 1,295	1,328 / 1,295	1,328 / 1,295
Cargo Volume (rear seat up/folded) (litres)	650 / 1515	650 / 1515	650 / 1515
Weights & Towing Capacities (kg) (Manual/CVT)			
Tare Mass	1,437 / 1,447	1,459	1,522
GVM	2,010	2,010	2,010
Maximum Towing Mass (Braked Trailer)	454	454	907
Maximum Towing Mass (Non-Braked Trailer)	400	450	750
Fuel Consumption (Manual/CVT) ¹			
Combined (L/100km)	7.6 / 8.2	8.2	8.6
Urban (L/100km)	10.2 / 10.7	10.7	11.3
Extra Urban (L/100km)	6.1 / 6.7	6.7	7.0
CO2 (g/km)	175 / 190	190	199

¹Fuel consumption figures are according to Australian Design Rule (ADR) 81/02. Driving style, road and traffic conditions, fitment of accessories, environmental influences and vehicle condition can lead to consumption figures which may differ from those calculated with these standards.