



JEEP WRANGLER JK

MY18 BUYER'S GUIDE
NOVEMBER 2017

Jeep
Jeep

Jeep
**THERE
& BACK
GUARANTEE**

Jeep MY18 JK WRANGLER

MODEL HIGHLIGHTS*

SPORT

Engine

3.6L Pentastar V6 Petrol
209kW 347Nm

2.8L Turbo Diesel I-4
147kW 460Nm

Transmission

5-Speed Automatic
6-Speed Manual
Four Wheel Drive

4x4 System

Command-Trac® 4x4 System

Body Styles

2-Door Petrol
4-Door Petrol
4-Door Diesel

Features:

- 3.6L Pentastar V6 Engine
- Command-Trac® 4x4 System
- 2 Speed Transfer Case
- Removable Metal Doors
- Fold Flat Windscreen
- Heavy Duty Off Road Suspension
- 18-Inch Alloy Wheels
- Matching Full Size Spare Wheel
- Cruise Control
- Front Fog Lamps
- Leather Wrapped Steering Wheel
- Underbody Skid Plates
- Wash Out Interior

OVERLAND

Engine

3.6L Pentastar V6 Petrol
209kW 347Nm

Transmission

5-Speed Automatic
Four Wheel Drive

4x4 System

Command-Trac® 4x4 System

Body Styles

2-Door Petrol
4-Door Petrol

Features (in addition, or replacing Sport):

- Leather Seats
- Heated Front Seats
- Removable Hard Top
- Freedom Panels
- Body Colour Hard Top
- Body Colour Fender Flares
- Body Colour Grille with Silver Accents
- 6.5-Inch Touchscreen Radio
- Satellite Navigation
- Reverse Parking Camera
- 7-Speaker Alpine Premium Audio System including Subwoofer
- Tubular Side Steps
- Deep Tint Sunscreen Glass

RUBICON

Engine

3.6L Pentastar V6 Petrol
209kW 347Nm

Transmission

5-Speed Automatic
Four Wheel Drive

4x4 System

Rock-Trac® 4x4 System

Body Styles

4-Door Petrol

Features (in addition, or replacing Sport):

- Rock-Trac® 4x4 System
- Tru-Lok® Front & Rear Locking Differentials
- Electronic Front Stabiliser Bar Disconnect
- Heavy Duty Front & Rear Axles
- Rock Rails
- Removable Black Hard Top
- Freedom Panels
- Deep Tint Sunscreen Glass
- Rubicon Hood Decal



Jeep MY18 JK WRANGLER

SPECIFICATIONS*

| Capability & Performance | Code | Sport 2-Door | Sport 4-Door | Overland 2-Door | Overland 4-Door | Rubicon 4-Door | Comfort & Convenience | Code | Sport 2-Door | Sport 4-Door | Overland 2-Door | Overland 4-Door | Rubicon 4-Door |
|---|-------------|---------------------|---------------------|------------------------|------------------------|-----------------------|--|-------------|---------------------|---------------------|------------------------|------------------------|-----------------------|
| Command-Trac® 4x4 System | DHE | ● | ● | ● | ● | - | Automatic Headlamps | LMG | - | - | ● | ● | ● |
| Rock-Trac® 4x4 System | DHW | - | - | - | - | ● | Auto Dimming Inside Rear Vision Mirror | GNX | ● | ● | ● | ● | ● |
| 2-Speed Transfer Case | - | ● | ● | ● | ● | ● | Cruise Control | NHM | ● | ● | ● | ● | ● |
| Tru-Lok® Front & Rear Locking Differentials | DSE | - | - | - | - | ● | Air Conditioning with Automatic Temperature Control | HAB | ● | ● | ● | ● | ● |
| Electronic Front Stabilizer Bar Disconnect | SHG | - | - | - | - | ● | Power Adjustable, Heated Mirrors | GTB | ● | ● | ● | ● | ● |
| Dana 30 Solid Front Axle | DJR | ● | ● | ● | ● | - | Power Windows | JPY | ● | ● | ● | ● | ● |
| Dana 44 Heavy Duty Solid Front Axle | DJS | - | - | - | - | ● | 12V Auxiliary Power Outlet | JJJ | ● | ● | ● | ● | ● |
| Dana 44 Heavy Duty Solid Rear Axle | DRZ | ● | ● | ● | ● | ● | Tilt Steering Column Adjustment | SUA | ● | ● | ● | ● | ● |
| Rear Axle Ratio 3.73 | DME | ● | ● | ● | ● | - | Torx Tool Kit | XE4 | ● | ● | ● | ● | ● |
| Rear Axle Ratio 4.10 | DMF | - | - | - | - | ● | Freedom Panel Storage Bag ⁽²⁾ | CS2 | ○ | ○ | ● | ● | ● |
| Skid Plate - Fuel Tank | XEE | ● | ● | ● | ● | ● | Rear Window Defroster ⁽²⁾ | GFA | ○ | ○ | ● | ● | ● |
| Skid Plate - Transfer Case | XEF | ● | ● | ● | ● | ● | | | | | | | |
| Heavy Duty Suspension with Gas Shocks | SDU | ● | ● | ● | ● | ● | Audio & Connectivity | Code | Sport 2-Door | Sport 4-Door | Overland 2-Door | Overland 4-Door | Rubicon 4-Door |
| Hill Descent Control ⁽³⁾ | BNH | ● | ● | ● | ● | ● | Uconnect® 135 AM/FM Radio Single Disc CD | REL | ● | ● | - | - | ● |
| Matching Spare Alloy Wheel | WKB | ● | ● | ● | ● | ● | Uconnect® 230 ⁽²⁾ AM/FM Radio 6 Disc CD | REQ | ○ | ○ | - | - | - |
| Wash-Out Interior with Removable Carpet and Drain Plugs | - | ● | ● | ● | ● | ● | Uconnect® 735N 6.5-Inch Colour Touchscreen | RHP | | | | | |
| | | | | | | | Satellite Navigation | RDY | | | | | |
| Safety, Security & Driver Assistance | Code | Sport 2-Door | Sport 4-Door | Overland 2-Door | Overland 4-Door | Rubicon 4-Door | AM/FM Radio | JLN | - | - | ● | ● | - |
| Electronic Stability Control | BNB | ● | ● | ● | ● | ● | Single Disc CD | - | | | | | |
| Hill Start Assist | BNG | ● | ● | ● | ● | ● | 40GB Hard Drive (20GB Available) | XRE | | | | | |
| Traction Control | BNM | ● | ● | ● | ● | ● | 6-Speaker Audio System | RGA | ● | ● | - | - | - |
| Electronic Roll Mitigation | BNS | ● | ● | ● | ● | ● | 7-Speaker Alpine Premium Audio System including Subwoofer ⁽²⁾ | RC4 | ○ | ○ | ● | ● | ● |
| Trailer Sway Control | BNT | ● | ● | ● | ● | ● | Uconnect® Voice Command with Bluetooth® Phone & Audio Streaming | RSQ | ● | ● | ● | ● | ● |
| Heavy Duty 4-Wheel Disc Brakes with ABS | BR6 | ● | ● | ● | ● | ● | Steering Wheel Mounted Audio Controls | RDZ | ● | ● | ● | ● | ● |
| Roll Bar with Padding | CLM | ● | ● | ● | ● | ● | Remote USB Port (Centre Console) | RSX | ● | ● | ● | ● | ● |
| Remote Central Locking | GXW | ● | ● | ● | ● | ● | | | | | | | |
| Engine Immobiliser | - | ● | ● | ● | ● | ● | | | | | | | |
| 4 Airbags (2 Front, 2 Side Seat) | - | ● | ● | ● | ● | ● | | | | | | | |
| Reverse Parking Camera | - | - | - | ● | ● | - | | | | | | | |
| Tyre Pressure Monitoring Warning Lamp | LAB | ● | ● | ● | ● | ● | | | | | | | |

Standard (●) Option (○) Not Offered (-)

Jeep MY18 JK WRANGLER

SPECIFICATIONS*

| Exterior | Code | Sport 2-Door | Sport 4-Door | Overland 2-Door | Overland 4-Door | Rubicon 4-Door | Interior | Code | Sport 2-Door | Sport 4-Door | Overland 2-Door | Overland 4-Door | Rubicon 4-Door |
|--|------|--------------|--------------|-----------------|-----------------|----------------|---------------------------------------|------|--------------|--------------|-----------------|-----------------|----------------|
| Alloy Wheels - 18-Inch | - | ● | ● | ● | ● | ● | Seat Fabric - Cloth | - | ● | ● | - | - | ● |
| Tubular Side Steps ⁽²⁾ | MRK | ○ | ○ | ● | ● | - | Seat Fabric - Leather | - | - | - | ● | ● | ○ |
| Rock Rails | MEF | - | - | - | - | ● | Seat - Heated Front | JPM | - | - | ● | ● | ○ |
| Grille - Body Colour | MFT | ● | ● | - | - | ● | Rear Seat - Folding | CFM | ● | - | ● | - | - |
| Grille - Body Colour with Silver Accent | MF4 | - | - | ● | ● | - | Rear Seat - 60/40 Split Folding | CFN | - | ● | - | ● | ● |
| Fender Flares - Black | MUG | ● | ● | - | - | ● | Floor Mats - Front | CLC | ● | - | ● | - | - |
| Fender Flares - Body Colour | MML | - | - | ● | ● | ○ | Floor Mats - Front & Rear | CLE | - | ● | - | ● | ● |
| Soft Top - Black | MX4 | ● | ● | - | - | ● | Cargo Mat - Boot | CKL | ● | ● | ● | ● | ● |
| Soft Top - Premium Black | MX7 | - | - | ● | ● | - | Steering Wheel - Leather Wrapped | SCV | ● | ● | ● | ● | ● |
| Hard Top - Removable, Black ⁽²⁾ | MX3 | ○ | ○ | - | - | ● | Shift Knob - Chrome & Leather Wrapped | CVC | ● | ● | ● | ● | ● |
| Hard Top - Removable, Body Colour | MX1 | - | - | ● | ● | ○ | Front Seat Back Map Pockets | CSM | ● | ● | ● | ● | ● |
| Hard Top - Freedom Panels | - | ○ | ○ | ● | ● | ● | Cargo Area Tie Down Loops | CKT | ● | ● | ● | ● | ● |
| Deep Tint Sunscreen Windows ^{(2) (#)} | GCD | ○ | ○ | ● | ● | ● | | | | | | | |
| Removable Full Metal Doors | GCF | ● | ● | ● | ● | ● | | | | | | | |
| Fold Down Windscreen | - | ● | ● | ● | ● | ● | | | | | | | |
| Halogen Headlamps | LMJ | ● | ● | ● | ● | ● | | | | | | | |
| Halogen Fog Lamps | LNJ | ● | ● | ● | ● | ● | | | | | | | |
| Tailgate Mounted Full Size Tyre Carrier | TBR | ● | ● | ● | ● | ● | | | | | | | |
| Spare Tyre Cover ^(^) | CSA | ● | ● | ● | ● | ● | | | | | | | |
| Rubicon Hood Decal | MGQ | - | - | - | - | ● | | | | | | | |
| Trail Rated Badge - Left, Front Fender | MT2 | ● | ● | ● | ● | ● | | | | | | | |
| Fixed Long Mast Antenna - Right, Front Fender | RDD | ● | ● | ● | ● | ● | | | | | | | |
| Black Locking Fuel Filler Door | XJ5 | ● | ● | ● | ● | ● | | | | | | | |
| Rear Window Wiper ⁽²⁾ | JHB | ○ | ○ | ● | ● | ● | | | | | | | |

Standard (●) Option (○) Not Offered (-)

(#) Deep Tint Sunscreen Windows applies to rear passenger and rear cargo windows only. Front passenger windows and windscreen are not tinted.

(^) Spare Tyre Cover will restrict use of Reverse Parking Camera.

Jeep MY18 JK WRANGLER

GROUPS & OPTIONS*

| | Code | Comments | Sport | Overland | Rubicon |
|--|--|----------|-------|----------|---------|
| Renegade Pack 7-Speaker Alpine Premium Audio System including Subwoofer Uconnect® 230 - Bluetooth® Phone & Audio, AM/FM Radio, 6 Disc CD Tubular Side Steps Dual Top Group Black 3-Piece Hard Top Freedom Panel Storage Bag Tinted Rear Quarter and Liftgate Windows Rear Window Defroster Rear Window Wiper | RC4 REQ MRK AEM MX3 CS2 GED GFA JHB | - | O | - | - |
| Body Colour 3-Piece Hard Top Deep Tint Sunscreen Windows Freedom Panel Storage Bag Tinted Rear Quarter and Liftgate Windows Rear Window Defroster Rear Window Wiper/Washer | MX1 GCD CS2 GED GFA JHB | - | - | S | O |
| Body Colour Fender Flares | MML | m/h: MX1 | - | S | O |
| 18-Inch 7-Spoke Alloy Wheel | WPT | - | - | O | - |

Option (O) Standard (S) Not Available (-) Must Have (m/h)

WHEELS*



WK1 - 18-Inch 5-Spoke Alloy Wheel
(Standard on Sport)



WFC - 18-Inch Alloy Wheel
(Standard on Overland)



WPT - 18-Inch 7-Spoke Alloy Wheel
(Option on Overland)



WK3 - 18-Inch Alloy Wheel
(Standard on Rubicon)

Jeep MY18 JK WRANGLER

EXTERIOR COLOURS*



PX8 - Black
(Standard)



PW7 - Bright White
(Standard)



PSC - Billet Silver
(Option)



PAU - Granite Crystal
(Option)



PSQ - Rhino
(Option)



PUA - Gobi
(Option)



PRC - Firecracker Red
(Option)



PQB - Chief (Limited Availability)
(Option)



PHG - Xtreme Purple (Limited Availability)
(Option)



Jeep MY18 JK WRANGLER

INTERIOR TRIMS*



A7X9 - Black Cloth
(Standard - Sport)




NLX9 - Black Moab Leather
(Standard - Overland)



A7X9 - Black Cloth
(Standard - Rubicon)



A7XV - Black Cloth with Tan
(No Cost Option - Rubicon)



ALX9 - Black McKinley Leather
(Option - Rubicon)



ALXV - Black & Tan McKinley Leather with Tan
(Option - Rubicon)

COLOUR & TRIM MATRIX*

| | Sport | Overland | Rubicon | | | |
|-----------------------|-----------------|----------|---------|-------|---------|-------------|
| Option Code | A7X9 | NLX9 | A7X9 | A7XV | ALX9 | ALXV |
| Seat Material | Cloth | Leather | Cloth | Cloth | Leather | Leather |
| Seat Colour | Black | Black | Black | Black | Black | Black & Tan |
| Interior Accent | Black | Black | Black | Tan | Black | Tan |
| Steering Wheel | Leather Wrapped | | | | | |
| Exterior Colour | | | | | | |
| Black (PX8) | • | • | • | • | • | • |
| Bright White (PW7) | • | • | • | • | • | • |
| Billet Silver (PSC) | • | • | • | • | • | • |
| Granite Crystal (PAU) | • | • | • | • | • | • |
| Rhino (PSQ) | • | • | • | • | • | • |
| Gobi (PUA) | • | • | • | • | • | • |
| Firecracker Red (PRC) | • | • | • | • | • | • |
| Chief (PQB) | • | • | • | • | • | • |
| Xtreme Purple (PHG) | • | • | • | • | • | • |

Available (•) Not Offered (-)

Jeep MY18 JK WRANGLER

MOPAR® GENUINE ACCESSORIES**



STAINLESS STEEL DOOR SILL GUARDS



HITCH RECEIVER



TAILGATE REINFORCEMENT ASSEMBLY



LIGHT BAR



TENT KIT

(**) Overseas models shown in imagery, used for visual guidance only. Some features displayed may not be available in Australia. Please consult your preferred Jeep Dealer for information on Accessories currently provided.

Jeep MY18 JK WRANGLER

TECHNICAL INFORMATION*

| | 3.6L 6MT 4x4 2-Door | 3.6L 5AT 4x4 2-Door | 3.6L 6MT 4x4 4-Door | 3.6L 5AT 4x4 4-Door | 2.8L 5AT 4x4 4-Door |
|--|---|------------------------|------------------------|--------------------------------------|------------------------|
| Body & Chassis | | | | | |
| Layout | Front Engine, 4x4 | | | | |
| Construction | Body on Frame Chassis, Open Steel Body | | | | |
| Assembly Plant | Toledo Assembly Comple, Toledo, Ohio, USA | | | | |
| Doors | 2 | | 4 | | |
| Seats | 4 | | 5 | | |
| Powertrain | | | | | |
| Description | 3.6L Pentastar V6 | | | 2.8L Turbo Diesel I-4 | |
| Capacity | 3,604 | | | 2,776 | |
| Cylinders | 6 | | | 4 | |
| Configuration | V | | | Inline | |
| Aspiration (Natural / Forced) | Naturally Aspirated | | | Turbocharged | |
| Max. Power (kW @ rpm) | 209 @ 6,350 | | | 147 @ 3,600 | |
| Max. Torque (Nm @ rpm) | 347 @ 4,300 | | | 460 @ 1,600 | |
| Valves | 24 | | | 16 | |
| Compression | 10.2:1 | | | 16.5:1 | |
| Bore & Stroke (mm) | 96.0 x 83.0 | | | 94.0 x 100.0 | |
| Fuel | | | | | |
| System | Sequential, Multi Port, Electronic Fuel Injection | | | Direct Injection, Common Rail Diesel | |
| Type | Unleaded Petrol | | | Diesel | |
| Tank Capacity (L) | 70.4 | | 85.0 | | |
| Economy (Urban, L/100km) | 15.7 | 15.6 | 16.6 | 16.1 (Sport) 16.0 (Rubicon) | 10.3 |
| Economy (Highway, L/100km) | 8.5 | 8.8 | 9.1 | 9.2 (Sport) 9.5 (Rubicon) | 7.9 |
| Economy (Combined, L/100km) | 11.2 | 11.3 | 11.8 | 11.7 (Sport) 11.9 (Rubicon) | 8.8 |
| Emissions | | | | | |
| Emission Standard Met | 6 | | | 5 | |
| Emissions (Combined, CO ₂ g/km) | 259 | 263 | 275 | 273 (Sport) 276 (Rubicon) | 230 |

| | 3.6L 6MT 4x4 2-Door | 3.6L 5AT 4x4 2-Door | 3.6L 6MT 4x4 4-Door | 3.6L 5AT 4x4 4-Door | 2.8L 5AT 4x4 4-Door |
|--|--|------------------------|------------------------|------------------------|------------------------|
| Weights | | | | | |
| Max. Braked Towing Capacity (kg) | 1,000 | | 2,000 | | 2,300 |
| Max. Unbraked Towing Capacity (kg) | 750 | | 750 | | 750 |
| Max. Tongue Download (kg) ⁽⁴⁾ | 100 | | 200 | | 230 |
| Gross Vehicle Mass (kg) | 2,268 | | 2,540 | | 2,585 |
| Gross Combined Mass (kg) Incl. Braked Towing | 3,168 | | 4,340 | | 4,655 |
| Transmission | | | | | |
| Type | 6-Speed Manual | 5-Speed Automatic | 6-Speed Manual | 5-Speed Automatic | |
| Ratio - 1st | 4.46 | 3.59 | 4.46 | 3.59 | |
| Ratio - 2nd | 2.61 | 2.19 | 2.61 | 2.19 | |
| Ratio - 3rd | 1.72 | 1.41 | 1.72 | 1.41 | |
| Ratio - 4th | 1.25 | 1.00 | 1.25 | 1.00 | |
| Ratio - 5th | 1.00 | 0.83 | 1.00 | 0.83 | |
| Ratio - 6th | 0.79 | - | 0.79 | - | |
| Reverse | 4.06 | 3.16 | 4.06 | 3.16 | |
| Performance | | | | | |
| Acceleration (Seconds 0-100km/h) | 8.1 | | 8.6 | 8.9 | 10.7 |
| Maximum Speed (km/h) | 180 | | 180 | 180 | 172 |
| Brakes | | | | | |
| Front - Type | Ventilated disk, floating single piston caliper with ABS | | | | |
| Front - Size (mm) | 332 x 28 | | | | |
| Rear - Type | Solid disk, floating single piston caliper with ABS | | | | |
| Rear - Size (mm) | 316 x 12 | | | | |
| Wheel & Tyre | | | | | |
| Wheel Type | Alloy | | | | |
| Wheel Size (Inches) | 18.0 x 7.5 | | | | |
| Tyre Size | 255 / 70 | | | | |
| Spare Wheel | Tailgate Mounted - Matching Alloy Wheel | | | | |
| Steering | | | | | |
| Type | Power, recirculating ball with damper | | | | |
| Turning Circle - Kerb to Kerb (m) | 10.4 | | 13.1 | | |
| Column Adjustment | Tilt | | | | |

Jeep MY18 JK WRANGLER

TECHNICAL INFORMATION*

| Weights & Capacities | Sport 2-Door 3.6L 6MT 4x4 | Sport 2-Door 3.6L 5AT 4x4 | Overland 2-Door 3.6L 5AT 4x4 | Unlimited Sport 4-Door 3.6L 6MT 4x4 | Unlimited Sport 4-Door 3.6L 5AT 4x4 | Unlimited Overland 4-Door 3.6L 5AT 4x4 | Unlimited Rubicon 4-Door 3.6L 5AT 4x4 | Unlimited Sport 4-Door 2.8L 5AT 4x4 | |
|--------------------------------------|---|------------------------------|---------------------------------|--|--|---|--|--|--|
| Model ID | | | | | | | | | |
| Model Code | JKUL72-23C | JKUL72-24C | JKUP72-24G | JKUM74-23C | JKUM74-24C | JKUP74-24G | JKUS74-24R | JKUM74-22C | |
| Dimensions | | | | | | | | | |
| Length (mm) | 4,223 | | | 4,751 | | | | | |
| Width (mm) | 1,873 | | | 1,877 | | | | | |
| Height (mm) | | | | 1,865 | | | | | |
| Wheelbase (mm) | 2,424 | | | 2,947 | | | | | |
| Front Track (mm) | | | | 1,572 | | | | | |
| Rear Track (mm) | | | | 1,572 | | | | | |
| Tare Vehicle Mass (kg) | 1,732 | | 1,799 | 1,954 | | 1,956 | 1,976 | 1,975 | |
| Suspension | | | | | | | | | |
| Type | Coil | | | | | | | | |
| Front | Solid Axle. Coil Springs with High Pressure Gas Charged Shock Absorbers. Leading Arms, Track Bar, Stabiliser Bar | | | | | | | | |
| Rear | Solid Axle. Coil Springs with High Pressure Gas Charged Shock Absorbers. Trailing Arms, Track Bar, Stabiliser Bar | | | | | | | | |
| Electronic Stabiliser Bar Disconnect | - | | | | | | Front | - | |
| 4x4 Specifics | | | | | | | | | |
| 4x4 System | Command-Trac® 4x4 | | | | | | Rock-Trac® 4x4 | Command-Trac® 4x4 | |
| Operating Mode | Part-Time, Shift on the Fly. 4-Mode: 4x2 High, 4x4 High, Neutral, 4x4 Low | | | | | | | | |
| Transfer Case | 2-Speed | | | | | | | | |
| Low Range Ratio | 2.72:1 | | | 4.0:1 | | | 2.72:1 | | |
| Rear Axle Ratio | 3.73 | | | 4.10 | | | 3.73 | | |
| Front Axle | Dana 30 | | | | | | Dana 44 Heavy Duty | Dana 30 | |
| Rear Axle | Dana 44 Heavy Duty | | | | | | | | |
| Electronic Locking Differentials | - | | | | | | Front & Rear | - | |
| Running Clearance (mm) | 241 | 238 | | | 242 | 238 | | | |
| Approach Angle | 35 | | | | | | | | |
| Breakover Angle | 22 | 18 | | | | | | | |
| Departure Angle | 28 | | | | | | | | |
| Wading Depth (mm) | 760 ⁽⁶⁾ | | | | | | | | |
| Warranty & Service | | | | | | | | | |
| Service Intervals | 12,000km / 12 months | | | | | | | 24,000km / 12 months | |
| Warranty | 5 year / 100,000km ⁽⁶⁾ | | | | | | | | |
| Roadside Assist | Lifetime Roadside Assist when you service through Jeep ⁽⁷⁾ | | | | | | | | |

Jeep[®]

FCA
FIAT CHRYSLER AUTOMOBILES

jeep.com.au

*Overseas models may be shown in imagery, Australian model and actual colours may vary. All product illustrations and specifications are based upon current information. FCA Australia Pty Ltd ABN 23 125 956 505 trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep Dealer. (¹) Terms & conditions apply. Please visit www.jeep.com.au/there-and-back or contact an authorised Jeep Dealer for full terms & conditions.

(1) Fuel consumption figures are according to Australian Design Rule (ADR) 81/02. Driving style, road and traffic conditions, fitment of accessories, environmental influences and vehicle condition can lead to consumption figures which may differ from those calculated with these standards. (2) Packaged with Renegade Pack on Sport. (3) Only available with 5-speed automatic transmission. (4) Trailer tongue download subject to certain operating conditions. Please refer to Owner's Manual for full details. (5) This vehicle is capable of crossing through water at a depth of 760mm (30 inches) at speeds no greater than 8km/h (5mph). Water ingestion can occur causing damage to your vehicle that may not be covered by the New Vehicle Warranty. (6) 5 years from the date of vehicle registration or 100,000km (whichever comes first). (7) After your warranty period expires, scheduled maintenance services must be conducted through a Jeep Authorised Dealership at manufacturer specified intervals to maintain Lifetime Roadside Assist. Free Roadside assist is not redeemable for cash.