

Jeep

SPORT

Engine

2.4L Tigershark® Engine 130kW 229Nm

Transmission

9-Speed Automatic Front Wheel Drive

Towing Capacity

Maximum Towing Capacity (Braked Trailer) - 1,500kg

Fuel Consumption (1)

Combined Cycle (L/100km) 2.4L - 8.5

Features:

- 7.0-Inch Touchscreen with Bluetooth & Voice Command
- Apple CarPlay® (7)(9) & Android Auto® (8) (9)
- ParkView™ Reverse Parking Camera
- Full Speed Forward Collision Warning Plus
- Pedestrian Emergency Braking
- Lane Departure Warning Plus
- Blind Spot Monitoring with Rear Cross Path Detection
- LED Headlamp, Highbeam, Daytime Running Lights and Tail • Lamps
- Capless Fuel Filler
- 17-inch Alloy Wheels with Full Size Spare Tyre

LIMITED

Engine

3.2L Pentastar® V6 Engine 200kW 315Nm

Transmission

9-Speed Automatic All Wheel Drive

Towing Capacity

Maximum Towing Capacity (Braked Trailer) - 2,200kg

Fuel Consumption (1)

Combined Cycle (L/100km) 3.2L - 9.8

Features

- Premium Leather-Trimmed **Bucket Seats**
- 8-Way Power Driver/Passenger Seat with 4-way Power Lumbar Adjust
- 18-Inch Alloy Wheels
- 8.4-Inch Touchscreen
- Satellite Navigation
- · ParkSense® Rear Parking Sensors
- Parallel & Perpendicular Park & Unpark Assist with Stop System
- Side Distance Warning
- Adaptive Cruise Control w/ Stop & Go
- Radio/Driver Seat/Exterior Mirror Dual Pane Sunroof - Memory
- Automatic Highbeam
- 7-Inch Full Colour Instrument Cluster Display
- 9-Speaker Alpine Sound System with Subwoofer
- Heated & Ventilated Front Seats
- Deep Tinted Privacy Glass
- Foot-Operated/Hands-free Power Liftgate
- Remote Proximity Keyless Entry
- Push-Button Start (Keyless Go)
- Remote Start

S-LIMITED

Engine

3.2L Pentastar® V6 Engine 200kW 315Nm

Transmission

9-Speed Automatic All Wheel Drive

Towing Capacity

Maximum Towing Capacity (Braked Trailer) - 2,200kg

Fuel Consumption (1)

Combined Cycle (L/100km) 3.2L - 9.8

Features

- S-Limited exclusive 19-Inch Granite Crystal Alloy Wheels
- Granite Crystal 7-Slot Jeep Grille Surrounds
- Black Side Window Surrounds
- Jeep Active Drive I AWD System
 Body Colour Lower Front Fascia Insert
 - Granite Crystal Roof Rails
 - Granite Crystal Front Door Badging
 - Granite Crystal 4x4 Rear Liftgate
 17-Inch Off-Road Alloy Wheels Badging
 - Granite Crystal Badging Front Bonnet and Rear Liftgate Badge
 - Granite Crystal S Badge on Rear 4 Underbody Skid Plates Liftgate
 - Black Headliner
 - 8.4-Inch Touchscreen
 - Satellite Navigation
 - Premium Leather Trimmed **Bucket Seats with Tungsten** Accent Stitching
 - Door Armrest and Consolse Lid with Tungsten Accent Stitch

TRAILHAWK

Engine

3.2L Pentastar® V6 Engine 200kW 315Nm

Transmission

9-Speed Automatic Four Wheel Drive

Towing Capacity

Maximum Towing Capacity (Braked Trailer) - 2,200kg

Fuel Consumption (1)

Combined Cycle (L/100km) 3.2L - 10.2

Features

(in addition to or replacing Limited): (in addition to or replacing Limited):

- Trail Rated
- Jeep Active Drive Lock 4x4 System
- Jeep Selec-Terrain with Rock Mode
- Off-Road Suspension with Raised Ride Height
- Two Speed Power Transfer Unit
- Rear Locking Differential
- Unique Front and Rear Fascia
- Black Anti-Glare Hood Decal
- Red Tow Hooks
- Hill Descent Control
- Trailhawk Seats with Red Accent Stitch
- All-Weather Floor Mats
- Neutral Grev Exterior Acents









Comfort & Convenience	Code	Sport	Limited	S-Limited	Trailhawk
Air Conditioning	HAA	20.00		No. of the last	
Dual Zone Climate Control	HAF	4.4		- T.	
Push Button Start	GX4	B 21/2		M. The	
Keyless Entry	GXP	•	4		-
Keyless Entry - Remote Proximity	GXD		•		
Remote Start	XBM			•	4 7 •
Heated Front Seats	JPM	State Table		and in	0
Ventilated Front Seats	CAJ	7 - 3 dec	- ·	50 · 10 · 10 · 10 · 10 · 10 · 10 · 10 ·	0
Manual 6-Way Driver/Passenger Seat	JT6				
Power 8-Way Driver/Passenger Seats	JPT	The state of		7.4	
Power 4-Way Driver/Passenger Lumbar	JRN	7 a 16 sta	•		-
Power Windows	JP3			•	
Radio/Driver Seat/Exterior Mirror - Memory	LEZ	1	•	•	0
Hands-Free Power Liftgate (Foot-Activated)	JK2	Balan	•		
Automatic Headlamps	LMG				
Automatic High Beam Control	LMS		•		0
Automatic Dimming Internal Rear Vision Mirror	GNK				ر نو نار ا
Rain Sensitive Windshield Wipers	JHC	-	• 7		The state of the
Tilt & Telescopic Steering Column Adjust	SUD			500	in the
Capless Fuel Door	XJM		•	•	
Power Folding Multi-Function Mirrors	GU5		•	•	•, ,
Side Exterior Mirrors with Defrost	NHJ		•		
Steering Wheel Paddle Shifters	XBQ		•		
Rear Window Wiper	JHB	•	•	10.1	•
Rear Window Defroster	GFA		-	4.	
Performance & Capability	Code	Sport	Limited	S-Limited	Trailhawl
Jeep Active Drive I AWD System	DK2		•	•	-
Jeep Active Drive Lock 4x4 System	XX9	//-	-		•
Two Speed Power Transfer Unit	17-	11.			•
Jeep Selec-Terrain Traction Management System	XAB	- 6	W.		•
Rear Locking Differential	DSH	1 - 4		-	•
Off-Road Suspension	SDJ	-			•
Heavy Duty Engine Cooling	NMC	-	•	•	
Auxillary Transmission Cooler	NHB	•	•	•	
Disconnecting Rear Axle			•		
Hill Start Assist	BNG				

Performance (Continued)	Code	Sport	Limited	S-Limited	Trailhawk
Hill Descent Control	BNH				•
Steel Spare Wheel	ТВВ				•
Black Anti-Glare Hood Decal	MYA		3 45		• 1
Red Tow Hooks (2 x Front, 1 x Rear)	XEW				•
Skid Plate - Fuel Tank	XEE				
Skid Plate - Front Suspension	XEU			-	
Skid Plate - Transmission	XE9		- 424		•
Skid Plate - Underbody	XF3		the s		•
Safety, Security & Driver Assistance	Code	Sport	Limited	S-Limited	Trailhawk
Parkview™ Reverse Parking Camera	XAC				•
ParkSense® Rear Parking Sensors	XHY		• 5		•
ParkSense® Front Parking Sensors			• 136		•
Parallel & Perpendicular Park & Unpark Assist with Stop System	XPL				N• 1
Side Distance Warning	XAJ				
7 Airbags (2 Front, 2 Side Curtain, 2 Side Seat, 1 Driver Knee)					
Advanced Brake Assist	BGG		•	•	
Full Speed Forward Collision Warning Plus	LSU		# ·	- A-	
Pedestrian Emergency Braking	LST	•	•		•
Lane Departure Warning Plus	LAS		10.0		•
Blind Spot Monitoring	XAN		0.0	•	•
Rear Cross Path Detection			•	•	
Security Alarm	LSB		100	•	0
Cruise Control	NHM			•	•
Cruise Control - Adaptive with Stop & Go Function	NHZ	1 1 to 1		•	0
Speed Limiter	NH2	•	400	•	•
Tyre Pressure Monitoring System	XGM	1 50	14.	•	•
Electric Power Steering	SBL		•	•	•
Electronic Stability Control	BNB	• -	•	•	•
Electronic Roll Mitigation	BNS	•	•	•	•
Traction Control	BNP	•	•	•	•
Trailer Sway Control	BNT	•	•	•	•
Engine Immobiliser	GXW	•	•	•	•
Front Passenger Active Head Restraints	CDP	•	•	•	•
Passenger Seat Belt Alert - Front	LAX		•	•	•
Passenger Seat Belt Alert - Rear	LAU	•	•		

Standard (●) Option (○) Not Offered (-)


Audio & Connectivity	Code	Sport	Limited	S-Limited	Trailhawl
Uconnect® 7.0 (with AM/FM/Digital Radio, Bluetooth® Phone/Audio)	UJG RFJ		-		
7.0-Inch Touchscreen Display	KEJ	40			
Uconnect® 8.4 (with AM/FM/Digital Radio, Bluetooth®	UJQ				
Phone/Audio and Navigation) Satellite Navigation	JLN				
8.4-Inch Touchscreen Display	RFL				
6 Speaker Audio System	RCG	•			
9 Speaker Alpine® Audio System Including Subwoofer	RC3			ENG ON E	
506 Watt Amplifier		4.2			
Apple CarPlay® ^{(7) (9)}	RFP				•
Android Auto® (8) (9)	RF5) Total			•
Steering Wheel Mounted Audio Controls	RDZ	1.00		•	•
Media Hub (USB/AUX)	CU7	49-90			• 2
12V Power Outlet - Centre Console	JJJ				
12V Power Outlet - Cargo Area	JJM			4	×
Interior	Code	Sport	Limited	S-Limited	Trailhaw
Seat Fabric - Cloth	-	•			-
Seat Fabric - Cloth/Premium Vinyl			-	1	•
Seat Fabric - Leather	-		•	.0	0
Stitching Accents - Tungsten		- A-	- 3		The state of the
Stitching Accents - Red	CEB				
Steering Wheel - Premium Wrapped	SCJ	•	•		To the last
Shift Knob - Leather Wrapped	CVB		• 2		-
Door Trim - Vinyl	CBG				
nstrument Cluster - 3.5-Inch Display	JAY		-25		-
nstrument Cluster - 7.0-Inch Display	JAJ		•	-	
Electric Park Brake	XC4	7 .	•	•	
Height Adjustable Front Seat Belts	CGD	•	•	•	
Rear Centre Armrest with Cupholder	CSN	1.			•
Rear Seat - 60/40 Split Folding	CAK			•	•
Rear Seat - Fore/Aft Adjust	CAY	- 0			0
Sliding Sun Visors with Mirrors	GNU	. 2	105		
Sliding Sun Visors with Illuminated Mirrors	GNC	-		•	
Rear Reading/Courtesy Lamps	LBH	•	•		
Floor Mats - Carpted Front & Rear	CLE	•	•	•	-
Floor Mats - All Weather Front & Rear	CLF				•
Cargo Area - Carpeted Trim Panels	CK3	-	•		0
Cargo Area Tonneau Cover	CSD		•	4	
Cargo Tie Down Loops - Boot	CKT				

Exterior	Code	Sport	Limited	S-Limited	Trailhawk
LED - Headlights	LM6		•	•	•
LED Daytime Running Headlamps	LMZ			7.5	•
LED Tail Lamps	LAY		3 6		• (6)
Rear Fog Lamps	LPG	•			•
LED Fog Lamps	LNV				
Dual-Pane Panoramic Sunroof	GWJ		0	•	0
Alloy Wheels - 17-inch	-		- 424		•
Alloy Wheels - 18-inch	7 7 4		Mr.	•	-
Alloy Wheels - 19-inch	104.		100	•	-
Roof Rails - Black	MWE				-
Roof Rails - Bright	MW1		• 3		-
Roof Rails - Granite Crystal		-	-113	•	-
Roof Rails - Neutral Grey	MW3				•
Glass - Solar Control	GAM		Maria Carlo		- 1
Glass - Deep Tint Sunscreen (#)	GEG		•		
Grille - Bright Surround	MYV	•	•	•	
Grille - Granite Crystal Surround				•	
Grille - Neutral Grey	MF4	7-1		-	•
Lower Door Cladding - Black	MJA	100	•	•	•
Side Window Surrounds - Black	MMF	•	10-	•	•
Side Window Surrounds - Bright	MMP	- 12	•		-
Door Handles - Body Colour	MNK		B.		
Exterior Mirrors - Supplemental Turn Signals	LEB			•	•
Exterior Mirrors - Courtesy Lamps	LEC		150	•	•
Exterior Mirrors - Body Colour	LEP			•	-
Exterior Mirrors - Neutral Grey	LE6		BA TAN	-	•
Shark Fin Antenna - Body Colour	RHC	•	6 6	•	•
Off-Road Wheel Flares	MMZ	F + / -	-	-	•
Accent Colour Exterior Badging	MVL	-	-	-	•
Trail Rated Badge	MT2			-	•

^(#) Glass - Tinted applies to rear passenger and rear cargo windows only. Front passenger windows and windscreen are not tinted.

Standard (•) Option (o) Not Offered (-)

Group / Option	Code	Comments	Sport	Limited	S-Limited	Trailhawk
Trailhawk Premium Package	AA3/AFF/AA9					
Fore/Aft Adjusting 2nd Row Seat	CAY					
Carpeted Cargo Area Trim Panels	CK3					
Heated Front Seats	JPM	The second second				
Security Alarm	LSB					
Premium Leather Trimmed Bucket Seats	*BL					0
Ventilated Front Seats	CAJ					U C
Exterior Mirrors W/Memory	LEM					
Radio/Drvr Seat/Ext Mirrors Memory	LEZ					
Auto High Beam Headlamp Control	LMS					
17-Inch Black Painted Aluminum Wheels	WBG					
Adaptive Cruise Control with Stop & Go	NHZ		77.0			
Dual Pane Panoramic Sunroof	GWJ	Trailhawk: m/h Trailhawk Premium Package		0		0
18-Inch Diamond Cut Grey Wheels with Painted Pockets	WP5	La La		0		





WFM - 17-Inch Alloy Wheels (Standard on Sport)



WPD - 18-Inch Satin Chrome Painted Alloy Wheels (Standard on Limited)



WP5 - 18-Inch Diamond Cut Grey Wheels with Painted Pockets (Option on Limited)



WPX - 19-Inch Granite Crystal Alloy Wheels (Standard on S-Limited)



WBR - 17-Inch Diamond Cut Alloy Wheels (Standard on Trailhawk)



WBG - 17-Inch Black Painted Alloy Wheels (Option on Trailhawk with Trailhawk Premium Package)



PW7 - Bright White (Standard)



PAU - Granite Crystal (Option)



PSC - Billet Silver (Option)



PXJ - Diamond Black (Option)



PRV - Velvet Red (Option)



PBJ - Hydro Blue (Option)



PT6 - Light Brownstone (Option)



PFP - Olive Green (Option)





S5X9 - Black Cloth (Standard on Sport)



S5XL - Black & Light Frost Beige Cloth (Option on Sport)



DLX9 - Black Leather (Standard on Limited)



DLXS - Black & Ski Grey Leather (Option on Limited)



DLX9 - Black Leather with Tungsten Accent Stitch (Standard on S-Limited)



T5X9 - Black Cloth/Premium Vinyl with Red Accent Stitch (Standard on Trailhawk)



BLX9 - Black Leather with Red Accent Stitch (Option on Trailhawk)

		Sport	Lin	nited	S-Limited	Trailha	wk
Option Code	S5X9	S5XL	DLX9	DLXS	DLX9	T5X9	BLX9
Seat Material	Cloth	Cloth	Leather	Leather	Leather	Cloth/Premium Vinyl	Leather
Seat Colour	Black	Light Frost Beige	Black	Ski Grey	Black	Black	Black
Bezel Colour		Silver	Si	lver	Silver	Silver	
Steering Wheel	Premiu	ım Wrapped	Premium	ı Wrapped	Premium Wrapped	Premium W	rapped
Headliner		Light	Li	ght	Black	Light	
Colour							
Bright White (PW7)		4 100					
Granite Crystal (PAU)							
Billet Silver (PSC)		江東				V	•
Velvet Red (PRV)	Por to	1. 7.07		57.00 V • 55.0 V			•
Hydro Blue (PBJ)			10700				
ght Brownstone (PT6)				ATTENDED			•
Diamond Black (PXJ)				normalistic de			
Olive Green (PFP)				•			

Available (•) Not Offered (-)

Technical Specifications	Sport 2.4L 9AT FWD	Limited 3.2L 9AT AWD	S-Limited 3.2L 9AT AWD	Trailhawk 3.2L 9AT 4x4
Body & Chassis	1			
Layout	Front Engine, FWD	Front En	gine, AWD	Front Engine, 4WI
Construction		Steel	Unibody	
Assembly Plant	Be	videre Assembly Comp	lex. Belvidere, Illinois. U	SA.
Doors			5	
Seats	(min)	and the second	5	
Model Code	KLBL74-2HA	KLUP74-26G	KLUP74-26P	KLUH74-27E
Powertrain	A STATE OF			
Description	2.4L Tigershark® Engine with Stop/Start (ESS)	3.2L Penta	star [®] V6 Engine <mark>wit</mark> h Sto	p/Start (ESS)
Capacity	2,360	-40	3,239	
Cylinders	4		6	
Configuration	Inline		V	
Aspiration (Natural / Forced)		Na	tural	
Max. Power (kW @ rpm)	130 @ 6400		200 @ 6500	
Max. Torque (Nm @ rpm)	229 @ 3900		315 @ 4300	
Valves	16		24	Comme
Compression	10.0:1		10.7:1	
Bore & Stroke (mm)	88.0 x 97.0		91.0 x 83.0	
Engine Stop/Start	- 73.55		Standard	
Fuel (1)				
System		Sequential, Multiport,	Electronic, Returnless	
Туре		Unlead	ed Petrol	
Tank Capacity (L)		6	0.0	
Economy (Urban, L/100km) (1)	11.1	1	3.8	13.7
Economy (Highway, L/100km) (1)	7.0	1	7.5	8.1
Economy (Combined, L/100km) (1)	8.5		9.8	10.2
Emissions (1)				
Emission Standard Met			6	
Emissions (Combined, CO ₂ g/km) ⁽¹⁾	197	2	28	236
Performance				
Acceleration (Seconds 0-100km/h)	9.6	7	7.5	8.5
Maximum Speed (km/h)	210	2	10	180

Technical Specifications	Sport 2.4L 9AT FWD	Limited 3.2L 9AT AWD	S-Limited 3.2L 9AT AWD	Trailhawk 3.2L 9AT 4x4
Weights				
Tare Vehicle Weight (kg)	1,590	1,8	806	1,889
Max. Braked Towing Capacity (kg)	1,500		2,200	
Max. Unbraked Towing Capacity (kg)		7	50	
Max. Tongue Download (kg) (2)	75		220	
Gross Vehicle Mass (kg)	2,290	2,4	458	2,494
Gross Combined Mass (kg) Incl. Braked Towing	3,640	4,438		4,474
Tow Hook Weight Rating (kg)		C. C.		3,742
Roof Luggage Rack Load Limit (kg)			58	W
Transmission				
Туре		9-Speed Automa	atic Transmission	
Ratio - 1st		4.	71	
Ratio - 2nd		2.	84	
Ratio - 3rd		1.	91	
Ratio - 4th		1.	38	
Ratio - 5th		1.	00	
Ratio - 6th		0.	81	
Ratio - 7th		0.	70	
Ratio - 8th		0.	58	
Ratio - 9th		0.	48	
Reverse		3.	83	
Brakes			E AND FIRST	13 m
Front - Type	Ventilated Disk, Floating Single Piston Caliper with ABS	Ventilated Disk	s, Floating Twin Piston Ca	aliper with ABS
Front - Size (mm)		330	x 28	
Rear - Type	Sc	olid Disk, Single Piston	Floating Caliper with AB	s
Rear - Size (mm)	278 x 12	//	320 x 12	
Steering				
Туре		Electric, Rack-and-Pinio	on Power Steering (EPS)	
Turning Circle - Kerb to Kerb (m)	11.5		11.6	
Column Adjustment		Tilt & Te	elescopic	
Spare Wheel		Under-Vehicle Mounte	d Matching Alloy Wheel	

Weights & Capacities	Sport 2.4L 9AT FWD	Limited 3.2L 9AT AWD	S-Limited 3.2L 9AT AWD	Trailhawk 3.2L 9AT 4x4
Dimensions				
Length (mm)	X 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	4,651		4,645
Width (mm)		1,859		1,904
Height (mm)	1,680	1,6	83	1,724
Wheelbase (mm)	2,705	2,7	07	2,720
Front Track (mm)		1,601		1,622
Rear Track (mm)		1,612		1,626
Wheel & Tyre				
Wheel Type	2423	All	oy	
Wheel Size (Inches)	17 x 7.0	18 x 7.0		17 x 7.5
Tyre Size	225 / 60	225	/ 55	245 / 65
Spare Wheel	4 5 6 3 6 6 7	Full Size Spare	e - Steel Wheel	
Suspension				
Туре		C	oil	
	McPherson Strut Lor	ng Travel Coil Springs, C	no Diogo Stool Sub Ero	A L
Front	Wich Herson Strut, Lor	Control Arms,		ime, Aluminum Lowe
Front			Stabilizer Bar Aluminum Lateral Links,	
		Control Arms,	Stabilizer Bar Aluminum Lateral Links,	
Rear		Control Arms,	Stabilizer Bar Aluminum Lateral Links, Springs, Stabilizer Bar	Isolated High-Streng
Rear 4x4 Specifics 4x4 System		Control Arms, nsion with Trailing Arm, / Steel Rear Cradle, Coil Jeep Active	Stabilizer Bar Aluminum Lateral Links, Springs, Stabilizer Bar	Isolated High-Streng Jeep Active Drive II 4x4
Rear 4x4 Specifics 4x4 System Operating Mode	Four Link Rear Susper	Control Arms, nsion with Trailing Arm, / Steel Rear Cradle, Coil Jeep Active	Stabilizer Bar Aluminum Lateral Links, Springs, Stabilizer Bar Drive I AWD	Isolated High-Streng Jeep Active Drive II 4x4
Rear 4x4 Specifics 4x4 System Operating Mode Power Transfer Unit	Four Link Rear Susper	Control Arms, nsion with Trailing Arm, Steel Rear Cradle, Coil Jeep Active Part-Time, Seam	Stabilizer Bar Aluminum Lateral Links, Springs, Stabilizer Bar Drive I AWD	Jeep Active Driv II 4x4
Rear 4x4 Specifics 4x4 System Operating Mode Power Transfer Unit Rear Locking Differential	Four Link Rear Susper	Control Arms, nsion with Trailing Arm, Steel Rear Cradle, Coil Jeep Active Part-Time, Seam	Stabilizer Bar Aluminum Lateral Links, Springs, Stabilizer Bar Drive I AWD	Jeep Active Drive II 4x4 4x4 at any speed 2 Speed
Rear 4x4 Specifics 4x4 System Operating Mode Power Transfer Unit Rear Locking Differential Disconnecting Rear Axle	Four Link Rear Susper	Control Arms, nsion with Trailing Arm, Steel Rear Cradle, Coil Jeep Active Part-Time, Seam	Stabilizer Bar Aluminum Lateral Links, Springs, Stabilizer Bar Drive I AWD Allessly Engages AWD / Allessly	Jeep Active Drive II 4x4 4x4 at any speed 2 Speed
Rear 4x4 Specifics 4x4 System Operating Mode Power Transfer Unit Rear Locking Differential Disconnecting Rear Axle Running Clearance (mm)	Four Link Rear Susper	Control Arms, nsion with Trailing Arm, / Steel Rear Cradle, Coil Jeep Active Part-Time, Seam 1 Sp	Stabilizer Bar Aluminum Lateral Links, Springs, Stabilizer Bar Drive I AWD allessly Engages AWD / allessly Engages AWD / allessly Standard	Jeep Active Drive II 4x4 4x4 at any speed 2 Speed Standard
Rear 4x4 Specifics 4x4 System Operating Mode Power Transfer Unit Rear Locking Differential Disconnecting Rear Axle Running Clearance (mm) Approach Angle	Four Link Rear Suspen	Control Arms, nsion with Trailing Arm, Steel Rear Cradle, Coil Jeep Active Part-Time, Seam 1 Sp	Stabilizer Bar Aluminum Lateral Links, Springs, Stabilizer Bar Drive I AWD allessly Engages AWD / allessly Enga	Jeep Active Drive II 4x4 4x4 at any speed 2 Speed Standard
Rear 4x4 Specifics 4x4 System Operating Mode Power Transfer Unit Rear Locking Differential Disconnecting Rear Axle Running Clearance (mm) Approach Angle Breakover Angle	Four Link Rear Suspen	Control Arms, nsion with Trailing Arm, Steel Rear Cradle, Coil Jeep Active Part-Time, Seam 1 Sp - 185	Stabilizer Bar Aluminum Lateral Links, Springs, Stabilizer Bar Drive I AWD Allessly Engages AWD / Allessly Enga	Jeep Active Drive II 4x4 4x4 at any speed 2 Speed Standard 221 29.9
Rear 4x4 Specifics		Control Arms, nsion with Trailing Arm, / Steel Rear Cradle, Coil Jeep Active Part-Time, Seam 1 Sp - 185	Stabilizer Bar Aluminum Lateral Links, Springs, Stabilizer Bar Drive I AWD alessly Engages AWD / alessly En	Jeep Active Drive II 4x4 4x4 at any speed 2 Speed Standard 221 29.9 22.9
Rear 4x4 Specifics 4x4 System Operating Mode Power Transfer Unit Rear Locking Differential Disconnecting Rear Axle Running Clearance (mm) Approach Angle Breakover Angle Departure Angle		Control Arms, nsion with Trailing Arm, / Steel Rear Cradle, Coil Jeep Active Part-Time, Seam 1 Sp - 185 185 25	Stabilizer Bar Aluminum Lateral Links, Springs, Stabilizer Bar Drive I AWD alessly Engages AWD / alessly En	Jeep Active Drive II 4x4 4x4 at any speed 2 Speed Standard 221 29.9 22.9 32.2
Rear 4x4 Specifics 4x4 System Operating Mode Power Transfer Unit Rear Locking Differential Disconnecting Rear Axle Running Clearance (mm) Approach Angle Breakover Angle Departure Angle Wading Depth (mm)		Control Arms, nsion with Trailing Arm, / Steel Rear Cradle, Coil Jeep Active Part-Time, Seam 1 Sp - 185 185 25	Stabilizer Bar Aluminum Lateral Links, Springs, Stabilizer Bar Drive I AWD allessly Engages AWD / allessly Enga	Jeep Active Driv II 4x4 4x4 at any speed 2 Speed Standard 221 29.9 22.9 32.2
Rear 4x4 Specifics 4x4 System Operating Mode Power Transfer Unit Rear Locking Differential Disconnecting Rear Axle Running Clearance (mm) Approach Angle Breakover Angle Departure Angle Wading Depth (mm) Warranty & Service		Control Arms, nsion with Trailing Arm, Steel Rear Cradle, Coil Jeep Active Part-Time, Seam 1 Sp - 185 18 25 409	Stabilizer Bar Aluminum Lateral Links, Springs, Stabilizer Bar Drive I AWD Illessly Engages AWD / A peed Standard .9 .5 .6 .0 .5 .3 .12 months	Jeep Active Driv II 4x4 4x4 at any speed 2 Speed Standard 221 29.9 22.9 32.2





jeep.com.au

Overseas models may be shown in imagery, Australian model and actual colours may vary. All product illustrations and specifications are based upon current information. FCA Australia Pty Ltd ABN 23 125 956 505 trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep Dealer. (^) Terms & conditions apply. Please visit www.jeep.com.au/there-and-back or contact an authorised Jeep Dealer for full terms & conditions.

(1) Fuel consumption figures are according to Australian Design Rule (ADR) 81/02. Driving style, road and traffic conditions, fitment of accessories, environmental influences and vehicle condition can lead to consumption figures which may differ from those calculated with these standards. (2) Trailer tongue download subject to certain operating conditions. Please refer to Owner's Manual for full details. (3) Avoid driving in standing water deeper than 405mm (16 inches) for Longitude & Limited variants, or 480mm (19 inches) for Trailhawk variants. Reduce speed appropriately to minimise wave effects. Maximum speed in water is less than 8 km/h (5 mp/h). (4) This ANCAP safety rating applies to variants with a 4 cylinder engine. Other variants are unrated. (5) 5 years from the date of vehicle registration or 100,000km (whichever comes first). (6) After your warranty period expires, scheduled maintenance services must be conducted through a Jeep Authorised Dealership at manufacturer specified intervals to maintain Lifetime Roadside Assist. Free Roadside assist is not redeemable for cash. (7) Apple Carplay® requires an iPhone 5 or later version of iPhone, running iOS 7.1 or above. The function of Apple Carplay® requires mobile data for full capability. Compatibility and performance can vary and change. (8) Android Auto® Application. The function of Android Auto® requires mobile data for full capability. Compatibility and performance can vary and change. (9) Android Auto® and Apple Carplay® is available* on, and compatible with, Uconnect® Systems installed in select Chrysler and Jeep vehicles. Uconnect® Systems do not support the Pandora® application, but it may appear as part of Android Auto® and/or Apple Carplay®. FCA is not responsible for the availability, compatibility or use of applications, products and software supplied or supported by third parties.