

GLADIATOR

BUYER'S GUIDE

MAY 2020



Jeep[®]

GLADIATOR

OVERLAND

Engine

3.6 Pentastar V6 with ESS
209kW 347Nm

Transmission

8-Speed Automatic
Four Wheel Drive

4x4 System

Selec-Trac® Active On-Demand 4x4

Features:

- Selec-Trac® Active On-Demand 4x4 System
- McKinley Leather Seats with Overland Logo
- Heated Front Seats & Steering Wheel
- Removable Body Colour Freedom Hard Top Roof
- Body Colour Fender Flares
- LED Headlights/Taillights/Day-Time Running Lights/Fog Lights
- Forward Collision Warning Plus
- Adaptive Cruise Control with Stop
- Blind Spot Monitor with Rear Cross Path Detection
- 8.4" Uconnect with Satellite Navigation
- Apple CarPlay⁽²⁾⁽⁴⁾ & Android Auto⁽³⁾⁽⁴⁾
- 18" Alloy Wheels
- Remote Proximity Keyless Entry
- 9-Speaker Alpine® Premium Audio System

RUBICON

Engine

3.6 Pentastar V6 with ESS
209kW 347Nm

Transmission

8-Speed Automatic
Four Wheel Drive

4x4 System

Rock-Trac® Active On-Demand 4x4

Features

(in addition, or replacing Overland):

- Rock-Trac® Active On-Demand 4x4 System
- Tru-Lok® Front & Rear Locking Differentials
- Front Sway-Bar Disconnect
- FOX Aluminum-Bodied 2" Diameter Front & Rear Shocks
- Forward-Facing TrailCam Off-Road Camera
- 32" BFGoodrich Off-Road Tyres [255/75R17]
- 17" Alloy Wheels
- Steel Rear Bumper
- Selectable Tyre-Fill Alert

LAUNCH EDITION

Engine

3.6 Pentastar V6 with ESS
209kW 347Nm

Transmission

8-Speed Automatic
Four Wheel Drive

4x4 System

Rock-Trac® Active On-Demand 4x4

Features

(in addition, or replacing Rubicon):

- Exclusive Tailgate Badge
- Exclusive Leather-Wrapped Instrument Panel with Rubicon Red Stitching
- Exclusive 17" Black Alloy Wheels
- Rubicon Steel Front Bumper
- Body-Colour Fender Flares
- Body-Colour 3-Piece Hard Top
- Black Leather Trim Seats
- Heated Front Seats & Steering Wheel
- Cargo Management Group with Trail Rail System
- Lockable Rear Underseat Storage Bin
- Roll-Up Tonneau Cover
- Spray-In Bedliner
- Auxiliary Switch Bank (4 Programmable Switches)
- 240-Amp Alternator
- 700-Amp Maintenance Free Battery
- Wireless Speaker – Bluetooth®



MODEL HIGHLIGHTS

Jeep

GLADIATOR

SPECIFICATIONS

Capability & Performance	Code	Overland	Rubicon	Launch Edition	Utility	Code	Overland	Rubicon	Launch Edition
Selec-Trac® Active On-Demand 4x4 System	DHP	•	-	-	Cargo Area Tie Down Loops	CKT	•	•	•
Rock-Trac® Active On-Demand 4x4 System	DHF	-	•	•	Cargo Group with Trail Rail Management System	CMD	○	○	•
Tru-Lok® Front & Rear Locking Differentials	DSE	-	•	•	Spray-In Bedliner	XMF	○	○	•
Rear Stabiliser Bar	SHF	•	•	•	Roll-Up Tonneau Cover	CSD	○	○	•
Fox Performance Shocks - Front	SFC	-	•	•	AUX Switches (4 x Programmable Switches)	LH2	○	○	•
Fox Performance Shocks - Rear	SGC	-	•	•	240 Amp Alternator	BAL	○	○	•
Electronic Front Stabiliser Bar Disconnect	SHG	-	•	•	700 Amp Maintenance Battery	BCV	○	○	•
Dana M210 Front Axle	DJF	•	•	•	Comfort & Convenience				
Dana M220 Rear Axle	DRF	•	•	•	Automatic Headlamps	LMG	•	•	•
Rear Axle Ratio 3.73	DME	•	-	-	Automatic Headlamp Leveling System	JKJ	•	•	•
Rear Axle Ratio 4.10	DMF	-	•	•	Rear View Auto Dim Mirror	GNK	•	•	•
Skid Plate - Fuel Tank	XEE	•	•	•	Remote Start System	XBM	•	•	•
Skid Plate - Transfer Case	XEF	•	•	•	Speed Limiting Device	NH2	•	•	•
Skid Plate - Transmission	XE9	•	•	•	Air Conditioning with Automatic Temperature Control	HAB	•	•	•
Black Injection Molded Front Bumper	MBA	•	•	•	Speed-Sensitive Power Locks	JPH	•	•	•
Steel Front Bumper	MC6	-	○	•	Power Adjustable, Heated Mirrors	GTB	•	•	•
Steel Rear Bumper	MD6	-	•	•	Power Windows	JPY	•	•	•
Wash-Out Interior with Removable Carpet and Drain Plugs	-	•	•	•	12V Auxiliary Power Outlet	JJJ	•	•	•
Safety, Security & Driver Assistance	Code	Overland	Rubicon	Launch Edition	Tilt/Telescope Steering Column	SUD	•	•	•
Electronic Stability Control	BNB	•	•	•	Torx Tool Kit	XE4	•	•	•
Hill Start Assist	BNG	•	•	•	Freedom Panel Storage Bag	CS2	•	•	•
Traction Control	BNM	•	•	•	Rear Window Defroster	GFA	•	•	•
Electronic Roll Mitigation	BNS	•	•	•	Audio & Connectivity				
Trailer Sway Control	BNT	•	•	•	8.4" Uconnect 4 Touch Screen with Navigation	UJQ	•	•	•
Heavy Duty 4-Wheel Disk Brakes with ABS	BR2	•	•	Satellite Navigation					
Selectable Tyre Fill Alert	LA5	-	•	Bluetooth Phone & Audio					
Remote Proximity Keyless Entry	GXD	•	•	AM/FM/DAB+ Radio					
Security Alarm	LSB	•	•	Apple CarPlay ^{(2)/(4)}	7.0" Multi-View Driver Information Display	JAL	•	•	•
4 Airbags (2 Front, 2 Side Seat)	-	•	•	Android Auto ^{(3)/(4)}	9-Speaker Alpine Premium Audio System including Subwoofer	RC4	•	•	•
Parkview Reverse Parking Camera	XAC	•	•		Steering Wheel Mounted Audio Controls	RDZ	•	•	•
ParkSense Rear Park Assist System	XAA	•	•		Wireless Bluetooth Speakers	RSJ	○	○	•
ParkSense Front Park Assist System (NAW Steel Front Bumper)	XHU	•	•		Forward-Facing TrailCam Off-Road Camera	XNY	-	•	•
Adaptive Cruise Control with Stop	NH3	•	•		Media Hub (USB-A, USB-C, AUX)	RSF	•	•	•
Full Speed Forward Collision Warning Plus	LSU	•	•		Centre Console USB-A Port	RSX	•	•	•
Blind Spot Monitoring	XAN	•	•						
Rear Cross Path Detection	-	•	•						
Tyre Pressure Monitoring Display	XGM	•	•						

Standard (•) Option (○) Not Offered (-)

GLADIATOR

SPECIFICATIONS & WHEELS

Exterior	Code	Overland	Rubicon	Launch Edition	Interior	Code	Overland	Rubicon	Launch Edition
Alloy Wheels - 17-inch	-	-	•	•	Seat - Rubicon Premium Cloth Bucket	*D5	-	•	-
Alloy Wheels - 18-inch	-	•	-	-	Seat - McKinley Leather with Overland Logo	*ML	•	-	-
Heavy Duty Rock Slider with Step Assist	MMU	•	•	•	Seat - Rubicon Leather Trimmed Bucket	*AL	-	○	•
Grille - Bright	MFZ	•	-	-	Seat - Heated Front	JPM	•	○	•
Grille - Body Colour/Accent Colour	MF4	-	•	•	Rear Seat - 60/40 Split Folding	CFN	•	•	•
Fender Flares - Black	MM2	-	•	-	Silver Platinum I/P Bezels	JET	-	○	-
Fender Flares - Body Colour	MM3	•	○	•	Red-Ical I/P Bezels	JEL	-	○	•
Soft Top - Premium Black Sunrider Soft Top	STB	-	○	-	Premium Wrapped I/P Bezels	JEK	•	-	•
Hard Top - Removable, Black 3-Piece	HT1	-	•	-	Floor Mats - Front & Rear	CLE	•	-	-
Hard Top - Removable, Body Colour 3-Piece	HT3	•	○	•	All-Weather Floor Mats	CWA	-	•	•
Deep Tint Sunscreen Windows	GCD	•	•	•	Steering Wheel - Leather Wrapped	SCV	•	•	•
Removable Full Metal Doors	GCF	•	•	•	Steering Wheel - Heated	NHS	•	○	•
Headlamps - LED	LPX	•	•	•	Leather-Wrapped Shift Knob	CVW	•	•	•
Fog Lamps - LED	LNV	•	•	•	Leather-Wrapped Parking Brake Handle	CVP	•	•	•
Tail Lamps - LED	LAY	•	•	•	Premium Door Trim Panel	CBF	•	○	•
Daytime Running Lamp System - LED	LPY	•	•	•	Passenger Assist Handles	CSR	•	•	•
Vented Hood	-	•	•	•	Lockable Rear Underseat Storage	CUW	○	○	-
Trail Rated Badge - Left, Front Fender	MT2	•	-	-	LED Interior Lighting	LHA	•	•	•
Red Trail Rated Badge	MTB	-	•	•	Hard Top Acoustic Headliner	CHD	•	•	•

Standard (•) Option (○) Not Offered (-)



WPT - 18-Inch Granite Crystal Alloy Wheels
(Standard on Overland)



WFJ - 17-Inch Granite Crystal Alloy Wheels
(Standard on Rubicon)



WFN - 17-Inch Polished Black Alloy Wheels
(Option on Rubicon)



WBG - 17-Inch Black Alloy Wheels
(Standard on Launch Edition)

GLADIATOR

GROUPS & OPTIONS

	Code	Comments	Overland	Rubicon	Launch Edition
Lifestyle Adventure Group					
HD Electrical Group	ADH				
AUX Switches (4x Programmable Switches)	LH2				
240 Amp Alternator	BAL				
700 Amp Maintenance Battery	BCV	-	O	O	S
Cargo Group with Trail Rail System	CMD				
Lockable Rear Underseat Storage	CUW				
Spray In Bedliner	XMF				
Roll-Up Tonneau Cover	CSD				
Wireless Speaker - Bluetooth	RSJ				
Body-Colour 3-Piece Hard Top	HT3				
Freedom Panel Storage Bag	CS2	NAW: Soft-Top	-	O	S
Rear Window Defroster	GFA				
Rear Sliding Window	GFD				
Rubicon Luxury Package					
Rubicon Leather Bucket Seats	*AL				
Premium Door Trim Panel	CBF	-	-	O	S
Body Colour Fender Flares	MM3				
Heated Front Seats	JPM				
Heated Steering Wheel	NHS				
Dual Top Group					
Premium Black Sunrider Soft Top	AEN	M/H Lifestyle	-	O	-
	ST2	Adventure Group			
Steel Front Bumper	MC6	-	-	O	S
17-Inch Polished Black Alloy Wheels	WFN	-	-	O	-

Option (O) Standard (S) Not Available (-) Not Available With (NAW)

GLADIATOR



PX8 - Black
(Standard)



PW7 - Bright White
(Standard)



PSC - Billet Silver
(Option)



PAU - Granite Crystal
(Option)



PDN - Sting Grey
(Option)



PUA - Gobi
(Option)



PRC - Firecracker Red
(Option)



PBJ - Hydro Blue
(Option)



PGV - Gator
(Option)

EXTERIOR COLOURS

GLADIATOR



MLX9 - Black McKinley Leather with Overland Logo
(Standard - Overland)



MLTV - Black/Dark Saddle McKinley Leather with Overland Logo
(Option - Overland)



D5X9 - Black Premium Cloth Low-Back Bucket Seats
(Standard - Rubicon)



ALX9 - Black Leather Trimmed Bucket Seats
(Option - Rubicon)



ALTV - Dark Saddle Leather Trimmed Bucket Seats
(Option - Rubicon)




ALX9 - Black Leather Trimmed Bucket Seats
with Rubicon Red Stitching
(Standard - Launch Edition)

GLADIATOR

	Overland		Rubicon			Launch Edition
Option Code	MLX9	MLTV	D5X9	ALX9	ALTV	ALX9
Seat Material	Leather	Leather	Cloth	Leather	Leather	Leather
Seat Colour	Black	Black/Dark Saddle	Black	Black	Dark Saddle	Black
Instrument Panel	Premium Wrapped	Premium Wrapped	Redical	Redical	Silver	Premium Wrapped with Red Stitching
Steering Wheel	Leather Wrapped					
Exterior Colour						
Black (PX8)	•	•	•	•	•	•
Bright White (PW7)	•	•	•	•	•	•
Billet Silver (PSC)	•	•	•	•	•	-
Granite Crystal (PAU)	•	•	•	•	•	-
Sting Grey (PDN)	•	•	•	•	•	-
Gobi (PUA)	•	•	•	•	•	-
Firecracker Red (PRC)	•	•	•	•	•	•
Hydro Blue (PBJ)	•	•	•	•	•	-
Gator (PGV)	•	•	•	•	•	-

Available (•) Not Offered (-)



COLOUR & TRIM MATRIX

GLADIATOR

Technical Specifications	Overland 3.6L 8AT 4x4	Rubicon & Launch Edition 3.6L 8AT 4x4
Body & Chassis		
Layout	Front Engine, 4x4	
Construction	Body on frame chassis, open steel and aluminum body	
Assembly Plant	Toledo Supplier Park, Toledo, Ohio, USA.	
Doors	4-Door	
Seats	5	
Model Code	JTLUP98-24G	JTUS98-24R (Rubicon) JTUS98-24Z (Launch Edition)
Powertrain		
Description	3.6L Pentastar V6 w/ ESS	
Capacity	3604	
Cylinders	6	
Configuration	V	
Aspiration (Natural / Forced)	Naturally Aspirated	
Max. Power (kW @ rpm)	209 @ 6400	
Max. Torque (Nm @ rpm)	347 @ 4100	
Valves	24	
Compression	11:03:01	
Bore & Stroke (mm)	96.0 x 83.0	
Fuel ⁽¹⁾		
System	Sequential, Multi Port, Electronic, Returnless	
Type	Unleaded Petrol	
Fuel Tank Capacity (L)	83	
Economy (Urban, L/100km)	14.3	15.4
Economy (Highway, L/100km)	9.4	10.6
Economy (Combined, L/100km)	11.2	12.4
Emissions		
Emission Standard Met	Euro 6B	
Emissions (Combined, CO ₂ g/km)	260	288
Steering		
Type	Electro-Hydraulic Power	
Turning Circle - Kerb to Kerb (m)	13.6	
Column Adjustment	Tilt/Telescopic	

Technical Specifications	Overland 3.6L 8AT 4x4	Rubicon & Launch Edition 3.6L 8AT 4x4
Weights		
Max. Braked Towing Capacity (kg) ⁽⁹⁾	2,721	
Max. Unbraked Towing Capacity (kg)	750	
Max. Tongue Download (kg) ⁽⁶⁾	272	
Kerb Mass (kg)	2,104	2,215
Gross Vehicle Mass (kg)	2,631	2,835
Payload (kg) ⁽¹⁰⁾	527	620
Gross Combined Mass (kg) Incl. Braked Towing	5,080	5,284
Transmission		
Type	8-Speed Automatic	
Ratio - 1st	4.71	
Ratio - 2nd	3.13	
Ratio - 3rd	2.10	
Ratio - 4th	1.67	
Ratio - 5th	1.28	
Ratio - 6th	1.00	
Ratio - 7th	0.84	
Ratio - 8th	0.67	
Reverse	3.30	
Brakes		
Front - Type	Ventilated disk, floating twin piston caliper with ABS	
Front - Size (mm)	330 x 28	
Rear - Type	Solid disk, floating single piston caliper with ABS	
Rear - Size (mm)	350 x 22	
Wheel & Tyre		
Wheel Type	Alloy	
Wheel Size (Inches)	18.0 x 7.5	17.0 x 7.5
Tyre Size	255 / 70	255 / 75
Spare Wheel	Under-Vehicle Mounted Alloy Wheel	Under-Vehicle Mounted Steel Wheel

TECHNICAL INFORMATION

GLADIATOR

TECHNICAL INFORMATION

Weights & Capacities	Overland 3.6L 8AT 4x4	Rubicon & Launch Edition 3.6L 8AT 4x4
Dimensions		
Length (mm)	5,591	
Width (mm)	1,894	
Height (mm)	1,905	1,909
Wheelbase (mm)	3,488	
Front Track (mm)	1,636	
Rear Track (mm)	1,636	
Suspension		
Type	Coil	
Front	Solid axle, link coil, leading arms, track bar, coil springs, stabilizer bar	
Rear	Solid axle, link coil, trailing arms, track bar, coil springs, stabilizer bar	
Shocks	Gas-charged monotube shock absorbers	High-pressure, gas charged Fox Aluminum monotube shocks
Electronic Stabiliser Bar Disconnect	-	Front
4x4 Specifics		
4x4 System	Selec-Trac® 4x4 Active On-Demand	Rock-Trac® 4X4 Active On-Demand
Operating Mode	2WD High; 4WD High Auto; 4WD High; Neutral; 4WD Low	
Low Range Ratio	2.72:1	4.0:1
Rear Axle Ratio	3.73	4.10
Front Axle	Dana M210	
Rear Axle	Dana M220	
Electronic Locking Differentials	-	Tru-Lock® Front & Rear
Running Clearance (mm)	249	
Approach Angle	40.7	
Breakover Angle	18.4	
Departure Angle	25.1	
Wading Depth (mm)	760 ⁽⁶⁾	
Warranty & Service	Overland 3.6L 8AT 4x4	Rubicon & Launch Edition 3.6L 8AT 4x4
Service Intervals	12,000km / 12 months	
Warranty ⁽⁷⁾	5 year / 100,000 km	
Roadside Assist ⁽⁸⁾	Lifetime roadside assist when you service through Jeep	



jeep.com.au

Overseas models may be shown in imagery, Australian model and actual colours may vary. All product illustrations and specifications are based upon current information. FCA Australia Pty Ltd ABN 23 125 956 505 trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep Dealer.

(1) Fuel consumption figures are according to Australian Design Rule (ADR) 81/02. Driving style, road and traffic conditions, fitment of accessories, environmental influences and vehicle condition can lead to consumption figures which may differ from those calculated with these standards. (2) Apple CarPlay® requires an iPhone 5 or later version of iPhone, running iOS 7.1 or above. The function of Apple CarPlay® requires mobile data for full capability. Compatibility and performance can vary and change. (3) Android Auto® requires an Android 5.0 or later version of Android, installed with the Android Auto® Application. The function of Android Auto® requires mobile data for full capability. Compatibility and performance can vary and change. (4) Android Auto® and Apple Carplay® is available* on, and compatible with, Uconnect® Systems installed in select Chrysler and Jeep vehicles. Uconnect® Systems do not support the Pandora® application, but it may appear as part of Android Auto® and/or Apple Carplay®. FCA is not responsible for the availability, compatibility or use of applications, products and software supplied or supported by third parties. (5) Trailer tongue download subject to certain operating conditions. Please refer to Owner's Manual for full details. (6) This vehicle is capable of crossing through water at a depth of 760mm (30 inches) at speeds no greater than 8km/h (5mph). Water ingestion can occur causing damage to your vehicle that may not be covered by the New Vehicle Warranty. (7) 5 years from the date of vehicle registration or 100,000km (whichever comes first). (8) After your warranty period expires, scheduled maintenance services must be conducted through a Jeep Authorised Dealership at manufacturer specified intervals to maintain Lifetime Roadside Assist. Free Roadside assist is not redeemable for cash. (9) Maximum towing capacity is based on Aggregate Trailer Mass (ATM) (10) Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass (GVM) minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). The GVM must not be exceeded. The Gross Combined Mass (the combined weight of the fully loaded vehicle including tow ball download (when towing) and trailer must also not be exceeded. Please see Buyers Guide for vehicle specifications.