

HONDA CIVIC 3 Door Hatch



SPECIFICATIONS/EQUIPMENT

ENGINEERING



	BREEZE	GLi	VTi
Engine	All aluminium, 1.5 Litre, SOHC 16 valve, in-line 4 cylinder	All aluminium, 1.5 Litre, SOHC 16 valve, in-line 4 cylinder	All aluminium, 1.6 Litre, SOHC 16 valve, in-line 4 cylinder with VTEC
Displacement (cc)	1493	1493	1590
Bore & stroke (mm)	75 x 84.5	75 x 84.5	75 x 90
Compression ratio	9.2: 1	9.2 : 1	9.2 : 1
Maximum power (kW/PS) @ rpm	67/91 @ 6000	74/100 @ 5900	96/130 @ 6600
Maximum torque (Nm/kgm) @ rpm	119/12.1 @ 4000	133/13.6 @ 4900	145/14.8 @ 5200
Induction System	Single PGM carburettor system	Sequential multipoint Programmed Fuel Injection (PGM-FI) System	Sequential multipoint Programmed Fuel Injection (PGM-FI) System
Ignition System	Electronic Ignition	Programmed Ignition System (PGM-IG)	Programmed Ignition System (PGM-IG)
Battery	12V maintenance free	12V maintenance free	12V maintenance free
Emission control	3-way catalytic converter	3-way catalytic converter	3-way catalytic converter
Transmission type Manual	Synchromesh 5-speed	Synchromesh 5-speed	Synchromesh 5-speed
Transmission type Automatic	-	4-speed	4-speed
Gear Ratios	Manual	Manual / Automatic	Manual / Automatic
1st	3.250	3.250 / 2.600	3.250 / 2.600
2nd	1.900	1.900 / 1.393	1.900 / 1.393
3rd	1.250	1.250 / 0.975	1.250 / 0.975
4th	0.909	0.909 / 0.772	0.937 / 0.772
5th	0.750	0.750 / ---	0.771 / ---
Reverse	3.153	3.153 / 1.954	3.153 / 1.954
Final	4.250	4.250 / 4.333	4.250 / 4.333

SUSPENSION/CHASSIS



Suspension - front & rear	Independent 4-wheel double wishbone	Independent 4-wheel double wishbone	Independent 4-wheel double wishbone
Stabiliser bars	Front	Front	Front & rear
Damper type - front & rear	Gas pressurised with Honda Progressive Valve (HPV)	Gas pressurised with Honda Progressive Valve (HPV)	Gas pressurised with Honda Progressive Valve (HPV)
Steering System	Power assisted rack & pinion	Power assisted rack & pinion	Power assisted rack & pinion
Steering wheel turns to lock	3.5	3.5	3.1
Turning circle - kerb to kerb (m)	9.8	9.8	9.8
Brakes - Front	Power assisted ventilated discs	Power assisted ventilated discs	Power assisted ventilated discs
- Rear	Power assisted drums	Power assisted drums	Power assisted discs
Wheel size	5J x 14	5J x 14	5J x 14
Tyre size & rating	175/65 R14	175/65 R14	185/60 R14
Full wheel covers	•	•	•
Normal type spare tyre	•	•	•

EXTERIOR DIMENSIONS

	BREEZE	GLi	VTi
Overall length (mm)	4070	4070	4070
Overall width (mm)	1695	1695	1695
Overall height (mm)	1345	1345	1345
Wheel base (mm)	2570	2570	2570
Track (front/rear) (mm)	1475/1465	1475/1465	1475/1465
Ground clearance - laden (mm)	105	105	105
Kerb weight unladen (kg) - Man/Auto	1000	1013/1039	1051/1077

FUEL

Fuel tank capacity (litres)	45	45	45
Recommended fuel (ron)	91 or higher	91 or higher	91 or higher
Fuel consumption	Manual	Manual / Automatic	Manual / Automatic
City cycle (litres/100km)	7.2	7.0/8.5	7.8/9.0
Highway cycle (litres/100km)	6.2	6.2/6.6	6.6/7.2

EXTERIOR FEATURES



Full wheel covers	•	•	•
Metallic paint 3 coat, 3 bake process	•	•	•
Power body coloured door mirrors	-	•	•
Passenger side door mirror - convex	•	•	•
Body coloured bumpers	•	•	•
Halogen headlights	•	•	•
Two-way rear tailgate	•	•	•
Fully integrated door handles	black	body colour	body colour
Side protection mouldings	•	•	•
Front windscreen with blue half tint	•	•	•
2-speed/intermittent windscreen wipers	•	•	•
Rear wiper	•	•	•
Rear window defroster	•	•	•
Rear hatch handle	•	•	•
Single chromed exhaust pipe	•	•	•



WARRANTY

3 year/80,000 kms
3 year paint protection
6 year corrosion protection

BREEZE

•
•
•

GLi

•
•
•

VTi

•
•
•

ACCESSORIES





Air conditioner
CD changer
Alloy wheels
Front lower skirt
Bumper corner protector
Mud flaps
Door visor
Front audio console
Centre console
Floor carpet mats
Tow bar
Sheepskin seat covers
Base carrier & ski attachments
Weathershield
Number plate frames
Bonnet protector
Headlight protector

Δ
-
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ

Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ

Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ
Δ

Honda has a wide range of Genuine Accessories for your new Civic to enhance comfort, style and practicality. And nobody knows the Civic better than your own Honda Genuine Parts and Accessories department. They'll install your accessories with the finest care and precision. All genuine Honda Accessories are covered by a 3 Year/80,000 kilometre Warranty if they're installed when you purchase your new Civic. Always insist on Genuine Honda Accessories.





FROST WHITE



MILANO RED



VOGUE SILVER METALLIC



HARVARD BLUE PEARL



GRANADA BLACK PEARL

EXTERIOR

CODE

INTERIOR BREEZE

INTERIOR GLI

INTERIOR VTi

Frost white
Milano red
Vogue silver metallic
Harvard blue pearl
Granada black pearl

NH-538
R-81
NH-550M
B-63P
NH-503P

Dark grey
Dark grey
Dark grey
Dark grey
-

Dark grey
Dark grey
Dark grey
Dark grey
Dark grey

Dark grey
Dark grey
Dark grey
Dark grey
Dark grey

The fuel consumption figures quoted in this brochure are based on AS2877-1986 test results. You may experience different results depending on driving conditions and the condition of the vehicle.

The specifications and major features listed herein are accurate as at the date of printing (September 1994/95YM), however, Honda Motor Co. Ltd. and Honda Australia Pty. Ltd. reserve the right to change or modify specifications and major features at any time without prior notice. Specifications may also vary in some States; please check current specifications with your authorised Honda Dealer before purchase. Due to ordering, shipping and freight factors, some colour and model availabilities may vary from time to time. Check with your Honda Dealer for current information on availability.

LINTAS M HOC 6015/30M

• Standard Equipment - Not Available Δ Available as Accessory

Printed on recycled paper.



Honda Motor Vehicles, Honda Australia Pty. Ltd. A.C.N. 004 759 611.
Lot 95, Sharps Road, Tullamarine, Victoria, 3043. Melbourne (03) 285 5555.
Brisbane (07) 368 3744. Sydney (02) 748 6511. Perth (09) 481 5166.