

Accent



HYUNDAI. NEW THINKING. NEW POSSIBILITIES.

At Hyundai, we understand that life is about continual change.

Our progress as a company isn't measured by our actions in the past but by how we respond to our environment and listen to our customers.

Our focus today is on producing cars that embody quality, variety, innovation and individuality – cars that are underpinned by 5-star quality in design, build, features, accessories and safety.

And as a testament to our worldwide commitment to quality, Hyundai is now one of the world's fastest growing automotive brands. Our aim is to challenge and question the way things are done to create bigger new ideas and better quality solutions to enrich our customers' life experiences. Only by re-imagining what tomorrow's world will bring, can we meet our customers' needs now and into the future. We invite you to join us on our journey.

A NEW BENCHMARK IN SERVICE AND SUPPORT

Your Accent ownership is supported by all the benefits of the Hyundai iCare program, which demonstrates our commitment to back every vehicle we build and to make Hyundai ownership an enjoyable, worry-free experience.

iCare includes:

- The peace-of-mind of a 5 year unlimited kilometre warranty*
- Hyundai iCare Lifetime Service Plan,* to protect your car with genuine servicing
- The confidence of Hyundai Roadside Support Plan for up to 10 years[^]
- The convenience and exclusive benefits of myHyundai
- The support of our Customer Care Centre. Feel free to call 1800 186 306
- The assurance of a complimentary 1,500km vehicle inspection
- The satisfaction of having your vehicle serviced by qualified Hyundai factory-trained technicians using only Hyundai Genuine Parts

Find out more about all Hyundai iCare plans and offers, including terms and conditions, by visiting www.hyundai.com.au/icareterms



Terms, conditions and exclusions apply to Lifetime Service Plan, Warranty and iCare offers. Visit www.hyundai.com.au/icareterms for full details.





Discover the New Motion.


The Accent is made for a generation who are clearly on the move. With a progressive and extremely stylish look, the streamlined profiles and sculpted grooves of the sporty hatch and the sophisticated sedan create an immediate and powerful impression.

Designed for a life that's always in motion, the Accent is bigger than its predecessor and combines dynamic performance and economy with the highest levels of comfort and safety.

The ultra-modern ergonomic and roomy interior delivers exceptional creature comforts, while every aspect of your driving experience is enriched through innovation and the use of smart technology.

Just as importantly, with the latest active and passive safety technologies constantly at work to help you maintain control and to protect you in the event of an accident, the Accent has achieved a 5-star ANCAP rating, Australia's highest possible occupant safety rating.

In short, the Accent is everything you could ask for in a small, yet highly energetic car. Put yourself in the driver's seat and get ready to have the style, comfort and technology of the Accent set your world in motion.



The Accent has been designed to make an immediate – and very powerful – impression.

Its streamlined and aerodynamic profile is based on Hyundai's 'fluidic sculpture' design language. The sleek dynamic lines and deep grooves create a sporty futuristic look with a sense of constant motion.

The strongly defined wheel arches and an assertive stance combine with its distinctive hexagonal grille and aggressive headlamps to give the Accent an eye-catching and commanding road presence.




Projector beam headlamps with LED daytime running lamps (SR Only)

The sportiness of a **hatch**

Fluidic sculpture lines deliver a robust and sporty appearance that's strengthened further by aesthetically pleasing vertical combination lights. An aerodynamically designed spoiler is standard on the SR.








The sophistication of a **sedan**

With its increased length, low roofline and sloping rear window line, the Accent sedan has a stylish and sophisticated coupe-like appearance that stands out from its competitors.



All the safety you'd expect from a big car.


At Hyundai, we believe maximum safety should come as standard. That's why we designed the Accent to achieve Australia's highest possible safety rating – 5–Star ANCAP – thanks to an array of active and passive safety features. So the only thing you need do is sit back and enjoy the ride.



Built strong to protect

To reinforce the safety of our vehicles, and your protection in the event of an accident, all of our vehicles built in Korea, have high-tensile strength steel applied to safety-critical areas and are produced by Hyundai from iron ore sourced from Australia and Brazil. The steel is so hard it must first be heated to 900C before stamping. The chassis has been built tough and includes a Collision Load Dispersion mechanism that, in the event of an impact, distributes the force in three ways to maintain the integrity of the cabin. Other reinforcements such as dual rear-door side-impact beams provide even further levels of protection.

Across all grades, six airbags are standard – driver and front passenger side thorax airbags as well as curtain airbags for front and rear seat passengers. To help reduce the possibility of whiplash injury, height adjustable head restraints are included for all occupants.




VSM (Vehicle Stability Management)




Loaded with Active Safety Technology

The Accent also boasts a comprehensive range of advanced active safety technologies that are constantly working behind the scenes, ready to spring into action and assist you during a difficult driving situation. The Electronic Stability Control (ESC) with Traction Control System (TCS) senses a loss of wheel grip (such as when skidding) and then applies individual wheel braking, together with engine and transmission adjustments, to help you get the vehicle back on its intended course. Likewise, in slippery conditions or sudden cornering scenarios, the state-of-the art Vehicle Stability Management (VSM) system helps maintain control of the vehicle by applying steering assistance, to help guide you to the correct steering position.

The Accent's 4-wheel disc brakes (standard across all grades) team with the Anti-lock Braking System (ABS) and Electronic Brakeforce Distribution (EBD) to automatically vary the amount of brakeforce applied to each of the vehicle's brakes depending on road conditions, speed and load.



ESC incorporating TCS







ACCENTSR Oriven by fun. The Accent SR takes everything you love about the Accent Hatch, and turns it up a notch. More style, more fun and 14% more power – delivered by a 1.6 GDi petrol engine, paired with 6-speed transmissions. Specifically tuned for Australian driving conditions, the Accent SR delivers better handling, and thus a more responsive and exciting driving experience all round. Best of all, the SR has the looks to match its performance. With LED positioning lamps, 16" machined face sports alloy wheels and an accented rear spoiler, it brings a distinctive sporty style to the streets. Are you ready for some fun? ACCENT 5



From its stylish exterior through to its hi-tech interior, the





Fog Lamps

Distinctively styled fog lamps are integrated into the side character line to provide additional illumination in low visibility conditions. (SR only)



Side Mirrors with LED Indicator Repeaters

Large side view mirrors with LED side repeaters enhance safety by providing greater visibility of your intentions when turning or changing lanes.



Sunglass Holder

A convenient overhead storage binnacle helps keep your sunglasses safe from being lost or scratched.



Keyless Entry

Lock and unlock your Accent without taking the key from your pocket – perfect for when your hands are full.



iPod®, Aux & USB Support

Everything the Accent driver will need to stay perfectly tuned and fully connected while on the road.



Steering Wheel Controls

All your favourite controls are now at your fingertips – including audio features – so you can enjoy total convenience without having to take your hands off the wheel.



Be connected

Enjoy hassle-free access to all your devices via a 5" multimedia touchscreen – offering you full connectivity^ with your phone, iPod® and Bluetooth® hands-free calling.



Trip Computer

An onboard computer gives you useful driving information such as journey time and distance to empty. It's also where you'll find the ECO Drive indicator helping you drive in a more fuel-efficient, economical way.



Safety Power Window

Front and rear power windows offer enhanced convenience, while the driver's-side also features a one-touch auto up/down function. The power window switches are illuminated so you can easily find them, while safety sensors on the driver's window automatically reverse the window's direction when they sense an obstacle in the way.

iPod® is a registered trademark of Apple Inc., registered in the US and other countries. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. ^Please check your Bluetooth® device's capabilities to ensure compatibility.



Exterior Colour



Crystal White (PGU) Solid





Sonic Silver (SR only) (N9S) Metallic



Dazzling Blue^ (ZD6) Pearl



Sunflower (SYY) Solid



Phantom Black (MZH) Pearl



Veloster Red (P9R) Metallic



Vitamin C^ (R9A) Pearl

Interior Colour



Woven cloth



Machine faced 16" Alloy Wheel (SR only)

14" Steel Wheel (Active onlu)

HYUNDAI GENUINE ACCESSORIES

Hyundai Genuine Accessories can enhance your driving pleasure and ownership pride by adding extra ease and enjoyment to your lifestyle pursuits.

All Hyundai Genuine Accessories are backed by a 5 year warranty if purchased at the time of a new Hyundai vehicle and fitted by an authorised Hyundai dealer.†

Hyundai Genuine Accessories	Ha	tch	Sedan
	Active	SR	Active
Technology			
Auxiliary Cable	•	•	•
iPad® Holder¹	•	•	•
Interior			
Tailored Carpet Floor Mats (set of 4)	•	•	•
Dash Mat	•	•	•
Cargo Liner	•	•	•
Fabric Rear Bumper Protector	•	•	•
Portable Cooler² – (12V, 15L)	•	•	•
Cargo Organiser	•	•	•
Exterior			
Headlight Protectors (set of 2)	•	•	•
Bonnet Protector	•	•	•
Tinted Stylevisors (set of 4)	•	•	•
Front Mudflaps³ (set of 2)	•	•	•
Rear Mudflaps ³ (set of 2)	•	•	•
Towbar, Towball and Trailer Wiring Harness ⁴	•	•	-
Styling			
14" Alloy Wheels (sold separately, tyres not incl.)	•	-	•
16" Alloy Wheels (sold separately, tyres not incl.)	•	-	•
Boot Lid Spoiler	-	-	•
Interior Lighting	•	•	•
Roof Racks & Lifestyle			
Whispbar™ Quiet Roof Racks ⁵	•	•	•
Roof Mounted Kayak Holder	•	•	•
Ski & Snowboard Carrier ⁷	•	•	•
Surfboard Carrier ⁷	•	•	•
Roof Mounted Bike Carrier ⁷	•	•	•
Thule® Bike Carrier (wheel on)7	•	•	•
Safety			
First Aid Kit (4 Pockets)	•	•	•
Rear Park Assist (4 head) ⁶	•	•	•



Cargo Liner

- Protects your boo
- High Quality



Boot Lid Spoiler

- Sleek and Sporty
- Contoured to your car



Towbar, Towball & Trailer Wiring Harness4

- Engineered to suit Australian conditions
- Trouble- free towing



Tailored Carpet Floor Mats (set of 4)

- Contoured and Colourfast
- Driver's side locating clip



Tinted Stylevisors (set of 4)

- Reduces fogging without you getting wet
- Slimline and UV- resistant



Front & Rear Mudflaps³ (set of 2)

- Helps protect paintwork
- Tough wearing



Headlight Protectors (set of 2)

- UV- resistant
- Durable



Rear Park Assist⁵

- Automatic activation
- Four Sensor System



Surfboard Carrier7

- Holds up to 2 boards
- Securi



Bike Carrier⁷

- Roof Mounted
- Securi



Whispbar™ Quiet Roof Racks⁵

- Tested to Australian Standards
- Strong and Secure



Ski & Snowboard Carrier⁷

- Secured by a double lock function
- Push-button release for easy access
- 1. The iPad® holder has been designed to hold iPad® 1, 2 or 3 securely. To ensure occupants are protected in the event of a collision, the screen protector must be fitted to the iPad® when in use. iPad® not included.
- 2. Only suitable for use with retractable seatbelt.
- 3. Please note that Mudflaps cannot be fitted in conjunction with a full body kit or rear skirt.
- 4. Maximum ball download 50kg. Towing capacity 1.6L Petrol = 900kg braked, Towing capacity 1.6L Diesel Manual = 900kg braked; 450kg unbraked for all models. Towbar capacity subject to regulatory requirements, towbar design, vehicle design and towing equipment limitations.
- 5. Load capacity = 75kg distributed evenly over 2 bars.
- 6. Park Assist is designed as driver assist aid only and should not be used as a substitute for skilled driving and safe parking practices. While the Park Assist Sensors monitor objects on approach, there may be occasions where blind spots affect the sensitivity of the sensors and as a result, the area into which the vehicle is heading must be visually monitored by the driver at all times while parking.
- 7. Surfboard, bike, ski and snowboard not included.





The Hyundai Accent Active Hatch model featured above in Sleek Silver is accessorised with Hyundai Genuine Whispbar™ Quiet Roof Racks⁵, Surfboard Carrier, Tinted Stylevisors (set of 4), Bonnet Protector, Headlight Protectors (set of 2), Towbar, Towball and Trailer Wiring Harness⁴, Front Mudflaps³, Rear Mudflaps³, 16" Alloy Wheels and Rear Park Assist (4 head)⁶. All sold separately at an additional cost. Surfboard not included.

Hyundai Motor Company (HMC) and the Hyundai Motor Company Australia (HMCA) each reserve the right to alter vehicle specifications and equipment levels without notice.

iCare Terms (from inside cover) *5 year/unlimited km warranty: Applies to new passenger vehicles used for private/domestic purposes. Excludes vehicles used at any time for "commercial application" as defined in the vehicle warranty policy, for which a 5 year/130,000km (whichever occurs first) warranty applies. Refer to full warranty terms & conditions for details and exclusions. "Lifetime Service Plan: For the benefit of Hyundai owners, Hyundai provides online quotes, which specify the maximum price applicable for a vehicle's next scheduled maintenance service at a participating authorised Hyundai dealer and using genuine Hyundai parts (where required). Online quotes are available at www.hyundai.com.au, apply for a stated effective period only and may change after that effective period without notice. Standard scheduled maintenance services are of limited scope. The benefit of online quotes is available for all Hyundai's, for their lifetime. "Roadside Support Plan: Complimentary 12 months Roadside Support when you purchase a new Hyundai passenger vehicle (excluding rental buyers). Further Roadside Support extensions are available, each for 12 months from the date of a scheduled maintenance service at a participating authorised Hyundai dealer (unless vehicle is more than 108 months (9 years) from the original new car sale date, in which case entitlement to Roadside Support ends when vehicle reaches 120 months (10 years) from original new car sale date). Terms, conditions & exclusions apply to Lifetime Service Plan, Warranty and licare offers. Visit www.hyundai.com.au/icareterms for full details.

B HYUNDRI ACCENT

• = Standard — = Not available

1.4 Hirt et 11.388 cc) 1.90 km et vous et		ī	froc	43 litres	i d	Fire Hank canaciti
1.4 litres (1.389 cc) 1.001 cry litres 1.389 cc) 4 h-litres		3.1	1/15	1/16	136	EXIG (Combined of/km)
1.4 litres (1.389 cc) 1.4 litres (1.389 cc) 4 in-litric (1.389 cc		92	7.9	7.7	7.4	Urban (L/100 km)
1.4 litres (1.389 cc) 1.4 litres (1.389 cc) 4 limits 1.389 cc) 4 limits 1.390 cc) 4 limits		6.6	6.1	62	5.7	Combined (L/100 km)
1.4 litres (1.369 cc) 1.001c 1.002c		Automatic	Manual	CVT	Manual	
1 A litres (1,398 cC)		5Di Petrol (SR)	Gamma 1.6 G	Petrol (Active)	Kappa 1.4 MPi	Fuel Consumption*
1 A litres (1,398 cC)		70 / 1,610 kg	1,090 - 1,17	1,080 - 1,140 / 1,570 kg	1,080 - 1,140 / 1,570 kg	Automatic / CVT
1 A litres (1,398 cC)		50 / 1,610 kg	1,070 - 1,15	1,560 kg	1,560 kg	Manual
1 A litres (1,398 cc)		atch	На	Sedan	Hatch	Kerb/GVM
1 1 1 1 1 1 1 1 1 1		5Di Petrol (SR)	Gamma 1.6 G	Petrol (Active)	Kappa 1.4 MPi	Weights
1 A litros (1,398 cc) 4 inches		465 litres			600 / 37	Cargo volume – SAE/VDA
1 A litres (1,398 cc)			1,198 mm	1,304/1		Hip room - front / rear
1 A litres (1,398 cC)			1,356 mm	1,364/1		Shoulder room - front / rear
1.4 litres in Tables of Country						Leg room - front / rear
1.4 litres in Transcess continues by the continues of t		/ 946 mm	1,014/	359 mm	1,014/9	Head room – front / rear
1.4 litres in Flaggerich 1.4 litres in Flaggerich 1.5 man 2.25 mm x 22 mm x 10 mm 2.25 mm x 22 m		980 mm	8207	25 mm	820 / /	Interior rear
1.4 litres in Transcess continues upine						A MISSISSIPPORT
1.4 litres (1.388 cc)			1 mm (Active)	1,507 / 1,511		front track - front from
1.4 litres (1.388 cc) 1.4 litres (1.388 cc) 4 in-th 16 wake dual overhead cam (1004C) with Daal Continuously Variable Valve Timing 7.4 kW of BOOR DPM 133 In m @ 3,500 RPM 10.51 Koppa 1.4 MPI Petro (Active) 6 speed manual to Continuously variable transmission - 0,545 - 4335 - 4335 - 2045 - 3760 1,370 3,700 3,637 4,059 3,585 Coupled for sion beam axie with high per MDPS (Indior Driven Power's Tilt-adjust 10.4 me 262 mm x 22 mm x 10 mr Harch 1,700 n			. mm	140		Minimum Ground clearance
1.4 litres (1.388 cc) 4 in-lit lib wake dual overhead cam (100-HC) with Dual Confirmously Variable Valve Timing 7.4 kW g6.000 RPM 133 nm @ 3.500 RPM 133 nm @ 3.500 RPM 1991 RG00 LLP or 100-LV			O mm	2 57		Whoolhaco
1.4 litres (1.389 cc) 4 in-lit lib wake dual overhead cam (100HC) with Daal Continuously Variable Valve Timing 17.4 kW go Exon RPM 133 nm @ 3.500 RPM 119-9 nm x 84.0 mm 10.51 (continuously variable transmission for the continuously variable			O mm	1,70		Width
1.4 litres (1.388 cc) 4 in-lit lib wake dual overhead cam (DOHC) with Daal Continuously Variable Valve Timing 17.4 kW ge Good RPM 133 nm @ 3.500 RPM 110.5t) 6 speed manual to Continuously variable transmission 5 speed manual to Continuously variable transmission 6 speed manual to Continuously variable transmission 6 speed manual to Continuously variable transmission 7.20 mm × 84.0 mm 10.345 - 0.345 - 0.345 - 0.345 - 0.345 - 0.355 - 0.3704 - 0.345 - 0.355 - 0.3704 - 0.355 - 0.3704 - 0.365 - 0.3693 - 0.3704 - 0.365 - 0.365 - 0.3693 - 0.3704 - 0.365 - 0		70 mm			4,115	Length
1.4 lifres (1.388 cc)						Exterior
1.4 lifres (1.388 cc) 4 in-lift lib wake dual overhead cam (100-HC) with Dual Continuously Verificate from (100-HC) with Dual Continuously Verificate (100-HC) with Dual Continuously Verificate (100-HC) Koppa 1.4 m Plearo (Active) Koppa 1.4 m Plearo (Active) Koppa 1.4 m Plearo (Active) Continuously variable transmission Continuously variable transmission Continuously variable transmission Continuously variable transmission Dual-Das - 0.545 -		edan			Hat	Dimensions
1.4 litres (1.138 cc) 1.4 litres (1.138 cc) 4 in-lit lit wake dual overhead cam (100HC) with Daal Continuously Variable Timing (10-C,VVT) 7.4 kW 6 5000 RPM 133 In m @ 3,500 RPM 133 In m @ 3,500 RPM 133 In m @ 3,500 RPM Multi-Parit Fuel Injectio (Active) 6 speed manual to CVT 10.51 Continuously variable transmission Continuously variable transmission 10.545 -			mm solid disc	262 mm × 10		Rear
1.4 litres (1.388 cc) 4 in-lith lib wake dual overhead cam (1004C) with Daal Continuously leadact am (1004C) with Daal Continuously leadact am (1004C) with Daal Continuously leadact am (1004C) 7.4 kW go BOOR RPM 133 In m @ 3,500 RPM 10.51 6 speet of Active) 6 speet of Active) Contrously variable transmission 0.545 - 0.545 - 4335 - 4335 - 3769 - 2,045 - 4335 - 3760 3,700 3,637 3,700 3,637 3,700 3,637 3,700 3,637 3,700 3,637 3,700 3,637 3,700 3,637 3,700 3,637 3,700 3,637 3,700 3,637 3,700 3,637 3,700 3,637 3,700 3,637 3,700 3,637 3,700 3,637 104 met 104 met 104 met 104 met 104 met 104 met 105 met Power 1 104 met 2,900 104 met 105 met Power 1 104 met 2,900 104 met 105 met Power 1 104 met 2,900 105 met Power 1 105 met Power 1 106 met Power 1 107 met Power 1 107 met Power 1 108 met P		- Harris Const.	n ventilated disc	256 mm x 22 mr	Control of the Contro	Front
1.4 lifres (1.388 cc) 4 in-life 16 wake dual overhead cam (DOHC) with Daal Continuously Variable Valve Timing 7.4 kW of BOOR DPM 133 In @ 3.500 RPM 10.51 Koppa 1.4 MPI Petro (Activo) 6 speed manual to Continuously variable transmission Continuously variable transmission Continuously variable transmission 10.545 - 0.545 - 4.335 - 4.335 - 3.769 - 2.045 - 3.769 - 3.693 - 3.769 - 3.693 - 4.355 - 1.1370 - 1.036 - 3.693 - 3.769 - 3.693 - 1.0374 - 3.693 - 1.0374 - 1.0365 - 1.0374 - 1.0369 - 1.0374		th (BAS)	uit, power assisted wit	Jual-diagonal, split circ	Flactronic Bo	General
1.4 litres (1.388 col 4 in-lith lib wake dual overhead cam (100-FC) with Daal Continuously, Waisble Valve Timing 7.14 kW @ SCOR RPM 133 nm @ 3.500 RPM 133 nm @ 3.500 RPM 133 nm @ 3.500 RPM 19-91 RSD LLP MPI PETO (Activo) 6 speed manual t Controvsly variable transmission 0.54s - 0.54s - 4.335 - 4.335 - 1.370 1.036 - 2.045 - 3.769 - 3.769 - 3.769 - 3.769 - 3.769 - 1.036 - 1.0374 - 4.0593 - 3.769 - 1.036 - 1.0374 - 1.036 - 1.0376 - 1.0376 - 1.036 - 1.0370 - 1.036 - 1.0370 - 1.036 - 1.0370 - 1.036 - 1.0370 - 1.036 - 1.0370 - 1.036 - 1.0370 - 1.036 - 1.0370 - 1.036 - 1.036 - 1.0370 - 1.036 - 1.036 - 1.0370 - 1.036 - 1.036 - 1.0370 - 1.036 - 1.0370 - 1.036 - 1.0370 - 1.036 - 1.0370 - 1.036 - 1.0370 - 1.036 - 1.036 - 1.0370 - 1.036 - 1.0370 - 1.036 - 1.0370 - 1.036 - 1.0370 - 1.036 - 1.0370 - 1.036 - 1.0370 - 1.036 - 1.0370 - 1.036 - 1.036 - 1.0370 - 1.036 - 1.0370 - 1.036 - 1.0370 - 1.036 - 1.0370 - 1.036 - 1.0370 - 1.036 - 1.0370 - 1.036 - 1.0370 - 1.036 - 1.036 - 1.0370 - 1.036						Brakes
1.4 litres (1,138 c.d) 4 in-lit			90	2.		Number of steering wheel turns lock to lock
1.4 litres (1,138 cc)			Justable	JUV L		LOlumn Minimum turning diameter between kerbs
1.4 litres (1,1388 cd)		vinion	er Steering) rack and po	oS (Motor Driven Powe	MDF	Type
1.4 litres (1,388 cc)						Power Steering
1.4 itres (1,138 c.d)		be rear dampers	performance mono-tub) beam axle with high p	Coupled torsion	Rear
1.4 litres (1,188 cc) 4 in-lit litres (1,188 cc) 4 in-litres (1,188 cc) 4 in-litres (1,188 cc) 6 i			son Strut	MacPher		ront
1.4 litres (1,388 c.d) 1.4 litres (1,388 c.d) 4 in-lit 16 valve dual overhead cam (100H) with Dual Continuously Variable Valve Timing 7.4 kW op Exotor RPM 133 nm @ 3,500 RPM Multi-Part Fuel Injection (MPI) / 9-10 type 1 / 10-51 Koppo 1.4 M31 Partor (Activo 6 speed manual t Continuously variable transmission PAManual CVT 0.545 - 0.545 - 4.335 3.769 - 1.370 1.036 - 1.370 3.700 3.370 3.370 3.370 3.370 3.370 3.370 3.370 3.355						Suspension
1.4 litres (1,388 cc)		3.065	3,833	3.565	4.059	Final
1.4 litres (1,1389 cc)		3.440	3.700	3.637	3.700	Reverse
1.4 litres (1,388 cd) 4 in-lit 1.6 while dual overhead cam (DOH-C) with Dual Continuously Variable Valve Timing 7.4 kW 65.000 RPM 133 film @ 3,500 RPM 133 film @ 3,500 RPM Multi-Rohit frail lings than (MPH) / 72.0 mm x 84.0 mm 10.51 Koppe 1.4 MPH Petro (Mctivo) Continuously variable transmission Manual Continuously variable transmission Manual Continuously variable - 2,045 - 2,045 - 1,3769 - 1,3769 - 1,3769 - 1,3769 - 1,3769 - 1,3769 - 1,3769 - 1,3769 - 1,3769 - 1,3769 - 1,3770 - 1,3769 - 1,3770 -		0.774	0.703	1 1	0.774	6th
1.4 itres (1,388 cc) 4 it-lin 16 valve dual overhead cam (DOHC) with Dual Continuously, Variable Valve Timing 7.4 kW of ECOR RPM 133 In @ 3,500 RPM Multi-bont Fuel Injection (MPI) / 9 Soot 6 speed manual to Continuously variable transmission Continuously variable transmission Manual		1000	0680		0803	-
1.4 litres (1,188 c.O) 4 in-th 1.6 wake dual overhead cam (100+f) with Dual Continuously Variable Valve Timing 7.4 kw/ge 5,000 RPM 133 nm @ 3,500 RPM Multi-Part Fuel Injection (MPI) / 9 100 Ltp 10 S1 Koppt 1.4 MF1 Petro (Active) 6 speed manual t Continuously variable transmission Manual Continuously and be a speed of manual to the continuously of the c		1.004	1000	1 1	1036	Ath Sid
1.4 litres (1,388 cc) 4 limits 1.4 litres (1,388 cc) 4 limits 1.6 while dual overhead cam (DOHC) with Dual Continuously Variable Valve Timing 74 kW 66 6000 RPM 133 mm 9 3,500 RPM 133 mm 9 3,500 RPM Multi-Poht Fuel Injection (MPI) / 91 ROTI LUD 720 mm x 200 mm 10.5:1 6 speed manual to speed manual to continuously variable transmission Continuously variable transmission Manual CVT 10.545 13.769 13.769 14.335		2.720	1,700		2,045	
1.4 litres (1,388 cc) 4 in-lit 16 while dual overhead cram (DOH-C) with Dual Confinuously, Variable Valve Timing 74 kW @ 6,000 RPM 133 film @ 3,500 RPM Multi-Point Fuel Injection (M-Pi) / 91 ROTI LDP 72.2 mm x 94.0 mm 10.51 Koppa 1.4 MFI Petro (Activo) Koppa 1.4 MFI Petro (Activo) Continously variable transmission Manual CVT 4335		3.7%	3,515	1	3.769	ISt
1.4 itres (1,388 cc) 4 it-lin 16 whee dual overhead cam (DOH-C) with Dual Continuously Variable Valve Timing 74 kW 95 (500 RPM 133 film @ 3,500 RPM 133 film @ 3,500 RPM Multi-Rohit trail linjection (M-Pi) / 972.0 mm x 84.0 mm 10.51 Koppe 1.4 Michierto (Active) 6 speed manual t Continuously variable transmission Manual CVT 05.45				4.335	1	Forward maximum
1.4 itres (1,188 c.O) 4 itrel 1.4 itres (1,188 c.O) 4 itrel 1.5 wake dual overhead cam (DOHC) with Dual Continuously, Variable Valve Timing 7.4 kW of EXOR RPM 13.3 m @ 3,500 RPM 13.3 m @ 3,500 RPM 13.5 m @ 3,500 RPM 13.5 m w 34.0 mm 10.51 Kappa 1.4 MP1 Perior (Active) 6 speed manual to Continuously variable transmission Manual CVT		1	1	0.545	1	Forward minimum
1.4 litres (1,388 c.d) 4 in-th 16 valve dual overhead c.am (100+f) with Dual Continuously Variable Valve Timing 74 kW de Scott RPM 133 nm @ 3,500 RPM Multi-Port Fael Injection (MPI) / 9 100 LLP 72.0 mm × 84.0 mm 10.51 Kopps 1.4 MFI Petrol (Active) 6 speed manual t Continuously variable transmission		Automatic	Manual	CVT	Manual	Gear ratio
1.4 litres (1.388 cd) 4 in-lit lit wake dual overhead cam (DOHC) with Dual Continuously, Variable Valve Training 74 kW @ 6,000 RPM 133 nn @ 3,500 RPM 133 nn @ 3,500 RPM 133 nn @ 1,500 RPM 10 S1 10 S	٦	tic, electronically up torque converte	6 speed automa controlled with lock			Auto
1.A litres (1,388 cc) I wake dual overhead cam (DOHC) with Dual Continuously, Vivaleale Valve Training 74 kW @ 6,000 RPM 133 Inm @ 3,00 RPM Multi-Point Fael Injection (MPI) / 91 ROD LLP 72.D mm x & J.D mm 10 \$1 Kappa 1.4 MIP Partio (Active) 6 speed manual to				ble transmission	Continously varial	CVT
1.4 litres (1,388 cc) 4 h-litres (1,388 cc) 5 continuously Variable Valve Timing (1,504 cc) 74 kW 6,500 RPM 133 nm 6,3500 RPM 133 nm 6,3500 RPM Multi-Pont Fael injection (MPI) / 91 ROI LLIp 72.0 mm × 8.40 mm 10.51 Kopps 1.4 MPI Petrol (Active)			al transmission	6 speed manua		Manual
1.4 litres (1,388 cc) 4 limits 1.6 white dual overhead cam (DOHC) with Dual Continuously, Variable Valve Timing 74 kW 96 (500 RPM 133 Dm 99 3500 RPM Multi-Point Fuel Injection (MPI) / 91 ROIL LOP 720 mm x 940 mm		5Di Petrol (SR)	Gamma 1.6 G	Petrol (Active)	Kappa 1.4 MPi	Transmission
1.4 itres (1,388 c.d) 4 itrel 1.4 itres (1,388 c.d) 4 itrel 5 wake dual overhead cam (DOHC) with Dual Continuously, Variable Valve Timing 7.4 kw/g 6,000 RPM 133 In @ 3,500 RPM 133 In @ 3,500 RPM 7.0 itrel injection (MPI) / 9 170 In X 84.0 in m		.0:1	11.	1	10.5	Compression ratio
1.4 litres (1,388 cd) 4 in-lin 16 valve dual overhead cam (IDOHD) with Dual Conflictory Valentie Valve Timing 174 kW @ 6,000 RPM 131 nm @ 3,500 RPM Multi-Pohl Faul high(nin NP)1 / 91 HOTILLIP		x 85.44 mm	77.0 mm ×	84.0 mm	72.0 mm ×	Bore x Stroke
1.4 litres (1,388 cd) 4 in-lin 16 valve dual overhead cam (DOHC) with Dual Continuously Variable Valve Timing (D-CVVT) 74 kW @ 5,000 RPM			Gasoline Direct 91 RO	njection (MPI) /	Multi-Point Fuel I 91 ROF	Fuel system / Fuel required
14 litres (1,388 cd) 4 in-lin 16 valve dual overhead cam (DOHC) with Dual Continuously Variable Valve Timing 10 (D-VV) 74 WW @ 6,000 RPM			167 Nm @	3,500 RPM	133 Nm @ 3	Maximum torque
14 litres (1,388 cc) 4 in-lin 16 valve dual overhead cam (DOHC) with Dual Continuously Warlahle Valve Timing (D-CVVI)		6,300 RPM	103 kW @	,000 RPM	74 KW @ 6	Maximum power
1.4 litres (1,358 c.) 4 in-life 16 valve dual overhead cam (IODHC) with	9	Variable Valve Timin	Dual Continuously \ (D-C	riable Valve Timing VT)	Dual Continuously Va (D-C)	Valve system
1.4 litres (1,380 cc) A indices	J	ead cam (DOHC) wit	16 valve dual overhe	nd cam (DOHC) with	16 valve dual overhea	namber of eginners
oc none engine, none wik		(1,591 cc)			1.4 litres t	Lapacity
divide ideal and a subject of the su			ine, front wheel drive	Iransverse front eng.	7.4	oniguration
Transverse front annine front whose drive		ODI FEG OLGAN	in - front whool dripp	T	Kappa 1.4 Fill	Configuration
	İ					

	•	Rear heating ducts
	•	Manual air conditioning
SR G	Active	Interior Ventilation
	•	ATIX / TISB audio input with digital iPod® compatibility
	•	Bluetooth® connectivity (handsfree phone operation and audio streaming)
	•	Steering wheel mounted audio remote controls
	•	5. touch screen audio system with CD player, MP3 capability is speakers and media ripping / storage capability
VX.	ACTIVE	Sound system
		Ambient temperature and digital clock display
	•	Height adjustable driver's seat cushion
		anti-pinching safety feature
•	•	One touch window up and down function on driver's window incorporating
	•	Front and rear power windows
	•	One touch triple turn signal
	•	3 roof grip handles and 1 coat hook
	•	Electric adjustable side mirrors
	•	Front survisors with vanity mirrors
		trip distance, average speed and elapsed time readout
	,	Trip computer with instant and average fuel consumption, distance to empty,
	•	Rear window wiper and washer (Hatchback variants only)
•	I	Cruise control with steering wheel mounted remote controls
	•	Tilt adjustable steering wheel
	1	Premium steering wheel and gear knob
SR	Active	Occupant Comfort & Convenience
	•	door locking
		Huundai Active Locking Operation (HALO)" including speed sensing auto
•	•	Keyless entry
•	•	Engine immobiliser
•	•	Central locking
SR	Active	Security
	•	Height adjustable head restraints for all occupants
	•	ISO Fix (rear outboard seats)
	•	3 child seat anchor point brackets in rear
		Seating
	ŀ	Seat belt reminder for all occupants
	•	3 point retractable seat belts for all occupants
	•	Pretensioners and height adjustable front seat belts
		Seat beits
Ī.		Lhiid safety door lock on rear doors
		Doug .
	ŀ	Front and real passenger side curtain airbags
		Driver and from passenger side (thorax) airbags
	•	Division and front passenger alloags
		Driver and front nacconner airbane
	A COLOR	Airbans
S ·	Activo	Parchio Safotii
	1	Automatic dusk sensing headlamns with escart and welcome function
•	ı	LED dautime running lamps (DRL)
•	•	Day / night rear view mirror
•	•	Seatbelt warning lights & chimes (all seats)
		Features
	•	Vehicle Stability Management (VSM)
	•	Brake Assist System (BAS)
	•	Electronic Brakeforce Distribution (EBD)
	•	Anti-lock Braking System (ABS)
	•	Traction Control System (TCS)
		Electronic Stability Control (ESC) including:
SR	Active	Active Safety
		Full size matching spare wheel
	1	16" x 6.0J machined face alloy wheels with 195/50 R16 tyres
-	•	14" x 5.5J steel wheels with hub caps and 175/70 R14 tyres

ensure o	oth® device's capabilities t	biberborns is a registered trademark of biberborn Sto, Inc. Prease check your process
1000	and vehicle conditions. #Fe ople Inc., registered in the	*Source ADR 81/02. Fuel consumptions will wary on a combination of driving habits and vehicle conditions. *Feature can be independently deachivated at an authorised Hyundai Deachive Pool* is a registered trademic for Apple his., registered in the LLS, and other countries. But the conditions of the conditions of the countries of the conditions of the co
	•	Retractable sunglasses compartment
	•	Ticket holder on driver's sunvisor
	1	Front centre armrest with sliding function
		Deluxe centre floor console with storage compartment, cupholders, and removable ashtray
	•	Centre floor console with storage recess, cupholders and removable ashtray
	ı	Luggage net
	•	Front and rear door pockets with bottle bulges
	•	Front passenger seat back pocket
	•	60 / 40 split folding rear seat
	Active	Storage Solutions
	•	Centre room lamp
	•	Luggage lamp
	•	Individual driver and front passenger map lamps in overhead console
	•	Interior light fade-out delay
		Interior Lighting
	ı	Projector beam headlamps
	1	Front fog lamps
	1	LED positioning lamps
	•	LED side repeater integrated into side mirrors
	•	LED high mount stop lamp (HMSL)
		Exterior Lighting
	Active	Lighting
	ı	Alloy look interior door handles
	•	Metallic painted interior door handles
	•	Metallic painted steering wheel and door trim inserts
	•	Metallic painted centre fascia and transmission gear lever surrounds
	•	Cloth inserts in door trims
	•	Cloth seats
	Active	Interior Styling
	ī	Roof mounted rear spoiler
	•	Chrome radiator grile insert
	•	Body coloured front and rear bumpers
	•	Body coloured side mirrors
	•	poul coloni en extello, non ligitales
		Body relevand exterior door handler

