You'll thrill to the power and beauty of the new...





## The de Luxe Radio

This outstanding Car Radio is available at extra cost. The Air Chief is a 6-valve miniature tube set with a 9 inch oval type speaker which gives amazing tone and clarity. Easy to read controls are tailored for this model and add a touch of ultrasmartness to the instrument panel.

#### G.M.A.C. Confidential Payment Plan

Convenient Terms are available on your Chevrolet through General Motors' own company, G.M.A.C. Because General Motors Acceptance Corporation is the largest Hire-purchase institution in the world, it is able to offer low rental charges, and arrange a payment plan fitted to your individual requirements. Your local dealer can explain the G.M.A.C. plan and arrange payments to suit you.

#### **Protective Owner Service Policy**

The unusual General Motors-Holden's Ltd. Owner Service Policy protects you against defective workmanship or materials for 90 days or 4000 miles of operation. You are also entitled to two thorough inspections and adjustments of your Chevrolet without charge. Chevrolet spare parts and expert service available throughout Australia.

## **SPECIFICATIONS**

#### Power Plant

ENGINE TYPE: Valve-in-head, 92 horsepower. Six cylinders, 6.745:1 compression ratio.

PISTONS: Lightweight, cast alloy iron, with slipper skirt, surface treated.

**CRANKSHAFT:** Four, precision interchangeable, thin wall babbitt lined main bearings. Counterbalanced. Rubber floated harmonic balancer.

OILING SYSTEM: Specialised system with pressure streams of oil to the connecting rod bearings, instant cold starting lubrication, and positive pressure to crankshaft bearings, camshaft bearings, valve rocker arms and timing gear spray nozzle.

FUEL SYSTEM: Single-adjustment balanced downdraft carburettor, with accelerating pump and fast idle mechanism. Octane Selector. A.C. air cleaner, silencer and flame arrester. Fuel mixture heated (thermostatic control) in manifold heat-chamber. Tank capacity, 13-1/3 imperial gallons.

COOLING SYSTEM: Capacity, 12½ quarts. Self-adjusting, permanently lubricated water pump. Individually cooled cylinders, full length water jackets. Nozzle jet valve seat cooling.

**ELECTRICAL SYSTEM:** Delco-Remy ignition with centrifugal and vacuum spark-advance control. High intensity spark for heavy duty ignition. Ignition coil, High output ventilated generator, with voltage and current regulator. Delco-Remy starter, with solenoid-operated positive shift (push button on instrument panel).

POWER PLANT MOUNTING: Three point, rubber cushioned support with two shear-type rubber torque reaction dampeners.

CLUTCH: Diaphragm spring type, ventilated. Permanently lubricated ball throwout bearings.

**TRANSMISSION:** Synchro-mesh with helical gears throughout. Manually operated steering column mounted gearshift control.

#### Chassis

FRAME: Box-girder type.

FRONT SUSPENSION: Unitized Independent Front Wheel Springing, with direct double-acting hydraulic shock absorbers. Ride Stabilizer.

REAR AXLE: Semi-floating type with hypoid-drive gears of 4.11 to 1 ratio.

REAR SPRINGS: Semi-elliptic springs and shackles of tension type. Rubber insulated. Metal spring covers. Direct double-acting hydraulic shock absorbers.

DRIVE SYSTEM: Torque tube drive. Tubular propeller shaft; fully enclosed.

BRAKES: Four-wheel self energising hydraulic. II in. brake drums. Self-aligning, full contact brake shoes. Mechanical parking brakes with L-shaped pull handle.

STEERING GEAR: Ball bearing mounted roller sector; worm mounted on tapered roller bearings; fully adjustable. Ratio, 19.4 to 1. Centre-point steering. Wheel diameter, 17] in.; two spoke with horn blowing ring.

WHEELS AND TYRES: Five; steel disc with short spokes. 6.70-15 tyres on wide base rims. Tyre pressure, 24 pounds.

WHEELBASE: 115 inches. Over-all length, 197 1/4 in. (including bumpers).

CHASSIS EQUIPMENT: Bumpers with two guards, both front and rear. Splash and gravel deflectors front and rear. Licence guard in front,

#### Lights - Horn - Battery

LIGHTS: Sealed Beam headlamps with foot controlled beam indicator light on instrument panel. Parking lights blended into each side of radiator grille. Dual tail and stop lights. Rear licence plate light. Dome light. Glove Compartment light. Cigarette Lighter, Dual matched Horns.

BATTERY: 6-Volt, 13-Plate 92 ampere-hour capacity.

#### Instrument Panel - Controls - Vision

**INSTRUMENTS:** Speedometer. Oil pressure and petrol gauges. Battery charge and engine heat indicators. Variable indirect instrument cluster lighting.

CONTROLS: Rubber padded foot controls. Illuminated, 3 position ignition lock. Lights, choke, air intake, windshield wiper controls and starter button.

VISION: Single control dual windshield wipers. Adjustable inside rear view mirror.

#### **Body Equipment**

Regular equipment includes the following:-

**EXTERIOR:** Stainless steel body belt line moulding. Stainless steel body sill mouldings. Curved V windshield with stainless steel centre moulding. Pushbutton door handles with key locks in both front doors. Petrol filler compartment under door in left rear fender.

INTERIOR: Seats upholstered with antique finish leather. Dual ventilators in dash. Friction-type ventipanes on all doors, with drip shields in both front doors. Dome light with integral switch. Two extensible sun visors. Instrument panel includes automatic glove box light, ash tray, and cigarette lighter. Two-tone instrument panel finish of grey deep-lustre metallic lacquer. Automatic dome light switch at each front door. Arm rests on doors, front and rear. Ash tray on back of front seat, Robe strap on back of front seat. Coat hooks located on rear roof rails

## GENERAL MOTORS — HOLDEN'S LIMITED

BRISBANE ● SYDNEY ● MELBOURNE ● ADELAIDE ● PERTH

# You've never known such riding comfort ...



See how the seating is set right between the front and rear axles. This centre-point seating is the reason for the cradled comfort and smooth, gliding ride of the new Chevrolet.

Independent front wheel springing, airplane-type shock absorbers and centre-point rear suspension all contribute to this new high standard of riding comfort.

Low pressure tyres iron out the road bumps—you feel you're riding on a cloud when you're riding in a Chevrolet.

THERE'S SPACE APLENTY. The moment you step easily and gracefully through the wide doorway you 'feel' the spaciousness of the Chevrolet interior. There's loads of space for six with ample leg, head and shoulder room and extra-wide 'five foot' seats extending the full width of the interior.

#### A HANDSOME NEW GRILLE DESIGN

A completely new radiator grille, clean and functional in design, carries out the low-lined styling theme of the new Chevrolet. Massive new bumper guards with the sturdy wrap-around bumper afford an unusual degree of front-end protection.


#### GREAT BIG LUGGAGE COMPARTMENT

There's plenty of room for plenty of luggage in the big, roomy rear compartment . . . . and it has a neat lock-up arrangement.

You just turn the key and the lid pops up, raise it and it keeps going up and stays up. It closes easily and locks automatically.

#### **NO-DRAUGHT VENTILATION**


See how the air is brought in through the front ducts and circulated throughout the entire car. It's completely draughtless and you can control the flow of air.







# Brilliant performance from the famous chevrolet valve-in-head engine with its fine-car engineering features

With these up to-the-minute engineering features, Chevrolet sets a new high standard in comfort, performance and safety. Outstanding features of the 29.4 horse power, valve-in-head engine include new inlet valves with large diameter, increased valve head area, and a carburettor with concentric float bowl and vacuum fuel enrichment valve. The lively Chevrolet engine provides quick acceleration and plenty of power for hill climbing with a full load of passengers and luggage.





Steering control is centred between the wheels and gives balanced, more advanced steering stability, easier handling in traffic and on rough bush tracks.



#### Sturdy Box Girder Frame . . .

Chevrolet's rugged frame is built to take the punishment of rough roads and uneven terrain under full load of passengers and luggage.



#### New Jumbo-Drum Brakes . . .

As much as 25% less pedal pressure is required with these completely new brakes. Lining area is increased 15% in wider front brakes. Brake life is longer.




## Centre-Point Rear Suspension . . .

Chevrolet's centre-point rear suspension with diagonally mounted airplane-type shock absorbers ensures positive road stability and smooth riding comfort.




#### 5-inch Wide Base Rims . . .

Combined with low-pressure tyres to make a large, soft-riding 'cushion.' Just another feature that contributes to the renowned riding qualities of Chevrolet.



### Airplane-type Shock Absorbers . . .

Those built-in, double acting shock absorbers are an outstanding Chevrolet feature. They are more efficient than older types and never need refilling.



### Independent Front Wheel Springing

Engineered to give you that famously smooth Chevrolet ride. Behind the wheel and over the roughest roads you have that confident feeling of perfect stability.

# You've never known such riding comfort ...



See how the seating is set right between the front and rear axles. This centre-point seating is the reason for the cradled comfort and smooth, gliding ride of the new

Independent front wheel springing, airplane-type shock absorbers and centre-point rear suspension all contribute to this new high standard of riding comfort. Low pressure tyres iron out the road bumps—you feel you're riding on a cloud when you're riding in a Chevrolet.

THERE'S SPACE APLENTY. The moment you step easily and gracefully through the wide doorway you 'feel' the spaciousness of the Chevrolet interior. There's loads of space for six with ample leg. head and shoulder room and extra-wide 'five foot' seats extending the full width of the interior.

#### A HANDSOME NEW GRILLE DESIGN


A completely new radiator grille, clean and functional in design, carries out the lowlined styling theme of the new Chevrolet. Massive new bumper guards with the sturdy wrap-around bumper afford an unusual degree of front-end protection.

#### GREAT BIG LUGGAGE COMPARTMENT

There's plenty of room for plenty of luggage in the big, roomy rear compartment. and it has a neat lock-up arrangement. You just turn the key and the lid pops up raise it and it keeps going up and stays up It closes easily and locks automatically.

#### NO-DRAUGHT VENTILATION

See how the air is brought in through the front ducts and circulated throughout the entire car. It's completely draughtless and you can control the flow of air.





# The de Luxe Radio

This outstanding Car Radio is available at extra cost. The Air Chief is a 6-valve miniature tube set with a 9 inch oval type clarity. Easy to read controls are tailored for this model and add a touch of ultrasmartness to the instrument panel.

## ALL STATES

#### G.M.A.C. Confidential Payment Plan

Convenient Terms are available on your Chevrolet through General Motors' own company, G.M.A.C. Because General Motors Acceptance Corporation is the largest Hire-purchase institution in the world. it is able to offer low rental charges, and arrange a payment plan fitted to your individual requirements. Your local dealer can explain the G.M.A.C. plan and arrange payments to suit you.

#### Protective Owner Service Policy

The unusual General Motors-Holden's Ltd. Owner Service Policy protects you against defective workmanship or materials for 90 days or 4000 miles of operation. You are also entitled to two thorough inspections and adjustments of your Chevrolet without charge. Chevrolet spare parts and expert service available throughout Australia.

## SPECIFICATIONS

## throughout. Manually operated steering column mounted

ENGINE TYPE: Valve-in-head, 92 horsepower. Six cylinders, 6.745:1 compression ratio.

PISTONS: Lightweight, cast alloy iron, with slipper skirt, surface treated. FRAME: Box-girder type.

CRANKSHAFT: Four, precision interchangeable, thin FRONT SUSPENSION: Unitized Independent From wall babbitt lined main bearings. Counterbalanced. Rubber Wheel Springing, with direct double-acting hydraulic shock absorbers. Ride Stabilizer.

Power Plant

streams of oil to the connecting rod bearings, instant cold starting lubrication, and positive pressure to crankshaft bearings, camshaft bearings, valve rocker arms and timing REAR SPRINGS: Semi-elliptic springs and shackles gear spray nozzle. of tension type. Rubber insulated. Metal spring covers.

Direct double-acting hydraulic shock absorbers. FUEL SYSTEM: Single-adjustment balanced downdraft carburettor, with accelerating pump and fast idle mechan ism. Octane Selector. A.C. air cleaner, silencer and flame DRIVE SYSTEM: Torque tube drive. Tubular propeller arrester. Fuel mixture heated (thermostatic control) in shaft; fully enclosed. manifold heat-chamber. Tank capacity, 13-1/3 imperial BRAKES: Four-wheel self energising hydraulic. II in.

brake drums, Self-aligning, full contact brake shoes. Mech-COOLING SYSTEM: Capacity, 121 quarts. Self-adjustanical parking brakes with L-shaped pull handle. ing, permanently lubricated water pump, Individually cooled cylinders, full length water jackets. Nozzle jet STEERING GEAR: Ball bearing mounted roller sector worm mounted on tapered roller bearings; fully adjustable.

Ratio, 19.4 to 1. Centre-point steering. Wheel diameter, ELECTRICAL SYSTEM: Delco-Remy ignition with cen-171 in.; two spoke with horn blowing ring. trifugal and vacuum spark-advance control. High intensity spark for heavy duty ignition. Ignition coil. High output ventilated generator, with voltage and current regulator. Delco-Remy starter, with solenoid-operated positive shift (push button on instrument panel).

POWER PLANT MOUNTING: Three point, rubber cushioned support with two shear-type rubber torque (including bumpers)

#### Lights - Horn - Battery

LIGHTS: Sealed Beam headlamps with foot controlled beam indicator light on instrument panel, Parking lights blended into each side of radiator grille. Dual tail and stop lights. Rear licence plate light. Dome light. Glove Compart-

BATTERY: 6-Volt, 13-Plate 92 ampere-hour capacity.

INSTRUMENTS: Speedometer. Oil pressure and petrol gauges. Battery charge and engine heat indicators. Variable indirect instrument cluster lighting.

ONTROLS: Rubber padded foot controls, Illuminated, position ignition lock. Lights, choke, air intake, wind-

VISION: Single control dual windshield wipers. Adjustable inside rear view mirror.

Regular equipment includes the following:-

WHEELS AND TYRES: Five; steel disc with short spokes. 6.70-15 tyres on wide base rims. Tyre pressure,

WHEELBASE: 115 inches, Over-all length, 197 11 in.

ment light. Cigarette Lighter. Dual matched Horns.

### Instrument Panel - Controls - Vision

shield wiper controls and starter button.

#### **Body Equipment**

tainless steel body sill mouldings. Curved V windshield with stainless steel centre moulding. Pushbutton door handles with key locks in both front doors. Petrol filler compartment under door in left rear fender.

INTERIOR: Seats upholstered with antique finish leather. Dual ventilators in dash. Friction-type ventipanes on all doors, with drip shields in both front doors. Dome light with integral switch. Two extensible sun visors. Instrument panel includes automatic glove box light, ash tray, and cigarette lighter. Two-tone instrument panel finish of grey deep-lustre metallic lacquer. Automatic dome light switch at each front door. Arm rests on doors, front and rear. Ash tray on back of front seat, Robe strap on back of front seat. Coat hooks located on rear roof rails

# You'll thrill to the power and beauty of the new...



## GENERAL MOTORS — HOLDEN'S LIMITED

BRISBANE • SYDNEY • MELBOURNE • ADELAIDE • PERTH

Specifications and equipment subject to change without notice

All Rights Reserved Printed in Australia



Brilliant performance from the famous chevrolet valve-in-head engine

WITH ITS FINE-CAR ENGINEERING FEATURES

With these up to-the-minute engineering features, Chevrolet sets a new high standard in comfort, performance and safety. Outstanding features of the 29.4 horse power, valve-in-head engine include new inlet valves with large diameter, increased valve head area, and a carburettor with concentric float bowl and vacuum fuel enrichment valve. The lively Chevrolet engine provides quick acceleration and plenty of power for hill climbing with a full load of passengers and luggage.

