A LOOK APART -a leap ahead

HOLDEN







HOLDEN SPECIAL STATION SEDAN Tomorrow's glamorous look today, with great new space and pace!

How can anything so beautiful be so downright practical as the all new Special Station Sedan? And it is beautiful, with all of Holder's new Space Carve styling features such as curved sides and windows, right greatures such as curved sides and windows, right greatures such as curved sides and windows, right down to those sparkling new wrap-around bumpers, great shields and hub cap. You descove the practical part the noment you bundle the family plus friends aboutd with all they can carry, and take off fo some high adventure!


Inside that sleek new shape is more relaxing room, now comfort and more skepting room than ever you should be sufficiently because they complete transmission to match.





Dropping parcels into Holder's roomier rear compartment is an easy one-hand job now. Simply open out the neat hide-away handle (right): and wind the new curved glass down into the taligac. Or lock the glass in any intermediate position for controlled vertilation. From any position the handle retracts into a gleaning escurchous.

A new extracts option is a power-operated rear window, with controls on both instrument panel and taligate. New spring-baseded counter-balance makes light work of opening and closing taligate. With taligate lowered, rear opening is 28½ in, high and a useful 46½ in, wide.







A. With six passengers stated you will have a load space 70% in, long—4 in, more than before, load area 47% in, long, covered in PVC protected by skid strips. B. It takes less than 10 seconds to fold down the rear sear-back to get a skided that for sleeping there's 7 ft. 2½ in, with million of the control of the control

HOLDEN PREMIER SEDAN Long, lively, more luxurious than ever!


When you've arrived there's no harm in letting other people knows it.— with the rabidity beautiful, all people knows it.— with the rabidity beautiful, all our Pennier Sedand Distinction one 'yapec Carve string with elegant curved doors and windows, Magic-Mirror metallic finish, spatring stainless seed body mouldings, whitewall tyres, wheel trims. . every detail says you're driving the leader.

And just sitting in Premier does wonders for your

morale! Feel its new width and air of spaciousness. Bury yourself in its soft new pleated seats, judge the finish everywhere with your fingerity, take in all Premier's samptuous appointments, and you'll know that craftmen have lavished gear care on this car. Now put the seal on your satisfaction. Take your choice of manual gearshift or new Powergilde automatic transmission. Team it up with Premier's big







Twice Premier's price couldn't buy more comfort than third , ... new individual front sears with spensey pudded boluser edges for armediar relexation, in new Morrolds. Other refenements include an improved, high-output hoter-demister, deep, dozen-cloor wood carget which extends up the lower door panels, dual borns, windshield washers, and handbrake warning light. Bear seat features a useful folding centre armest.

BERTI. Another Permier surprise—a distinctive new viryl covered nor6 to give your car ultra distinction! It's an optional extra, available in black or white.







New individual seats are upholstered in rich Morrokide. In the new centre console is a per-sonal glove-box for the driver with hinged, padded lid, also control for new fresh air



With Premier's extra footnoom and wide new compartments are fully carpeted. Load combody, three can really stretch out in the rear partment floor and sides are vinyl-covered, seat. With centre arm-nest unfolded there's floor is protected by stainless steel skild strips.





Both Standard models have new, wider seats with extra stretch-out room, upholstered in handsome, hard-wearing Elascofab. New, flatter floor offers more footroom, and is covered by smoothly-fitting rubber mats.



Station Sedan rear opening is now larger. Tailgate with new wind-down window is counter-balanced for easy operation. Load area is 4 in. longer; with rear seat and seat-back folded there's 7 ft. 2½ in. sleeping space.

Pick your power from 3 great engines-up to 140-hp!



Here it is—most powerful engine ever produced for Holden! It's the new 140-by 'X2, optional on all Holdens at molecute cetar cost. With 'X2 vor Holden gives you slingshot acceleration, climbs hills like a hare, with the substitution of the substi

179' ENGINE 115 HORSEPOWER

The big '179' engine develops 115 hp, is standard equipment on Premier models and optional on all others. It offers an extra margin of high performance for quick getaways and high-speed crustings. And as the miles mount up, you'll appreciate the combination of engine features that give the '179' its smooth, effortless power and quiet run-



ning . . . a rugged seven-bearing crank-shaft, plus hydraulic valve-lifters that put an end to tappet noise and periodic tappet adjustments. Full-flow oil filter means 6,000-mile oil changes.

'149' ENGINE 100 HORSEPOWER

The economy-plus 100-hp '149' engine is standard on all models except Premiers. Like its stable-mates, the '149' is designed specifically for Australian conditions—and Australian needs. With an 8.8 to 1 compression ratio and highly efficient wedge-shaped combustion chamber design, the '149' gives you lively six-cylinder power with re-



markable fuel economy. A seven-bear-ing crankshaft plus hydraulic valve-lifters ensure quiet, silky running. Standard on '149' is a full-flow oil filter for 6,000-mile oil changes.



POWERGIFE AUTOMATE TRANSMISSION

New Powerglide automatic transmission is an optional extra fare all Holdens, with '149', '179' or 'X2' engines. It offers the ultimate in smooth, fatigue free driving, You simply choose 'Drive' on the steering column selector, press the accelerate to go, and apply the brake to stop. There's no clutch. All gear changing is done for you, automatically. Holden's Dowelled has been spectra, automatically. Holden's Dowelled has been spectra, automatical in transmission. Millons of Chervolet owners, for example, have proved Powerglide to be extremely reliable. ..., simple, and requiring practically no maintenance. On the road, nothing could be smoother—so slenly, efforthessy does Powerglide to make represent the case of the providence of the property of the providence of the providence







Holden's new Alternator increases battery power and life because it has a greater, more even output, and charges even at idling speed. With no commutator to wear out, it lasts longer, saves on repairs.







MAGIC-MIRROR FINISH
Exclusive CMII Magic-Mirror acrylic lacquer on Holden
Leeps its glossy showroom shine longer with a minimum
of polishing . . . resists cracking chipping.

BIG NEW PETROL TANK
With Holden's new, bigger 11½-gallon fuel tank you
go further between stops for petrol.


NEW HOLDEN IS PROVED FOR AUSTRALIA

You get more out of Holden, because more goes into it. And everything that does go into Holden - from the smallest part to the biggest feature - is proved right for Australian conditions . . . right for you, before going into production.

Since 1957 Holden has been tested continuously at Lang Lang, Victoria, where GMH has the most complete Proving Ground in Australia: 2,167 acres of the worst bumps,

grades, bends and surfaces imaginable, designed with one purpose in mind-to test, test and test again every Holden improvement and modification.

That's why Holden offers you so much more value for your money . . . why you can really rely on Holden's proved dependability. It's also one reason why Holden continues to have the best resale value at trade-in time.



HOLDEN SPECIFICATIONS

MECHANICAL

149 Engine: Six cylinders. Bore, 3.25 ins. Stroke, 3.00 ins. Capacity, 149 cu. ins. Max. brake horsepower, 100 at 4400 RPM. Max. torque, 145 lbs./t, at 2000. Compression ratio 8.8:1. Also available with compression ratio 7.7:1. 95 horsepower at 4400 RPM. Max torque, 135 lbs./ft. at 2000 RPM. SAE or RAC rating, 25.5 h.p.

Ibs./ft. at 2000 RPM. SAE or RAC rating, 25.3 h.p. 179 Engine: Six cylinders. Bore, 3.63 ins. Stroke, 3.00 ins. Capacity, 179 cu. ins. Max. brake horsepower, 115 at 4000 RPM. Max. torque, 175 lbs./ft. at 1600 RPM. Compression ratio, 8.81: SAE or RAC rating, 30.5 h.p. X2 Engine: Six cylinders. Bore, 3.63 ins. Stroke, 3.00 ins. Capacity, 179 cu. ins. Max. brake horsepower, 100 at 4600 RPM. Max. torque, 178 lbs./ft. at 2200 RPM. Compression ratio, 8.81: SAE or RAC rating, 30.5 h.p. Engine Features: OHV in line engine. Oversquare design. Modified wedge design combustion chambers. Seven-bearing crankshatt. Hydraulic valve litters. X2 has aluminium alloy main and connecting rod bearings, twin exhaust manifolds. Fuel System: Bendix-Stromberg single barrel down-furaft

Fuel System: Bendix-Stromberg single barrel down-furaft type carburettor. AC fluid-treated replaceable paper element air cleaner and silencer. Fuel tank capacity, 11.5 imp. gallons. X2 engine air cleaner is a single unit with twin adaptors and oil-wetted polyurethane element. X2 also has twin carburettors and a high lift camshaft.

Lubrication: Full pressure lubrication system. AC full flow disposable-type oil filter with oil non-return check valve. Cooling: Pressured cooling system with full-length water jacket around each cylinder. X2 engine also has water-cooled inlet manifold. Thermostat control. Centrifugal water pump.

Electrical System: 12-volt battery with 44 amp.-hour capacity at 20-hour rating. 35 amps. alternator (generator). Integral centrifugal and vacuum automatic advance control.

Automatic Transmission: Powerglide. Hydraulic torque converter with planetary gear system.

Brakes: Four wheel hydraulic, duo servo, reverse self-adjusting. Total effective lining area of 123.66 sq. ins.
Suspension: Front: Independent, with front wheel coil springing with short and long arms. Stabiliser bar. Rear: Semi-elliptic rear springs. Four leaves on sedans, five leaves on station sedans. Direct-acting shock absorbers front and rear.

Steering: Recirculating ball. Ratio, 16.8:1. 361/2 ft. turning

Wheels and Tyres: Demountable disc wheels, 13 x 4.50J. Tubeless 6.40 x 13 x 4-ply tyres. Six-ply tyres optional at extra cost on station sedans and Premier models. Safety

rims.

Lighting: Sealed beam headlamps. Foot operating dimmer switch. Dual stop and tail lights, Rear licence plate lamp. Self cancelling flashing turn indicator lights—front and rear. Parking lights combined with front turn indicator lights. Passenger compartment lamp. Indirect instrument panel lighting. Illuminated selector quadrant (automatic models). Back up lamps standard on Premier and automatic models.

BODY

Body structure: All steel Aerobilt construction.
Dimensions: Wheelbase, 106.0 ins. Track—front, 53.9 ins.;
rear, 54.5 ins. Overall length—sedans, 17.99 ins.; station
sedans, 17.98 ins. Overall height at kerb weight—sedans,
59.1 ins.; station sedans, 59.3 ins. Overall width, 70.0
ins. Ground clearance, 7.3 ins. Overall width, 70.0
Water temperature light, oil pressure and generator charging tell-tale lamps. Turn indicator tell-tale lamps. High
beam indicator lamp. Five-position ignition/starter switch.
Mairf light switch. Windshield wiper switch. Okoke control
knob. Ash tray. Glove box with locking lid. Plenum chardieventilation control lever. Engine hood lock control knob.
Models with XZ Engine: Ooil pressure agues, ammeter and

Models with X2 Engine: Oil pressure gauge, ammeter and water temperature gauge.

FOUIPMENT

All Models: Electric two-speed dual windshield wipers.
"Modified Zone" windshield, Provision for front seat belt installation. Two-spoke dish-type steering wheel with horr actuating rocking bar recessed in spokes, in Premier models, rocking bar is supplemented by a half horn ring, Flully adjustable front seat. Seats fitted with "2" type springs. Elascofab upholstery—Morrokide on Premier models. Nodraught ventilators with locks—front only, Dual sun visors. Ashtrays front and rear. Hold-open door checks—all doors. Front door lock operating key also operates ignition/starter switch, lock on glove box IId, luggage compartment IId doors. Front Gor lock operating key also operates ignition/starter switch, lock on glove box IId, luggage compartment IId color on Sedans, and tailgate lock on Station Sedans. Interior

rear vision mirror. Inner front fenders. Door sill scuff plates. Counter-balanced engine hood. Wind-down tailgate window on Station Sedans.

Standard and Special Sedans: Front, rear and luggage compartments have rubber mat floor covering. Luggage compartment counter-balanced lid.

partment counter-balanced III.
Standard and Special Station Sedans: P.V.C. finish load compartment in Special, paint finish in Standard. Plated steel skid strips. Rubber floor mats in passenger compart-

Standard Sedans and Standard Station Sedans: Single colours available in "Magic-Mirror" finish. Synthetic foam front seat cushion pads.

Front seat custion pages.

Special Sedans and Special Station Sedans: Single colours in "Magic-Mirror" finish, two-tone optional extra. Additional stainless steel mouldings. Front and rear synthetic foam seat custon pads. Courteys switches operated by front doors. Applied armrest associated with remote control handles, are fitted to front doors. Coat hooks and assist straps. Cigarette lighter.

straps. Cigarette lighter.

Special Equipment on Premier Sedans and Station Sedans. Windsichlimerir' finish in metallic colours. Windshield washers. Whitewall tyres (narrow band). Wheel embellishers. Dual horns. Colour-keyed steering wheel with half ring horn centrol. Interior anti-glare rear vision mirror. Individual adjustable front bucket seats. Ashtrays in back of each front seat. Applied armrests front and rear doors for Premier Sedan, front only for Station Sedans. Fold down centre armrest in rear seat. Chome-plated door sill sculf plates. Lugagage compartment lamp (Sedan only). Glove box lamp. Handbrake wightighters. Word from the seat of the seat of

GENERAL MOTORS, HOLDEN'S PTY LTD

Optional Equipment:
Powerglide transmission, Whitewall tyres, Tinted windshields, Power operated rear window (Station Sedans).
Two tone paint finish with additional mouldings (Special and Premier models), 179 and X2 engines, Power steering, Vinyl too (Premier Sedan).

Standard Sedan	2595	lbs.
Special Sedan	2603	lbs.
Premier Sedan	2681	lbs.
Standard Station Sedan	2745	lbs.
Special Station Sedan	2764	lbs.
Premier Station Sedan	2833	lbs.

Add 63 lbs. for Powerglide Transmission.

Specifications and equipment subject to change without notice.

GMH GUARDIAN MAINTENANCE PROTECTION PLAN GIVES SAVINGS CONVENIENCE

Brishane, Sydney, Melbourne, Adelaide, Perth

WILKE & CO. LTD. 1/65

RECOMMENDED HOLDEN TAILORED ACCESSORIES - HD SERIES

Accelerator Heel Pad		0	_
Anti-Mist Panel Rear Window	_	8.	9
Belt Front Seat Lap		12.	6
Belt Front Seat Combination	5.		9
Belt Rear Seat Lap		10.	2
Brakes - Power Manual Trans.	5.		9
n	20.		9
Brakes - Power Auto. Trans. Blind Venetian Sedan		12.	9
		19.	0
Blind Venetian Station Sedan Side	9.		6
Cap Fuel Locking Cushion Coolaride	2.		0
	3.		6
Dust Deflector Station Sedan	3.		9
Handle Door Pull Set of 4		19.	9
Heater & Demister Fresh-Air		15.	3
Heater & Demister Motorless		0.	3
Horn High Note	6.	_	6
Lamp Glove Box	1.		C
Lamp Back-Up Manual Trans.	2.		3
Lamp Boot		16.	9
Lamp Hand Brake Warning		8.	3
Lighter Cigarette Package	-	10.	
Lock & Key Sleeve Type	3.	11.	
Lock & Key R.M.C. Type	6.	-	2
Mats Coloured	1.		8
Mat Tonneau Floor (Station Sedan)	7.		
Mirror External R.H.	2.		6
Mirror External L.H.	2.		
Mirror Round External	3.		0
Mirror Round Hooded	4.		0
Mirror Rect. Hooded	4.		0
Mascot - Bonnet		18.	0
Moulding Kit Front Fender	3.		3
Moulding Kit Rear Fender	3.		9
Mud Flaps Front	3.		9
Mud Flaps Rear		12.	3
Proofcoat		10.	0
Plate - Door Paint Protection (4)		14.	6
Radio - Push Button		19.	6
Radio - Manual		15.	0
Rear Speaker		19.	6
Roof Rack - Twin Bars		5.	0
Roof Rack - Gutter Mtg. Sedan		10.	
Roof Rack - Gutter Mtg. Station Sedan			0
Rope Rails		2.	9
Rear Wheel Covers		17.	
Seat Covers Plastic (Sedan)		17.	0
Seat Covers Plastic (Station Sedan)		·-4.	6
Shelf - Parcel	5.		9
Sunvisor Esternal		10.	0
Tow Bar		10.	
Windshield Washer (Electric)			2
Windshield Washer (Automatic)		10.	6
Weathershield		15.	6
Wheel Trims 13"		12.	6
White Walls Set of 5	8.	10.	0

Fahren 1065	HOLDEN GOLORD V	TOTAL COUNTY TEND	
February, 1965	HOLDEN COLOUR &	TRIM COMBINATIONS	
STANDARD SEDANS	Elascofab	STANDARD STATION SEDANS	Elascof
FOWLERS IVORY	Bolero Red	FOWLERS IVORY	Beler∗ Red
WARFIGAL BLACK	Bolero Red	LISMORE GREY	Bolere Red
LISMORE GREY	Bolero Red	CORINTH BLUE	Calais Blue
CORINTH BLUE NARROGIN GREEN	Calais Blue	NAR OGIN GREEN	Ballet Green
BALMAIN BEIGE	Ballet Green Valsand Fawn	BALMAIN BEIGE	Valsand Fawn
The state of the s	Valsalia l'awii		
SPECIAL SEDANS		Elascofab	
FOWLERS IVORY		Bolero & Garnet Red	
WARRIGAL BLACK		Bolero & Garnet Red	
KEMBLA GREY		Bolero & Garnet Red	
LISMORE GREY		Bolero & Garnet Red	
FOWLERS IVORY/KEMBLA GRI		Bolero & Garnet Red	
FOWLERS IVORY/LISMORE GI GORINTH BLUE	KEY	Bolero & Garnet Red	
FOWLERS IVORY/CORINTH BI	THE	Contessa & Sceptre Blue Contessa & Sceptre Blue	
FOWLERS IVORY/APOLLO TUI		Arcadian & Diana Aqua	
HANNANS GOLD		Florentine & Cabaret Green	
NARROGIN GREEN		Florentine & Cabaret Green	
FOULERS IVORY/HANNONS GO		Florentine & Cabaret Green	
FOWLERS IVORY/NARROGIN		Florentine & Cabaret Green	
FOOLERS IVORY/SEATON GRI	EEN	Florentine & Cabaret Green	
BALMAIN BEIGE BALMAIN BEIGE/TARAŁGA FA	AWA	Cocos & Pitcairn Fawn	
TARALGA FAWN BALMAIN BE		Cocos & Pitcairn Fawn Cocos & Pitcairn Fawn	
FOWLERS IVORY/BULLFINCH		Salient & Gossamer Grey	
FOWLERS IVORY/CORROBORE		Salient & Gossmer Grey	
		\$1000000000000000000000000000000000000	
SPECIAL STATION SEDANS		Elascofab	
FOWLERS IVORY		Balero & Garnet Red	
LISMORE GREY	TV	Bolero & Garnet Red	Salah da Salah
FOULERS IVORY/KEMBLA GRI		Bolero & Garnet Red Bolero & Garnet Red	
CORINTH BLUE	NL1	Contessa & Sceptre Blue	
FOWLERS IVORY/CORINTH B	LUE	Contessa & Sceptre Blue	
FOWLERS IVORY/APOLLO TU	RQUCISE	Arcadian & Diana Aqua	
HANIVAN GOLD		Florentine & Cabaret Green	
NARHOGIN GREEN		Florentine & Cabaret Green	
FOOLERS IVORY/HANNANS G	OLD	Florentine & Cabaret Green	
FOWLERS IVORY/NARROGIN OF TOWLERS IVORY/SEATON GR	GREEN	Florentine & Cabaret Green Florentine & Cabaret Green	
BALMAIN BEIGE	EEN	Cocos & Pitcairn Fawn	
BALMAIN BEIGE/TARALGA F	AWN	Cocos & Pitcairn Fawn	
TARALGA FAVIN BALMAIN BE	IGE	Cocos & Pitcairn Fawn	
FOWLERS IVORY/CORROBORE	E RED	Salient & Gossamer Grey	
PRESIER SEDAN	Expanded P.V.C.	PREMIER STATION SEDAN	Expanded P.V.C.
FOULERS IVORY	Astoria Red	FOWLERS IVORY	Astoria Red
WARRIGAL BLACK	Astoria Red	TAWNY GREY	Astoria Red
TAWNY GREY	Astoria Red	FOWLERS/TAWNY GREY	Astoria Red
FOWLERS/TAWNY GREY	Astoria Red	MERREDIN GREEN	Samoan Tan
AER MEDIN GREEN	Samoan Tan	FOWLERS MERREDIN GREEN	Samoan Tan
FOWLERS/MERREDIN GREEN		EGMONT MARCON	Bone
EGMONT MAROON FOWLERS/EGMONT MAROON	Bone	FOWLERS/EGMONT MARCON ARCONA BLUE	Bone Bone
AROONA BLUE	Bone .	FOWLERS/AROONA BLUE	Bone
FONLERS/ARCONA BLUE	Bone .	. St. Date of the Color of the	- 0.1.0
•		DANET MAN	Florest
UTILITY	Elascofab	PANEL VAN	Elascofab
FOWLERS IVORY	Balero Red	FOWLERS IVORY	Bolere Red
LISMORE GREY CORINTH BLUE	Bolera Red Columbine Blue	LISMORE GREY CORINTH BLUE	Bolero Red Columbine Blue

--coc00cc--

BALMAIN BEIGE

Columbine Blue CORINTH BLUE
Palais Green NARROGIN GREEN
Elephant Grev BALMAIN BEIGE

Elephant Grey

Columbine Blue

Palais Green

Elephant Grey

CORINTH BLUE

NARROGIN GREEN

BALMAIN BEIGE