

CROSS 8



HOLDEN
DRIVE ON

holden.com.au

CREWMAN
CROSS 8



17" Alloy Wheels
Wheel arch flares, aluminium plate and rocker inserts Looks tough enough for any road
Gen III V8 engine 225kW of pure attitude
Hi-Ride To get you further off the beaten track
Anti-lock Braking System (ABS) A dynamic car needs brakes that can handle it
Unique torque arm chassis For increased rigidity and strength
2500kg braked towing capacity Now you can take it with you



This is the new Crewman Cross 8. It takes everything great about a ute, and adds a whole lot more. Over time Holden has proven a ute can take the rough stuff while still delivering the smooth and, in the process, transformed the ute from workhorse to sports thoroughbred. Now, we're taking Australia's freedom machine to a whole new level. With all the grunt of the 5.7 litre Gen III V8, it can tow a massive 2500kg. With the go-anywhere attitude of Cross Trac AWD, there's no road, no matter how wild, this beast can't tame. This is the new Cross 8. Longer, wider, bigger; this is freedom with four doors. Go on, get in, grab life by the scruff of the steering wheel, and get going.




CROSSXTRAC

Go further Crewman Cross 8 uses Cross Trac AWD, the All Wheel Drive system Holden developed specifically to cope with Australian conditions. It's a system that combines a complex series of technologies, to provide stability, grip and control where you need it most. It's a system designed for all the extremes this killer country can throw at a car.

Let's get technical A transfer case at the rear of the automatic transmission splits the drive, front and rear. Three open differentials then distribute the power to each wheel as required. Automatic Brake Differential (ABD) senses wheel slip and then redistributes power, giving you as much power as possible through every wheel. So wherever you are, you're where you need to be: in control.

So, how good is it? It feels smooth, but it's tough enough to take it. No matter where you are; dirt roads, gravel tracks, sand or snow, Cross Trac AWD takes the twists, the turns, the corners and the chicanes and bends them into submission. It's the All Wheel Drive this country has been crying out for. Wherever your road takes you, the Cross 8 can take you in style.



- Cross Trac transfer case
- rear-axle output – 62%
- epicyclic centre differential and torque splitter
- front-axle output – 38%



It wouldn't be the ultimate ute, if it didn't have the ultimate interior. The Cross 8 not only gives rugged versatility a brand new look, it also takes comfort to the next level. It's the car that proves you can go where you want, without having to go without. Leave it to the chassis to soak the rough stuff, the inside is all about letting you soak up the experience. Relax; wherever you're going, whatever you're doing, do it in style. Do it in a Crewman Cross 8.



- Drilled alloy pedals** Gives you extra grip, when you need it
- Pitch and roll gauges** Gives you a greater understanding of the terrain you're tackling
- Cruise control**
- Dual front airbags, driver and front passenger side impact airbags**
- In-dash six CD stacker**
- Sports profile leather wrap steering wheel** For high performance control
- Trip computer with multi-window display**
- Pyrotechnic seat belt pre-tensioners**
- Power windows**





Get personal. With Holden By Design's wide array of personalised enhancements and Holden Genuine Accessories, your Crewman Cross 8 can be as individual as you are. Log onto www.holden.com.au or see your local Holden Retailer for a full listing.



Sports bar and soft tonneau
Tray liner
Sunroof

There are rewards to buying a Holden that go beyond the joy of driving one

Easy purchase options

Finance SmartChoices Holden Financial Services has a huge array of ways to help get you into a new Holden. Just select the product, term and payment structure which best suits your lifestyle. Your Holden Retailer can also provide more information.

Insurance SmartCare Holden also offers a range of competitively priced insurance products, providing tailor-made protection, at whatever level of cover you need. For more information, call SmartCare on 1800 060 094.

Leasing Holden Leasing Whatever the size of your fleet, Holden Leasing offers a range of flexible, value driven, specialist leasing products. Years of experience means they can provide the best solution for you. Call 03 9696 7400 for more information.

Holden MasterCard With the Holden MasterCard you can get into a new Holden sooner. 5% of credit purchases on this card goes towards a Rebate of up to \$3,000 on your new Holden.¹ There are a range of extra features including up to 45 days interest free on credit purchases and a competitive interest rate.² Apply online at www.westpac.com.au. Or call Holden MasterCard's 24 hour helpline: 1300 650 696.

Ownership benefits

Service Holden Service With over 300 retailers and 900 Roadside Assistance centres nationwide, Holden can supply an enviable level of customer care. Our Service Network is one of the largest in the country. Our trained technicians are kept up to date with regular factory training. The support is there wherever you go, whenever you go there.

Warranty Holden Warranty Every new Holden comes with a New Vehicle Warranty, covering your Holden for 3 years or 100,000 kilometres, whichever comes first. For support after that, a Holden Extended Warranty can be purchased for vehicles which have travelled less than 100,000 kilometres and prior to the vehicle being registered for 3 years from date of first registration. Refer to your owner's handbook or see your Holden Retailer for full terms, conditions and exclusions.

Roadside Assistance 24 Hour Roadside Assistance Free for the first 3 years of your Holden's life,³ Holden Roadside Assistance is one of Australia's most comprehensive assistance packages.⁴ There to help with even the smallest service, the toll-free hotline is always open, 1800 817 100.

For more information contact

Holden Customer Assistance on 1800 033 349
Monday to Friday 8am to 7pm or Saturday 9am to 1pm EST
Or visit www.holden.com.au

1 A total of \$3000 in the form of Holden Card 'Core' Rebate (plus any additional 'Bonus Rebate' accumulated via the Partner Program) accrued over a maximum of five years may be applied per eligible vehicle purchased. Vehicle sales for which a fleet allowance is paid are not eligible for Holden MasterCard Rebate. Earning and redemption of Rebate towards a new Holden is subject to the Holden Card Rebate Program Rules. 2 The interest-free period applies where the card account is fully paid by the due date each month. 3 From date of first registration. 4 In remote or sparsely populated areas you may experience delay in obtaining Roadside Assistance. Refer to the Roadside Assistance brochure in your glovebox for full terms and conditions of this service. 5 Holden Assist service is dependent on the availability and functionality of GSM and GPS and the vehicle's electrical system. 6 It is a condition of use of Holden Assist Services that customers acknowledge the terms and conditions of the Subscription Service Agreement by returning an original signed copy of the agreement. 7 Dependent on insurance company. Holden will not be involved in insurance discount negotiations between the insurer and the customer.

Holden Assist

Safety and security Advanced Satellite Vehicle Monitoring Holden Assist keeps us in touch with your car. Using satellite technology, we can keep track of your car, wherever it goes.⁵ We can then access your car's electronic systems; so we can do everything from remote door unlocking – should you leave your keys in your car – to immobilising the car in conjunction with the police – should your car be stolen.

Holden Assist includes:

- Vehicle tracking⁶
- Unauthorised entry alert
- Accident notification
- Remote vehicle immobilisation
- Remote door unlock
- SOS/Emergency connection
- Connection to Roadside Assistance
- Low battery alert
- Hands free voice contact with operator
- Potential vehicle insurance benefits⁷

Holden Assist must be optioned at time of ordering, as it cannot be fitted after factory.



Features S: Standard feature O: Option P: Option in package, with one or more others H: Option from Holden By Design A: Accessory

Powertrain	- Variable intermittent road speed sensitive wipers	S	Seating		
- 225kW 5.7 litre Generation III Alloy V8 engine.	- Automatic headlamps. Switch on at twilight or low light. Off in normal daylight.		- Seat trim in full cloth, with sports design	S	
Strut Brace	Manual override. Variable sensitivity to low light	S	- Seat & upper door trim in leather. Anthracite black.		
- Electronic control 4-speed automatic transmission.	- Headlamps auto off after leaving parked car.		(Avail. with electronic climate control & twin fold-out cup holders).	P	
Power or economy mode. Heavy duty	Variable delay	S	- Sheepskin seat inserts	A	
- Cross Trac All Wheel Drive system. Full time operation, using Automatic Brake Differential (ABD)	- Trip computer includes: Odometer. Trip distance. Audible & visual speed warning (4 adjustable settings). Underspeed warning confirms when speed is back under setting. Distance to empty. Trip distance to go. Time to go. Average speed.		- Bucket seats. High rise centre console armrest	S	
	Average consumption. Stop watch	S	- Padded head restraints. Height adjust	S	
Mechanical	- Trip computer Customisation Mode. Enables/disables features, including: Auto headlamp sensitivity & approach time. Auto door locking when transmission in Drive. One or two-stage door unlock. Confirmation beeps to Priority Key commands. Speed dependent audio volume. Mode & Select button scrolls through information and customises settings	S	- Electric 4-way driver's seat height adjust.	S	
- Heavy duty multi-leaf spring rear suspension	- Service reminder. Appears 1,000km before service is due	S	Includes front & rear cushion tilt	S	
- Anti-lock Braking System (ABS)	- Rest reminder. Variable driving time	S	- Driver & front passenger seat adjustable		
- Traction Control (TC)	- Auto transmission 'gear selected' indicator in multi function display	S	- Load tie-down hooks	S	
- Electronic Brake-force Distribution (EBD)	- Tachometer	S	- Additional tie-down hooks	A	
- Four wheel Traction Control, using ABD	- Low coolant warning	S	- Cargo protective liner	A	
	- Very low fuel warning	S	- Towing equipment (see specifications)	A	
Wheels	- Warning & chime: Parking brake on while vehicle moving. Low fuel. High engine temperature	S	- Garage remote holder	A	
- 17" x 7.5" five-spoke alloy wheels.	- Warning & chime: Parking brake on while vehicle moving. Low fuel. High engine temperature	S	- Heavy duty cargo floor mat	A	
225/55 R17 97H tyres. Alloy spare wheel	- Low traction condition indication	S			
- Alloy wheel lock nuts. Set of four	- Variable instrument dimming control	S	Security		
	- Mobile phone power socket in console	S	- Remote control Power Key	S	
Exterior	- Mobile phone holder	A	- Key operates interior lighting	S	
- Projector headlamps	- Sound system able to accommodate cellular phone. Auto mute when phone is in use	S	- Operates exterior lamps, to show location of car at night. Programmable time delay	S	
- Front foglamps	- Reverse park assist	A	- Engages door deadlocks when pressed twice	S	
- Headlamp guards			- Releases deadlocks	S	
- Bonnet protector	Sound system		- Operates central locking for keyless entry through driver's door only. Programmable on/off	S	
- Wheel arch flares	- Blaupunkt AM/FM stereo electronic tune radio.		- Operates all doors when button kept pressed	S	
- Rear mudflaps (moulded)	Local/distant selector switch. Automatic station store memory	S	- Enables/disables alarm system	S	
- Metallic paint	- Front reading spotlamps	S	- Key has rolling security code	S	
- Exterior mirrors in body colour & black	- Satin chrome interior door handles	S	- Flashing red interior warning lamp shows vehicle is protected	S	
- Towing mirrors	- Stainless steel sill plates	H	- Engine disabled to immobilise vehicle when key removed from ignition. Unique code for each vehicle	S	
- Aluminium plate, front. Aluminium rocker panel inserts	- Rubber floor mats	A	- Door lock in driver's door only. Lock cylinder 'freewheels' if anything other than correct key is inserted	S	
- Chromed exhaust outlet	- Carpeted floor mats, tailored	A	- Slip-type steering lock. If steering wheel is forced, front wheels will not turn	S	
- Tonneau soft cover, flush fitting	- Passenger overhead assist handles, folding, front & rear	S	- Doors can be set to lock automatically when transmission is shifted into Drive.		
- Hard tonneau cover	- Aero windscreen sunshade, front	A	Programmable on/off	S	
- Body colour side mouldings	- Weathershield in standard width or slimline,		- Sound system will operate only in original vehicle, to deter theft	S	
- Sports bar with high-mount stop lamp	- driver & front passenger window	A			
- Tonneau cover to fit around sports bar	- Six speakers. Total 80 watts	S			
- Licence plate frames, standard height or slimline	- Power antenna, auto, full up/down	S			
- Underbody protection plate					
- Galvanised underbody panels					
- Full immersion body corrosion protection					
- Stainless steel long life exhaust system					
Driver					
- Steering wheel height & reach adjust					
- Sports profile leather wrap wheel in Anthracite					
- Sports profile leather wrap wheel in Redhot, Bermuda Blue, Cosmo, or Ochre					
- Leather wrap satin chrome gear knob & handbrake handle in Anthracite					
- Leather wrap satin chrome gear knob & handbrake handle in Redhot, Bermuda Blue, Cosmo, or Ochre					
- Cruise control					
- Power mirrors					

Specifications

High Output Generation III V8 Engine	
Engine	Aluminium alloy block & cylinder heads. 'V' configuration. Cross-bolted main bearings. 6-bolt. Cold air intake. High flow air cleaner. OHV design with cross flow cylinder heads. Sequential fuel injection. High energy, distributorless ignition, with coil-per-cylinder. Twin knock control sensors. Computer diagnostics. Heavy duty electric cooling fan. Stainless steel dual exhaust.
Bore x stroke (mm)	99 x 92
Capacity (cc)	5665
Compression ratio (:1)	10.1
Recommended petrol octane rating	91 (ULP)
Power (ECE, kW)	225 @ 5200rpm
Torque (ECE, Nm)	460 @ 4000rpm
Gear ratios (:1)	1st 3.06 2nd 1.63 3rd 1.00 4th 0.70
Final drive ratio	3.46
Kerb weight (kg)* (Est. inc fluids)	1947
Payload¹ (kg)	738
Axle loads (kg)	Front: 1230 Rear: 1460
Gross vehicle mass (GVM) (kg)	2685
Towing (kg)	Holden approved towing package available. Max towing: 2500 (braked) See your Holden Retailer for details.
Petrol tank (L)	68.5
Cross Trac all wheel drive (AWD)	Cross Trac full time All Wheel Drive, with Automatic Brake Differential (ABD) and 38% front, 62% rear torque split.
Brakes	Four-channel. Four wheel disc. Larger diameter ventilated front rotor. Heavier duty front brake pad material.
Anti-lock Braking System (ABS)	4-channel.
Electronic Brake-force Distribution (EBD)	Optimises rear braking under all load conditions.
Traction Control (TC)	If one wheel is about to spin, ABD applies braking to it, to transfer engine torque to wheels with better traction.

* Vehicle weights based on pre-production data. All fluids at their nominated capacity.
¹ Payload includes the mass of the vehicle occupants, options and accessories. Deduct the mass of these from the quoted payload to obtain the available payload mass. Fitment of Holden By Design alloy wheels and low profile tyres will reduce payload capacity.

A word about this catalogue. We have tried to make this catalogue as comprehensive and factual as possible. However, since the time of printing some of the information you'll find here may have been updated. Also, some of the equipment shown or described throughout this catalogue may have been changed and/or is available at extra cost. Further, Holden Ltd. reserves the right to make changes at any time without notice, in prices, colours, materials, equipment and models. Your Holden Retailer has details, and before ordering, you should ask them to bring you up to date. No Holden Retailer or other person is authorised or permitted to give or make any statement, assertion or undertaking in relation to the quality, performance characteristics, descriptions or fitness for any purpose of any Holden product which is at variance with any written statement, assertion or undertaking on any of these subjects given or made by Holden Ltd. A.B.N. 84 006 893 232 in its published sales literature, and Holden does not accept any liability for any such unauthorised action. Holden Ltd. has authorised retailers in many parts of Australia for the sale of service parts and the provision of service to owners of Holden's products. Every endeavour is made to ensure that such retailers carry adequate stocks of service parts, but other than for any warranties implied by statute, Holden Ltd. does not make any promise other than that contained in the New Vehicle Warranty given by Holden Ltd. that such parts or service facilities will be available at any specific location or at any particular time. Express warranties offered for Holden products are subject to the conditions set out in all vehicle handbooks. Details also available from Holden on request. Copyright Holden Ltd. January 2004. CRCX81103 AD11385

Suspension	Increased ride height. Minimum ground clearance at kerb weight: 188mm (to differential). Underbody protection plate available.			
Front	MacPherson strut. Progressive rate coil springs. 27mm stabiliser bar.			
Rear	Multi-leaf spring. Progressive rate. Live rear axle.			
Steering	Variable ratio rack & pinion.			
Track (mm)	Front: 1620 Rear: 1623			
Turn circle (kerb to kerb, m)	12.4			
Wheelbase (mm)	3207			
Exterior dimensions (mm)	Length	5323		
	Width	1954	2046 (mirrors)	
	Height	1542		
	Ground clearance	188		
Approach & departure angles (Degrees, at kerb weight /GVM)	Approach angle	20.6/19.9		
	Departure angle	18/14.2		
	Breakover angle	19.4/16.7		
Interior dimensions (mm)	Leg	Shoulder	Head	Hip
	Front 1032	1518	977	1474
	Rear 821	1495	980	1527
Payload area dimensions (mm)	Length	1463		
	Width	1438		
	Height	484		
Width at wheel arches		1226		
	Area (m ²) (Calculated using width between wheelarches)	1.794		
	Volume (m ³) (Calculated using width between wheelarches)	0.868		
Service	1500km (at no cost) inspection. 10,000km then every 10,000km or 6 months, whichever comes first. Maintenance-free, long life, dual accessory drive belts with automatic tensioning. Holden Retailer 'Tech 2' computerised analysis available for engine management system.			



Phantom Mica



Cosmo Mica



Turbine Mica



Redhot



Heron

Variations between the colours shown and actual paint colours may occur due to the printing process. Actual vehicle colours may appear different under certain light conditions. Mica paints are available at an additional cost.