

 **TOYOTA HIACE**
oh what a *feeling!*

The Trademark of the Professional





Super Long Wheel Base model shown.



Long Wheel Base model shown.



Trademark of the professional.

HiAce has been building its reputation for longer than most have been building their businesses. And as any professional knows, when you build a better product, people stick with you.

For sixteen years, the previous HiAce has been the most respected van in the trade with over 3.7m sold. So Toyota listened to what buyers wanted now and in the future, whether government, fleet or private operators. Then Toyota set out to build a better Van. This 5th generation HiAce is built to carry more and work harder, yet it's even nicer to get along with because you'll be spending a lot of time aboard this vehicle.



Commuter Bus model shown.

Three set-ups to suit your business.

Long Wheelbase (Van)

With a squared off body, there's increased cargo capacity making the Long Wheelbase a harder worker. You have seating for three, plus easier access with the larger sliding side door. You can also drive with peace-of-mind with driver and front passenger SRS Airbags.

Super Long Wheelbase (Van)

A wide body and high roof helps give the Super Long Wheelbase the biggest capacity of any HiAce in history. Dual sliding side door access means you'll get more in, more conveniently.

Commuter Bus

Supportive seating provides ride comfort and helps reduce fatigue. Overhead air vents provide additional comfort for occupants in the 2nd, 3rd, 4th and 5th row seats, plus three-point seatbelts for all occupants providing increased safety. This 14-seater also includes fold up last row seats for increased storage on those long trips away.

HiAce. Toyota Genuine Accessories.



Accessories make a good thing even better.

HiAce featured is accessorised with Full Technician Kit Roof Rack, Alloy Nudge Bar, Cargo Barrier, Front Weathershields, Headlamp Covers and All Weather Rubber Floor Mats.

THESE ARE JUST SOME OF THE ACCESSORIES AVAILABLE FOR YOUR HIACE. FOR A COMPLETE LIST AND FURTHER DETAILS, PLEASE SEE YOUR TOYOTA DEALER OR REFER TO OUR WEBSITE.



ALLOY NUDGE BAR
Available on all models



CARGO BARRIER
Available on LWB & SLWB



FRONT WEATHERSHIELDS
Available on all models



ALL WEATHER RUBBER FLOOR MATS
Available on all models



ROOF RACKS - FULL TECHNICIAN KIT
Available on LWB



ROOF RACKS - STANDARD KIT
Available on LWB



TOWBAR WITH REAR CORNER PROTECTOR
Available on all models



TOWBAR WITH REAR STEP AND PROTECTOR
Available on all models



HEADLAMP COVERS
Available on all models



SATELLITE NAVIGATION AUDIO SYSTEM**
INCL. 4 IN-DASH CD/MP3 Available on all models



TOWBAR WITH TECHNICIAN STEP
Available on LWB



TOYOTA GENUINE ACCESSORIES ARE COVERED BY OUR TOYOTA WARRANTY*

Some Toyota Genuine Accessories are not applicable to all HiAce models. Please refer to the Accessories Guide. All accessories are subject to availability. See your Toyota Dealer for details. Pictured Accessories are all sold separately. For a comprehensive guide on the entire range of Toyota Genuine Accessories, vehicles, merchandise and a whole lot more, visit our Web Site at toyota.com.au

*All Toyota Genuine Accessories purchased and fitted to a Toyota are warranted for the remainder of the New Vehicle Warranty or 12 months, whichever is greater. Toyota Genuine Accessories purchased from an authorised Toyota Dealer over the counter are warranted from the date of purchase for one year (unlimited kilometres). Conditions apply.

**Current mapping database encompasses major capital and primary national road networks as well as offering some coverage in regional areas.




Comfort and storage.

Hard working days will no longer be hard labour. Air conditioning is fitted as standard, while the ease of power steering and supportive seats help reduce fatigue. Power windows make paying tolls less taxing.

The centre seatback on Van models folds forward, offering a handy table with two cupholders for your lunch, or a foldout tray to hold order books or clipboards. If you get thirsty, retractable dual cupholders in the dash and bottle holders built into the front door trims help keep your drinks secure. In the Commuter Bus, passengers will enjoy rear cooler with overhead directional outlets. Drivers have the rear mounted reversing mirror across all models for added vision when reversing.

Ergonomic three-dial instrumentation cluster has two electric trip meters for mileage checking. The audio system with CD/tuner and two door-mounted speakers (four speakers in the Bus) offers easy listening, while full length headlining reduces ambient noise.

HiAce Exterior Colours



French Vanilla
(058)



Manilla Yellow
(599)*



Quicksilver
(1E7)*



Cascade Blue
(8P4)*



Green Aspen
(653)*

Note: Toyota Australia reserves the right to vary and discontinue from time to time the interior and exterior colours, trims and colour/trim/model combinations currently available. Colours and trims displayed here are a guide only and may vary from actual colours due to printing / display process. See your Toyota dealer to confirm colour/trim/model availability when ordering your vehicle.

*Indicates colour, mica, metallic or pearlescent paint which is available at extra cost.

The Trademark of the Professional.

HiAce technical specifications

Mechanical

2.7L Twincam Petrol engine (LPG compatible)*
3.0L Turbo Diesel engine
5-Speed manual transmission
4-Speed (ECT) auto transmission (optional)

Engine Specifications

Petrol (P): 4 cylinder in-line DOHC with Variable Valve Timing with intelligence (VVT-i) on the intake valves.
Turbo Diesel (T/D): 4 cylinder in-line DOHC with 4 valves per cylinder and intercooler
Engine capacity (cc) – 2694 (P); 2982 (T/D)
Maximum Power – 111kW / 4800rpm (P); 80kW / 3000rpm (T/D);
Maximum Torque 241Nm / 3800rpm (P); 286Nm / 1200-1600rpm (T/D)
Bore & stroke (mm) – 95x95 (P); 96x103 (T/D)
Compression ratio – 9.6:1 (P); 16.0:1 (T/D)
Fuel system – Electronic Fuel Injection (P); Direct Injection (T/D)
Fuel type – 91 RON ULP (P); Diesel (T/D)
Fuel economy:** Manual (L/100km) – 11.6 (LWB P); 12.4 (SLWB, Commuter P); 8.6 (LWB T/D); 9.3 (SLWB, Commuter T/D)
Fuel economy:** Automatic (L/100km) – 11.6 (LWB P); 12.6 (SLWB, Commuter P); 8.8 (LWB T/D); 9.6 (SLWB, Commuter T/D)
Ignition system – Electronic Direct Ignition (P);
Compression ignition (T/D)

Dimensions

Overall length (mm) – 4695 (LWB); 5380 (SLWB, Commuter)
Width (mm) – 1695 (LWB); 1880 (SLWB, Commuter)
Height (mm) – 1980 (LWB); 2285 (SLWB, Commuter)
Wheelbase (mm) – 2570 (LWB); 3110 (SLWB, Commuter)
Track – front/rear (mm) – 1470/1465 (LWB); 1655/1650 (SLWB, Commuter)
Ground clearance (unladen) (mm) – 195
Cargo volume (m³) – 6.0 (LWB); 9.8 (SLWB)
Cargo area – floor length (mm) – 2930 (LWB); 3470 (SLWB)
Maximum cargo width (mm) – 1545 (LWB); 1730 (SLWB)
Maximum cargo height (mm) – 1335 (LWB); 1635 (SLWB)
Maximum distance between wheel arches (mm) – 1120 (LWB); 1295 (SLWB)

Vehicle Weights & Capacities

Kerb weight^^ – maximum (kg)

Manual/auto trans
– 1715/1715 (LWB P)
– 1820/1830 (LWB T/D)
– 1895/1905 (SLWB P)
– 1985/1995 (SLWB T/D)
– 2065/2070 (Commuter P)
– 2160/2170 (Commuter T/D)

Payload^^ (kg):

Manual/Auto trans
– 1085/1085 (LWB P)
– 980/970 (LWB T/D)
– 1305/1295 (SLWB P)
– 1215/1205 (SLWB T/D)
– 1085/1080 (Commuter P)
– 1040/1030 (Commuter T/D)

Gross Vehicle Mass (kg):

– 2800 (LWB)
– 3200 (SLWB)
– 3150 (Commuter P)
– 3200 (Commuter T/D)

Gross Combined Mass# (kg):

– 4200 (LWB P)
– 3800 (LWB T/D)
– 4600 (SLWB P)
– 4200 (SLWB T/D)
– 4550 (Commuter P)
– 4200 (Commuter T/D)

Towing capacity* with trailer brakes (kg) – 1400; without trailer brakes (kg) – 400

Seating capacity including driver – 3 (LWB, SLWB); 14 (Commuter)

Fuel tank capacity (litres) – 70

Drivetrain

5-Speed manual transmission with hydraulic operated clutch
4-Speed automatic Electronically Controlled Transmission with fuel saving lock-up torque converter (Optional)
Differential ratio – 4.300:1 / 4.556:1 (P); 3.909:1 / 4.100:1 (T/D)

Steering

Power assisted Rack and Pinion
Turns lock to lock – 4.01
Turning circle (m) – 10.0 (LWB); 12.4 (SLWB & Commuter)

Brakes

Vacuum boosted hydraulic system with load sensing proportioning and bypass valve^
Front – ventilated disc brakes with single piston calipers
Rear – self adjusting drum
Anti-skid Braking System (ABS) with Brake Assist (BA) (option)

Suspension

Front – Independent double wishbone type with upper torsion bar, hydraulic dampers and stabiliser bar
Rear – Semi elliptic leaf springs with hydraulic dampers

Wheels

Tyres and rims – 195R15C 8PR tyres with 6.0Jx15 steel rims

LWB Van model features

Exterior

Durable front and rear bumpers
Multi-reflector headlights
Laminated windscreen
Tinted side windows
Steel rims with full wheelcaps
Front and rear mudflaps
Near side (kerb) rear sliding door
Lift up tailgate with gas struts
Tailgate mounted reversing mirror
Colour/Metallic paint (option)

Interior

Tone on tone interior trim
Moulded front door trims
Vinyl and cloth sunvisors
Durable vinyl floor covering (excludes cargo area)
Headlining including cargo area
Front passenger assist grip
Front seat grab handles

Seating

Cloth fabric seat trim
Driver's bucket seat
Front bench passenger seat

Comfort

Air conditioning
Rotary type heater controls
Power steering
Power mirrors
Power front windows

Instruments and controls

Tilt adjustable steering column
Dashboard mounted gear lever
Driver's auto up/down window with anti-jam
Day/Night interior mirror
Intermittent windscreen wipers
Intermittent rear wiper with washer
Rear window demister
Headlights on, audible warning
Trip meter, dual setting
Low fuel warning light
Fuel system warning lamp (includes water in fuel) (diesel engine only)
Digital clock in instrument cluster

Lighting

Door operated dome and cargo lamps
Illuminated ignition switch

Storage

Large glovebox
Centre seat back fold down storage tray
Cupholders – dashboard mounted
Drink/bottle holders – in front doors
Front door pockets
Centre dashboard storage pocket
Under dashboard storage
Driver's side storage pocket
Coin holder
Front ashtray and cigarette lighter

Sound System

AM/FM radio with single disc CD player
with 2 Speakers

Safety

Driver and front passenger SRS airbags
Driver's seatbelt warning lamp
Driver's pre-tensioner and forcelimiter seatbelt
Front passenger pre-tensioner and forcelimiter seatbelt
Lap/Sash seatbelts##
Lap type front seatbelt for centre seat position
Door and tailgate ajar warning light
Cargo tie down hooks
High mount centre rear stop lamp
Front door anti-intrusion beams
Collapsible steering column
Ventilated front disc brakes
Anti-skid Braking System (ABS) with Brake Assist (BA) (option)

Security

Central locking including tailgate
Fuel cap holder and tether
Remote fuel lid release
Engine immobiliser

SLWB Van model features in addition[†] to LWB

Exterior

Off side rear sliding door

Storage

Additional centre dashboard storage bin

Commuter Bus features in addition[†] to SLWB model

Exterior

Tinted rear side windows

Interior

Rear compartment grab handles and rails

Seating

14 Seat capacity
Front passenger bucket seat
2nd row – 2 seater bench seat
3rd & 4th row – 2 seater bench & 1 bucket seat
5th row – 4 seater split-fold bench seat

Comfort

Air conditioning with rear cooler
Roof mounted air vents

Lighting

Rear compartment dome lamps
Footwell lamp at rear sliding door

Storage

Centre console

Sound System

AM/FM radio with single disc CD player with 4 speakers

Safety

Two fire extinguishers

Key

[†]Load sensing proportioning and by-pass valve not fitted with Anti-skid Braking System.

*Towbar capacity subject to regulatory requirements, towbar design, vehicle design and towing equipment limitations. Toyota Genuine Towbar = HiAce towing capacity.

^^Kerb, Tare and Payload weights are nominal and vary depending on options and accessories.

#Gross Combined Mass (GCM) is the total permissible combined weight of the vehicle and trailer/caravan being towed including occupants, fuel & cargo.

[†]Except items that are upgraded.

+LPG compatible petrol engine excludes LPG system costs and installation charges. Factory developed state-of-the-art sequential vapour injection system with under floor dual LPG tanks and spare wheel relocated to inside rear compartment. Refer to your local Toyota dealer for details.

##Not fitted to centre lap seatbelt on Van models.

**Fuel consumption will vary depending on driving conditions/style, vehicle condition and options/accessories. Source of fuel consumption data ADR81/01 combined (L/100km).