

# HiAce



The trademark of the professional.





Long Wheelbase model shown.



Super Long Wheelbase model shown.



## Trademark of the professional.

HiAce has been building its reputation for longer than most have been building their businesses. And as any professional knows, when you build a better product, people stick with you.

For over thirty-five years, HiAce has been there for Australians no matter what the task. Toyota listened to what buyers wanted now and in the future, whether government, fleet or private operators and set out to build a van that would meet the high expectations of its operators.

HiAce will move you and your load with your choice of two reliable and tireless engines. Both perform with impressive efficiency, which is vital in today's competitive business world where reduced running costs help add up to greater profitability. You have the choice of a twin cam Variable Valve Timing with intelligence (VVT-i) equipped 2.7 litre petrol engine or a hard-working 3.0 litre turbocharged intercooled common rail diesel.

With typical Toyota quality, durability and reliability, this is the vehicle that is sure to get the job done. And wearing the HiAce name, it projects a look of professionalism to your customers that will help take your business to another level.



Above: Commuter Bus model shown.  
Front cover: Super Long Wheelbase model shown.

## Three set-ups to suit your business.

### **Long Wheelbase (Van)**

With a squared-off body, there's a large 6.0 cubic metres of cargo capacity making the Long Wheelbase a reliable and handy worker. You have seating for three, plus easier access with the larger sliding side door. You can also drive with peace-of-mind with driver and outer front passenger SRS airbags.

### **Super Long Wheelbase (Van)**

A wide body and high roof helps give the Super Long Wheelbase the biggest capacity of any HiAce in history with a huge 9.8 cubic metres of cargo volume. Remote central locking and dual sliding side door access means you'll get plenty in, easily and conveniently.

### **Commuter Bus**

Supportive seating provides ride comfort and helps reduce fatigue. A rear cooler ventilation system with overhead air vents provides additional comfort for occupants in the 2nd, 3rd, 4th and 5th row seats, plus three-point seatbelts for all occupants help provide increased safety. The Commuter Bus also has the benefit of being able to fold up the last row of seats for increased storage when needed.

A power sliding door is also available as an option on Commuter Bus<sup>1</sup> which allows for easy access to the rear passenger area in one of three simple ways: by grabbing the inner or outer door handle; via a switch located on the instrument panel; or simply by pressing a button located on the vehicle key remote.

1 Available from August 2010 production.

# HiAce. Toyota Genuine Accessories.

*Accessories make a good thing even better. These are just some of the accessories available for your HiAce. For a complete list and further details, please see your toyota dealer or refer to [accessories.toyota.com.au](http://accessories.toyota.com.au)*



HiAce featured is accessorised with Full Technician Kit Roof Rack, Alloy Nudge Bar, Cargo Barrier, Front Weathershields and Headlamp Covers. (Sold Separately.)



**Alloy Nudge Bar & Headlamp Covers**  
(Sold separately)



**Cargo Barrier**  
Available on LWB & SLWB




**Front Weathershields**  
(Sold separately)



**All Weather Rubber Floor Mats**



**Roof Racks – Full Technician Kit**  
Available on LWB



**Roof Racks – Standard Kit<sup>1</sup>**  
Available on LWB



**Towbar with Rear Corner Protector<sup>2</sup>**  
Available on LWB. (Requires Towball and Trailer Wiring harness. Sold separately.)



**Towbar with Rear Step & Protector<sup>2</sup>**  
Available on LWB. (Requires Towball and Trailer Wiring harness. Sold separately.)



**Paint Protection**



**Headlamp Covers**



**Air Conditioning Curtain**  
Available on LWB



**Cargo Mat**  
Available on LWB



**Towbar with Technician Step<sup>2</sup>**  
Available on LWB. (Requires Towball and Trailer Wiring harness. Sold separately.)



**ParkAssist**  
Reverse parking sensors<sup>3</sup> Towbar with Rear Corner Protector sold separately.




**Audio Visual Unit with Satellite Navigation<sup>4</sup>**

**TOYOTA GENUINE ACCESSORIES ARE COVERED BY OUR TOYOTA WARRANTY\***  
Some Toyota Genuine Accessories are not applicable to all HiAce models. See your Toyota dealer for advice regarding Toyota Genuine Accessories. Pictured Accessories are all sold separately. For a comprehensive guide on the entire range of Toyota Genuine Accessories, visit our website at [accessories.toyota.com.au](http://accessories.toyota.com.au).

\* All Toyota Genuine Accessories purchased and fitted to a Toyota are warranted for the remainder of the New Vehicle Warranty or 12 months, whichever is greater. Toyota Genuine Accessories purchased from an authorised Toyota Dealer over the counter are warranted from the date of purchase for one year. Conditions apply. The Toyota Genuine Accessories Warranty does not limit and may not necessarily exceed your rights under the *Competition and Consumer Act 2010*.

- 1 Roof Racks - Standard Kit, Economy Ladder Holder Kit, Eye Bolts and Key Locking Security Cable (pictured) are sold separately as optional extras.
- 2 Towing capacity subject to regulatory requirements, towbar design, vehicle design and towing equipment limitations. Ask your Dealer for details of Toyota Genuine Towbar capacity and availability.
- 3 ParkAssist is designed as a driver assist device only and should not be used as a substitute for skilled driving and safe parking practices. The area into which the vehicle is to be driven must be visually monitored by the driver.
- 4 Current navigation mapping database encompasses major capital and primary national road networks, as well as offering some coverage of regional areas.

# Comfort and storage.



LWB model shown.

Hard working days will no longer be hard labour. Air conditioning with a clean air filter is fitted as standard, while the ease of power steering and supportive seats help reduce fatigue. The ergonomic three-dial instrumentation cluster has two electric trip meters for mileage checking, and power front windows to make your ride more convenient.

The centre seatback on Van models folds forward, offering a handy table with two cupholders for your lunch, or a foldout tray to hold order books or clipboards. If you get thirsty, retractable dual cupholders in the dash and bottle holders built into the front doors help keep your drinks secure. Additionally, drivers have a rear mounted reversing mirror across all models for added vision when reversing.

The HiAce's audio system is an MP3 compatible CD player with AM/FM radio and Bluetooth™<sup>1</sup> capabilities. The audio is heard through two door-mounted speakers (four speakers in the bus) and offers easy listening, while full length headlining reduces ambient noise.

For those long days on the road you can have plenty of music to choose from, simply connect your portable audio player into the 3.5mm AUX or your iPod®<sup>2</sup>/USB memory stick<sup>3</sup> into the USB input on the audio unit.

## HiAce Exterior Colours

058	599	1E7	8P4	6S3	058 French Vanilla
					599 Manilla Yellow
					1E7 Quicksilver <sup>4</sup>
					8P4 Cascade Blue <sup>4</sup>
					6S3 Green Aspen <sup>4</sup>



### Capped-price servicing<sup>5</sup>

New Toyotas come with Toyota Service Advantage. For the first 3 years or 60,000km (whichever comes first) you'll pay the same low capped price for logbook servicing, so you know what to expect when you take your vehicle in. And because your car will be serviced by Toyota-trained technicians who only ever use Toyota Genuine Parts, you know what to expect when you drive it out too.

1 The Bluetooth™ word mark is owned by The Bluetooth SIG, Inc. Not all devices will be compatible and functionality will vary depending on the device.  
 2 iPod® is a trademark of Apple Inc.  
 3 Not all devices will be compatible and functionality will vary depending on the device.  
 4 Indicates paint which is available at extra cost.  
 5 Maximum payable for standard scheduled servicing (normal operating conditions) until first of 3 years or 60,000kms (up to the first 6 services). Excludes Government and Rental vehicles. Contact your Toyota Dealer or go to [toyota.com.au/advantage](http://toyota.com.au/advantage) for other exclusions and eligibility.

Note: Toyota Australia reserves the right to vary and discontinue from time to time the interior and exterior colours, trims and colour/trim/model combinations currently available. Colours and trims displayed here are a guide only and may vary from actual colours due to printing/display process. See your Toyota dealer to confirm colour/trim/model availability when ordering your vehicle.

## HiAce Technical Specifications

### Mechanical

- 2.7L Twin cam Petrol engine (LPG compatible)<sup>1</sup>
- 3.0L Turbo-diesel engine
- 5-Speed manual transmission
- 4-Speed (ECT) auto transmission

### Engine Specifications

- Petrol (P): 4 cylinder in-line DOHC with Variable Valve Timing with intelligence (VVT-i) on the intake valves
- Turbo-diesel (T/D): 4 cylinder in-line DOHC with 4 valves per cylinder and intercooler
- Engine capacity (cc): 2693 (P); 2982 (T/D)
- Maximum Power: 111kW / 4800rpm (P); 100kW / 3400rpm (T/D)
- Maximum Torque: 241Nm / 3800rpm (P); 300Nm / 1200-2400rpm (T/D)
- Bore & stroke (mm): 95x95 (P); 96x103 (T/D)
- Compression ratio: 9.6:1 (P); 16.0:1 (T/D)
- Fuel system: Electronic Fuel Injection (P); Direct Injection (T/D)
- Fuel type: 91 RON ULP (P); Diesel (T/D)
- Fuel economy<sup>2</sup>: Manual (L/100km) - 11.6 (LWB P); 12.4 (SLWB, Commuter P); 8.0 (LWB T/D); 8.7 (SLWB, Commuter T/D)
- Fuel economy<sup>2</sup>: Automatic (L/100km) - 11.6 (LWB P); 12.6 (SLWB, Commuter P); 8.5 (LWB T/D); 9.2 (SLWB, Commuter T/D)
- Ignition system: Electronic Direct Ignition (P); Compression ignition (T/D)

### Dimensions<sup>3</sup>

- Overall length (mm): 4695 (LWB); 5380 (SLWB, Commuter)
- Width (mm): 1695 (LWB); 1880 (SLWB, Commuter)
- Height (mm): 1980 (LWB); 2285 (SLWB, Commuter)
- Wheelbase (mm): 2570 (LWB); 3110 (SLWB, Commuter)
- Track - front/rear (mm): 1470/1465 (LWB); 1655/1650 (SLWB, Commuter)
- Minimum Running Ground Clearance (mm): 155
- Cargo volume (m<sup>3</sup>): 6.0 (LWB); 9.8 (SLWB)
- Cargo area - floor length (mm): 2930 (LWB); 3470 (SLWB)
- Maximum cargo width (mm): 1545 (LWB); 1730 (SLWB)
- Maximum cargo height (mm): 1335 (LWB); 1635 (SLWB)
- Maximum distance between wheel arches (mm): 1120 (LWB); 1295 (SLWB)

### Vehicle Weights & Capacities

- Kerb weight<sup>4</sup>: maximum (kg)
  - Manual/auto trans
    - 1715/1715 (LWB P)
    - 1820/1830 (LWB T/D)
    - 1895/1905 (SLWB P)
    - 1985/1995 (SLWB T/D)
    - 2065/2070 (Commuter P)
    - 2160/2170 (Commuter T/D)
  - Payload<sup>4</sup> (kg):
    - Manual/Auto trans
      - 1085/1085 (LWB P)
      - 980/970 (LWB T/D)
      - 1305/1295 (SLWB P)
      - 1215/1205 (SLWB T/D)

- 1085/1080 (Commuter P)
- 1040/1030 (Commuter T/D)

- Gross Vehicle Mass (kg):
  - 2800 (LWB)
  - 3200 (SLWB)
  - 3150 (Commuter P)
  - 3200 (Commuter T/D)
- Towing capacity<sup>5</sup> with trailer brakes (kg): 1400; without trailer brakes (kg): 400
- Seating capacity including driver: 3 (LWB, SLWB); 14 (Commuter)
- Fuel tank capacity (litres): 70

### Drivetrain

- 5-Speed manual transmission with hydraulic operated clutch
- 4-Speed automatic Electronically Controlled Transmission with fuel saving lock-up torque converter (option)
- Differential ratio manual/auto trans: 4.300:1/4.556:1 (P); 3.727:1/4.100:1 (T/D)

### Steering

- Power assisted rack and pinion
- Turns lock to lock: 4.1
- Turning circle (m): 10.0 (LWB); 12.4 (SLWB & Commuter)

### Brakes

- Vacuum boosted hydraulic system with load sensing proportioning and bypass valve (Note: Proportion valve and bypass valve is fitted with ABS.)
- Front: ventilated disc brakes with single piston callipers
- Rear: self adjusting drum
- Anti-skid Braking System (ABS) with Brake Assist (BA)<sup>6</sup>

### Suspension

- Front: Independent double wishbone type with upper torsion bar, hydraulic dampers and stabiliser bar
- Rear: Semi elliptical leaf springs with hydraulic dampers

### Wheels

- Tyres and rims: 195R15C 8PR tyres with 6.0Jx15 steel rims

## LWB Van Model Features

### Exterior

- Front and rear bumpers
- Multi-reflector headlights
- Laminated windscreen
- Tinted side windows
- Steel rims with full wheel caps
- Front and rear mudflaps
- Passenger side rear sliding door
- Lift up tailgate with gas struts
- Tailgate mounted reversing mirror
- Colour/Metallic paint (option)

### Interior

- Tone on tone interior trim
- Moulded front door trims
- Vinyl and cloth sun visors
- Durable vinyl floor covering (excludes cargo area)

- Headlining including cargo area
- Front passenger assist grip
- Front seat grab handles
- Tailgate pull-down strap

### Seating

- Cloth fabric seat trim
- Driver's bucket seat
- Front bench passenger seat
- Front outer passenger's seat recline function

### Comfort

- Air conditioning
- Clean air filter
- Rotary type heater controls
- Power steering
- Power mirrors
- Power front windows

### Instruments and controls

- Tilt adjustable steering column
- Dashboard mounted gear lever
- Driver's auto up/down window with anti-jam
- Day/Night interior mirror
- Intermittent windscreen wipers
- Intermittent rear wiper with washer
- Rear window demister
- Headlights on, audible warning
- Trip meter, dual setting
- Low fuel warning light
- Fuel system warning lamp (includes water in fuel) (turbo-diesel engine only)
- Digital clock in instrument cluster

### Lighting

- Door operated dome and cargo lamps
- Illuminated ignition switch

### Storage

- Large glovebox
- Centre seat back fold down storage tray
- Cupholders: dashboard mounted
- Drink/bottle holders: in front doors
- Front door pockets
- Centre dashboard storage pocket
- Under dashboard storage
- Driver's side storage pocket
- Coin holder
- Front ashtray and cigarette lighter

### Sound System<sup>7</sup>

- AM/FM radio with MP3 compatible single disc CD player
- 3.5mm AUX input for portable audio players, USB input for some iPod<sup>8</sup>/USB memory sticks<sup>9</sup>
- Bluetooth<sup>™</sup> capabilities<sup>10</sup>
- 2 speakers

### Safety

- Driver and outer front passenger SRS airbags
- Driver's seatbelt warning lamp
- Driver's pre-tensioner and forcelimiter seatbelt
- Front passenger pre-tensioner and forcelimiter seatbelt<sup>11</sup>
- Lap type front seatbelt for centre seat position

- Door and tailgate ajar warning light
- Cargo tie-down hooks
- High mount centre rear stop lamp
- Front door anti-intrusion beams
- Collapsible steering column
- Ventilated front disc brakes
- Anti-skid Braking System (ABS) with Brake Assist (BA)<sup>6</sup>

### Security

- Remote central locking including tailgate
- Fuel cap holder and tether
- Remote fuel lid release
- Engine immobiliser

## SLWB Van Model Features in Addition<sup>12</sup> to LWB

### Exterior

- Driver's side rear sliding door

### Seating

- Front passenger's bench seat slide function

### Storage

- Additional centre dashboard storage bin

## Commuter Bus Features in Addition<sup>12</sup> to SLWB Model

### Exterior

- Tinted rear side windows

### Interior

- Rear compartment grab handles and rails

### Seating

- 14 Seat capacity
- Front passenger bucket seat
- 2nd row: 2 seater bench seat
- 3rd & 4th row: 2 seater bench & 1 bucket seat
- 5th row: 4 seater split-fold bench seat

### Comfort

- Air conditioning with rear cooler
- Roof mounted air vents

### Lighting

- Rear compartment dome lamps
- Courtesy lamp at rear sliding door

### Storage

- Centre console

### Sound System

- 4 speakers

### Safety

- Two fire extinguishers

- 1 LPG compatible petrol engine excludes LPG system costs and installation charges. Factory developed state-of-the-art sequential vapour injection system with under floor dual LPG tanks and spare wheel relocated to inside rear compartment. Refer to your local Toyota dealer for details.
- 2 Fuel consumption will vary depending on driving conditions/style, vehicle condition and options/accessories. Source of fuel consumption data ADR81/02 combined (L/100km).
- 3 Some vehicle dimension figures are approximate and may vary due to options, accessory fitment and weight carried.
- 4 Kerb, Tare and Payload weights are nominal and vary depending on options and accessories.
- 5 Towing capacity subject to regulatory requirements, towbar design, vehicle design and towing equipment limitations. Ask your Dealer for details of Toyota Genuine Towbar capacity and availability.
- 6 Standard from August 2010 production.
- 7 Standard from October 2011 production.
- 8 iPod<sup>®</sup> is a trademark of Apple Inc.
- 9 Not all devices will be compatible and functionality will vary depending on the device.
- 10 The Bluetooth<sup>™</sup> word mark is owned by The Bluetooth SIG, Inc. Not all devices will be compatible and functionality will vary depending on the device.
- 11 Not fitted to centre lap seatbelt on Van models.
- 12 Except items that are upgraded.

IMPORTANT NOTICE – please read: Toyota Australia has used its best endeavours to ensure this material is accurate at the time of printing. However, all information must be confirmed with your Toyota dealer at the time of ordering, as specifications and details will change over time. Colours displayed here are a guide only and may vary from actual colours. To the extent permitted by law, Toyota Australia will not be liable for any damage, loss or expense incurred as a result of reliance on the information and photos contained in this material. Material distributed in Western Australia by or on behalf of Prestige Motors Pty Ltd (for vehicles) and by Eastpoint Pty Ltd (for parts/accessories). Toyota Australia makes no warranties regarding (and will not be liable for) the accuracy of materials distributed in Western Australia. PART NUMBER: HIACE0112SV. VALID: X2554. PRINTED: JANUARY 2012. GTO1423.