meet a new Plymouth Sport Fury!





Sport Fury/for the man who wants to go first class-fast!

Make no mistake about it. While many would like to own the All-vinyl bucket seats with the look and luxury of fine leather. limited-production Sport Fury, it is not for everyone. It is for Convenient front-seat console. Padded dash panel. Torsion-bar the man-and occasional woman-who can afford the auto- suspension. Fully-unitized body. Special wheel covers. Distinctive mobile that runs circles-and then some-around other cars exterior trim. Unique grille. in its low-price class.

With an optional Golden Commando V-8 powerplant, the Sport choice—the unmistakable craftsmanship of careful coachwork that Fury sprints from 0 to 60 mph in 8.5 seconds in its showroom marks the Sport Fury as quality-engineered throughout. suit! For a family-size car, that's going some!

Performance is the Sport Fury's claim to fame-but other today and get-free of charge-the biggest boot out of driving

Notice, too, as you inspect the hardtop or convertible of your

Take advantage of this special offer-come drive a Sport Fury standard features you usually pay extra for also recommend it. you've ever enjoyed! Caution: handle this car with care—it's hot!



All-vinyl bucket seats with the look of leather—plus convenient console!



Special stainless steel wheel covers!





Distinctive Sport Fury hood ornament!

Sport Fury/production limited—to assure its perfection!

Specifications

■ EXTERIOR DIMENSIONS: wheelbase, 11.6.0 in.; tread, front 59.4 in.; tread, rear 57.5 in.; length, overall 20.2.0 in.; width, overall 75.6 in.; height, overall 54.0 in. ■ INTERIOR DIMENSIONS: headroom, front 34.7 in.; headroom, rear 33.8 in.; legroom, front 45.9 in.; legroom, rear 30.6 in.; hiproom, front 60.8 in.; hiproom, rear 61.0 in.; seat height, front 10.7 in.; seat height, rear 12.3 in. rear seat knee room 30.1 in. ■ BRAKES:

hydraulic, 10-inch diameter, 2.5-inch-wide, servo-contact, self-energizing brakes, with bonded linings. Lining area is 192. square inches. Brakes shoes are internal expanding type. A new self-adjusting feature (activated during reverse stops) is incorporated in the design. Separate, foot-operated parking brake, cable-connected, acts on each rear wheel.

■ SUSPENSION: Front torsion bars and ball joints; rear 2.5-inch-wide asymmetrical leaf springs; shock absorbers, Oriflow type.

■ PLYM-OUTH FURV V-800: horsepower 230 at 4400 rpm; torque, lbs.-ft., 340 at 2400; pm; torque, lbs.-ft., 340 at 2400; jm; compression ratio, 9.0 to 1; bore, inches 3.9; stroke, inches 3.31; dishes 3.31; dishe

placement, cubic inches 318; carburetor type, 2 barrels; air cleaner type, dry.

EXTERIOR BODY COLORS: Baked-enamel finish in your choice of silhouette black, ermine white, cherry red, pale gray, pale blue, luminous blue, sandstone, luminous brown, luminous cordovan.

The policy of Chrysler Corporation is one of continual improvement in design and manufacture wherever possible to assure a still finer automobile. Therefore, specifications, equipment, and prices are subject to change without notice by Chrysler Corporation.

Plymouth Sport Fury



Quality-engineered by Chrysler Corporation / for the man who wants to go first class-fast!