

FAIRMONT > SPECIFICATIONS > ACCESSORIES



We have ignition

**PERSONALISE
YOUR FAIRMONT
& FAIRMONT GHIA
WITH GENUINE
FORD ACCESSORIES**

**Fairmont Wagon
shown with optional:**

- 17" Alloy Wheels
- Cargo Safety Barrier
- Dust Deflector
- Mud Spats
- Roof Racks
- Tow Bar and Tow Ball
- Weathershields



Other accessories available:

- Alarm Kit
- Boot Liner (petrol sedan only)
- Carpet Mats
- Carry Bars (sedan)
- Child Restraints
- Dash Mat
- Daytime Running Lamps
- Disabled Driver's Kit
- Fire Extinguisher
- First Aid Kit
- Mobile Office Kit
- Momo Leather Gear Knob
- Premium Bike Mount
- Rear Sunshade (sedan)
- Seat Covers
- Sump Guard
- Universal Ski Holders
- 1,600 kg Rated Heavy Duty Tow Bar
- 2,300 kg Rated Tow Bar with Load Levelling Kit

> Increase your lifestyle options with Genuine Ford Accessories that add extra style, performance or protection. You know they're going to look right, fit right and perform right – because we've made sure they will. Fit them before you take delivery of your new Ford and they're covered by your Ford 3 year/100,000 km "Bumper to Bumper" warranty.* If fitted later by an authorised Ford Dealer, they're covered by the remainder of your new car warranty or 12 months/20,000 km, whichever is longer.

*Conditions and exclusions apply. See your authorised Ford Dealer for details.

Cover Page: Fairmont Ghia sedan shown with optional 17" alloy wheels.



Third Row Seat[†]
Turn your wagon into a 7-seat people mover. The only third row seat approved by Ford. Includes cup holders, split-fold seats and matching trim.



Mobile Phone Presenter.
Compatible with most car phone kits and the vehicle's interior. Folds away for added security.



Rear Entertainment Xtreme. (REX)
Watch movies and play games anywhere with a REX unit.



Ford Navigation System.
You can equip your Fairmont or Fairmont Ghia with Satellite Navigation. Voice guidance leads you to your destination.*



Front Sunvisor.
Fitted externally to the top of the windscreen to provide protection from the glare of the sun for safer driving.



Smart Bullbar.
Quality-made and designed to be completely compatible with your Fairmont's mechanical and airbag systems.



Boot Spoiler.
Subtly enhance your Fairmont sedan with this stylish, colour-matched rear spoiler.



16" x 70" Accessory Alloy Wheel.
Personalise your Fairmont sedan with these stylish 7-spoke alloy wheels.



Sedan Full Wing Spoiler.
Give your Fairmont or Fairmont Ghia sedan more aggressive style with this colour-matched and aerodynamic full wing spoiler.



Luxury Momo Steering Wheel.
Sculpted leather-wrapped sports-style steering wheel for the ultimate in feel and control.

STANDARD FEATURES, OPTIONS AND ACCESSORIES



Electronic 4-speed automatic with power and economy modes.



On slippery roads, Traction Control improves handling during acceleration and cornering. If desired, the system can be switched off.*



Satellite Navigation System. Voice guidance leads you to your destination. Optional on sedans.*

Mechanical

| | Fairmont Sedan | Fairmont Wagon | Fairmont Ghia Sedan |
|--|----------------|----------------|---------------------|
| 4.0 litre Intech OHC 6-cylinder engine | ● | ● | - |
| 4.0 litre Intech OHC 6-cylinder engine with Variable Camshaft Timing (VCT) | - | - | ● |
| 5.0 litre V8 engine with high capacity transmission oil cooler | ○ | ○ | ○ |
| Electronic engine control (EEC-V) system | ● | ● | ● |
| 15,000 km service intervals | ● | ● | ● |
| 4-speed electronically controlled floor automatic transmission including power and economy modes | ● | ● | ● |
| Dual fuel LPG (six-cylinder auto only)* | ◊ | ◊ | - |
| 'Fail Safe' cooling (six-cylinder only) ^ | ● | ● | ● |
| 'Smart Start' | ● | ● | ● |

Handling

| | | | |
|---|---|---|---|
| Fully independent double wishbone front suspension | ● | ● | ● |
| Watts Multilink rear suspension | ● | - | - |
| Wide Trac rear suspension | - | ● | - |
| Fully independent double wishbone rear suspension (IRS)† | ○ | - | ● |
| Sports suspension | ◊ | ◊ | - |
| Fully independent sports IRS including LSD | - | - | ○ |
| 4-wheel disc brakes with ABS and Traction Control | ● | ● | ● |
| Power assisted rack and pinion steering with adjustable rake and reach steering wheel | ● | ● | ● |
| 16" x 6.5" multi-spoke alloy wheels | ● | ● | - |
| 16" x 6.5" unique Ghia alloy wheels | - | - | ● |
| 16" x 7.0" accessory alloy wheels | ◇ | - | ◇ |
| 17" x 8.0" 5-spoke alloy wheels and P235/45 ZR17 unidirectional tyres^π | ◊ | ◊ | ◊ |
| 17" x 8.0" accessory alloy wheels | ◇ | ◇ | ◇ |
| P215/60 R16 steel belted radial ply tyres | ● | ● | ● |

Towing

| | | | |
|--|-----|-----|-----|
| 1600 kg rated tow bar | ○ ◇ | ○ ◇ | ○ ◇ |
| Heavy duty tow bar with 1600 kg rated ball mount | ◇ | ◇ | ◇ |
| 2300 kg rated tow bar with load levelling kit | ◇ | ◇ | ◇ |

Exterior Styling

| | | | |
|---|-----|-----|-----|
| Prestige Paint | NCO | NCO | NCO |
| Wide body-coloured bodyside protection mouldings with chrome inserts | - | - | ● |
| Chrome rear applique | ● | - | ● |
| Polycarbonate one-piece halogen headlamps (with chrome bezel and integrated indicator and park lamps) | ● | ● | ● |
| Prestige body ornamentation and grille | ● | ● | ● |
| Petrol cap holder on inside of fuel flap door | ● | ● | ● |
| 'High jewel' tail lamps with clear turn signal lamps | ● | ● | ● |
| Roof rack | - | ● | - |
| Boot spoiler | ○ ◇ | - | ○ ◇ |
| Full wing spoiler | ◇ | - | ◇ |
| Body styling kit with front and rear skirts, rocker mouldings and full wing spoiler | ◊ | - | ◊ |


● Standard ○ Factory Option ◇ Dealer Fitted Accessory ◊ Tickford Option - Not Available NCO No Cost Option

* Traction Control disabled when operating on Dual Fuel LPG. If an LPG conversion kit is fitted, Traction Control will not function when operating on LPG. † Not available with V8 engine or Dual Fuel option on Fairmont. ‡ Must specify optional Premium Sound on Fairmont sedan. Not available in New Zealand. When fitted ashtray replaced with ashcup. Lighter and half-height antenna feature deleted. ^ Not available with Dual Fuel Fairmont wagon. π Must be specified in conjunction with Sports Suspension.

Interior Equipment

Fairmont Sedan Fairmont Wagon Fairmont Ghia Sedan

| | | | |
|---|---|---|---|
| Automatic climate control system with integrated CFC-free air conditioning, rear seat ducts, ten-speed fan and permanent ambient temperature read-out | ● | ● | ● |
| Front and rear power windows with time delay after key off and driver's auto-down feature | ● | ● | ● |
| Electrically adjustable body colour exterior rear view mirrors | ● | ● | ● |
| 2-speed front windscreen wipers with road-speed sensitive variable intermittent, demand wash/wipe and demand wipe features | ● | ● | ● |
| Rear fixed intermittent wiper with demand wash/wipe and auto wiper, activated when in reverse gear with front wipers operating | - | ● | - |
| Rear window demister with timed auto switch off | ● | ● | ● |
| Cruise control | ● | ● | ● |
| Leather wrap steering wheel | ● | ● | ● |
| Luxury Momo steering wheel | ◇ | ◇ | ◇ |
| Momo T-bar gear knob | ◇ | ◇ | ◇ |
| Leather wrap park brake handle | - | - | ● |
| Leather wrap T-bar handle | - | - | ● |
| Steering wheel mounted audio volume, station, CD track and cruise control switches | ● | ● | ● |
| Speedometer, tachometer, fuel level, water temperature, oil pressure and battery voltage gauges, LCD odometer, 'gear selected' indicator, tripmeter and door ajar car outline | ● | ● | ● |
| Comprehensive warning lights and audible warnings for selected functions | ● | ● | ● |
| Variable intensity instrument panel illumination | ● | ● | ● |
| Message display centre with permanent ambient temperature display, automatic climate control, trip computer and overspeed warning | ● | ● | ● |
| Analogue clock | ● | ● | ● |
| Electric remote fuel filler release | ● | ● | ● |
| Electric remote boot and tailgate release (disabled when vehicle moving) | ● | ● | ● |
| Driver's footrest | ● | ● | ● |
| Driver and passenger sunvisor vanity mirrors with sliding covers (illuminated in Fairmont Ghia) ^ | ● | ● | ● |
| Large centre console with centre armrest, retractable cup holder, coin slots, pen holder and CD/cassette storage | ● | ● | ● |
| Overhead console with sunglasses holder* | ● | ● | ● |
| Map pockets in front and rear door trims and behind front seats | ● | ● | ● |
| Driver and front seat passenger adjustable map reading lamps | ● | ● | ● |
| Rear reading lamps | ● | ● | ● |
| Interior lamps with auto-off battery saver feature | ● | ● | ● |
| Front and rear footwell lamps | ● | ● | ● |
| Ignition lock illumination | ● | ● | ● |
| Auto interior lamps on, when ignition key removed | ● | ● | ● |
| Luggage compartment lamp | ● | ● | ● |
| Lockable and illuminated glovebox | ● | ● | ● |
| Headlamps auto-off with delay | ● | ● | ● |
| Front door trim courtesy lamps | - | - | ● |
| Woodgrain instrument panel applique | ● | ● | ● |
| Woodgrain door/console appliques | - | - | ● |
| Integrated front and rear passenger grab handles and coat hooks | ● | ● | ● |
| Dual horns | - | - | ● |
| Sunroof* ^ | ◇ | - | ◇ |



Cruise control helps maintain a constant speed on the open road. Disengages when brakes are applied.



Ergonomically efficient right down to little details like convenient cup holders.



Go straight to your sunglasses when you need them, thanks to this handy holder in the overhead console.*

^Vanity mirror illumination deleted when sunroof fitted. * Sunglasses holder deleted when sunroof fitted.



Long or awkward items aren't a problem thanks to Fairmont's 60/40 split fold rear seat back.



Steering wheel mounted controls for audio volume, station and CD track.



If a Fairmont Ghia is sounding good, here's why: a 250 watt 6-stack in-dash CD/radio/cassette system is standard.

Seats

| | Fairmont Sedan | Fairmont Wagon | Fairmont Ghia Sedan |
|--|----------------|----------------|---------------------|
| Velour trimmed bucket seats | ● | ● | - |
| Velour and leather bolster bucket seat trim | - | - | ● |
| Howe leather trim | - | - | ○ |
| 6-way power driver's seat | - | - | ● |
| Adjustable front headrests | ● | ● | ● |
| Driver's seat cushion tilt adjustment and thigh support | ● | ● | ● |
| Adjustable lumbar support for driver and passenger | ● | ● | ● |
| 60/40 split fold-down rear seat back with fold-down centre armrest | ● | ● | ● |
| Rear seat armrest cup holders | ● | ● | ● |
| Third row seat* | - | ◇ | - |
| Range of child restraints | ◇ | ◇ | ◇ |

Audio and Communications

| | Fairmont Sedan | Fairmont Wagon | Fairmont Ghia Sedan |
|---|----------------|----------------|---------------------|
| Prestige audio - electronic tuning 100 watt AM/FM stereo radio, 6-disc in-dash CD with six speakers, security coded, one hour keyless play, mobile phone interface, muting and steering wheel volume, station and CD controls | ● | ● | - |
| Premium Sound audio† - 250 watt sound system with 11 speaker elements including sub-woofer, separate amplifier, computer-controlled tuner, 6-disc in-dash CD, logic control cassette and road-speed dependent volume control | ○ | - | ● |
| Rear Entertainment Xtreme (REX) | ◇ | ◇ | ◇ |
| Power antenna with half-height function switch | ● | ● | ● |
| Mobile phone platform, wiring and antenna | ◇ | ◇ | ◇ |
| Satellite Navigation System* - premium colour display | ○ | - | ○ |
| Ford Navigation System‡ - monochrome display | ◇ | ◇ | ◇ |


Safety and Security

| | Fairmont Sedan | Fairmont Wagon | Fairmont Ghia Sedan |
|---|----------------|----------------|---------------------|
| Driver and front passenger airbags | ● | ● | ● |
| Front inertia reel seat belts with pyrotechnic pre-tensioners and 'Energy Management Retractors' | ● | ● | ● |
| Height adjustable front seat belt upper anchorage point | ● | ● | ● |
| Rear inertia reel seat belts for all passengers | ● | ● | ● |
| Bosch 4-channel, 4-wheel Anti-lock Braking System (ABS) | ● | ● | ● |
| Traction Control† | ● | ● | ● |
| Wide angle exterior left hand rear view mirror | ● | ● | ● |
| High-mounted rear stop lamp | ● | ● | ● |
| High security locking system featuring 'Tibbe' locks on doors, ignition and boot/liftgate, recessed driver's door lock button and strengthened steering column lock housing | ● | ● | ● |
| Remote keyless door and boot entry system, including 2-stage owner programmable door unlock and panic alarm | ● | ● | ● |
| Dash-mounted door lock/unlock switch | ● | ● | ● |
| Childproof rear door locks | ● | ● | ● |
| Standardised child seat anchorage connection point | ● | ● | ● |
| Illuminated entry when vehicle unlocked with remote keypad | ● | ● | ● |
| Interior lights switched off when vehicle locked with remote keypad | ● | ● | ● |
| Door ajar warning with remote keypad lock (horn beeps) | ● | ● | ● |
| 'Smartshield' electronic transponder engine immobilisation | ● | ● | ● |
| Car alarm | ◇ | ◇ | ◇ |
| Wagon load area cargo blind ^{Δa} | - | ● | - |
| Cargo barriers ^ε | - | ◇ | - |
| Cargo tie-down points | - | ● | - |
| Shopping bag net in boot; cargo net in wagon load area | ● | ● | ● |

* Warning! Do not fit third row seat in conjunction with any cargo barriers. Maximum weight of occupants 38 kg each and maximum seated height 780 mm. Not available when Dual Fuel option fitted. † Not available when Dual Fuel option fitted. ‡ Must specify optional Premium Sound on Fairmont sedan. Not available in New Zealand. When fitted ash-tray replaced with ashcup. Lighter and half-height antenna feature deleted. Not available when factory Dual Fuel option is fitted. π Not available in New Zealand. Ashtray deleted when Sat Nav fitted. † Traction Control on Fairmont is disabled when operating on LPG (if specified). If an LPG conversion kit is fitted, Traction Control will not function when operating on LPG. ΔDeleted when Dual Fuel LPG option is specified on wagon. a Must not be fitted in conjunction with accessory third row seat.




1870 (e)



2793

4907

1437
1412 (f)

2922

5057

1469

Dimensions

| | Sedan | Wagon |
|---------------------------------|-------|---|
| Exterior (mm) | | |
| Front track | 1566 | 1566 |
| Rear track | 1547 | 1547 |
| Front overhang | 918 | 918 |
| Rear overhang | 1197 | 1219 |
| Interior (mm) | | |
| Front headroom ^(g) | 991 | 991 |
| Front legroom | 1081 | 1081 |
| Front shoulder room | 1523 | 1523 |
| Front hiproom | 1482 | 1482 |
| Rear headroom | 978 | 1043 |
| Rear legroom | 986 | 986 |
| Rear shoulder room | 1517 | 1517 |
| General | | |
| Kerb weight (kg) ^(c) | | |
| Fairmont | 1560 | 1645 |
| Fairmont Ghia | 1665 | - |
| Luggage capacity (L) | | |
| Petrol | 528 | 1254 ^(c) / 2584 ^(d) |
| Dual Fuel (Fairmont) | 397 | 1211 ^(c) / 2541 ^(d) |
| Min. turning circle (m) | | |
| Diameter, kerb-to-kerb | 10.9 | 11.3 |

Footnotes

- (a) These figures are obtained from controlled laboratory tests conducted by Ford Motor Company of Australia Limited to Australian Standard AS2877 - 1986 and are provided to assist you in comparing the fuel consumption of Fairmont with other vehicles. The actual fuel consumption you achieve will depend, however, on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- (b) Approximate kerb weight for models shown with standard engines and transmissions.
- (c) With rear seats upright
- (d) With rear seats folded down.
- (e) Excludes exterior side mirrors.
- (f) Overall height with sports suspension.
- (g) Front headroom is reduced by approx. 40mm when the optional Ford sunroof is fitted.

Engine

| Engine Type | 4.0 litre Intech OHC 6-cylinder Petrol | 4.0 litre Intech OHC Variable Cam Timing (VCT) | 5.0 litre V8 |
|---------------------|--|--|-----------------|
| Engine Size (cc) | 3984 | 3984 | 4942 |
| Compression Ratio | 9.6:1 | 9.6:1 | 9.1:1 |
| Max Power (kW/rpm) | 157 kW/4900 rpm | 168 kW/5000 rpm | 175 kW/4600 rpm |
| Max Torque (Nm/rpm) | 357 Nm/3000 rpm | 370 Nm/3500 rpm | 395 Nm/3200 rpm |
| Battery | 54Ah | | |
| Engine Management | Sequential multipoint electronic fuel injection controlled by EEC-V engine management system | | |

Transmission/Ratios

| | Auto 6-cyl. | Auto VCT 6-cyl. | Auto V8 |
|-------------------|-------------|-----------------|---------|
| Gear Ratios 1st | 2.39 | 2.39 | 2.39 |
| 2nd | 1.45 | 1.45 | 1.45 |
| 3rd | 1.00 | 1.00 | 1.00 |
| 4th | 0.68 | 0.68 | 0.68 |
| Reverse | 2.09 | 2.09 | 2.09 |
| Final Drive Ratio | 3.23 | 3.45 | 3.23 |

Suspension

| | |
|-------|--|
| Front | Fully independent double wishbone |
| Rear | Fairmont sedan: Watts Multilink Fairmont wagon: Wide Trac Fairmont Ghia and optional Fairmont sedan: IRS - Fully independent double wishbone Optional: Sports suspension on Fairmont sedan and wagon. Sports IRS on Fairmont Ghia sedan |

Brakes

| | |
|-------|---|
| Front | Disc with asbestos-free pads |
| Rear | Disc with asbestos-free pads |
| ABS | 4-wheel, 4-channel Anti-lock Braking System (ABS) |

Fuel


| | Auto 6-cyl. | | Auto VCT 6-cyl. | Auto V8 | |
|-----------------------------------|-------------|-------|---------------------|---------|-------|
| Petrol Consumption ^(a) | Sedan | Wagon | Fairmont Ghia Sedan | Sedan | Wagon |
| City Cycle (L/100km) | 11.5 | 12.0 | 13.0 | 13.5 | 14.0 |
| Highway Cycle (L/100km) | 7.2 | 8.0 | 8.5 | 8.5 | 9.0 |

| | | | |
|-----------------------------|------------------|-------|-------|
| Fuel Grade | Regular unleaded | | |
| Fuel Tank Capacity (Litres) | | Sedan | Wagon |
| Petrol | | 68 | 68 |
| Dual Fuel LPG | | 68 | 68 |

Maximum Towing Capacity (Subject to State and Territory regulations)

| | |
|--|----------------------------|
| 1600 kg Tow Bar | Auto 1600 kg ^{^†} |
| 1600 kg Heavy Duty Tow Bar | Auto 1600 kg [†] |
| 2300 kg Heavy Duty Tow Bar (with load leveller) | Auto 2300 kg ^{*†} |

[^] When fitted with Ford approved tow bar. ^{*} When fitted with Ford approved Heavy Duty tow bar and Load Levelling kit. [†] Without the Ford approved tow bar, the towing capacity is 500kg.



About this specification sheet: This sheet is designed to provide you with selected specification data for the Ford products which have been described in a general way in the relevant brochure. Because of changes in conditions and circumstances Ford[®] reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchaser. Because of variations which occur in manufactured products, all capacities, measurements, dimensions and weights quoted in the relevant brochure and this specification sheet should be taken as approximate only. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order. Printed May 2001. FCL 3095



We have ignition



About this specification sheet: This sheet is designed to provide you with selected specification data for the Ford products which have been described in a general way in the relevant brochure. Because of changes in conditions and circumstances Ford* reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchaser. Because of variations which occur in manufactured products, all capacities, measurements, dimensions and weights quoted in the relevant brochure and this specification sheet should be taken as approximate only. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order. Printed May 2001. FCL 3095



We have ignition



We have ignition

