

S U Z U K I 0 9

E Q U A T O R ®



"The Suzuki Equator Crew Cab RMZ-4 pickup handily won this year's test, despite being pitted against top-of-the-line competition,"

Petersen's 4-Wheel & Off-Road





POWER

The available class-leading 4.0 liter V6 DOHC engine churns out a sweet 261 horsepower with 281 lb.-ft of take-charge torque. Towing, climbing or running cross-country, you're a force to be reckoned with.




HIGH CLEARANCE

Equator®'s exceptional ground clearance helps keep your undercarriage well above all that 4WD action and high performance Bilstein® shocks plus rugged skid plates on the RMZ-4 make molehills of off-road obstacles.



OFF-ROAD READY

The Equator® RMZ-4 is loaded with features that will make your off-road adventures epic: With B.F. Goodrich® Rugged Trail tires, electronic locking rear differential to lock the rotation speed of the back wheels for increased traction and Vehicle Dynamic Control (VDC), Equator® RMZ-4 has the technology to help keep you on your intended path when you're really stretching your off-road legs.



STRENGTH

The rugged body-on-frame construction with fully boxed ladder frame, independent front suspension with stabilizer bar plus overslung multi-leaf spring rear suspension, makes the Equator® a truck you can use with confidence when you want it most.

Equator®

6,500 POUNDS

With up to 6,500 lb. towing capacity, it's not likely there's a toy you'll have to leave behind. And with available 4-Wheel Active Limit Slip Traction Control, you're equipped for those nasty towing jobs like wet, slick boat ramps.



OFF-ROAD TOWING



ADAPTABLE

Think utility. Do it all. Fit it all. And look sharp while you're at it. The available cargo tie-down system securely locks down any payload using five channels and four tough moveable / removable cleats. The available factory-installed spray-on bed liner protects the bed against scrapes, scratches and corrosion, and with the five-passenger crew cab, you can choose between 5- or 6-foot bed length beds.



VERSATILE

The Crew Cab's 60/40 rear-seat does an acrobatic flip down creating a hauling or work surface, and then it flips up for additional in-cab storage.



CHOICE

Easy decision. Match your cab size to the number of people who regularly ride with you. Lone wolves may fit best with the **Extended Cab**. If you like to share your ride, then you'll probably want the added seating of the **Crew Cab**.



TOUR GUIDE

The Suzuki TRIP™ navigation, which stands for Travel, Real-time traffic, Information and Play, provides turn-by-turn driving directions and contains over six million standard points of interest such as hotels, restaurants and ATMs. You can also get MSN Direct® 1 real-time traffic, weather, news, stocks, movie times and lowest gas prices.



SOUNDS

Hit the streets backed by your multi-gig MP3 playlists pumping out of the available Rockford Fosgate® 9-speaker audio system. A 6-disc in-dash CD player plays MP3 and WMA™ audio files. It's XM® Satellite Radio ready and allows for direct connection with your iPod®.

¹Includes one year free MSN® Direct service subscription. Some services available only in select cities where coverage exists.

EQUATOR®

SPECIFICATIONS

EQUATOR® SPECIFICATIONS AND FEATURES


S = Standard O = Optional — = Not Available

	EXTENDED CAB			CREW CAB		
	BASE	PREMIUM	SPORT	BASE	SPORT	RMZ-4
POWERTRAIN						
2.5-liter Inline-4, 152 hp, 171 lb.-ft. torque, 16-valve DOHC engine	S	S	—	—	—	—
4.0-liter V6, 261 hp, 281 lb.-ft. torque, 24-valve DOHC engine	—	—	S	S	S	S
Zero-maintenance, self-adjusting timing chain	S	S	S	S	S	S
5-speed manual transmission	S	—	—	—	—	—
5-speed automatic transmission with overdrive	—	S	S	S	S	S
Rear-Wheel Drive (RWD)	S	S	S	S	S	—
4-Wheel Drive (4WD) system with low-range gearing	—	—	—	—	O	S
Active Limited Slip Traction Control	—	—	S	—	S	S
Hill Hold Control (HHC) and Hill Descent Control (HDC)	—	—	—	—	—	O
BODY/SUSPENSION/CHASSIS						
Rugged body-on-frame construction with fully-boxed ladder frame	S	S	S	S	S	S
Independent front suspension with stabilizer bar and overslung multi-leaf spring rear suspension	S	S	S	S	S	S
Bilstein® high-performance shocks	—	—	—	—	—	S
Power-assisted rack-and-pinion steering	S	S	S	S	S	S
EXTERIOR FEATURES						
P235/75R15 General Grabber AW steel wheels	15"	—	—	16"	—	—
P265/70R16 and P265/65R17 BFGoodrich® Long Trail tires	—	16"	17"	—	17"	16"
Full-size styled spare tire	S	S	S	S	S	S
Chrome rear bumper with mounted class III tow hitch ball provision	S	S	S	S	S	S
Detachable tailgate with lock	S	S	S	S	S	S
6-foot cargo bed with rope hooks inside bed	S	S	—	—	—	—
5- or 6-foot cargo bed with spray-on bed liner and track-type, tie-down system with cleats	—	—	6'	5'	5/6 ³	5'
Variable intermittent front windshield wipers	S	S	S	S	S	S
Rear door and window privacy glass	S	S	S	S	S	S

COLORS

● Beige Fabric
Premium and Sport

● Black Fabric
Base, Premium,
Sport and RMZ-4



Glacier White ●



Gun Powder Black ●



Granite Grey Metallic ●



Marine Blue Metallic ●●



Liquid Metal Metallic ●



Red River Metallic ●●

COMFORT AND CONVENIENCE

	EXTENDED CAB			CREW CAB		
	BASE	PREMIUM	SPORT	BASE	SPORT	RMZ-4
Integrated TRIP™ navigation	—	—	—	O	O	O
Bluetooth® hands-free system	—	—	—	—	—	O
Cruise control	—	S	S	—	S	S
Power windows and door locks	—	S	S	—	S	S
Remote keyless entry	—	S	S	—	S	S
Air conditioning	O	S	S	S	S	S
90 degree rear door opening access	S	S	S	—	—	—
Front and rear pillar-mounted assist grips	S	S	S	S	S	S
Door-ajar and low-fuel warning lights	S	S	S	S	S	S

STORAGE

	EXTENDED CAB	CREW CAB
Front and rear console cup holders	S	S
Dual glove box (lower with illumination and lock)	S	S
Center console box with lid	S	S
Front driver seat back pocket	—	S
Overhead console sunglass holder	—	S
Rear underseat storage	S	S

AUDIO SYSTEMS

	EXTENDED CAB	CREW CAB
4-speaker AM/FM/CD audio system	O	S
6-speaker AM/FM/CD audio system	—	S
9-speaker AM/FM/CD Rockford Fosgate® audio system with subwoofer, in-dash 6-disc changer, MP3/WMA/XM® 6 Satellite Radio ready	—	O

CAPACITIES AND CURB WEIGHTS

	EXTENDED CAB	CREW CAB
2WD/4WD maximum payload (lbs.)	986	883
2WD/4WD maximum towing capacity (lbs.)	3,500	3,500
Seating (passengers)	4	4
Fuel capacity (gal.)	21.1	21.1
2WD/4WD curb weight (lbs.)	3,686	3,801
2WD/4WD long bed curb weight (lbs.)	—	—

© American Suzuki Motor Corporation 2008 • P.O. Box 1100, Brea, 92822-1100 • 1-877-MY-SUZUKI (1-877-697-8985) Drive responsibly: Buckle up for safety—don't drink and drive. WARNING: Sport Utility Vehicles handle differently from ordinary passenger cars. Avoid sharp turns and abrupt maneuvers. Always wear your seatbelt. For specific details, please read your Owner's Manual for on- and off-road driving tips. To avoid injury from an airbag, always place children 12 years old and under in the rear seat; always move both driver and passenger seats as far back from airbag as practical; never transport a child in a rear-facing child seat in the front seat; and always use the seatbelts and buckle up properly. Always keep cargo loads within specified weight limits, distribute cargo evenly and secure it from shifting. Pricing, specifications and equipment based on information available at the time of file posting, subject to change without notice and may differ in each sales area. Some vehicles shown with optional equipment. For more details on 2007 options, accessories, specifications and prices, contact your local Suzuki dealer. Suzuki, the "S" logo, Suzuki and Suzuki model names are Suzuki trademarks or ®. "Tread Lightly®" on public and private land. Along with concerned conservationists everywhere, Suzuki urges you to preserve your future off-road driving opportunities by showing respect for the environment local laws and the rights of others.

EQUATOR

SPECIFICATIONS

America's #1 Warranty

100,000 Miles/7 Yr • No Deductible • Fully Transferable

Why is it America's #1? It's the only 100,000-mile/7-year powertrain limited warranty around that doesn't have a deductible and is fully transferable for the life of the warranty. That's huge, and that's why the other guys don't talk about deductibles and transfer capability. No deductible means covered repairs are covered—you don't pay anything for parts and labor. Fully transferable means the warranty can pass from one owner to the next, increasing resale and trade-in value when it's time to buy your next car. With coverage extended for 100,000 miles or 7 years, whichever comes first, you can average a more than reasonable 14,000 miles per year. The strength of this long-term powertrain protection is compounded by a 36,000-mile/3-year new-vehicle limited warranty that also has no deductible and covers everything from the dome light to the exhaust pipe (except the battery, which is covered for 24,000 miles, and tires, which are covered by the tire manufacturer's warranty), and includes comprehensive 24-hour Roadside Assistance as well as a convenient Courtesy Vehicle Program. So...that's why we can say it's America's #1. Sounds good, doesn't it!

¹Bilstein® is a registered trademark of Krupp Bilstein GmbH Corp. ²BFGoodrich® is a registered trademark of Michelin North America, Inc. ³6-foot bed optional. ⁴Bluetooth® is a trademark of Bluetooth® SIG, Inc. ⁵Rockford Fosgate® is a registered trademark of Rockford Corp. ⁶Required XM® tuner and subscription sold separately. All fees and programming subject to change. Subscriptions subject to customer agreement available at xmradio.com. XM® service only available in the 48 contiguous United States. The XM® name is a registered trademark of XM® Satellite Radio. ⁷The Tire Pressure Monitoring System (TPMS) is not a substitute for regular tire pressure inspections. Tire pressures should be checked at least monthly using a tire pressure gauge. Maintaining the recommended tire pressure can help avoid performance problems, tire damage and premature wear. See the Owner's Manual for additional details. ⁸4WD maximum payload on long bed is 1,293 lbs. Honda Ridgeline®, Toyota Tacoma®, Chevrolet Colorado®, Ford Ranger®, Dodge Dakota® are registered trademarks. All competitor specifications are obtained from manufacturers' websites and based on MY08. Color options may vary by trim. Specifications and equipment based on information available at time of print and subject to change without notice. For more information, contact your local Suzuki dealer or visit SuzukiAuto.com.

© 2008 American Suzuki Motor Company

EQUATOR SPECIFICATIONS AND FEATURES

S = Standard O = Optional — = Not Available

	EXTENDED CAB			CREW CAB		
	BASE	PREMIUM	SPORT	BASE	SPORT	RMZ-4
SEATING						
Front bucket seats with center console	S	S	S	S	S	S
Fold-flat passenger seat	S	S	S	S	S	S
60/40 rear-seat cushion flip up/seat back fold-up	—	—	—	S	S	S
SAFETY FEATURES						
Driver and front-passenger dual-stage supplemental airbags	S	S	S	S	S	S
Roof-mounted curtain side-impact and rollover supplemental airbags for outboard occupant head protection	S	S	S	S	S	S
Front seat-mounted side-impact supplemental airbags	S	S	S	S	S	S
Front seat belts with pretensioners, load limiters and adjustable anchors	S	S	S	S	S	S
Retractors for all seating positions with built-in load limiters	S	S	S	S	S	S
Tire Pressure Monitoring System (TPMS) ⁷	S	S	S	S	S	S
Vehicle Dynamic Control (VDC)	—	—	—	—	—	O
Anti-lock Braking System (ABS)	S	S	S	S	S	S
Anti-theft vehicle immobilizer	—	—	—	S	S	S
EXTERIOR DIMENSIONS						
Overall width (in.)	72.8	72.8	72.8	72.8	72.8	72.8
Overall height (in.)	68.7	68.7	69.7	70.1	70.1	70.1
Bed width at C-Channel/bed depth (in.)	61.4/18.0	61.4/18.0	61.4/18.0	61.4/18.0	61.4/18.0	61.4/18.0
Short bed/long bed overall length (in.)	206.6	206.6	206.6	206.6	206.6/220.1	206.6
Wheelbase short/long bed on Crew Cab (in.)	125.9	125.9	125.9	125.9	125.9/139.9	125.9
INTERIOR DIMENSIONS						
	EXTENDED CAB			CREW CAB		
Headroom, front/rear (in.)	39.7/38.3			40.0/38.7		
Legroom, front/rear (in.)	42.4/25.4			42.4/33.6		
Shoulder room, front/rear (in.)	58.3/54.9			58.3/58.3		
Hip room, front/rear (in.)	55.8/55.0			55.6/58.0		
Interior volume (cu. ft.)	87.7			101.1		
EPA ESTIMATED FUEL ECONOMY						
2WD Inline-4 manual city/highway (mpg)	19/23			—		
2WD Inline-4 automatic city/highway (mpg)	17/22			—		
2WD V6 automatic city/highway (mpg)	15/20			15/20		
4WD V6 automatic city/highway (mpg)	—			15/19		

WHEEL AVAILABILITY BY TRIM



Base Wheel



Mid-level Wheel



RMZ-4 Wheel

EQUATOR ACCESSORIES



Towing System



Side Steps



Splash Guard



Sliding Bed Divider



All-Weather Floor Mats