



1982 CHEVY VANS. IMPROVED INSIDE, OUTSIDE AND UNDER THE HOOD.

For 1982, you'll find many important improvements in our cargocarrying Chevy Vans and passengercarrying Sportvans. In addition to attractive new exterior color choices, we've improved the exhaust system, rear springs, and universal joints in selected applications. For extra convenience, a column-mounted "Smart Switch," which combines headlight bright/dim, windshield wash/wipe and turn signals on one convenient lever, is now standard. And there are further improvements in anti-corrosion treatments.

To help you discover all that's new and all that's "too good to change," we've grouped information important to van buyers on this spread. Features of particular interest to Sportvan buyers can be found on pages six and seven. And information on features and components shared by both vehicles is on the pages that follow.

Important: A word about this catalog. We have tried to make this catalog as comprehensive and factual as possible and we hope you find it helpful. However, since the time of printing, some of the information you will find here may have been updated. Also, some of the equipment shown or described throughout this catalog are available as factory-installed options, dealer accessories and specialized equipment from various independent suppliers at extra cost. Your dealer has details and, before ordering, you should ask him to bring you up to date.

The right is reserved to make changes at any time, without notice, in prices, colors, materials, equipment, specifications and models. Check with your Chevrolet dealer for complete information.

Left: Chevy Van in Midnight Blue



Interior load space 125" WB

Upper front cover: Chevy Van 125" WB in optional Light Jadestone Metallic and Frost White

Lower front cover: Chevy Beauville Sportvan 125" WB in optional Light Blue Metallic and Frost White

1982 CHEVY VAN. IT DELIVERS.

There are three ways to look at a new Chevy Van. There's styling, with seven handsome new colors. And interiors, with a choice of two ranging from comfortable to more comfortable. But most important, there is utility. And that's where 1982 Chevy Van really shines!


Our 110" wheelbase van handles from 1215 to 2855 lbs. of payload, including passengers, equipment and cargo. And our 125" van can haul a maximum of 4206 lbs. That's more payload than our two closest sales competitors' comparable vans!

Chevy Vans give you room. Lots of it. Our 125" van offers a full 296 cu. ft. of load space. Maximum load length is an outstanding 174". That's more maximum length than the comparable model from our closest sales competitor. Enough to handle a 14' ladder with room to spare! (See the diagram at right.)

What's more, Chevy Van side and rear doors open higher and wider than those of either of our two closest sales competitors. And to further assist in loading and unloading, rear doors swing open 180°.

Add to all of this Chevy Van's tough unitized body-frame construction and impressive mileage ratings and you'll understand why we believe Chevy Van really delivers!

To obtain EPA fuel economy estimates for Chevrolet light-duty trucks, check the wall poster at your dealer's showroom.





1982 CHEVY VANS. IMPROVED INSIDE, OUTSIDE AND UNDER THE HOOD.

For 1982, you'll find many important improvements in our cargocarrying Chevy Vans and passengercarrying Sportvans. In addition to attractive new exterior color choices, we've improved the exhaust system, rear springs, and universal joints in selected applications. For extra convenience, a column-mounted "Smart Switch," which combines headlight bright/dim, windshield wash/wipe and turn signals on one convenient lever, is now standard. And there are further improvements in anti-corrosion treatments.

To help you discover all that's new and all thats' froo good to change,' we've grouped information important to van buyers on this spread. Features of particular interest to Sportvan buyers can be found on pages six and seven. And information on features and components shared by both vehicles is on the pages that follow.

Important: A word about this catalog. We have tried to make this catalog as comprehensive and factual as
possible and we hope you find it
helpful. However, since the time of
printing, some of the information
you will find here may have been updated. Also, some of the equipment
shown or described throughout this
catalog are available as factory-installed options, dealer accessories and
specialized equipment from various
independent suppliers at extra cost.
Your dealer has details and, before
ordering, you should ask him to bring
you up to date.

The right is reserved to make changes at any time, without notice, in prices, colors, materials, equipment, specifications and models. Check with your Chevrolet dealer for complete information.

Left: Chevy Van in Midnight Blue



FROM COMMUTING TO CAMPING, ERRANDS TO OUTINGS, 1982 CHEVY SPORTVAN DOES IT ALL.

From the outside, Chevy Sportvan is a handsome vehicle, made even more so for '82 with new color choices. It's attractive inside, too. With comfortable appointments, impressive visibility all-around, and standard seating for five.

But the real beauty of 1982 Sportvan is its flexibility. The 125" G20

standard seating for nve.

But the real beauty of 1982 Sportvan is its flexibility. The 125° G20
Sportvan offers optional seating for
eight and the 125° G30 model offers
optional seating for eight or twelve.
The quick-release rear bench seats
help convert Sportvan from peopleto cargo-carrying in a hurry. And the
optional travel bed package quickly
transforms the rear seat into a comfortable bed.

Sportvan offers agility . . . Our 110" wheelbase Sportvan has a wall-to-wall turning circle of just 43.1 ft. And our 125" model does it in 47.9 ft. That's great for in-town traffic and tight parking spaces. It's also better than our two closest sales competitors' comparable passenger vans.

- ... and economy! With its standard 4.1 Liter (250 Cu. In.) L6 engine, Sportvan offers both impressive performance and economy.
- 4.1L engine standard on G10-20 models;
 5.7L engine standard on G30 models.

Left: Chevy Beauville Sportvan 125" WB in optional Walnut Metallic and Almond



Available maximum seating

Turning circle for 110" WB Sportvan (left)









CHEVY VAN AND SPORTVAN INTERIOR COMFORTS.

Standard interiors for both Van and Sportvan begin with a high level of driving comfort. Each features a driver's side foam-padded bucket seat in striped vinyl upholstery. A matching passenger side front seat is optional in Chevy Van, standard in Sportvan. A three-passenger rear seat is standard in all Sportvans.

Bonaventure. This mid-level trim option for Sportvans is an attractive step up in interior comfort and exterior styling. The Bonaventure interior includes high-back bucket seats in dual-tone striped vinyl, full-length headliner, color-keyed floor mats and a deluxe instrument panel.

Outside, Bonaventure Sportvan is distinguished by Deluxe Front Appearance Package, chromed front and rear bumpers, and bright taillight bezels.


Beauville. Specify this top-of-the-line interior option for your Sportvan and you'll get two high-back front bucket seats in velour cloth or dual-tone striped vinyl, soft vinyl door and sidewall trim panels, color-keyed carpeting, front door stowage pockets, insulated cloth headliner, and a custom instrument panel.

Plus these styling touches: bright body-side and wheel-opening moldings, Deluxe Front Appearance Package, with rectangular headlights, chromed front and rear bumpers and more.

Optional swivel reclining bucket seats, shown far left in Beauville interior, add extra comfort and convenience to Sportvan models.

Far Left: Beauville interior with optional Swivel Bucket Seats in Almond Top Left: Bonaventure interior in Light Gray

Top Right: Standard interior in Blue Below Left: Beauville instrument panel



ENGINES AND ENGINEERING

Liter (250 Cu. In.) six-cylinder en- sions. The 3-speed synchromesh gine, standard in all G10-20-30 Chevy manual transmission is standard on Vans without C6P and G10-20 all Chevy Vans and on G10-20 Sport Sportvans, offers both impressive Vans. An automatic transmission is performance and economy.

For extra power, three V8s are dard on G30 Sportsvans. available. A 5.0 Liter (305 Cu. In.) 8. Improved anti-corrosion treat-

See the Specifications chart on metal. And all brake and power the back cover for engine availability steering lines now have Zincroterne® in specific models.

2. Rugged girder beam front suspendition to a protection program that sion. Standard in all Vans and Sport- already includes extensive use of galvans, this system features a thick vanized steel in critical areas, electristeel beam for strength. Control arms, cally charged priming, aluminized attached at each end, flex up and wax coatings on inner surfaces, and down allowing the front wheels to weatherproofing throughout. take on the bumps and ruts indepen- ... backed by a three-year warranty. dently to help cushion the ride.

3. Computer-matched brakes. Front Chevy's Three-Year Perforation-Fromdisc and rear drum brakes are com- Corrosion Limited Warranty. Exputer matched to the GVWR of the haust system components not ina wear sensor that sounds an audible for details on other limitations. signal when front disc brake pads need replacement.

4. Tough, unitized construction. All Vans and Sportvans have a body and frame that are integrated into a strong. single unit for big payload capability. Floor panels are welded to heavygage-steel side rails, cross sills and outriggers. Main underbody components are also heavy-gage steel, while components such as door step panels. rocker panels and wheelhousings are of corrosion-resistant steel.

5. Improved exhaust system. Standard with the 4.1 Liter engine, this new system reduces weight which contributes to fuel economy.

6. Leaf-type rear springs adjust to the load. To help provide a smooth, level ride, two-stage springs stiffen as the load grows heavier.

1. Four engine choices. The 4.1 7. Manual and automatic transmisoptional on these models and stan-

with Electronic Spark Control (not ments.... Again in '82, Chevy Vans available in California). A 5.0 Liter and Sportvans benefit from more ex-V8 with 4-harrel carburetor for California Vans. And a 5.7 Liter (350 dipped galvanized steel is used in Chevy Vans and all G30 Sportvans.) bumpers incorporate new zinc-plated

These improvements come in ad-

Vans and Sportvans are covered by

A WORD ABOUT ENGINES.

Some Chevrolet trucks are equipped with engines produced by other GM divisions, subsidiaries, or affiliated companies worldwide. See your dealer for details.

Please refer to the Chevy Van and Sportvan powertrain information shown on page 13.



VANS FOR SPECIAL IOBS

Trade Packages. Special vocational equipment packages for general ser-Cu. In.) V8 (Standard on G30/C6P more areas. Front and rear painted ditioning service, or electric and gas vice, plumbing, heating and air conappliance service are optional on special order. See your Chevy truck dealer for details.



Hi-Cube Vans, Combining many of the styling and comfort advantages of a Chevy Van with much larger Van or Sportvan you order. All have cluded. See your Chevy truck dealer load space, Hi-Cube Vans offer a selection of bodies ranging from 406 to 570 cu. ft.



Step-Vans. Popular as parcel delivery trucks, rescue vehicles and TV mobile units. Chevy Step-Vans are available with steel or aluminum bodies, load space of 579 to 717 cu. ft.. and GVWRs of 6800 to 14,500 lbs.

For more information on Chevy Hi-Cube Vans or Step-Vans, ask your Chevy dealer for a Walk-In Van Catalog.

OPTIONS.

Comfortilt
Steering Wheel

Delco AM/FM Stereo with Cassette Tape Deck

Rear Speakers

Below Eyeline Mirror

Air Conditioning Front Only or Front and Rear

Travel Bed Package Shown in Up Position for Rear Seating

Shown in Down Position as a Bed

> Swivel Front Bucket Seats

Power Windows and Door Locks

Halogen Headlights

Bright Metal Wheel Covers

New Quartz Analog Clock and Gage Package

> Swing-out Windows

Painted Rear Step Bumper

Roof Vent

Rally Wheels

Automatic Speed
Control with
Resume Speed
Feature

Front Bumper Guards





























APPEARANCE AND		C	HEVY V	AN				CUTAWA					SPOR	RTVAN	
CONVENIENCE OPTIONS	G	10	G	20	G30	631	D-RV	Comm			30 Cube	C	10	G20	G30
CONVENIENCE OF HONO	110"	125"	110"	125"	125"	125"		125"	146"	125"	146"	110"	125"	125"	125
Air Conditioning — Front	X	X	X	X	X	X	X	X	X	X	(12') X	X	X	X	X
ir Conditioning — Front and Rear	X	X	X	X	X							X	X	X	X
Automatic Speed Control w/Resume Speed Feature	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Auxiliary Lighting Package	X	X	X	X	X							X	X	X	X
Auxiliary Rear Heater	X	X	X	X	X	3000						X	X	X	X
Bumpers: Chromed Front Bumper						X	C14	X	V	v	V				
Chromed Front & Rear	X	X	X	X	X	^	Std.	^	X	X	X	X	X	X	X
Chromed Front Bumper Guards	^	X	^	X	X	X	X	X	X	X	X	^	X	X	X
Cigarette Lighter and Ashtray Light	X	X	X	X	X	Std.	Std.	X	X	X	X	X	X	X	X
Comfortilt Steering Wheel	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Custom Steering Wheel	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Deluxe Front Appearance Package	X	X	X	X	X	X	X	X	X	X	X	100			7633
Electric Clock w/Quartz Movement	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Floor Carpeting Front Seat Storage Compartment	X	X	X	<u> </u>	X							v	X	X	X
Glass, Deep Tinted	X	X	X	X	X	10.00						X	X	X	X
Glass, Tinted — All Windows	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Glass, Tinted — Windshield Only	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Halogen Headlights	X	X	X	X	X	X	X	X	X	X	X		X	X	X
Intermittent Windshield Wipers	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Mirrors:												3300			
Fixed Extended Arm — Painted Fixed Extended Arm — Stainless						X	X	X	X		Std.				
Steel Steel						X	X	X	X	X	X				
Painted — Below Eyeline	X	X	X	X	X			X	X			X	X	X	X
Stainless Steel — Below Eyeline	X	X	X	X	X				18000			X	X	X	X
Moldings:	48.6		R.E.												
Black Body Side	X	X	X	X	X							X	X	X	X
Door Edge Guards				-					11236			X	X	X	X
Wheel Opening Molding Operating Convenience Package	X	X	X	X	X	v	v	v	v	v	v	X	X	X	X
Power Door Locks	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Power Windows	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Paint Schemes:	-									^		^		^	^
Special Two-Tone Paint	X	X	X	X	X	4.9/8	100					X	X	X	X
Deluxe Two-Tone Paint	X	X	X	X	X		9826					X	X	X	X
Exterior Decor Package		130411										X	X	X	X
Positive Rear Open-Door Stop	X	X	X	X	X							X	X	X	X
Delco Radios & Accessories: AM Radio	X	X	X	X	X	X	X	V	v	v	V	v	v	v	v
AM/FM Radio	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
AM/FM Stereo Radio	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
AM/FM Stereo W/8-Track	X	X	X	X	X	X	X	X	X	X	X	X	X	. X ·	X
AM/FM Stereo W/Cassette	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
AM/FM Stereo W/CB & Antenna	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Rear Auxiliary Speaker								Ca S				-	X	X	X
Roof Ventilator	X	X	X	X	X	X	X	X	V	X	X	X	X	X	X
Seats: Auxiliary Center Front Travel Bed	X	X	X	٨	٨	X	X	X	X	X	X	Std.	Std.	Std.	Std
Center Rear Travel Bed					18307		1000					٨	^	X	X
High Back Front Bucket	X	X	X	X	X	X	X	X	X	X	X	Std.	Std.	Std.	Std.
Rear Bench, One Additional														X	X
Rear Bench, Two Additional			B III			1999									X
Swivel Front Bucket (2)			A R. R										X	X	X
Sliding Side Door Extender Link	X	X	X	X	X							X	X	X	X
Special Exterior Trim	05-10-1					X	X	X	X	X	X				
Special Interior Trim Special Side and Rear Cargo Door	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Locks Sunshade, Right-Hand	X	X	X	X	X	X	X	X	X	X	X	Std.	Std.	Std.	C+4
Junonaut, mynt-mallu	٨	٨	٨	^	٨	٨	٨	٨	۸	٨	٨	310.	old.	310.	Std.
		X	X	X		SE				710	10000	X	Х	X	
Wheels & Accessories:	Y				THE REAL PROPERTY.			DOMESTIC OF			HOW HOUSE	^	^	A	
Wheels & Accessories: Wheels, Rally	X			X	A SECTION .							X	X	X	
Wheels & Accessories:	X	x	X	X		X	X	X	X	X	X	X	X	X	
Wheels & Accessories: Wheels, Rally Wheels, Styled				X		X	X	X	X	X	X	X	X	X	

		CI	HEVY V	AN			H. Boat	CUTAW	AY VANS	S	B 26.13	Marin.	SPOF	RTVAN	
PERFORMANCE AND HEAVY-DUTY OPTIONS	G10		G20		G30	G3(G30-RV		G30 Commercial		G30 Hi-Cube		G10		G30
	110"	125"	110"	125"	125"	125"	146"	125"	146"	125" (10')	146" (12')	110"	125"	125"	125"
Auxiliary Battery						X	X	X	X	X	X				
Coolers: Engine Oil			X	X	X	X	X	X	X	X	X		British British	X	X
Transmission Oil	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Dual Rear Wheels						X	Std.	X	Std.	X	Std.				
Front Stabilizer Bar	X	X	X	X	X	Std.	Std.	X	Std.	X	Std.	X	X	X	X
Fuel Tank, 33-Gallon	1839	X	NA CO	X	X	Std.	Std.	X	X	X	X		X	X	X
Gages — Volt, Temp. and Oil	X	X	X	X	X	X	Std.	X	X	X	X	X	X	X	X
Generators: 63-Amp	X	X	X	X	X	Std.	Std.	X	Std.	X	Std.	X	X	X	X
Heavy-Duty Battery	X	X	X	X	X	Std.	Std.	X	Std.	X	Std.	X	X	X	X
Heavy-Duty Cooling	X	X	X	X	X	Std.	Std.	X	X	X	X	X	X	X	X
Heavy-Duty Front Springs	X	X			X	Std.	Std.	X	Std.	X	Std.	Std.	Std.		X
Heavy-Duty Front & Rear Shocks	X	X	X	X	X	X		X		X		X	X	X	X
Heavy-Duty Power Brakes	X	X						A				X	X		
Heavy-Duty Rear Springs	X	X	X	X	X	Std.	Std.	X	Std.	X	Std.	Std.	Std.	X	X
Locking Differential	X	X	X	X	X	X		X		X		X	X	X	X
Power Brakes	X	X						10				Std.	Std.		
Power Steering	X	X	X	X	Std.	Std.	Std.	X	Std.	X	Std.	X	X	X	Std.
School Bus Equipment					X			X							
Trailering Equipment:															
Hitch, Deadweight Trailer	X	X	X	X	X				1000			X	X	X	X
Hitch, Weight-Distributing	X	X	X	X	X					17/89/1		X	X	X	X
Trailering Special Equipment, H.D.			X	X	X									X	X
Trailering Special Equipment, L.D.	X	X	X	X	X	Torin History				TO SECTION		X	X	X	X

CHEVY VAN AND SPORTVAN ENGINE LINEUP

ENGINE LINEUP		HEAVY-DUTY EMISSION (OVER 8500-LB. GVWF			
Displacement — Liter (Cu. In.)	4.1L (250) L6	5.0L (305) V8	5.0L (305) V8	5.7L (350) V8	5.7L (350) V8
Engine Ordering Code	LE3 (A)	LE9*†(B)	LF3**(B)	LS9 (A)	LT9 (A)
Bore & Stroke (In.)	3.9 × 3.5	3.74 × 3.48	3.74 × 3.48	4.0 × 3.48	4.0 × 3.48
Compression Ratio	8.3 to 1	9.2 to 1	8.6 to 1	8.2 to 1	8.3 to 1
SAE Net Horsepower @ RPM	120 @ 3600(a) 110 @ 3600(b)	160 @ 4400	N.A.	(a)165 @ 3800	(a)160 @ 3800 (b)155 @ 4000
SAE Net Torque (LbFt.) @	200 @ 2000(a) 195 @ 2000(b)	235 @ 2000	N.A.	(a)275 @ 1600	(a)250 @ 2800 (b)240 @ 2800

(A) Produced by GM-Chevrolet Motor Division. (B) Produced by GM-Chevrolet Motor Division and GM of Canada. †Electronic Spark Control. *Not available in California. **California only. (a) 49-State ratings. (b) California ratings. N.A. Not Available at time of publication.

A WORD ABOUT ASSEMBLY, COMPONENTS, AND OPTIONAL EQUIPMENT IN THESE CHEVRO-LET PRODUCTS. The Chevy Vans and Sportvans described in this catalog (Series G10, G20 and G30) are assembled at facilities of General Motors Corporation operated by GM Assembly Division, GMC Truck & Coach Division and GM of Canada.

These vehicles incorporate thousands of different components produced by various divisions of General Motors and by various suppliers to General Motors. From time to time during the manufacturing process, it may be necessary, in order to meet public demand for particular vehicles or equipment, or to meet federally mandated emissions, safety and fuel economy requirements or for other reasons, to produce Chevrolet products with different components or differently sourced components

than initially scheduled. All such components have been approved for use in Chevrolet products and will provide the quality performance associated with the Chevrolet name.

With respect to extra cost optional equipment, make certain you specify the type of equipment you desire on your vehicle when ordering it from your dealer. Some options may be unavailable when your vehicle is built. Your dealer receives advice regarding current availability of options. You may ask the dealer for this information. GM also requests the dealer to advise you if an option you ordered is unavailable. We suggest that you verify that your vehicle includes the optional equipment you ordered or, if there are changes, that they are acceptable to you.

These vehicles are also available from GMC dealers under the GMC nameplate (GMC Van Series G1500, G2500 and G3500).

SPECIFICATIONS

MODEL		CHEV	YVAN			SPOI	RTVAN		
SERIES	G10	G20	G30▲	G30/C6P	G10▲	G20	G30▲■	G30/C6P	
GVW RANGE (LB.)	4900-6000	6600	7100	8600	5600-6000	6600	7400	8600	
ENGINE — LITER (CU. IN.) STANDAR	4.1L. SIX (250 Cu. In.)	4.1L. SIX (250 Cu. In.)	4.1L. SIX (250 Cu. In.)	5.7L. V8 (350 Cu. In.)	4.1L. SIX (250 Cu. In.)	4.1L. SIX (250 Cu. In.)	5.7L. V8 (350 Cu. In.)	5.7L. V8 (350 Cu. In.)	
OPTIONA	305 Cu. In.) ESC	305 Cu. In.) ESC	-	-	5.0L. V8 (305 Cu. In.) ESC	▲5.0L. V8 (305 Cu. In.) ESC		-	
	♦ 5.0L. V8 (305 Cu. In.)	♦ 5.0L. V8 (305 Cu. In.)			5.7L. V8 (350 Cu. In.)	5.7L. V8 (350 Cu. In.)			
FRONT SUSPENSION — TYPE/SPRING		INDEPENDENT	COIL SPRINGS		INDEPENDENT/COIL SPRINGS				
CAP. (LB.	3400	3400	3900	3900	3400	3400	3900	3900	
REAR SUSPENSION — AXLE TYPE	SEMI-F	LOATING	FULL F	LOATING	SEMI-FLOATING FULL FLOATING			OATING	
AXLE CAP. (LB	3500	3500	5700	5700	3500	3500	5700	5700	
BRAKES — DISC/DRUM	MANUAL*	POWER	POWER	POWER	POWER	POWER	POWER	POWER	
STEERING — TYPE	MAN	UAL*	POWER		MANUAL*		POWER		
TRANSMISSION STANDAR		3-SPEED		MANUAL		MANUALA	3-SPEED AUTOMATIC		
OPTIONA		3-SPEED A	UTOMATIC		3-SPEED A	UTOMATIC	_		
TIRE SIZE STANDAR	FR78/15B	P225/75R15	8.75R-16.5C	8.75-16.5E	P205/75R15	P225/75R15	8.75R-16.5D	8.75-16.5E	
OPTIONA				LARGER SIZE TUREL	ESS TIRES AVAILABLE				


▲ Not available in California. ♦ Available in California only. ★ Power assist available. Tire Load Range: B(4PR), C(6PR), D(8PR), E(10PR). ■ Available interim 1982.

SERIES — MODEL		G30 RV CU	TAWAY VAN	G30 COMMERCI	AL CUTAWAY VAN		G30 HI-CUBE VAN			
WHEELBASE (IN.)		125	146	125	146	125	125	146		
BODY SIZE/TYPE/(RPO N	10.)			-	-	10' STEEL (E34)	10' STEEL (E31) 10' ALUM. (E36)	12' STEEL (E38) 12' ALUM. (E39)		
GVW RANGE (LB.)		8600-8900	10,500	•7400-10,000	8900-10,000	●7400-8600	8900	8900-10,000		
ENGINE — LITER (CU. IN	IGINE — LITER (CU. IN.)		50 Cu. In.)	5.7L. V8 (3	350 Cu. In.)		5.7L. V8 (350 Cu. In.)			
FRONT SUSPENSION —	RONT SUSPENSION — TYPE/SPRING		INDEPENDENT/COIL SPRINGS			INDEPENDENT/COIL SPRINGS				
	CAP. (LB.)		3900				3900			
REAR SUSPENSION - A	XLE TYPE									
	AXLE CAP. (LB.)	5700	7500	5700	6200	5700	6200	6200		
BRAKES - DISC/DRUM		POV	VER	POV	VER		POWER	THE RESERVE TO SERVE THE RESERVE THE RESERVE TO SERVE THE RESERVE THE RE		
STEERING —TYPE	STANDARD	POV	VER	MANUAL	POWER	MANUAL	POWER	POWER		
	OPTIONAL			POWER		POWER				
TRANSMISSION	STANDARD	3-SPEED AUTOMATIC		3-SPEED MANUAL		3-SPEED MANUAL				
	OPTIONAL -			3-SPEED A	UTOMATIC	3-SPEED AUTOMATIC				
TIRE SIZE	STANDARD	8.75-16.5E	8.00-16.5D=	8.75-16.5D	8.00-16.5C=	8.75-16.5D	8.00-16.5Cm	8.00-16.5Cm		
	OPTIONAL	LARGER SIZE TUBELESS TIRES AVAILABLE								

•7400-lb. GVWR not available in California.

Dual rear wheels. Tire Load Range: C(6PR), D(8PR), E(10PR).

DIMENSIONS	CHEVY VAN 110 G10/G20/G30/	CHEVY VAN 125 G10/G20/G30		CHEVY VAN 110 G10/G20/G30	CHEVY VAN 125 G10/G20/G30
WHEELBASE	110.0	125.0	MAXIMUM CARGO LENGTH AT FLOOR	150.6	174.7
OVERALL LENGTH	178.2	202.2	DISTANCE BETWEEN WHEELHOUSINGS	53.5	53.5
OVERALL WIDTH	79.5	79.5	MAXIMUM INSIDE WIDTH AT FLOOR	70.6	70.6
BACK OF SEAT TO REAR DOORS			MAXIMUM INSIDE WIDTH AT BELT	71.9	71.9
AT BELT	94.2	118.2	MAXIMUM INSIDE HEIGHT	53.8	53.8
BACK OF SEAT TO REAR DOORS			REAR DOOR OPENING WIDTH	54.4	54.4
AT FLOOR	102.5	126.5	REAR DOOR OPENING HEIGHT	48.8	48.8
BACK OF ENGINE HOUSING TO REAR			SIDE DOOR OPENING WIDTH	44.2	44.2
DOORS AT FLOOR	118.0	142.0	SIDE DOOR OPENING HEIGHT	49.2	49.2



(1971-72-73 DATA PARTLY ESTIMATED.)

A TOUGH RECORD TO BEAT

94.0% of Chevy Light-, Medium-, Heavy-Duty trucks and commercial vans in the ten most recent years recorded were still on the job. (Based on R.L. Polk & Co. model year registrations through July 1, 1980. 1981 statistics not available at time of printing.)

CHEVY IS THE POWER IN TRUCKS.

Chevy Van window combinations available





Windows All Around



1982 Exterior colors



