Durango



Dodge Different.

While the competition plays tag...



we're always it.

The burden of leadership rests lightly on the broad shoulders of Dodge Durango.

After all, this is the "just right" sport utility that combines the stability of a long wheelbase and wide track, plus the comfort of a newly dressed-up interior, and the most available power in its class. Durango also sets the standards for comfort, with seating for up to eight and a choice of split-bench or Fold-and-Tumble.

second-row seats that easily

be anything less.

adapt to handle combinations of people and cargo. While oversized and undersized imitators try to keep up, the right-size Durango leaves them further behind with a Next-Generation 4.7-litre Magnum* V8 engine, and a musclebound Durango R/T featuring special two-tone leather-faced seating, 17-inch aluminum wheels and an awesome 250-horsepower 5.9-litre Magnum* V8.† Add it up and Durango has so many advantages over the other guys it's almost unfair. But then again, we didn't build it to

*Available feature comparisons versus compact SU/s designed and halt in North Associate excluding other DalmierChrysles rehicles. All comparisons based on data available at time of printing. *Resident exercision fuel.

Dodge Durango Differe

ABOUT THIS CATALOGUE. Since the time of printing, some of this information may have been updated. Add your retailer for details before excessing. Some of the equipment shown or described throughout this catalogue is available at more cont. Dudge is a registering retainment of European Source of the equipment shown or described throughout this catalogue is available at more cont.







Finding the right mix of gutsy power and fuel efficiency has always been a challenge... until now. Dodge engineers have met that challenge head-on with a Next-Generation 4.7-litre SOHC Magnum® V8 engine that gives you plenty of both. Not only does this highly refined power plant unleash 235 horsepower and 295 pound-feet of torque, but it is teamed with an electronically controlled multispeed transmission that produces a seamless flow of power. The result is a more powerful, incredibly efficient combination that works in tandem to deliver the

best of both worlds.

For the ultimate in classleading power and torque,

Durango offers the imposing 5.9-litre 245-horsepower Magnum® V8. Engineered with features like sequential Multi-point fuel injection,

progressive-bore throttle body and high-flow exhaust manifolds, this beast is simply one of the meanest V8 engines on the planet.

Another benefit of having Magnum® muscle under the hood of Durango is outstanding cargo carrying

and towing capability. In fact, with the 4.7-litre Magnum® V8, and when properly equipped, Durango can haul as much as 2585 kilograms (5700 pounds)." Choose the 5.9-litre Magnum® V8 and those numbers jump to 3311 kilograms (7300 pounds). Inside, 2492 litres (88 cubic feet) of interior space are ready to swallow up virtually any combination of passengers and cargo. And with a liftgate step-under height of 1.8 metres (6 feet), loading and unloading is a breeze. There's even a pair of lights built

into the liftgate to brighten things up at night.

When properly equipped. Trailer tow restrictions apply. For more details, ask your Dodge retailer for a Dodge Iosing brochure.

ENGINE SPECIFICATIONS	4.7-Litre V8	5.9-Litre V8
Туре	16-value SOHC	16-valva OHV
Fuel Delivery	SMPI	SMPI
Compression Ratio	9.1:1	8.9:1
Net Power - kW (bhp) @ rpm	175 (235) @ 4900	183 (245) @ 4000 ⁴
Net Toque - Nm (b-h-4) pm	4(0 (295) (0 320)	454 (335) @ 32001

187 (250) 3 4200 and 475 (350) 49 3000 with the RVT Group and requires granton by

It is all about you.

Command performance. The Durango

command console puts audio excellence within easy reach. Optional steering wheelmounted controls add an extra measure of convenience.



A new twist. Dodge engineers are always improving things: like taking the function of a floor-mounted transfer case shift lever and putting it into a convenient new electronic control knob – mounted right on the instrument panel.

Always thinking. Beneath the surface, Durango has three onboard computers that constantly monitor vital functions to keep everything running smoothly. One regulates the engine combustion cycle, while another controls braking. A third turns interior lights on and off, selects optimum shifting points for the four-speed automatic transmission, and even slows down the intermittent windshield wipers when your vehicle speed drops below 16 km/h (10 mph). On the surface, you'll find a great-looking, user-friendly instrument panel that puts all controls within easy reach.




Comfort zone. With standard dualzone temperature control and a luxurious new eight-way power leather-faced driver's seat option, Durango puts personalized comfort and convenience at your fingertips.













Everywhere you look inside Dodge Durango you'll find thoughtful conveniences and useful storage that make every trip more enjoyable. Underneath the generous rear load floor is a hidden compartment for the jack and tire-changing tools. Water bottles, games and toys, maps and guidebooks, cassettes and CDs, sunglasses and cell phones... there's a place for everything."

Some features described may be optional.

Can you feel it? A highly efficient, all-new



heater/air conditioning system delivers increased capacity and quieter operation than its predecessor. And with the available rear heating and air conditioning system, secondand third-row passengers can choose a separate temperature and fan setting with their own controls. Four headliner outlets and new floor ducts assist the flow of warm or cool air to rear-seat passengers.

Standard features and options.

Dynamic Side-Impact Intrusion Protection

All Dodge Durango models include:

Air Bags' - Next-Generation criver and front passenger with multi-stage inflation system

panel, front floor duct, second and third-seat foot wells, right

Air Conditioning - Dual-zone temperature control Alternator - 136-800

Assist Handles - Front and rear

Child-Seat Top Tether Anchors - User-ready

Convenience Group - Indudes speed control and tilt

depends on sealing options)

steeding cooling

Cup Holders - Up to nne

Battery - 600-amp with Battery-Saver Feature

Light Group - 12-volt instrument panel-mounted power outlet and lamps for glove box, ash receiver and mag/dome Brakes - Power assisted - Front displiear drum with rear anti-lock Carpeting - Floor and cargo area

Mirrors - Extender, dual 5x7-inch power, fixed, black - Interior, rearyley, manual day/hight and yanty visors

Fuel Tank - 95 litres (20.8 trg. gal.)

Glass - Tinted front doors and windshield

Power Outlets - Front and rear Climate Control Outlets - Air flows from the instrument

Remote Keyless Entry - Includes panic alarm, Huminated entry and two key fobs

- Deep tint sunscreen, rear doors, quarters and liftgate

quarter frim panel and headliner outlets inumber and location Seat Belts - Three-point lap/shoulder for outcoold seating positions and ian belt for centre position.

Sound System - AMFM stereo radio with cassette player

Spare Tire - Full cize with understang which-tipe carrier Door Locks - Power with child-protection near safety door looks Steering - Power-assisted, rack-and-pirrion

Storage - Two year in-floor covered compartments ince I collonal third seat is ordered;

Suspension - Front, independent with parallel torsion ber springs with upper and lower control arms, gas charged shock apporture and stabilizer but Rear - S-shaped leaf springs with pas-charged shock absorbers and stabilizer bar (RVT Circus has Performance spoces

Tires - P235/75R15XL BSW All-Season (DWL on Suff) Transfer Case - Electric, shift-on-the-fly, part-time

Bectronic shift with control local located on the instrument paget (septoces floor mounted manual shift toxes)

Wheels - 15x7-inch card attrainum

Windows - Power with differ's one-touch feature Wiper System - Variable intermittent

- Rear window super/weather variable intermittent

		PACKAGES	
OWERTRAIN AVAILABILITY	Sport	SLT	
Engine Transmission	В	G	
4.7 itro Magnum® VS Multispeed automatic	268	266	
5.9-litre Magnit 17 V8 4-speed automotic	10000	780	
FEATURES			
Air Conditioning - Nov. with house (tog.ires third-row 300)	0	0	
Alternator - 180 amp (included in Trailer Tow Group)	P	P	
Axle Ratio - 3.92, rear (included with RFT Excep) (S.EE stancard rear ook ratio)	3	0.7	
Battery - 750 amp (included in Hessy-Duty Service Group)	P	P	
Brakes – Four-wheel anti-lock	0	1 0	
Coussies - Counteed (included in Overhead Convenience Group); Floor (included with burket seed) lincludes cup holders, larry, power outler, CD/casserre and cell phone storage, and storage bins		P	
Differential - Anti-spir, rear (noticed with PVT Group)	0	OVE	
Fascias - Black upper, body-colour lower	•		
Body-coour upper and lower	1000	100	
- Body-oxiour upper, pewter accent colour lover (included with Special Apparatince Group)		P	
Fog Lamps			
Floor Mats - Front and second-row seating	0	•	
Heavy-Dury Service Group - 160-cmp attoristor 750-cmp battery and maximum engine cooling (not seed with linder flow Group)		P	
HorucLink® Universal Transceiver® – Programmable, three-function, with remale controls for garage door opinier, interforfestedor frome lighting and security devices disclosed with Overhead Convenience Group!		P	
Micross – Eutros – Diad in 7-non beset power bank with auto-dinancing on of hard sized, that groupes interior narrows accounts for many cayleight many installed out 19.1 Puls Occor Group		3/6	
 Dual large aerodynamic heated power black, folding (included with Trailor Tow Group) 	P	P	
Interior - Boursian automatic dimning daying to grounded with twin-inch heater) adentic power militors and SIU Plas Decor Group.	000000	P	
Mouldings - Lover bodyside protective, body-colour			
- Lower bodyside protective, dewifer accent culour discluded with Sourcel Approxime (truly)	10000	P	
Overhead Convenience Group — Overhead conside with mini-risp computer and HomoLink® Universal Transcraker and illuminated visor vanity mirrors (included with SLT Plus Decor Group)		OF	
Roof Rack = 68 in (150 h.) capady			
R/T Group — 250 horsepower 5.9 little Magnum [®] 92 origins with premium faut californium, suiced door trim panels, leve-time leather-faced, heated bucket seats with embroiding of "Rift" from consider, am-cipit near officential, 3.9 and as die table, socially bord chromating performance funds bottom considerables, leger ear statilizer too, outspecified unitarity backet, body-colors to polycolors where firsts, full fine transfer cabo, bright 15.9 R/T budging, 17.64 inch sat duminum wheels and PZ25/SVIT I SSW Performance first	Ē	0	
Running Boards - Pody colour (notaced with SUF Pais Decent Group and RVF Short)	200	O.F	
- Powter accord colour (included with Special Appearance Struip)		P	
Seats - First Pow - Cloth food 40/20142 solit centre with food researchs adjusted a reciners, nertire strange armset (front-casse-oper-manus) humbar, eight-view power driver a skall including power burbar feature included with SIV modes).		8	
 Coth-faced buckets with head restraints, adjustable rediners, (front-passenger manual lumber, eight-way power driver's seat including power lumbar feature included with SUI) 	0		
 Leading-family hazing bucket was with other and from passenger eight-vary power and power lumber, he as restraints, adjustable rectiness, and from tassenger seatures near power funds of the processor of the seatures of the processor of the processo		p	
Second Row - 60/40 spit-banch with contre folding armiest			
 40/20/40 spir-bench seaf with unique Fold-and-Turistie** seaf design (included when optional third-row seaf is ordered) 	P	(SEEP)	
Third Hove- Not-position bench seat which folds nearly far (includes Fold and Tumble 40/20/40 second row)	0	0	
Sentry Key* Engine Immobilizer - Their deterrent system with encoded kiny includes two lowys (noticies of th Vinicia Security System and SLT Plus Decor Group)	10000	NC	
Skid Plate Group - Skir plates for front suspension, fuel tank and transfer case	0	0	
SLT Decor Group — Coth coor timp panel with map pocket, cloth busint seeks and utility digit have power of for it is seef with proper furnical feature. For create in formers, the groups, and large time to dilitary to the seeks of country to the hardy and country to the seeks of the seeks of the country to the seeks of the se			
SLT Plus Decor Group — Overhead Convenience Group, Véhicle Sepunity System, File, Wheel, and Wheelikins Group, prantium door trim gamets with occognain accents, woodgrain instrument pand cluster bead. Floor console with occognain accents are fluminated headed sent switches leather-floor through front busies seets with other and front personage eight-way power and power lumbay, body-closer running beads, gover headed minings with automatic dimming or of feet's side. ANAFM states and with occorries are floored by the control of septiment and dight infinity ⁶ speakers in alight locations, are audio controls on leighter wrapped steering wheel and automatic dimming dayrisight near-lear minor.		0	

Included P - Papaged with optional group noted. O - Optional OP - Izen is a Recotangley option and it also included in a package group. NC - No-charge applica-

		PACKAGES	
Cont'll)	Sport	SLT	
Sound Systems - AMPM stereo radio with combination cassetta-CD player and graphic oqualizer	NC	NC	
- Bight Infinity* apericans in eight liceations (included with SLI Plus Decor Group)	HE SEED	OP	
- Six audio currinds on leather-orapped steering wheel (notacled with SLT Plus Docor Group)		P	
Special Appearance Group — Pewer occard colour included on body do moutlings, running boards, from and rear lower tesclass and 16x8-inch cast attainment wheels and another lower BCT Group.	MO.	C	
Sun Visors - Humicated visor vanity mitrors (included in SLT Plus Detar and Overhead Convenience Group)		P	
Tires - F275-60.017 BSW A4-Season (live) (included with RVT Group)	E1823	P	
Tire, Wheel, and Wheelflare Group - P269/70816 CWL Al-Terrain lines, 16x8-inch cast alturinum, wheels and body-colour wheelflares (accused with SLT Puis Docor Group)		0.7	
Trailler Tow Group® — Class (Figiditor) libbit resides, sever-lead xiding harmest arounded on the high for direct plug in, 7/4 pm adapter sining pigted, Heavy-Cuty Sentice Group and dual legy power condepands heated black, latting exterior minors.	C	0	
Transfer Case - Nr244FD electronic, full-time (included with R/T Group)	10000000	0.9	
Volitide Security System - Securey dams, Some Key's Engine Introduction	ESCOUNT !	NC	
Whicels - 16/3-inch cost aruninum (flee) (notuded in Tiro, Whicel, and Wheelfare Group and SLT Ptis Decor Group)		P	
- 18x8 hen powter cast atemizium (tixe tenduded with Spesial Appearance Group)	THE SALE	P	
- 17x9-inch cast aluminum (flee) (included in RVT Group)	-	P	

Included F = Parkaged with ordinal group storet. O = Optional GP = formis a freestanding option and is also included in a parkage group. NC = No -dispute option.

Daths is final reporter only one bond from the long ways seems tells. Chines 12 or underswall always be in a book and ownerly using an information are easibet, but is professionable and the long of the long way th

NTERIOR DIMENSIONS' AND CAPACITIES	With Third Seat	Without Third Seat
Fort - Houloum	181	1 (39.8)
Legroom	106	1 (41.9)
Shoulder Room	1453 (57.8)	
Horoxe	1445 (56.9)	
Seat Adjustment intro and alto	218 (8.6)	
Second Row - Hondroom	1024 (40.3)	1021 (40.2)
Segritori	889 (35.4)	947 (37.3)
Shoulder Room	1471 (57.9)	1468 (57.7)
- faroure	3/10/65/50	(400 (65.1)
Third Row – Deschoon	950 (37.4)	
Logroom	780 (30.7)	**************************************
Shoulder Room	1435 (56.5)	-
Reproces	1145 (85.2)	4
Total Interior Volume - L (ca. fl.) - Al scals up	532 (18.6)	
Strin Scal Sorled All Saals Folled	1463 (51.3)/2492 (88.0)	
Job Rating Copecities - Bose curb weight - kg (b.)	2108 (4648)	
Gross Vehicle Weight Falling - kg (b).)	2903 (5400)	
Payload (max.) - kg (lb.) - 4.7-litre V8/5.9-litre V8	794 (1750)/753 (1660)	
Madmun taking capacity 44 (b.)	3311 (7300)	

EXTERIOR DIMENSIONS' 2961 (116.2) Ground Closrance (Limpty) - Front Ade Suspension to Ground 224 (8.8) Minimum Running Strund Cleamns 216 (8.5) 4915 (193.5) Overall Height Empty 1829 (72.0) 1819 6/1 6 Overall Width of Cab Track - Front (with 15x?-not) wheelst - Roar (with 15x7-inch wheels) 1572 (61.9) Local Floor Hoight 792 (31.2) Approach Angle (Degrees) 28.9 Prockeror Angle (Degrees) 190 Departure Angle (D Tro Spe

"Old regions are in tim (notice) united notice.







Medium Bronze Pearl Cool





Chili Pepper Red Pearl Coat



Forest Green Pearl Coat



Patriot Blue Pearl Coat

re Angle (Degrees)	25.1
0	235/75
stor's arc in mm (inches) in easingted.	
San	



Bright Platinum Metallic



Dark Garnet Red Pearl Coat



Light Pewter Metallic

Coour availability may vary by model Due to greating Billiators, the colours shown here and throughout this conseque may vary along them the actual hos. See your residenter mode applications and to view

Specifications, descriptions and Bustrafule material contained herein are based on authorized information. Although greatestone, descriptions and illustrations were believed to be content at the time this publication was approved for planting accuracy cannot be qualenteed. De micrOnysier Canada no reserves the right to discontinue models or options of any line or change executionions and materials coupment or design without notice and without incurring chigation. Some equipment, may not be executy as illustrated in this publication. Some of the equipment letter,

described, or illustrated herein may not be standard, and may be available only at extra cost, as factory installed or retailer-installed items described in "available" may be standard on some modes and options, or not is callable, on others. Equipment extension is as available or optional may be at extra cost. Some actions are required in combination with other options. For the price of the model with the equipment you desire or verification of specifications and equipment act to ity contained herein, are your Citycles, Dodge, Jeep, segaler.



Introducing The Five Star Experience:

A Fresh Approach to Buying and Servicing Cars and Trucks.

Five Star is the highest recognition DaimlerChrysler Canada can award its dealerships for excellence in customer service. It's an ongoing commitment to continuously improve the way they do business by following a strict set of training, facility and process requirements designed to put you, the customer, in charge throughout your entire ownership experience. After all, they know the only way to get your business, and keep your business, is by making sure you're completely satisfied each and every time you visit their dealership. So, for your next vehicle purchase or lease, visit your nearest Chrysler, Dodge, Jeep, retailer and see for yourself how committed they are to you every day, in every way.

Introducing Five Star Protection:

Our Commitment Goes a Long Way.

Warranty coverage is an important part of the ownership experience. DaimlerChrysler Canada's 2001 warranty is designed to be simple and straightforward, while providing coverage that meets the needs of Canadian drivers. It's this simple – basic coverage is for 3 years or 60,000 kilometres,* which includes rust-through coverage for all body sheet metal for 3 years, plus powertrain coverage for 5 years or 100,000 kilometres.*

In addition, DaimlerChrysler Canada will provide a 24-hour roadside assistance plan for 5 years or 100,000 kilometres.*

Combine this level of protection with our Five Star philosophy and it's easy to see that your Chrysler, Dodge, Jeep retailer is committed to providing the most satisfying buying

*Whichever occurs first. Some conditions apply. See your retailer for more details.

and servicing experience in the business.



For more information contact your neighbourhood Chrysler, Dodge, Jeep retailer, or visit us at our Web Site:

www.daimlerchrysler.ca or call: 1-800-361-3700