

2012 GMC CANYON

WE ARE PROFESSIONAL GRADE

GMC



2012 GMC CANYON

THE EFFICIENCY YOU NEED. THE PERFORMANCE YOU DEMAND.



This is no ordinary mid-size pickup. Canyon shares its DNA with GMC's legendary Sierra, so along with the efficiency and manoeuvrability you expect in a mid-size truck, you get genuine professional-grade engineering. Like a choice of hardworking Vortec™ engines. A rock-solid steel frame. A dual-wall welded steel box with a standard bedliner. Towing capacity up to 2722 kg (6000 lb.), when properly equipped. And more cab configurations to choose from than any competitor.* Canyon for 2012. It's everything you're looking for in a mid-size truck.

* Based on WardsAuto.com 2011 Small Pickup Segmentation. Excludes other GM models.

Above: Canyon Crew Cab, SLE-2 4x4 shown in Navy Blue with Z71 Off-Road Suspension and other available equipment.

UNSURPASSED ENGINEERING.



POWER AND EFFICIENCY

Canyon's standard Vortec™ 2.9L I-4 engine puts out 185 horsepower and 190 pounds-feet of torque – more than the base four-cylinder engines in the Ford Ranger and Toyota Tacoma.* A step up the ladder, the available 242-horsepower Vortec™ 3.7L I-5 out-muscles the 4.0L V6s in Ranger and Tacoma.* It also beats them on fuel efficiency, both in the city and on the highway.** And Canyon also offers a Vortec™ 5.3L V8 with 300 horsepower and 320 pounds-feet of torque. Ford and Toyota can't touch it.*

INSTA-TRAC™ 4X4

All Canyon 4x4 models feature the convenience of an electronically controlled shift-on-the-fly 2-speed Insta-Trac™ transfer case with a neutral provision. Shifting between 2HI and 4HI takes just a touch of a button located on the dash.

STABILITRAK® ELECTRONIC STABILITY CONTROL

StabiliTrak® automatically helps correct lateral skids, usually before you even know they've begun. U.S. government research shows that electronic stability control systems like StabiliTrak® help reduce fatal single vehicle light truck crashes by a remarkable 63%.† StabiliTrak® is standard on all Canyon models.

PROTECTION

Every Canyon model includes a full slate of intelligent safety features. Automatic light control, for example, activates the truck's full exterior lighting system whenever conditions require, helping you to see and be seen. Four airbags are standard equipment. You'll also find a LATCH installation system for child safety seats in all rear seating positions.

ONSTAR®

Canyon is the only truck in the mid-size class to offer the safety and convenience of the revolutionary OnStar® system.†† OnStar® can even perform remote diagnostic checks on your Canyon every month and email detailed results to your in-box.

* Based on latest published 2011 model year competitive information available.
** 2012 GMC Canyon, with available Vortec™ 3.7L I-5 engine, fuel consumption ratings based on GM testing in accordance with approved Transport Canada test methods. Competitive fuel consumption ratings based on Natural Resources Canada's 2011 Fuel Consumption Guide. Your actual fuel consumption may vary.
† According to information published by the US Department of Transportation's National Highway Traffic Safety Administration, July 2007.
†† Excludes other GM vehicles. Visit onstar.ca for coverage map, details and system limitations. Services vary by model and conditions.

CANYON STANDARD & OPTIONAL FEATURES

SAFETY AND SECURITY	SLE-1	SLE-2
Airbags		
— driver and front-passenger, dual-stage frontal	S	S
— front-to-rear head curtain side-impact	S	S
Door locks — rear doors, child-security (Crew Cab)	—	S
OnStar® — In-Vehicle Communications and Assistance Service, includes 6 months of the Directions & Connections Plan with Turn-by-Turn Navigation*	S	S
Safety restraints		
— 3-point belts for all seating positions (when equipped with front bucket seats; lap belt for centre position with front split-bench seat)	S	S
— LATCH (Lower Anchors and top Tethers for Children), in all rear seating positions	S	S
Security system — content theft alarm, audible/visible	—	Q1,2
StabiliTrak® — electronic stability control system	S	S
Theft-deterrent system — electronic immobilizer	S	S
Traction control — electronic	S	S

MECHANICAL	SLE-1	SLE-2
Battery — with run-down protection	S	S
Brakes		
— front disc/rear drum	S	S
— 4-wheel anti-lock braking system (ABS)	S	S
Engine		
— Vortec™ 2.9L I-4 VVT with SFI Horsepower: 185 @ 5600 rpm, Torque: 190 lb.-ft. @ 2800 rpm — Reg. and Ext. Cab	S	S
— Crew Cab (2WD)	—	S
— Vortec™ 3.7L I-5 VVT with SFI Horsepower — 242 @ 5600 rpm, Torque — 242 lb.-ft. @ 4600 rpm — Reg. and Ext. Cab	Q3	Q3
— Crew Cab	—	Q4
— Vortec™ 5.3L V8 with SFI Horsepower — 300 @ 5200 rpm; Torque — 320 lb.-ft. @ 3600 rpm — Ext. and Crew Cab	—	Q3
Engine block heater	0	0
Locking differential — rear	0	0
Steering — power, rack-and-pinion	S	S
Suspension		
— Z85 Standard — includes front coil springs on 2WD models and torsion bar front suspension on 4x4 models. Both feature a 28 mm front stabilizer bar, rubber jounce bumpers and twin tube shock absorbers	S	S
— Z71 Off-Road — includes torsion bar front suspension on both 2WD and 4x4 models, 28 mm front stabilizer bar, urethane jounce bumpers and monotube shock absorbers. Additional 25 mm (1 in.) ride height over Z85 Standard Suspension for improved ground clearance. Also includes Skid Plate Package on 4x4 models, 2 front recovery hooks, large wheel flares, 17" chrome-clad wheels and P265/70R17 On-Off road tires (4). Requires either Vortec™ 3.7L I-5 or Vortec™ 5.3L V8 engine, locking differential and automatic transmission. Not available with Reg. Cab	—	0
— ZQ8 Sport — includes sport-tuned suspension with 51 mm (2 in.) lower ride height than Z85 Standard Suspension, 18" x 8" Midnight Silver aluminum wheels with P235/50R18 all-season** tires and unique colour-keyed grille surround. Requires Vortec™ 5.3L V8 engine and automatic transmission. Not available with Reg. Cab or 4x4	—	0
— rear, two-stage multi-leaf springs and solid live axle	S	S
Trailer Equipment Package — hitch receiver platform and wiring harness	0	0
Transfer case — 2-speed, part-time, Insta-Trac™ with dash-mounted electronic controls (4x4 models)	S	S
Transmission		
— 5-speed manual with overdrive — Reg. and Ext. Cab	S	S
— 4-speed automatic with overdrive — Crew Cab	—	S
— 4-speed automatic with overdrive — Reg. and Ext. Cab	Q5	Q5

EXTERIOR	SLE-1	SLE-2
Assist steps		
— chrome stainless steel with grey diamond step pad — Ext. and Crew Cab	0	0
— moulded grey	0	0
Bumpers — front and rear, chrome with smoke grey rear step pad	S	S
Chrome package — chrome assist steps and fuel door — Ext. and Crew Cab	0	0
Fog lights — front, halogen	S	S
Glass		
— Solar-Ray, tinted	S	S
— deep-tinted, all windows behind front doors	—	S
Grille — chrome with dark smoke grey bars	S	S
Headlights — dual halogen composite, Daytime Running Lights with automatic light control	S	S
Mirrors		
— manual adjustable, manual folding — Reg. and Ext. Cab	S	S
— manual folding, power remote control — standard on Crew Cab	—	Q1
Mouldings — bodyside, body-coloured — Crew Cab	—	S
Pickup box		
— Fleetside, double-wall welded steel with 4 cargo tie-downs	S	S
— bedliner and 2 position tailgate	S	S
Recovery hooks — 2, front (4x4 models only)	0	0
Skid Plate Package — includes transfer case skid shield, composite front underbody splash shield from behind the front bumper to the first cross member (Z85 4x4 models only)	0	0
Soft tonneau cover — GMC logo	0	0
Spare tire		
— limited use, winch-mounted under rear frame, mounted on steel wheel	S	S
— full-size, mounted on steel wheel	0	0
Splash guards — GMC logo	0	0
Tires		
— P215/70R16 all-season** (2WD models)	S	S
— P235/75R16 all-season** (4x4 models, except with Z71)	S	S
— P235/75R16 On-Off road (4x4 models, except with Z71)	—	0
— P265/70R17 On-Off road (included with Z71)	—	0
— P265/65R18 On-Off road (Z71 models)	—	0
— P235/50R18 all-season** (included with ZQ8)	—	S
Wheels		
— 16" x 6" steel wheel, standard with Z85 Standard Suspension (A)	S	—
— 16" x 6.5" aluminum, standard on 2WD models with Z85 Standard Suspension (B)	0	S
— 16" x 6.5" aluminum, standard on 4x4 models with Z85 Standard Suspension (C)	0	S
— 16" x 6.5" chrome-clad, available on 2WD models with Z85 Standard Suspension (D)	—	0
— 16" x 6.5" chrome-clad, available on 4x4 models with Z85 Standard Suspension (E)	—	0
— 17" x 7" chrome-clad, standard on models with Z71 Off-Road Suspension (F)	—	S
— 18" x 8" Midnight Silver aluminum, standard on 2WD models with ZQ8 Sport Suspension (G)	—	S
— 18" x 8" Chrome aluminum, available on models with Z71 Off-Road Suspension (H)	—	0
Window — rear, sliding	0	0
Windshield wipers — 2-speed with variable delay (intermittent)	S	S

INTERIOR	SLE-1	SLE-2
Assist handles — above all outboard seats, except driver's seat	S	S
Climate control — air conditioning, manual single zone	S	S
Console — front centre floor, includes centre storage tray, dual cupholders and rear-hinged storage compartment (included with bucket seats)	—	Q2
Cruise control	S	S
Floor covering		
— ebony carpet with rubberized vinyl floor mats	S	S
— vinyl (deletes rear jump seats on Ext. Cab)	0	—

INTERIOR [CONTINUED]	SLE-1	SLE-2
Instrumentation		
— analogue (includes speedometer, tachometer, odometer, trip odometer, coolant temperature and fuel gauge)	S	S
— Driver Information Centre includes multi-language and trip functions, displays vital vehicle functions with both visual and audible reminders/warnings	S	S
— GM Oil Life Monitoring System	S	S
— tire pressure monitoring system	S	S
Keyless entry system — remote	—	Q1,2
Lighting — includes instrument panel, dome and exterior cargo	S	S
Mirror — rear-view, auto-dimming with compass and exterior temperature display	—	Q1,2
Power Convenience Package — includes power windows, power exterior mirrors, programmable power door locks, remote keyless entry, content theft alarm and auto-dimming interior rear-view mirror with compass and exterior temperature display — standard on Crew Cab	—	0
Power outlets — 2 auxiliary, 12-volt	S	S
Steering column — tilt adjustable	S	S
Steering wheel — leather-wrapped	S	S
Sunshades — LH and RH padded; passenger-side vanity mirror	S	S

SEATS	SLE-1	SLE-2
Front reclining 60/40 Deluxe cloth 3-passenger split-bench, outboard head restraints, centre armrest with storage and dual cupholders — Reg. and Ext. Cab	S	S
Front 60/40 Vinyl 3-passenger split-bench, outboard head restraints — Reg. and Ext. Cab	0	—
Front reclining Deluxe cloth bucket seats with integral head restraints, centre floor console with storage, armrest and dual cupholders — Reg. and Ext. Cab	—	0
Front reclining Deluxe cloth bucket seats with integral head restraints, centre floor console with storage, armrest and dual cupholders — Crew Cab	—	S
Front reclining 60/40 Deluxe cloth 3-passenger split-bench, outboard head restraints, centre armrest with storage and dual cupholders — Crew Cab (deletes centre floor console)	—	0
Front bucket seats with leather seating surfaces, heated, power 8-way driver seat adjuster with power recliner, power 6-way front-passenger seat adjuster with manual recliner, centre floor console with storage, armrest and dual cupholders — Ext. and Crew Cab	—	0
Rear dual jump seats, fold-up forward-facing with under-seat storage compartment — Ext. Cab	S	S
Rear seat delete — Ext. Cab	Q6	—
Rear, 60/40 3-passenger split-bench, flat-folding — Crew Cab	—	S

ENTERTAINMENT	SLE-1	SLE-2
AM/FM stereo with seek/scan and digital clock	S	—
AM/FM stereo, CD player with MP3 playback capability, seek/scan, auto tone control, speed-compensated volume, TheftLock®, Radio Data System® (RDS) and digital clock	—	S
Enhanced audio speaker system	S	S
Bluetooth® — hands-free phone connectivity	S	S
SiriusXM Satellite Radio™†	—	0

S — Standard, 0 — Optional individually or in combination with other optional equipment.

Note: The trim features indicated reflect only a portion of the total content of each trim level. See your sales consultant for complete listings, current availability and compatibility.

Note: For detailed information on towing and dimensions please visit gm.ca

Note: Crew Cabs only available in SLE-2 trim.

1 — Requires Power Convenience Package.

2 — Standard on Crew Cab models.

3 — Requires automatic transmission.

4 — Standard on Crew Cab 4x4.

5 — Required with available Vortec™ 3.7L I-5 or Vortec™ 5.3L V8 engine.

6 — Requires vinyl floor covering.

* Visit onstar.ca for coverage map, details and systems limitations. Services vary by model and conditions.

** All-season tires may not satisfy winter tire requirements in all regions of the country. Tires specifically designed for severe winter conditions and marked with the "winter tire" symbol.

† May be required during certain months or in certain regions.

‡ Contact your Provincial, Municipal or local road authority for information regarding which tires are required in your particular area.

§ Available in 10 Canadian provinces and the 48 contiguous United States. Subscription sold separately after trial period. Visit xmradio.ca for details.



Inside Canyon, the story is all about space, comfort and an uncommon level of common sense. Climate control, cruise control and tilt steering are standard on every model. As is a standard tire pressure monitoring system that warns you if one of your tires is underinflated. Every Canyon also features an oil life monitoring system that helps reduce the cost of unnecessary oil changes and guards against premature engine wear by calculating when an oil change is needed and providing an alert.

▶▶ THE
COMFORT
YOU DESERVE

EXTERIOR COLOURS



28 – Red Orange Metallic



41 – Onyx Black



48 – Navy Blue¹



50 – Summit White



61 – Aqua Blue Metallic



74 – Fire Red



75 – Dark Grey Metallic



GGZ – Pure Silver Metallic

¹ – Not available with Z08 Sport Suspension.

Due to limitations in the printing process, the colours shown may differ slightly from the actual colour. For more accurate colour samples, ask your sales consultant to see the dealer showroom colour display. Exterior colours may be subject to change during the 2012 model year, please check with your sales consultant or visit gmc.ca for latest colour availability on Canyon.

WARRANTY

PEACE OF MIND, STANDARD WITH EVERY GMC MODEL

When you build them with quality, you can back them with confidence. That's why General Motors of Canada backs every GMC model with the best coverage in Canada. Program highlights include:

- 3-year/60,000 km New Vehicle Limited Warranty*
- 5-year/160,000 km Powertrain Component Limited Warranty, with \$0 deductible on repairs and the warranty is fully transferable at no charge*
- 5-year/160,000 km Courtesy Transportation*
- 5-year/160,000 km 24/7 Roadside Assistance*
- 6-year/160,000 km rust-through perforation coverage*
- 8-year/130,000 km coverage on catalytic converters and powertrain control modules (PCMs)*

*Whichever comes first. Conditions and limitations apply, see dealer for details.

OTHER OWNERSHIP PRIVILEGES AND PROGRAMS:**

- **GM Protection Plan (GMPP)** – the only extended service plan backed by the resources and commitment of General Motors. GMPP may be purchased at the time of sale or subsequently during the New Vehicle Limited Warranty period.
- **GM Goodwrench Service** – with GM-certified technicians and GM-approved parts, nobody knows your GM vehicle better.
- **GM Owner Centre** – As an owner, take advantage of the GMC Owner Centre. This online owner's destination gives you access to coupons, contests, current offers and the latest driving and maintenance tips. Find out more at GMCowner.ca

**Conditions and limitations apply.



GMCton.ca

INTERIOR FABRIC COLOURS

DELUXE CLOTH – standard on Canyon SLE-1 and SLE-2




19J – Ebony



31J – Light Tan

LEATHER SEATING – available on Canyon SLE-2 Extended and Crew Cabs



193 – Ebony



313 – Light Tan

EXTERIOR/INTERIOR COLOUR COMPATIBILITY

EXTERIOR ▼	INTERIOR ► MODEL ►	19 – Ebony SLE-1, SLE-2	31 – Light Tan SLE-1, SLE-2	92 – Medium Pewter Vinyl SLE-1
28 – Red Orange Metallic		•	•	•
41 – Onyx Black		•	•	•
48 – Navy Blue ¹		•	•	•
50 – Summit White		•	•	•
61 – Aqua Blue Metallic		•	•	•
74 – Fire Red		•	•	•
75 – Dark Grey Metallic		•	•	•
GGZ – Pure Silver Metallic		•	•	•

VINYL – available on Canyon SLE-1



92W – Medium Pewter

WHEELS



A – 16" x 6" steel wheel, standard on SLE-1 models with Z85 Standard Suspension (PP3/PP4)

B – 16" x 6.5" aluminum, standard on SLE-2 2WD models with Z85 Standard Suspension (PP2)

C – 16" x 6.5" aluminum, standard on SLE-2 4x4 models with Z85 Standard Suspension (PP1)

D – 16" x 6.5" chrome-clad, available on SLE-2 2WD models with Z85 Standard Suspension (RP1)

E – 16" x 6.5" chrome-clad, available on SLE-2 4x4 models with Z85 Standard Suspension (R02)

F – 17" x 7" chrome-clad, standard on SLE-2 models with Z71 Off-Road Suspension (R03)

G – 18" x 8" Midnight Silver aluminum, standard on SLE-2 2WD models with Z08 Sport Suspension (R07)

H – 18" x 8" Chrome aluminum, available on SLE-2 models with Z71 Off-Road Suspension (P31)

TRADEMARKS

The marks appearing in this brochure including, but not limited to: General Motors, GM, GMC, Canyon, Z71, Z08 and their respective logos, emblems, slogans and vehicle model names and body designs; and other marks such as Insta-Trac, StabiliTrac and Vortec are trademarks of General Motors and/or General Motors of Canada Limited, its subsidiaries, affiliates or licensors.

OnStar and the OnStar emblem are registered trademarks of OnStar, LLC. TheftLock is a registered trademark of Delphi Technologies, Inc.

Radio Data System (RDS) is a registered trademark of the U.S. National Association of Broadcasters.

The SiriusXM name and related logos are trademarks of SiriusXM Canada, Canadian Satellite Radio, Inc.

Bluetooth is a registered trademark of Bluetooth SIG Inc.

COPYRIGHT

©Copyright 2011 General Motors of Canada Limited. All Rights Reserved. All text, images, graphics, and other materials in this brochure are subject to the copyright and other intellectual property rights of General Motors and/or General Motors of Canada Limited. These materials may not be reproduced, distributed or modified without the express written permission of General Motors and/or General Motors of Canada Limited.

Printed in Canada, September 2011.

A WORD ABOUT THIS BROCHURE

Some of the equipment shown or described throughout this brochure may be available at extra cost. We have tried to make this brochure comprehensive and factual. We reserve the right, however, to make changes at any time, without notice, in prices, colours, materials, equipment, specifications, models and availability. Specifications, dimensions, measurements, ratings and other numbers in this brochure and other printed materials provided at the dealership or affixed to vehicles are approximates based upon design and engineering drawings and prototypes and laboratory tests. Your vehicle may differ due to variations in manufacture and equipment. Since some information may have been adapted since the time of the printing, please check with your GM dealer for complete details. General Motors of Canada Limited reserves the right to lengthen or shorten the model year for any product, for any reason, or to start and end model years at different times.

A WORD ABOUT ASSEMBLY

GM vehicles are equipped with engines and components produced and assembled by different operating units of General Motors, its subsidiaries and suppliers and these engines and components may change or be obtained from different sources from time to time. All such engines and components are approved for use in GM vehicles. Certain equipment ordered may be unavailable at the time of assembly and we suggest that you verify that your vehicle includes the equipment you ordered, or if there are changes, that they are acceptable to you.

