

2026 RAM CHASSIS CAB





Properly secure all cargo. Always tow within the vehicle's capacity.

CAPABILITY THAT FITS YOUR BUSINESS

MEET YOUR 2026 RAM CHASSIS CAB LINEUP. Built to shoulder the load, tackle tough tasks and engineered for upfit versatility—this is the 2026 Ram Chassis Cab lineup. Uncompromising power, durability and advanced safety and tech features make this more than a truck—it's a tool you can depend on. Whether you're running a single workhorse or operating a large fleet, when there's a job to get done, all Ram Chassis Cab models are Work Ready.



Shown with aftermarket upfits.

STANDARD FEATURES:

POWERTRAIN

Standard 3500 only:
6.4L HEMI® V8 Variable Valve Timing (VVT) with Multi-Displacement System (MDS)/ZF 8HP75 TorqueFlite® 8-speed automatic

Standard 4500/5500; Optional 3500:
6.4L HEMI V8 VVT with MDS/ZF 8AP430 TorqueFlite HD 8-speed automatic

Optional 3500/4500/5500:
6.7L Cummins® Turbo Diesel/ZF TorqueFlite HD 8-speed automatic

INTERIOR AMENITIES

Vinyl 40/20/40 front bench seat with manual adjust

20-percent fold-down center bench seat with integrated armrest

Full-folding rear bench seat (Crew Cab)

Base door trim panel

Black instrument panel

Uconnect® 5 with 8.4-inch touchscreen display

INTERIOR AMENITIES cont.

Urethane steering wheel

Manual tilt steering column

Manual Temperature Control

Vinyl floor covering

3.5-inch Thin Film Transistor (TFT) color Driver Information Display cluster

3 USB ports—2 located on lower instrument panel and 1 in upper lid of bench seat

EXTERIOR FEATURES

Black grille

Black front bumper

LED reflector headlamps

Black headlamp bezels

LED fog lamps

Black-painted steel wheels

Black door handles

Incandescent taillamps

Black wheel flares (4500/5500 only)

Tow hooks

CAPABILITY & FUNCTIONALITY

Electronic shift-on-the-fly part-time transfer case (4x4 only)

Keyless push-button start

Rear fixed window

Active grille shutters

Front air dam

SAFETY & SECURITY

Adaptive Cruise Control with Stop¹

Full-Speed Forward Collision Warning Plus²

Pedestrian/Cyclist Emergency Braking²

6 airbags³, including driver and front-passenger, side-curtain and front-seat side-mounted

Electronic Stability Control (ESC)⁴

Antilock 4-wheel disc brakes

Sentry Key® Theft Deterrent System

Rear-Seat Reminder Alert



5500 Crew Cab shown.



Chrome Appearance Group
Includes Chrome grille surround and RAM badge, Chrome front bumper and polished aluminum wheels for 3500 or Silver-painted steel wheels for 4500/5500

RAM CHASSIS CAB TRADESMAN®

APPEARANCE PACKAGE

TRADESMAN SEAT OPTIONS



Heavy-Duty Vinyl Bench—Diesel Gray/Black
Standard



Cloth Bench—Black
Available

TRADESMAN WHEELS

3500 SRW



18-inch Black-Painted Steel
Standard (WBF)



18-inch Polished Aluminum
Included with Chrome Appearance Group (WBE)

3500 DRW



17-inch Black-Painted Steel
Standard (WFG)



17-inch Chrome-Clad Steel
Included with Chrome Appearance Group A (WD4)



17-inch Polished Aluminum
Included with Chrome Appearance Group (WF7)

4500/5500 DRW




















19.5-inch Black-Painted Steel
Standard (WPJ)



19.5-inch Silver-Painted Steel
Included with Chrome Appearance Group (WP3)



19.5-inch Polished Aluminum
Optional (set of 4) (WP4)

TRADESMAN CONFIGURATIONS	3500			4500				5500			
	SRW	DRW		DRW				DRW			
	60" CA	60" CA	84" CA	60" CA	84" CA	108" CA	120" CA	60" CA	84" CA	108" CA	120" CA
REGULAR CAB 											
CREW CAB 			—			—	—			—	—

 = CAB-TO-AXLE LENGTH. CA = CAB-TO-AXLE SRW = SINGLE REAR WHEEL DRW = DUAL REAR WHEEL

*All disclaimers can be found on the last page.

STANDARD FEATURES; INCLUDES SELECT TRADESMAN® FEATURES PLUS:

POWERTRAIN

Standard 3500/4500/5500:
6.4L HEMI® V8 VVT with MDS/ZF 8AP430 TorqueFlite® HD
8-speed automatic
Optional 3500/4500/5500:
6.7L Cummins® Turbo Diesel/ZF TorqueFlite HD
8-speed automatic

INTERIOR AMENITIES

Cloth 40/20/40 front bench seat
Cloth full-folding rear bench seat (Crew Cab)
Carpet floor covering
Manual 4-way driver and
front-passenger seats
Premium vinyl door trim panel
Uconnect® 5 with 8.4-inch touchscreen display

EXTERIOR FEATURES

Chrome-surround/Black-insert grille
Chrome front bumper
Polished aluminum wheels (3500)
Silver-painted steel wheels (4500/5500)
Black door handles
Black wheel flares (4500/5500)

CAPABILITY & FUNCTIONALITY

Electronic shift-on-the-fly part-time
transfer case (4x4 only)
Trailer Brake Controller

SAFETY & SECURITY

Adaptive Cruise Control with Stop¹
Full-Speed Forward Collision Warning Plus²
Pedestrian/Cyclist Emergency Braking²
6 air bags³ including driver and front-
passenger, side-curtain and front-seat
side-mounted
Electronic Stability Control (ESC)⁴
Antilock 4-wheel disc brakes
Sentry Key® Theft Deterrent System
Rear-Seat Reminder Alert



4500 Crew Cab shown.

RAM CHASSIS CABBIG HORN®

BIG HORN SEAT



Cloth Bench—
Black
Standard

BIG HORN WHEELS

3500 SRW



18-inch
Polished Aluminum
Standard
(WBE)

3500 DRW



17-inch
Polished Aluminum
Standard
(WF7)



17-inch
Chrome-Clad Steel
Optional
(WD4)



















4500/5500 DRW



19.5-inch
Silver- Painted Steel
Standard
(WP3)



19.5-inch
Polished Aluminum
Optional or Included with
Big Horn Level 2 Equipment
Group (set of 4)
(WP4)

BIG HORN CONFIGURATIONS	3500			4500				5500			
	SRW	DRW		DRW				DRW			
	60" CA	60" CA	84" CA	60" CA	84" CA	108" CA	120" CA	60" CA	84" CA	108" CA	120" CA
REGULAR CAB 											
CREW CAB 			—			—	—			—	—

 = CAB-TO-AXLE LENGTH. CA = CAB-TO-AXLE SRW = SINGLE REAR WHEEL DRW = DUAL REAR WHEEL

STANDARD FEATURES; INCLUDES SELECT BIG HORN® FEATURES PLUS:

POWERTRAIN

Standard 3500/4500/5500:
6.4L HEMI® V8 VVT with MDS/ZF 8AP430 TorqueFlite® HD
8-speed automatic
Optional 3500/4500/5500:
6.7L Cummins® Turbo Diesel/ZF TorqueFlite HD
8-speed automatic

INTERIOR AMENITIES

Leather-trimmed bucket seating
Power front seats
(with 2-way power lumbar adjust)
Heated front seats
Full-length floor center console
Leather-wrapped steering wheel with heat
Leather-trimmed 60/40 split-folding rear
bench seat

INTERIOR AMENITIES cont.

12-inch Driver Information Display
digital cluster
17-speaker Harman Kardon® Premium Audio
System with subwoofer
SiriusXM® with 360L⁵
Uconnect® 5 NAV with 12-inch
touchscreen display
5 USB ports with 2 power outlets
Universal Garage Door Opener

INTERIOR AMENITIES cont.

Dual-Zone Automatic Temperature Control
LED ambient interior lighting
Premium overhead console
Highline door trim panels
Power-sliding rear window
Sun visors with illuminated vanity mirrors
Digital rearview mirror
115-volt power outlet

EXTERIOR FEATURES

Chrome-surround/Chrome billet grille
Body-color front bumper
Body-color door handles
Bi-functional LED projector headlamps
Body-color wheel flares

CAPABILITY & FUNCTIONALITY

Electronic shift-on-the-fly part-time
transfer case (4x4 only)
Trailer Brake Controller

SAFETY & SECURITY

Remote proximity passive entry/keyless
push-button start
Remote Start System⁶
Rain-sensitive windshield wipers
LED Center High-Mounted Stop Lamp (CHMSL)
with Cargo-View Camera⁷
Auto High-Beam Headlamp Control
ParkSense® Front/Rear Park Assist System⁸



5500 Crew Cab shown.

RAM CHASSIS CAB

LARAMIE® TRIM GROUP

LARAMIE TRIM GROUP SEAT



Leather-Trimmed-
Black
Standard

3500 SRW



18-inch
Diamond-Cut Aluminum
with Black pockets
Standard
(WBC)

3500 DRW



17-inch
Polished Aluminum
Standard
(WF7)

4500/5500 DRW



19.5-inch
Polished Aluminum
Standard (set of 4)
(WP4)

LARAMIE TRIM GROUP CONFIGURATIONS	3500			4500				5500			
	SRW	DRW		DRW				DRW			
	60" CA	60" CA	84" CA	60" CA	84" CA	108" CA	120" CA	60" CA	84" CA	108" CA	120" CA
CREW CAB			—			—	—			—	—

= CAB-TO-AXLE LENGTH CA = CAB-TO-AXLE SRW = SINGLE REAR WHEEL DRW = DUAL REAR WHEEL

BRIGHT WHITE (PW7)



SILVER ZYNITH (PSE)



CERAMIC GRAY (PDN)



FORGED BLUE METALLIC (PCG)



GRANITE CRYSTAL METALLIC (PAU)



DIAMOND BLACK CRYSTAL PEARL (PXJ)



FLAME RED (PR4)



MOLTEN RED PEARL (PR6)



To see examples of
possible paint combinations,

visit **RAM.COM**

RAM 3500/4500/5500 CHASSIS CAB MAX JOB RATING INFORMATION							
3500 CHASSIS CAB (3500 DD)		REGULAR CAB			CREW CAB		
		60" CA (4x2/4x4)	60" CA (4x2/4x4)	84" CA (4x2/4x4)	60" CA (4x2/4x4)	60" CA (4x2/4x4)	
POWERTRAIN	CAPACITY TYPE	SRW	DRW		SRW	DRW	
6.4L HEMI® V8/ ZF 8HP75 TORQUEFLITE® 8-SPEED	MAX GVWR ⁹	11,040	13,500	13,500	11,040	13,500	
	MAX PAYLOAD ¹⁰	5,190/4,850	7,390/7,050	7,330/6,980	4750/4,330	6,950/6,450	
	MAX GAWR, FRONT ⁹	5,500	5,500	5,500	5,500	5,500	
	MAX GAWR, REAR ⁹	6,800	9,850	9,850	6,800	9,850	
	MAX TOWING ¹⁰	16,000/15,660	15,740/15,400	15,680/15,330	15,560/15,140	15,300/14,800	
	MAX GCWR ⁹	22,000	22,000	22,000	22,000	22,000	
6.4L HEMI® V8/ ZF 8AP430 TORQUEFLITE HD 8-SPEED	MAX GVWR ⁹	11,040	14,000	14,000	11,040	14,000	
	MAX PAYLOAD ¹⁰	5,074/4,730	7,710/ 7,440	7,650/7,290	4,630/4,210	7,270/6,850	
	MAX GAWR, FRONT ⁹	5,500	5,500	5,500	5,500	5,500	
	MAX GAWR, REAR ⁹	6,800	9,850	9,850	6,800	9,850	
	MAX TOWING ¹⁰	18,880/18,540	18,550/18,280	18,500/18,140	18,440/18,020	18,110/17,700	
	MAX GCWR ⁹	25,000	25,000	25,000	25,000	25,000	
6.7L CUMMINS® TURBO DIESEL/ ZF TORQUEFLITE HD 8-SPEED	MAX GVWR ⁹	11,600/12,000	14,000	14,000	11,600/12,000	14,000	
	MAX PAYLOAD ¹⁰	4,690/4,820	6,830/6,570	6,770/6,370	4,250/4,190	6,350/5,960	
	MAX GAWR, FRONT ⁹	6,000	6,000	6,000	6,000	6,000	
	MAX GAWR, REAR ⁹	6,800	9,850	9,850	6,800	9,850	
	MAX TOWING ¹⁰	20,440/20,170	25,680/ 25,410	25,620/25,210	20,000/19,540	25,200/ 24,810	
	MAX GCWR ⁹	27,500	33,000	33,000	27,500	33,000	
4500 CHASSIS CAB		REGULAR CAB				CREW CAB	
		60" CA (4x2/4x4)	84" CA (4x2/4x4)	108" CA (4x2/4x4)	120" CA (4x2/4x4)	60" CA (4x2/4x4)	84" CA (4x2/4x4)
POWERTRAIN	CAPACITY TYPE	DRW				DRW	
6.4L HEMI® V8/ ZF 8AP430 TORQUEFLITE HD 8-SPEED	MAX GVWR ⁹	16,500	16,500	16,500	16,500	16,500	16,500
	MAX PAYLOAD ¹⁰	9,390/9,070	9,230/8,890	9,130/8,710	9,140/8,720	8,910/8,460	8,790/8,450
	MAX GAWR, FRONT ⁹	6,500	6,500	7,000	7,000	7,000	7,000
	MAX GAWR, REAR ⁹	12,000	12,000	12,000	12,000	12,000	12,000
	MAX TOWING ¹⁰	21,240/20,920	21,080/20,740	20,970/20,560	20,990/20,570	20,760/20,300	20,630/20,300
	MAX GCWR ⁹	28,500	28,500	28,500	28,500	28,500	28,500
6.7L CUMMINS TURBO DIESEL/ ZF TORQUEFLITE HD 8-SPEED	MAX GVWR ⁹	16,500	16,500	16,500	16,500	16,500	16,500
	MAX PAYLOAD ¹⁰	8,560/8,220	8,410/8,040	8,280/7,860	8,290/7,870	8,110/7,700	7,910/7,610
	MAX GAWR, FRONT ⁹	7,250	7,250	7,250	7,250	7,250	7,250
	MAX GAWR, REAR ⁹	12,000	12,000	12,000	12,000	12,000	12,000
	MAX TOWING ¹⁰	29,440/29,110	29,260/28,890	29,130/28,710	29,140/28,720	28,950/28,550	28,760/28,460
	MAX GCWR ⁹	37,500	37,500	37,500	37,500	37,500	37,500
5500 CHASSIS CAB		REGULAR CAB				CREW CAB	
		60" CA (4x2/4x4)	84" CA (4x2/4x4)	108" CA (4x2/4x4)	120" CA (4x2/4x4)	60" CA (4x2/4x4)	84" CA (4x2/4x4)
POWERTRAIN	CAPACITY TYPE	DRW				DRW	
6.4L HEMI® V8/ ZF 8AP430 TORQUEFLITE HD 8-SPEED	MAX GVWR ⁹	19,000	19,500	19,500	19,500	19,500	19,500
	MAX PAYLOAD ¹⁰	11,880/11,590	12,290/11,960	12,370/11,830	12,070/11,720	11,890/11,540	11,750/11,380
	MAX GAWR, FRONT ⁹	6,500	6,500	7,000	7,000	7,000	7,000
	MAX GAWR, REAR ⁹	13,500	13,500	13,500	13,500	13,500	13,500
	MAX TOWING ¹⁰	21,230/20,930	21,140/20,810	21,220/20,680	20,920/20,570	20,740/20,380	20,600/20,230
	MAX GCWR ⁹	28,500	28,500	28,500	28,500	28,500	28,500
6.7L CUMMINS TURBO DIESEL/ ZF TORQUEFLITE HD 8-SPEED	MAX GVWR ⁹	19,500	19,500	19,500	19,500	19,500	19,500
	MAX PAYLOAD ¹⁰	11,530/11,190	11,420/11,040	11,260/10,940	11,220/10,870	11,040/10,680	10,880/10,510
	MAX GAWR, FRONT ⁹	7,250	7,250	7,250	7,250	7,250	7,250
	MAX GAWR, REAR ⁹	13,500	13,500	13,500	13,500	13,500	13,500
	MAX TOWING ¹⁰	29,380/34,540	29,270/34,380	29,110/34,290	29,070/34,220	28,890/34,020	28,730/33,860
	MAX GCWR ⁹	37,500/43,000	37,50043,000	37,500/43,000	37,500/43,000	37,500/43,000	37,500/43,000
CA = CAB-TO-AXLE SRW = SINGLE REAR WHEEL DRW = DUAL REAR WHEEL							
Notes regarding the charts above: Payload and Max Trailer Weights are ESTIMATED values. All values are shown in pounds unless otherwise stated. .Payload and Max Trailer Weight values are rounded to the nearest 10 lb. Payload - GVWR - Base Weight. GAWRs, GVWRs and GCWRs should never be exceeded. Recommended tongue weight determined by class of hitch receiver and hardware limits of upfit. Upfit or aftermarket equipment weight not included with Base Weight. Frontal Area: Maximum allowable Frontal Area, in ft², that the vehicle can project. For details on calculations, please refer to Ram Body Builders Guide. If VECI Label and Max Upfit Weight not available, vehicle is not restricted to MCVW, Frontal Area or Maximum Upfit Weight limits; however, GVWR/GAWR/GCWR cannot be exceeded.							

CA = CAB-TO-AXLE SRW = SINGLE REAR WHEEL DRW = DUAL REAR WHEEL

Notes regarding the charts above: Payload and Max Trailer Weights are ESTIMATED values. All values are shown in pounds unless otherwise stated. .Payload and Max Trailer Weight values are rounded to the nearest 10 lb. Payload – GVWR – Base Weight. GAWRs, GVWRs and GCWRs should never be exceeded. Recommended tongue weight determined by class of hitch receiver and hardware limits of upfit. Upfit or aftermarket equipment weight not included with Base Weight. Frontal Area: Maximum allowable Frontal Area, in ft², that the vehicle can project. For details on calculations, please refer to Ram Body Builders Guide. If VECI Label and Max Upfit Weight not available, vehicle is not restricted to MCVW, Frontal Area or Maximum Upfit Weight limits; however, GVWR/GAWR/GCWR cannot be exceeded.

FOLLOW US



PROUD PARTNER OF



1 This system is a driver convenience system, not a substitute for active driver involvement. The driver must remain aware of traffic conditions and be prepared to use the brakes to avoid collisions. 2 This system is an alert system for the front of the vehicle. It is not a substitute for active driver involvement. The driver must remain aware of traffic conditions and be prepared to use brakes to avoid collisions. 3 Always sit properly in designated seating positions with seat belts securely fastened at all times. 4 Always drive carefully, consistent with conditions. Always wear your seat belt and obey traffic laws. 5 SiriusXM with 360L is only available on select vehicles. Certain features and/or content may not be available unless an active data connection is enabled in the vehicle. Content varies by subscription plan. Features and display may vary by vehicle. 6 Check state and local laws regarding the use of remote start systems. 7 Always check entire surroundings visually before proceeding. 8 Always look before proceeding. An electronic drive aid is not a substitute for conscientious driving. Always be aware of your surroundings. 9 Assumes properly equipped vehicle and 150-lb allowance for driver. Additional options, equipment, passengers, and cargo weight must be subtracted. Contact dealer for details. 10 Max payload/towing ratings shown are for base configuration. Additional options, equipment, passengers, and cargo weight may affect payload/towing weights. Contact dealer for details.

©2025 FCA US LLC. All Rights Reserved. Ram, Big Horn, HEMI, Laramie, ParkSense, the Ram's Head logo, Sentry Key, TorqueFlite, Tradesman and Uconnect are registered trademarks of FCA US LLC.

Harman Kardon is a registered trademark of Harman International Industries, Inc. Cummins is a registered trademark of Cummins, Inc. SiriusXM Connected Vehicles Services Inc., Sirius, XM, SiriusXM and SiriusXM Guardian, and all related marks and logos are registered trademarks of Sirius XM Radio Inc. Facebook and logo are registered trademarks of Meta Platforms, Inc. The X service marks (formerly, Twitter) are the intellectual property of X Corp. Instagram and logo are registered trademarks of Instagram, Inc. LinkedIn, the LinkedIn logo, the IN logo and InMail are registered trademarks or trademarks of LinkedIn Corporation and its affiliates in the United States and/or other countries. TikTok is a trademark of ByteDance Ltd. YouTube is a trademark of Google LLC.

This brochure is a publication of FCA US LLC. All product illustrations and specifications are based upon current information at the time of publication approval. FCA US LLC reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, colors and materials, and to change or discontinue models which are considered necessary to the purpose of product improvement or for reasons of design and/or marketing.

RAM.COM/PROFESSIONAL

RAM IS A REGISTERED TRADEMARK OF FCA US LLC.