

Buick
1910
SPECIFICATIONS

INTRODUCTORY

MANY visitors to our extensive works marvel at their size; others, who are familiar with BUICK policies, recognize in our rapid growth only the logical sequence of carefully laid plans. Our policies from the first have been to produce the best cars possible for the price asked, take proper care of customers through our extensive sales organization, and to insure a square deal to all.

BUICK MOTOR COMPANY
FLINT, MICHIGAN




Buick Model 10 Single Rumble
Price, $1,000

BUICK MODEL 10 SURREY

Wheel Base . . .	92 inches.
Seats	Four persons.
Tread	56 inches.
Tires	30 x 3½ inches.
Brakes	Internal expanding hub and external contracting on transmission shaft.
Springs	Full elliptic rear, semi-elliptic front.
Frame	Pressed steel.
Steering Gear . .	Irreversible type.
Horse Power . .	Eighteen.
Cylinders	Four, cast in pairs. Bore 3¾ inches, stroke 3¾ inches. Valve in the head construction.
Motor Suspension .	Sub-frame.
Cooling	Water, circulated by pump.
Ignition	Jump spark.
Current Supply . .	The current is supplied by a Remy magneto and a reserve set of dry cells is used for starting.
Carburetor . . .	Schebler.
Lubrication . . .	Self-contained system, oil circulated by pump.
Motor Control . .	Spark and throttle lever on top of steering wheel.
Clutch	Cone.
Transmission . .	Planetary. Two speeds forward, one reverse.
Control	Foot pedals for transmission brake, slow speed ahead and reverse; side levers for engagement of high speed clutch and emergency brake.
Drive	Shaft.

PRICE

$1,050 f. o. b. factory. This price includes oil lamps, tail lamp, generator, gas headlights, horn and repair outfit.




Buick Model 10 Surrey
Price, $1,050

BUICK MODEL 10 SURREY

Wheel Base . . .	92 inches.
Seats	Four persons.
Tread	56 inches.
Tires	30 x 3½ inches.
Brakes.	Internal expanding hub and external contracting on transmission shaft.
Springs	Full elliptic rear, semi-elliptic front.
Frame	Pressed steel.
Steering Gear . .	Irreversible type.
Horse Power . .	Eighteen.
Cylinders	Four, cast in pairs. Bore 3¾ inches, stroke 3¾ inches. Valve in the head construction.
Motor Suspension.	Sub-frame.
Cooling	Water, circulated by pump.
Ignition	Jump spark.
Current Supply . .	The current is supplied by a Remy magneto and a reserve set of dry cells is used for starting.
Carburetor . . .	Schebler.
Lubrication . . .	Self-contained system, oil circulated by pump.
Motor Control . .	Spark and throttle lever on top of steering wheel.
Clutch	Cone.
Transmission . .	Planetary. Two speeds forward, one reverse.
Control	Foot pedals for transmission brake, slow speed ahead and reverse; side levers for engagement of high speed clutch and emergency brake.
Drive	Shaft.

PRICE

$1,050 f. o. b. factory. This price includes oil lamps, tail lamp, generator, gas headlights, horn and repair outfit.




Buick Model 10 Toy Tonneau
Price, $1,150

BUICK MODEL 10 TOY TONNEAU

Wheel Base	92 inches.
Seats	Four persons.
Tread	56 inches.
Tires	30 x 3½ inches.
Brakes	Internal expanding hub and external contracting on transmission shaft.
Springs	Full elliptic rear, semi-elliptic front.
Frame	Pressed steel.
Steering Gear	Irreversible type.
Horse Power	Eighteen.
Cylinders	Four, cast in pairs. Bore 3¾ inches, stroke 3¾ inches. Valve in the head construction.
Motor Suspension	Sub-frame.
Cooling	Water, circulated by pump.
Ignition	Jump spark.
Current Supply	The current is supplied by a Remy magneto and a reserve set of dry cells is used for starting.
Carburetor	Schebler.
Lubrication	Self-contained system, oil circulated by pump.
Motor Control	Spark and throttle lever on top of steering wheel.
Clutch	Cone.
Transmission	Planetary. Two speeds forward, one reverse.
Control	Foot pedals for transmission brake, slow speed ahead and reverse; side levers for engagement of high speed clutch and emergency brake.
Drive	Shaft.

PRICE

$1,150 f. o. b. factory. This price includes oil lamps, tail lamp, generator, gas headlights, horn and repair outfit.



Price, $1,750


Buick Model 17

BUICK MODEL 17 SPECIFICATIONS

Body	Wood, touring type.
Seats	Five persons.
Wheel Base . .	112 inches.
Tread	56 inches.
Tires	34 x 4 inches.
Brakes	Internal expanding hub and external contracting on driving shaft.
Springs	Full elliptic rear, semi-elliptic front.
Frame	Pressed steel.
Steering Gear . .	Irreversible type.
Horse Power . .	Thirty.
Cylinders	Four vertical. 4½ x 5 inches. Valve in the head construction.
Motor Suspension	Sub-frame.
Cooling	Water, circulated by pump.
Ignition	Jump spark.
Current Supply .	Magneto and reserve set of dry cells.
Carburetor . . .	Schebler.
Lubrication . . .	Self-contained system, oil circulated by pump.
Motor Control . .	Spark and throttle levers on top of steering wheel.
Clutch	Cone, our special design.
Transmission . .	Sliding gear, selective type; three speeds forward, one reverse.
Control	Foot pedals for service brake and clutch; side lever for change gear; side lever for emergency brake.
Drive	Shaft.

PRICE

$1,750 f. o. b. factory. This price includes oil lamps, tail lamp, generator, gas headlights, horn and repair outfit.



Price, $1,400

Buick Model 19

BUICK MODEL 19 SPECIFICATIONS

Body	Wood, touring type.
Seats	Five persons.
Wheel Base	105 inches.
Tread	56 inches.
Tires	32 x 4 inches.
Brakes	Internal expanding hub and external contracting on driving shaft.
Springs	Full elliptic rear, semi-elliptic front.
Frame	Pressed steel.
Steering Gear	Irreversible type.
Horse Power	Twenty-four.
Cylinders	Four vertical. 4¼ x 4½ inches. Valve in the head construction.
Cooling	Water, circulated by pump.
Ignition	Jump spark.
Current Supply	Magneto and reserve set of dry cells.
Carburetor	Schebler.
Lubrication	Self-contained system, oil circulated by pump.
Motor Control	Spark and throttle levers on top of steering wheel.
Clutch	Cone, special design.
Transmission	Sliding gear, selective type; three speeds forward, one reverse.
Control	Foot pedals for service brake and clutch; side lever for change gear; side lever for emergency brake.
Drive	Shaft.

PRICE

$1,400 f. o. b. factory. This price includes oil lamps, tail lamp, generator, gas headlights, horn and repair outfit.

HIGH GRADE PRINTING
THE ACORN PRESS
R. A. MOOTE
JACKSON, MICH.